#### (12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

#### (19) World Intellectual Property Organization International Bureau



#### 

(43) International Publication Date 1 August 2002 (01.08.2002)

PCT

#### (10) International Publication Number WO 02/059377 A2

(51) International Patent Classification7:

C12Q 1/68

(21) International Application Number: PCT/US02/02242

(22) International Filing Date: 24 January 2002 (24.01.2002)

(25) Filing Language:

English

(26) Publication Language:

English

(30) Priority Data:

| 60/263,965<br>60/265,928 | 24 January 2001 (24.01.2001)<br>2 February 2001 (02.02.2001) | US<br>US |
|--------------------------|--|----------|
| 09/829,472               | 9 April 2001 (09.04.2001)                                    | US       |
| 60/282,698               | 9 April 2001 (09.04.2001)                                    | US       |
| 60/288,590               | 4 May 2001 (04.05.2001)<br>29 May 2001 (29.05.2001)          | US<br>US |
| 60/294,443               | 29 May 2001 (29.05.2001)                                     | 03       |

(71) Applicant: EOS BIOTECHNOLOGY, INC. [US/US]; 225A Gateway Boulevard, South San Francisco, CA 94080-7019 (US).

(72) Inventors: MACK, David, H.; 2076 Monterey Avenue, Menlo Park, CA 94025 (US). GISH, Kurt, C.; 40 Perego Terrace #2, San Francisco, CA 94131 (US). AFAR, Daniel; 435 Visitacion Avenue, Brisbane, CA 94005 (US).

(74) Agents: BASTIAN, Kevin, L. et al.; Townsend and Townsend and Crew LLP, Two Embarcadero Center, 8th Floor, San Francisco, CA 94111-3834 (US).

(81) Designated States (national): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, ET, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, OM, PH, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, UZ, VN, YU, ZA, ZM, ZW.

(84) Designated States (regional): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

#### Published:


without international search report and to be republished upon receipt of that report

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

(54) Title: METHODS OF DIAGNOSIS OF BREAST CANCER, COMPOSITIONS AND METHODS OF SCREENING FOR MODULATORS OF BREAST CANCER

(57) Abstract: Described herein are genes whose expression are up-regulated or down-regulated in breast cancer. Related methods and compositions that can be used for diagnosis and treatment of breast cancer are disclosed. Also described herein are methods that can be used to identify modulators of breast cancer.





# METHODS OF DIAGNOSIS OF BREAST CANCER, COMPOSITIONS AND METHODS OF SCREENING FOR MODULATORS OF BREAST CANCER

5

10

# CROSS-REFERENCES TO RELATED APPLICATIONS

This application claims priority to USSN 60/263,965, filed January 24, 2001; USSN 60/265,928, filed February 2, 2001; USSN 09/829,472 filed April 9, 2001; USSN 60/282,698, filed April 9, 2001; USSN 60/288,590, filed May 4, 2001; and USSN 60/294,443, filed May 29, 2001, all of which are incorporated herein by reference in their entirety.

#### FIELD OF THE INVENTION

The invention relates to the identification of nucleic acid and protein expression profiles and nucleic acids, products, and antibodies thereto that are involved in breast cancer; and to the use of such expression profiles and compositions in the diagnosis, prognosis and therapy of breast cancer. The invention further relates to methods for identifying and using agents and/or targets that inhibit breast cancer.

20

25

15

## BACKGROUND OF THE INVENTION

Breast cancer is one of the most frequently diagnosed cancers and the second leading cause of female cancer death in North America and northern Europe, with lung cancer being the leading cause. Lifetime incidence of the disease in the United States is one-in-eight, with a 1-in-29 lifetime risk of dying from breast cancer. Early detection of breast cancer, using mammography, clinical breast examination, and self breast examination, has dramatically improved the treatment of the disease, although sensitivity is still major concern, as mammographic sensitivity has been estimated at only 60%–90%. Treatment of breast cancer consists largely of surgical lumpectomy or mastectomy, radiation therapy, anti-

WO 02/059377

hormone therapy, and/or chemotherapy. Although many breast cancer patients are effectively treated, the current therapies can all induce serious side effects which diminish quality of life. Deciding on a particular course of treatment is typically based on a variety of prognostic parameters and markers (Fitzgibbons et al., 2000, Arch. Pathol. Lab. Med. 124:966-978; Hamilton and Piccart, 2000, Ann. Oncol. 11:647-663), including genetic predispostion markers BRCA-1 and BRCA-2 (Robson, 2000, J. Clin. Oncol. 18:113sup-118sup).

5

10

15

20

25

30

Imaging of breast cancer for diagnosis has been problematic and limited. In addition, dissemination of tumor cells (metastases) to locoregional lymph nodes is an important prognostic factor; five year survival rates drop from 80 percent in patients with no lymph node metastases to 45 to 50 percent in those patients who do have lymph node metastases. A recent report showed that micrometastases can be detected from lymph nodes using reverse transcriptase-PCR methods based on the presence of mRNA for carcinoembryonic antigen, which has previously been shown to be present in the vast majority of breast cancers but not in normal tissues. Liefers et al., New England J. of Med. 339(4):223 (1998).

The identification of novel therapeutic targets and diagnostic markers is essential for improving the current treatment of breast cancer patients. Recent advances in molecular medicine have increased the interest in tumor-specific cell surface antigens that could serve as targets for various immunotherapeutic or small molecule strategies. Antigens suitable for immunotherapeutic strategies should be highly expressed in cancer tissues and ideally not expressed in normal adult tissues. Expression in tissues that are dispensable for life, however, may be tolerated. Examples of such antigens include Her2/neu and the B-cell antigen CD20. Humanized monclonal antibodies directed to Her2/neu (Herceptin®/trastuzumab) are currently in use for the treatment of metastatic breast cancer (Ross and Fletcher, 1998, Stem Cells 16:413-428). Similarly, anti-CD20 monoclonal antibodies (Rituxin®/rituximab) are used to effectively treat non-Hodgekin's lymphoma (Maloney et al., 1997, Blood 90:2188-2195; Leget and Czuczman, 1998, Curr. Opin. Oncol. 10:548-551).

Other potential immunotherapeutic targets have been identified for breast cancer. One such target is polymorphic epithelial mucin (MUC1). MUC1 is a transmembrane

protein, present at the apical surface of glandular epithelial cells. It is often overexpressed in breast cancer, and typically exhibits an altered glycosylation pattern, resulting in an antigenically distinct molecule, and is in early clinical trials as a vaccine target (Gilewski et al., 2000, Clin. Cancer Res. 6:1693-1701; Scholl et al., 2000, J. Immunother. 23:570-580). The tumor-expressed protein is often cleaved into the circulation, where it is detectable as the tumor marker, CA 15-3 (Bon et al., 1997, Clin. Chem. 43:585-593). However, many patients 5 have tumors that express neither HER2 nor MUC-1; therefore, it is clear that other targets need to be identified to manage localized and metastatic disease. Many other genes have been reported to be overexpressed in breast cancer, such as EGFR (Sainsbury et al., 1987, Lancet 1(8547):1398-1402), c-erbB3 (Naidu et al., 1988, Br. J. Cancer 78:1385-1390), FGFR2 10 (Penault-Llorca et al., 1991, Int. J. Cancer 61:170-176), PKW (Preiherr et al., 2000, Anticancer Res. 20:2255-2264), MTA1 (Nawa et al., 2000, J. Cell Biochem. 79:202-212), breast cancer associated gene 1 (Kurt et al., 2000, Breast Cancer Res. Treat. 59:41-48). Although monoclonal antibodies to the protein products of some of these overexpressed genes have been reported (for review, see Green et al., 2000, Cancer Treat. Rev. 26:269-286), 15 none are currently approved for breast cancer therapy in the US.

Disclosures of certain genes and ESTs described as being expressed in breast cancer are found in international patent applications WO-99/33869, WO-97/25426, WO-97/02280 and WO-00/55173, WO-98/45328 and WO-00/22130. Similarly, genes and ESTs described as being expressed in breast cancer are disclosed in US Patent Nos. 5,759,776 and 5,693,522. The utility of such genes is described in each of these publications, and their disclosures are incorporated herein in their entirety.

20

25

30

While industry and academia have identified novel sequences, there has not been an equal effort exerted to identify the function of these novel sequences. The elucidation of a role for novel proteins and compounds in disease states for identification of therapeutic targets and diagnostic markers is essential for improving the current treatment of breast cancer patients. Accordingly, provided herein are molecular targets for therapeutic intervention in breast and other cancers. Additionally, provided herein are methods that can be used in diagnosis and prognosis of breast cancer. Further provided are methods that can be used to screen candidate bioactive agents for the ability to modulate breast cancer.

10

15

20

25



#### SUMMARY OF THE INVENTION

The present invention therefore provides nucleotide sequences of genes that are up- and down-regulated in breast cancer cells. Such genes are useful for diagnostic purposes, and also as targets for screening for therapeutic compounds that modulate breast cancer, such as hormones or antibodies. Other aspects of the invention will become apparent to the skilled artisan by the following description of the invention.

In one aspect, the present invention provides a method of detecting a breast cancer-associated transcript in a cell from a patient, the method comprising contacting a biological sample from the patient with a polynucleotide that selectively hybridizes to a sequence at least 80% identical to a sequence as shown in Tables 1-25.

In one embodiment, the present invention provides a method of determining the level of a breast cancer associated transcript in a cell from a patient.

In one embodiment, the present invention provides a method of detecting a breast cancer-associated transcript in a cell from a patient, the method comprising contacting a biological sample from the patient with a polynucleotide that selectively hybridizes to a sequence at least 80% identical to a sequence as shown in Tables 1-25.

In one embodiment, the polynucleotide selectively hybridizes to a sequence at least 95% identical to a sequence as shown in Tables 1-25.

In one embodiment, the biological sample is a tissue sample. In another embodiment, the biological sample comprises isolated nucleic acids, e.g., mRNA.

In one embodiment, the polynucleotide is labeled, e.g., with a fluorescent label.

In one embodiment, the polynucleotide is immobilized on a solid surface.

In one embodiment, the patient is undergoing a therapeutic regimen to treat breast cancer. In another embodiment, the patient is suspected of having metastatic breast cancer.

In one embodiment, the patient is a human.

In one embodiment, the breast cancer associated transcript is mRNA.

- cm///202/02242

In one embodiment, the method further comprises the step of amplifying nucleic acids before the step of contacting the biological sample with the polynucleotide.

In another aspect, the present invention provides a method of monitoring the efficacy of a therapeutic treatment of breast cancer, the method comprising the steps of: (i) providing a biological sample from a patient undergoing the therapeutic treatment; and (ii) determining the level of a breast cancer-associated transcript in the biological sample by contacting the biological sample with a polynucleotide that selectively hybridizes to a sequence at least 80% identical to a sequence as shown in Tables 1-25, thereby monitoring the efficacy of the therapy. In a further embodiment, the patient has metastatic breast cancer. In a further embodiment, the patient has a drug resistant form of breast cancer.

5

10

15

20

25

In one embodiment, the method further comprises the step of: (iii) comparing the level of the breast cancer-associated transcript to a level of the breast cancer-associated transcript in a biological sample from the patient prior to, or earlier in, the therapeutic treatment.

Additionally, provided herein is a method of evaluating the effect of a candidate breast cancer drug comprising administering the drug to a patient and removing a cell sample from the patient. The expression profile of the cell is then determined. This method may further comprise comparing the expression profile to an expression profile of a healthy individual. In a preferred embodiment, said expression profile includes a gene of Tables 1-25.

• In one aspect, the present invention provides an isolated nucleic acid molecule consisting of a polynucleotide sequence as shown in Tables 1-25.

In one embodiment, an expression vector or cell comprises the isolated nucleic acid.

In one aspect, the present invention provides an isolated polypeptide which is encoded by a nucleic acid molecule having polynucleotide sequence as shown in Tables 1-25.

In another aspect, the present invention provides an antibody that specifically binds to an isolated polypeptide which is encoded by a nucleic acid molecule having polynucleotide sequence as shown in Tables 1-25.

WO 02/059377 PCT/US02/02242

In one embodiment, the antibody is conjugated to an effector component, e.g., a fluorescent label, a radioisotope or a cytotoxic chemical.

In one embodiment, the antibody is an antibody fragment. In another embodiment, the antibody is humanized.

5

10

15

20

25

30

In one aspect, the present invention provides a method of detecting a breast cancer cell in a biological sample from a patient, the method comprising contacting the biological sample with an antibody as described herein.

In another aspect, the present invention provides a method of detecting antibodies specific to breast cancer in a patient, the method comprising contacting a biological sample from the patient with a polypeptide encoded by a nucleic acid comprising a sequence from Tables 1-25.

In another aspect, the present invention provides a method for identifying a compound that modulates a breast cancer-associated polypeptide, the method comprising the steps of: (i) contacting the compound with a breast cancer-associated polypeptide, the polypeptide encoded by a polynucleotide that selectively hybridizes to a sequence at least 80% identical to a sequence as shown in Tables 1-25; and (ii) determining the functional effect of the compound upon the polypeptide.

In one embodiment, the functional effect is a physical effect, an enzymatic effect, or a chemical effect.

In one embodiment, the polypeptide is expressed in a eukaryotic host cell or cell membrane. In another embodiment, the polypeptide is recombinant.

In one embodiment, the functional effect is determined by measuring ligand binding to the polypeptide.

In another aspect, the present invention provides a method of inhibiting proliferation of a breast cancer-associated cell to treat breast cancer in a patient, the method comprising the step of administering to the subject a therapeutically effective amount of a compound identified as described herein.

In one embodiment, the compound is an antibody.

In another aspect, the present invention provides a drug screening assay comprising the steps of: (i) administering a test compound to a mammal having breast cancer

or to a cell sample isolated therefrom; (ii) comparing the level of gene expression of a polynucleotide that selectively hybridizes to a sequence at least 80% identical to a sequence as shown in Tables 1-25 in a treated cell or mammal with the level of gene expression of the polynucleotide in a control cell sample or mammal, wherein a test compound that modulates the level of expression of the polynucleotide is a candidate for the treatment of breast cancer.

In one embodiment, the control is a mammal with breast cancer or a cell sample therefrom that has not been treated with the test compound. In another embodiment, the control is a normal cell or mammal.

5

10

15

20

25

30

In one embodiment, the test compound is administered in varying amounts or concentrations. In another embodiment, the test compound is administered for varying time periods. In another embodiment, the comparison can occur after addition or removal of the drug candidate.

In one embodiment, the levels of a plurality of polynucleotides that selectively hybridize to a sequence at least 80% identical to a sequence as shown in Tables 1-25 are individually compared to their respective levels in a control cell sample or mammal. In a preferred embodiment the plurality of polynucleotides is from three to ten.

In another aspect, the present invention provides a method for treating a mammal having breast cancer comprising administering a compound identified by the assay described herein.

In another aspect, the present invention provides a pharmaceutical composition for treating a mammal having breast cancer, the composition comprising a compound identified by the assay described herein and a physiologically acceptable excipient.

In one aspect, the present invention provides a method of screening drug candidates by providing a cell expressing a gene that is up- and down-regulated as in a breast cancer. In one embodiment, a gene is selected from Tables 1-25. The method further includes adding a drug candidate to the cell and determining the effect of the drug candidate on the expression of the expression profile gene.

In one embodiment, the method of screening drug candidates includes comparing the level of expression in the absence of the drug candidate to the level of

10

15

20

25

30



expression in the presence of the drug candidate, wherein the concentration of the drug candidate can vary when present, and wherein the comparison can occur after addition or removal of the drug candidate. In a preferred embodiment, the cell expresses at least two expression profile genes. The profile genes may show an increase or decrease.

Also provided is a method of evaluating the effect of a candidate breast cancer drug comprising administering the drug to a transgenic animal expressing or over-expressing the breast cancer modulatory protein, or an animal lacking the breast cancer modulatory protein, for example as a result of a gene knockout.

Moreover, provided herein is a biochip comprising one or more nucleic acid segments of Tables 1-25, wherein the biochip comprises fewer than 1000 nucleic acid probes. Preferably, at least two nucleic acid segments are included. More preferably, at least three nucleic acid segments are included.

Furthermore, a method of diagnosing a disorder associated with breast cancer is provided. The method comprises determining the expression of a gene of Tables 1-25, preferably a gene of Table 25, in a first tissue type of a first individual, and comparing the distribution to the expression of the gene from a second normal tissue type from the first individual or a second unaffected individual. A difference in the expression indicates that the first individual has a disorder associated with breast cancer.

In a further embodiment, the biochip also includes a polynucleotide sequence of a gene that is not up- and down-regulated in breast cancer.

In one embodiment a method for screening for a bioactive agent capable of interfering with the binding of a breast cancer modulating protein (breast cancer modulatory protein) or a fragment thereof and an antibody which binds to said breast cancer modulatory protein or fragment thereof. In a preferred embodiment, the method comprises combining a breast cancer modulatory protein or fragment thereof, a candidate bioactive agent and an antibody which binds to said breast cancer modulatory protein or fragment thereof. The method further includes determining the binding of said breast cancer modulatory protein or fragment thereof and said antibody. Wherein there is a change in binding, an agent is identified as an interfering agent. The interfering agent can be an agonist or an antagonist. Preferably, the agent inhibits breast cancer.

Also provided herein are methods of eliciting an immune response in an individual. In one embodiment a method provided herein comprises administering to an individual a composition comprising a breast cancer modulating protein, or a fragment thereof. In another embodiment, the protein is encoded by a nucleic acid selected from those of Tables 1-25.

5

10

15

20

30

Further provided herein are compositions capable of eliciting an immune response in an individual. In one embodiment, a composition provided herein comprises a breast cancer modulating protein, preferably encoded by a nucleic acid of Tables 1-25, more preferably of Table 25, or a fragment thereof, and a pharmaceutically acceptable carrier. In another embodiment, said composition comprises a nucleic acid comprising a sequence encoding a breast cancer modulating protein, preferably selected from the nucleic acids of Tables 1-25, and a pharmaceutically acceptable carrier.

Also provided are methods of neutralizing the effect of a breast cancer protein, or a fragment thereof, comprising contacting an agent specific for said protein with said protein in an amount sufficient to effect neutralization. In another embodiment, the protein is encoded by a nucleic acid selected from those of Tables 1-25.

In another aspect of the invention, a method of treating an individual for breast cancer is provided. In one embodiment, the method comprises administering to said individual an inhibitor of a breast cancer modulating protein. In another embodiment, the method comprises administering to a patient having breast cancer an antibody to a breast cancer modulating protein conjugated to a therapeutic moiety. Such a therapeutic moiety can be a cytotoxic agent or a radioisotope.

### DETAILED DESCRIPTION OF THE INVENTION

In accordance with the objects outlined above, the present invention provides novel methods for diagnosis and prognosis evaluation for breast cancer (PC), including metastatic breast cancer, as well as methods for screening for compositions which modulate breast cancer. Also provided are methods for treating breast cancer.

Tables 1-24B provide unigene cluster identification numbers for the nucleotide sequence of genes that exhibit increased or decreased expression in breast cancer



samples. Tables 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 18, 19, 20, 21, and 22 list those genes that are up-regulated in breast cancer cells. Table 14 lists those genes that are highly upregulated in breast cancer cells. Table 1, 2, 3, 15, and 23 list genes that are down-regulated in breast cancer cells and Table 16, lists genes that are highly down-regulated in breast cancer genes. The Tables also provide an exemplar accession number that provides a nucleotide sequence that is part of the unigene cluster.

#### Definitions

5

10

15

20

The term "breast cancer protein" or "breast cancer polynucleotide" or "breast cancer-associated transcript" refers to nucleic acid and polypeptide polymorphic variants, alleles, mutants, and interspecies homologues that: (1) have a nucleotide sequence that has greater than about 60% nucleotide sequence identity, 65%, 70%, 75%, 80%, 85%, 90%, preferably 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98% or 99% or greater nucleotide sequence identity, preferably over a region of over a region of at least about 25, 50, 100, 200, 500, 1000, or more nucleotides, to a nucleotide sequence of or associated with a gene of Tables 1-25; (2) bind to antibodies, e.g., polyclonal antibodies, raised against an immunogen comprising an amino acid sequence encoded by a nucleotide sequence of or associated with a gene of Tables 1-25, and conservatively modified variants thereof; (3) specifically hybridize under stringent hybridization conditions to a nucleic acid sequence, or the complement thereof of Tables 1-25 and conservatively modified variants thereof or (4) have an amino acid sequence that has greater than about 60% amino acid sequence identity, 65%, 70%, 75%, 80%, 85%, 90%, preferably 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98% or 99% or greater amino sequence identity, preferably over a region of over a region of at least about 25, 50, 100, 200, 500, 1000, or more amino acid, to an amino acid sequence encoded by a nucleotide sequence of or associated with a gene of Tables 1-25. A polynucleotide or polypeptide 25 sequence is typically from a mammal including, but not limited to, primate, e.g., human; rodent, e.g., rat, mouse, hamster; cow, pig, horse, sheep, or other mammal. A "breast cancer polypeptide" and a "breast cancer polynucleotide," include both naturally occurring or recombinant forms.

A "full length" breast cancer protein or nucleic acid refers to a breast cancer polypeptide or polynucleotide sequence, or a variant thereof, that contains all of the elements normally contained in one or more naturally occurring, wild type breast cancer polynucleotide or polypeptide sequences. The "full length" may be prior to, or after, various stages of post-translation processing or splicing, including alternative splicing.

5

10

15

20

25

30

"Biological sample" as used herein is a sample of biological tissue or fluid that contains nucleic acids or polypeptides, e.g., of a breast cancer protein, polynucleotide or transcript. Such samples include, but are not limited to, tissue isolated from primates, e.g., humans, or rodents, e.g., mice, and rats. Biological samples may also include sections of tissues such as biopsy and autopsy samples, frozen sections taken for histologic purposes, blood, plasma, serum, sputum, stool, tears, mucus, hair, skin, etc. Biological samples also include explants and primary and/or transformed cell cultures derived from patient tissues. A biological sample is typically obtained from a eukaryotic organism, most preferably a mammal such as a primate e.g., chimpanzee or human; cow; dog; cat; a rodent, e.g., guinea pig, rat, mouse; rabbit; or a bird; reptile; or fish.

"Providing a biological sample" means to obtain a biological sample for use in methods described in this invention. Most often, this will be done by removing a sample of cells from an animal, but can also be accomplished by using previously isolated cells (e.g., isolated by another person, at another time, and/or for another purpose), or by performing the methods of the invention *in vivo*. Archival tissues, having treatment or outcome history, will be particularly useful.

The terms "identical" or percent "identity," in the context of two or more nucleic acids or polypeptide sequences, refer to two or more sequences or subsequences that are the same or have a specified percentage of amino acid residues or nucleotides that are the same (i.e., about 60% identity, preferably 70%, 75%, 80%, 85%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99%, or higher identity over a specified region, when compared and aligned for maximum correspondence over a comparison window or designated region) as measured using a BLAST or BLAST 2.0 sequence comparison algorithms with default parameters described below, or by manual alignment and visual inspection (see, e.g., NCBI web site http://www.ncbi.nlm.nih.gov/BLAST/ or the like). Such sequences are then said to

WO 02/059377

10

15

20

25

30

be "substantially identical." This definition also refers to, or may be applied to, the compliment of a test sequence. The definition also includes sequences that have deletions and/or additions, as well as those that have substitutions, as well as naturally occurring, e.g., polymorphic or allelic variants, and man-made variants. As described below, the preferred algorithms can account for gaps and the like. Preferably, identity exists over a region that is at least about 25 amino acids or nucleotides in length, or more preferably over a region that is 50-100 amino acids or nucleotides in length.

For sequence comparison, typically one sequence acts as a reference sequence, to which test sequences are compared. When using a sequence comparison algorithm, test and reference sequences are entered into a computer, subsequence coordinates are designated, if necessary, and sequence algorithm program parameters are designated. Preferably, default program parameters can be used, or alternative parameters can be designated. The sequence comparison algorithm then calculates the percent sequence identities for the test sequences relative to the reference sequence, based on the program parameters.

A "comparison window", as used herein, includes reference to a segment of one of the number of contiguous positions selected from the group consisting typically of from 20 to 600, usually about 50 to about 200, more usually about 100 to about 150 in which a sequence may be compared to a reference sequence of the same number of contiguous positions after the two sequences are optimally aligned. Methods of alignment of sequences for comparison are well-known in the art. Optimal alignment of sequences for comparison can be conducted, e.g., by the local homology algorithm of Smith & Waterman, Adv. Appl. Math. 2:482 (1981), by the homology alignment algorithm of Needleman & Wunsch, J. Mol. Biol. 48:443 (1970), by the search for similarity method of Pearson & Lipman, Proc. Nat'l. Acad. Sci. USA 85:2444 (1988), by computerized implementations of these algorithms (GAP, BESTFIT, FASTA, and TFASTA in the Wisconsin Genetics Software Package, Genetics Computer Group, 575 Science Dr., Madison, WI), or by manual alignment and visual inspection (see, e.g., Current Protocols in Molecular Biology (Ausubel et al., eds. 1995 supplement)).

Preferred examples of algorithms that are suitable for determining percent sequence identity and sequence similarity include the BLAST and BLAST 2.0 algorithms,

which are described in Altschul et al., Nuc. Acids Res. 25:3389-3402 (1977) and Altschul et al., J. Mol. Biol. 215:403-410 (1990). BLAST and BLAST 2.0 are used, with the parameters described herein, to determine percent sequence identity for the nucleic acids and proteins of the invention. Software for performing BLAST analyses is publicly available through the National Center for Biotechnology Information (http://www.ncbi.nlm.nih.gov/). This algorithm involves first identifying high scoring sequence pairs (HSPs) by identifying short 5 words of length W in the query sequence, which either match or satisfy some positive-valued threshold score T when aligned with a word of the same length in a database sequence. T is referred to as the neighborhood word score threshold (Altschul et al., supra). These initial neighborhood word hits act as seeds for initiating searches to find longer HSPs containing 10 them. The word hits are extended in both directions along each sequence for as far as the cumulative alignment score can be increased. Cumulative scores are calculated using, e.g., for nucleotide sequences, the parameters M (reward score for a pair of matching residues; always > 0) and N (penalty score for mismatching residues; always < 0). For amino acid sequences, a scoring matrix is used to calculate the cumulative score. Extension of the word 15 hits in each direction are halted when: the cumulative alignment score falls off by the quantity X from its maximum achieved value; the cumulative score goes to zero or below, due to the accumulation of one or more negative-scoring residue alignments; or the end of either sequence is reached. The BLAST algorithm parameters W, T, and X determine the sensitivity and speed of the alignment. The BLASTN program (for nucleotide sequences) 20 uses as defaults a wordlength (W) of 11, an expectation (E) of 10, M=5, N=4 and a comparison of both strands. For amino acid sequences, the BLASTP program uses as defaults a wordlength of 3, and expectation (E) of 10, and the BLOSUM62 scoring matrix (see Henikoff & Henikoff, Proc. Natl. Acad. Sci. USA 89:10915 (1989)) alignments (B) of 50, expectation (E) of 10, M=5, N=-4, and a comparison of both strands. 25

The BLAST algorithm also performs a statistical analysis of the similarity between two sequences (see, e.g., Karlin & Altschul, Proc. Nat'l. Acad. Sci. USA 90:5873-5787 (1993)). One measure of similarity provided by the BLAST algorithm is the smallest sum probability (P(N)), which provides an indication of the probability by which a match between two nucleotide or amino acid sequences would occur by chance. For example, a

30

5 ~

10

15

20

25

30

nucleic acid is considered similar to a reference sequence if the smallest sum probability in a comparison of the test nucleic acid to the reference nucleic acid is less than about 0.2, more preferably less than about 0.01, and most preferably less than about 0.001. Log values may be large negative numbers, e.g., 5, 10, 20, 30, 40, 40, 70, 90, 110, 150, 170, etc.

An indication that two nucleic acid sequences or polypeptides are substantially identical is that the polypeptide encoded by the first nucleic acid is immunologically cross reactive with the antibodies raised against the polypeptide encoded by the second nucleic acid, as described below. Thus, a polypeptide is typically substantially identical to a second polypeptide, e.g., where the two peptides differ only by conservative substitutions. Another indication that two nucleic acid sequences are substantially identical is that the two molecules or their complements hybridize to each other under stringent conditions, as described below. Yet another indication that two nucleic acid sequences are substantially identical is that the same primers can be used to amplify the sequences.

A "host cell" is a naturally occurring cell or a transformed cell that contains an expression vector and supports the replication or expression of the expression vector. Host cells may be cultured cells, explants, cells *in vivo*, and the like. Host cells may be prokaryotic cells such as *E. coli*, or eukaryotic cells such as yeast, insect, amphibian, or mammalian cells such as CHO, HeLa, and the like (*see*, *e.g.*, the American Type Culture Collection catalog or web site, www.atcc.org).

The terms "isolated," "purified," or "biologically pure" refer to material that is substantially or essentially free from components that normally accompany it as found in its native state. Purity and homogeneity are typically determined using analytical chemistry techniques such as polyacrylamide gel electrophoresis or high performance liquid chromatography. A protein or nucleic acid that is the predominant species present in a preparation is substantially purified. In particular, an isolated nucleic acid is separated from some open reading frames that naturally flank the gene and encode proteins other than protein encoded by the gene. The term "purified" in some embodiments denotes that a nucleic acid or protein gives rise to essentially one band in an electrophoretic gel. Preferably, it means that the nucleic acid or protein is at least 85% pure, more preferably at least 95% pure, and most preferably at least 99% pure. "Purify" or "purification" in other embodiments means

removing at least one contaminant from the composition to be purified. In this sense, purification does not require that the purified compound be homogenous, e.g., 100% pure.

The terms "polypeptide," "peptide" and "protein" are used interchangeably herein to refer to a polymer of amino acid residues. The terms apply to amino acid polymers in which one or more amino acid residue is an artificial chemical mimetic of a corresponding naturally occurring amino acid, as well as to naturally occurring amino acid polymers, those containing modified residues, and non-naturally occurring amino acid polymer.

The term "amino acid" refers to naturally occurring and synthetic amino acids, as well as amino acid analogs and amino acid mimetics that function similarly to the naturally occurring amino acids. Naturally occurring amino acids are those encoded by the genetic code, as well as those amino acids that are later modified, e.g., hydroxyproline, γ-carboxyglutamate, and O-phosphoserine. Amino acid analogs refers to compounds that have the same basic chemical structure as a naturally occurring amino acid, e.g., an α carbon that is bound to a hydrogen, a carboxyl group, an amino group, and an R group, e.g., homoserine, norleucine, methionine sulfoxide, methionine methyl sulfonium. Such analogs may have modified R groups (e.g., norleucine) or modified peptide backbones, but retain the same basic chemical structure as a naturally occurring amino acid. Amino acid mimetics refers to chemical compounds that have a structure that is different from the general chemical structure of an amino acid, but that functions similarly to a naturally occurring amino acid.

10

15

20

25

30

Amino acids may be referred to herein by either their commonly known three letter symbols or by the one-letter symbols recommended by the IUPAC-IUB Biochemical Nomenclature Commission. Nucleotides, likewise, may be referred to by their commonly accepted single-letter codes.

"Conservatively modified variants" applies to both amino acid and nucleic acid sequences. With respect to particular nucleic acid sequences, conservatively modified variants refers to those nucleic acids which encode identical or essentially identical amino acid sequences, or where the nucleic acid does not encode an amino acid sequence, to essentially identical or associated, e.g., naturally contiguous, sequences. Because of the degeneracy of the genetic code, a large number of functionally identical nucleic acids encode most proteins. For instance, the codons GCA, GCC, GCG and GCU all encode the amino

acid alanine. Thus, at every position where an alanine is specified by a codon, the codon can be altered to another of the corresponding codons described without altering the encoded polypeptide. Such nucleic acid variations are "silent variations," which are one species of conservatively modified variations. Every nucleic acid sequence herein which encodes a polypeptide also describes silent variations of the nucleic acid. One of skill will recognize that in certain contexts each codon in a nucleic acid (except AUG, which is ordinarily the only codon for methionine, and TGG, which is ordinarily the only codon for tryptophan) can be modified to yield a functionally identical molecule. Accordingly, often silent variations of a nucleic acid which encodes a polypeptide is implicit in a described sequence with respect to the expression product, but not with respect to actual probe sequences.

10 As to amino acid sequences, one of skill will recognize that individual substitutions, deletions or additions to a nucleic acid, peptide, polypeptide, or protein sequence which alters, adds or deletes a single amino acid or a small percentage of amino acids in the encoded sequence is a "conservatively modified variant" where the alteration results in the substitution of an amino acid with a chemically similar amino acid. 15 Conservative substitution tables providing functionally similar amino acids are well known in the art. Such conservatively modified variants are in addition to and do not exclude polymorphic variants, interspecies homologs, and alleles of the invention typically conservative substitutions for one another: 1) Alanine (A), Glycine (G); 2) Aspartic acid (D), Glutamic acid (E); 3) Asparagine (N), Glutamine (Q); 4) Arginine (R), Lysine (K); 5) 20 Isoleucine (I), Leucine (L), Methionine (M), Valine (V); 6) Phenylalanine (F), Tyrosine (Y), Tryptophan (W); 7) Serine (S), Threonine (T); and 8) Cysteine (C), Methionine (M) (see, e.g., Creighton, Proteins (1984)).

Macromolecular structures such as polypeptide structures can be described in terms of various levels of organization. For a general discussion of this organization, see, e.g., Alberts et al., Molecular Biology of the Cell (3<sup>rd</sup> ed., 1994) and Cantor & Schimmel, Biophysical Chemistry Part I: The Conformation of Biological Macromolecules (1980). "Primary structure" refers to the amino acid sequence of a particular peptide. "Secondary structure" refers to locally ordered, three dimensional structures within a polypeptide. These structures are commonly known as domains. Domains are portions of a polypeptide that

often form a compact unit of the polypeptide and are typically 25 to approximately 500 amino acids long. Typical domains are made up of sections of lesser organization such as stretches of  $\beta\text{-sheet}$  and  $\alpha\text{-helices}.$  "Tertiary structure" refers to the complete three dimensional structure of a polypeptide monomer. "Quaternary structure" refers to the three dimensional structure formed, usually by the noncovalent association of independent tertiary units. Anisotropic terms are also known as energy terms.

5

10

15

30

"Nucleic acid" or "oligonucleotide" or "polynucleotide" or grammatical equivalents used herein means at least two nucleotides covalently linked together. Oligonucleotides are typically from about 5, 6, 7, 8, 9, 10, 12, 15, 25, 30, 40, 50 or more nucleotides in length, up to about 100 nucleotides in length. Nucleic acids and polynucleotides are a polymers of any length, including longer lengths, e.g., 200, 300, 500, 1000, 2000, 3000, 5000, 7000, 10,000, etc. A nucleic acid of the present invention will generally contain phosphodiester bonds, although in some cases, nucleic acid analogs are included that may have alternate backbones, comprising, e.g., phosphoramidate, phosphorothioate, phosphorodithioate, or O-methylphophoroamidite linkages (see Eckstein, Oligonucleotides and Analogues: A Practical Approach, Oxford University Press); and peptide nucleic acid backbones and linkages. Other analog nucleic acids include those with positive backbones; non-ionic backbones, and non-ribose backbones, including those described in U.S. Patent Nos. 5,235,033 and 5,034,506, and Chapters 6 and 7, ASC Symposium Series 580, Carbohydrate Modifications in Antisense Research, Sanghui & 20 Cook, eds.. Nucleic acids containing one or more carbocyclic sugars are also included within one definition of nucleic acids. Modifications of the ribose-phosphate backbone may be done for a variety of reasons, e.g. to increase the stability and half-life of such molecules in physiological environments or as probes on a biochip. Mixtures of naturally occurring nucleic acids and analogs can be made; alternatively, mixtures of different nucleic acid 25 analogs, and mixtures of naturally occurring nucleic acids and analogs may be made.

A variety of references disclose such nucleic acid analogs, including, for example, phosphoramidate (Beaucage et al., Tetrahedron 49(10):1925 (1993) and references therein; Letsinger, J. Org. Chem. 35:3800 (1970); Sprinzl et al., Eur. J. Biochem. 81:579 (1977); Letsinger et al., Nucl. Acids Res. 14:3487 (1986); Sawai et al, Chem. Lett. 805

30

(1984), Letsinger et al., J. Am. Chem. Soc. 110:4470 (1988); and Pauwels et al., Chemica Scripta 26:141 91986)); phosphorothioate (Mag et al., Nucleic Acids Res. 19:1437 (1991); and U.S. Patent No. 5,644,048), phosphorodithioate (Briu et al., J. Am. Chem. Soc. 111:2321 (1989), O-methylphophoroamidite linkages (see Eckstein, Oligonucleotides and Analogues: A Practical Approach, Oxford University Press), and peptide nucleic acid backbones and linkages (see Egholm, J. Am. Chem. Soc. 114:1895 (1992); Meier et al., Chem. Int. Ed. Engl. 31:1008 (1992); Nielsen, Nature, 365:566 (1993); Carlsson et al., Nature 380:207 (1996), all of which are incorporated by reference). Other analog nucleic acids include those with positive backbones (Denpcy et al., Proc. Natl. Acad. Sci. USA 92:6097 (1995); non-ionic backbones (U.S. Patent Nos. 5,386,023, 5,637,684, 5,602,240, 5,216,141 and 4,469,863; 10 Kiedrowshi et al., Angew. Chem. Intl. Ed. English 30:423 (1991); Letsinger et al., J. Am. Chem. Soc. 110:4470 (1988); Letsinger et al., Nucleoside & Nucleotide 13:1597 (1994); Chapters 2 and 3, ASC Symposium Series 580, "Carbohydrate Modifications in Antisense Research", Ed. Y.S. Sanghui and P. Dan Cook; Mesmaeker et al., Bioorganic & Medicinal Chem. Lett. 4:395 (1994); Jeffs et al., J. Biomolecular NMR 34:17 (1994); Tetrahedron Lett. 37:743 (1996)) and non-ribose backbones, including those described in U.S. Patent Nos. 5,235,033 and 5,034,506, and Chapters 6 and 7, ASC Symposium Series 580, "Carbohydrate Modifications in Antisense Research", Ed. Y.S. Sanghui and P. Dan Cook. Nucleic acids containing one or more carbocyclic sugars are also included within one definition of nucleic acids (see Jenkins et al., Chem. Soc. Rev. (1995) pp 169-176). Several nucleic acid analogs 20 are described in Rawls, C & E News June 2, 1997 page 35. All of these references are hereby expressly incorporated by reference.

Particularly preferred are peptide nucleic acids (PNA) which includes peptide nucleic acid analogs. These backbones are substantially non-ionic under neutral conditions, in contrast to the highly charged phosphodiester backbone of naturally occurring nucleic acids. This results in two advantages. First, the PNA backbone exhibits improved hybridization kinetics. PNAs have larger changes in the melting temperature (T<sub>m</sub>) for mismatched versus perfectly matched basepairs. DNA and RNA typically exhibit a 2-4°C drop in T<sub>m</sub> for an internal mismatch. With the non-ionic PNA backbone, the drop is closer to 7-9°C. Similarly, due to their non-ionic nature, hybridization of the bases attached to these backbones is

relatively insensitive to salt concentration. In addition, PNAs are not degraded by cellular enzymes, and thus can be more stable.

The nucleic acids may be single stranded or double stranded, as specified, or contain portions of both double stranded or single stranded sequence. As will be appreciated by those in the art, the depiction of a single strand also defines the sequence of the complementary strand; thus the sequences described herein also provide the complement of the sequence. The nucleic acid may be DNA, both genomic and cDNA, RNA or a hybrid, where the nucleic acid may contain combinations of deoxyribo- and ribo-nucleotides, and combinations of bases, including uracil, adenine, thymine, cytosine, guanine, inosine, xanthine hypoxanthine, isocytosine, isoguanine, etc. "Transcript" typically refers to a naturally occurring RNA, e.g., a pre-mRNA, hnRNA, or mRNA. As used herein, the term "nucleoside" includes nucleotides and nucleoside and nucleotide analogs, and modified nucleosides such as amino modified nucleosides. In addition, "nucleoside" includes nonnaturally occurring analog structures. Thus, e.g. the individual units of a peptide nucleic acid, each containing a base, are referred to herein as a nucleoside. 15

10

20

25

30

A "label" or a "detectable moiety" is a composition detectable by spectroscopic, photochemical, biochemical, immunochemical, chemical, or other physical means. For example, useful labels include 32P, fluorescent dyes, electron-dense reagents, enzymes (e.g., as commonly used in an ELISA), biotin, digoxigenin, or haptens and proteins or other entities which can be made detectable, e.g., by incorporating a radiolabel into the peptide or used to detect antibodies specifically reactive with the peptide. The labels may be incorporated into the breast cancer nucleic acids, proteins and antibodies at any position. Any method known in the art for conjugating the antibody to the label may be employed, including those methods described by Hunter et al., Nature, 144:945 (1962); David et al., Biochemistry, 13:1014 (1974); Pain et al., J. Immunol. Meth., 40:219 (1981); and Nygren, J. Histochem. and Cytochem., 30:407 (1982).

An "effector" or "effector moiety" or "effector component" is a molecule that is bound (or linked, or conjugated), either covalently, through a linker or a chemical bond, or noncovalently, through ionic, van der Waals, electrostatic, or hydrogen bonds, to an antibody. The "effector" can be a variety of molecules including, e.g., detection moieties including

10

15

25

30

radioactive compounds, fluorescent compounds, an enzyme or substrate, tags such as epitope tags, a toxin; activatable moieties, a chemotherapeutic agent; a lipase; an antibiotic; or a radioisotope emitting "hard" e.g., beta radiation.

A "labeled nucleic acid probe or oligonucleotide" is one that is bound, either covalently, through a linker or a chemical bond, or noncovalently, through ionic, van der Waals, electrostatic, or hydrogen bonds to a label such that the presence of the probe may be detected by detecting the presence of the label bound to the probe. Alternatively, method using high affinity interactions may achieve the same results where one of a pair of binding partners binds to the other, e.g., biotin, streptavidin.

As used herein a "nucleic acid probe or oligonucleotide" is defined as a nucleic acid capable of binding to a target nucleic acid of complementary sequence through one or more types of chemical bonds, usually through complementary base pairing, usually through hydrogen bond formation. As used herein, a probe may include natural (i.e., A, G, C, or T) or modified bases (7-deazaguanosine, inosine, etc.). In addition, the bases in a probe may be joined by a linkage other than a phosphodiester bond, so long as it does not functionally interfere with hybridization. Thus, e.g., probes may be peptide nucleic acids in which the constituent bases are joined by peptide bonds rather than phosphodiester linkages. It will be understood by one of skill in the art that probes may bind target sequences lacking complete complementarity with the probe sequence depending upon the stringency of the hybridization conditions. The probes are preferably directly labeled as with isotopes, 20 chromophores, lumiphores, chromogens, or indirectly labeled such as with biotin to which a streptavidin complex may later bind. By assaying for the presence or absence of the probe, one can detect the presence or absence of the select sequence or subsequence. Diagnosis or prognosis may be based at the genomic level, or at the level of RNA or protein expression.

The term "recombinant" when used with reference, e.g., to a cell, or nucleic acid, protein, or vector, indicates that the cell, nucleic acid, protein or vector, has been modified by the introduction of a heterologous nucleic acid or protein or the alteration of a native nucleic acid or protein, or that the cell is derived from a cell so modified. Thus, e.g., recombinant cells express genes that are not found within the native (non-recombinant) form of the cell or express native genes that are otherwise abnormally expressed, under expressed

WO 02/059377

5

15

20

25

30

or not expressed at all. By the term "recombinant nucleic acid" herein is meant nucleic acid, originally formed in vitro, in general, by the manipulation of nucleic acid, e.g., using polymerases and endonucleases, in a form not normally found in nature. In this manner, operably linkage of different sequences is achieved. Thus an isolated nucleic acid, in a linear form, or an expression vector formed in vitro by ligating DNA molecules that are not normally joined, are both considered recombinant for the purposes of this invention. It is understood that once a recombinant nucleic acid is made and reintroduced into a host cell or organism, it will replicate non-recombinantly, i.e., using the in vivo cellular machinery of the host cell rather than in vitro manipulations; however, such nucleic acids, once produced recombinantly, although subsequently replicated non-recombinantly, are still considered recombinant for the purposes of the invention. Similarly, a "recombinant protein" is a protein 10 made using recombinant techniques, i.e., through the expression of a recombinant nucleic acid as depicted above.

The term "heterologous" when used with reference to portions of a nucleic acid indicates that the nucleic acid comprises two or more subsequences that are not normally found in the same relationship to each other in nature. For instance, the nucleic acid is typically recombinantly produced, having two or more sequences, e.g., from unrelated genes arranged to make a new functional nucleic acid, e.g., a promoter from one source and a coding region from another source. Similarly, a heterologous protein will often refer to two or more subsequences that are not found in the same relationship to each other in nature (e.g., a fusion protein).

A "promoter" is defined as an array of nucleic acid control sequences that direct transcription of a nucleic acid. As used herein, a promoter includes necessary nucleic acid sequences near the start site of transcription, such as, in the case of a polymerase II type promoter, a TATA element. A promoter also optionally includes distal enhancer or repressor elements, which can be located as much as several thousand base pairs from the start site of transcription. A "constitutive" promoter is a promoter that is active under most environmental and developmental conditions. An "inducible" promoter is a promoter that is active under environmental or developmental regulation. The term "operably linked" refers to a functional linkage between a nucleic acid expression control sequence (such as a

15

20

25

30



promoter, or array of transcription factor binding sites) and a second nucleic acid sequence, wherein the expression control sequence directs transcription of the nucleic acid corresponding to the second sequence.

An "expression vector" is a nucleic acid construct, generated recombinantly or synthetically, with a series of specified nucleic acid elements that permit transcription of a particular nucleic acid in a host cell. The expression vector can be part of a plasmid, virus, or nucleic acid fragment. Typically, the expression vector includes a nucleic acid to be transcribed operably linked to a promoter.

The phrase "selectively (or specifically) hybridizes to" refers to the binding, duplexing, or hybridizing of a molecule only to a particular nucleotide sequence under stringent hybridization conditions when that sequence is present in a complex mixture (e.g., total cellular or library DNA or RNA).

The phrase "stringent hybridization conditions" refers to conditions under which a probe will hybridize to its target subsequence, typically in a complex mixture of nucleic acids, but to no other sequences. Stringent conditions are sequence-dependent and will be different in different circumstances. Longer sequences hybridize specifically at higher temperatures. An extensive guide to the hybridization of nucleic acids is found in Tijssen, Techniques in Biochemistry and Molecular Biology--Hybridization with Nucleic Probes, "Overview of principles of hybridization and the strategy of nucleic acid assays" (1993). Generally, stringent conditions are selected to be about 5-10°C lower than the thermal melting point (T<sub>m</sub>) for the specific sequence at a defined ionic strength pH. The T<sub>m</sub> is the temperature (under defined ionic strength, pH, and nucleic concentration) at which 50% of the probes complementary to the target hybridize to the target sequence at equilibrium (as the target sequences are present in excess, at T<sub>m</sub>, 50% of the probes are occupied at equilibrium). Stringent conditions will be those in which the salt concentration is less than about 1.0 M sodium ion, typically about 0.01 to 1.0 M sodium ion concentration (or other salts) at pH 7.0 to 8.3 and the temperature is at least about 30°C for short probes (e.g., 10 to 50 nucleotides) and at least about 60°C for long probes (e.g., greater than 50 nucleotides). Stringent conditions may also be achieved with the addition of destabilizing agents such as formamide. For selective or specific hybridization, a positive signal is at least two times

WO 02/059377

5

10

15

20

background, preferably 10 times background hybridization. Exemplary stringent hybridization conditions can be as following: 50% formamide, 5x SSC, and 1% SDS, incubating at 42°C, or, 5x SSC, 1% SDS, incubating at 65°C, with wash in 0.2x SSC, and 10.1% SDS at 65°C. For PCR, a temperature of about 36°C is typical for low stringency amplification, although annealing temperatures may vary between about 32°C and 48°C depending on primer length. For high stringency PCR amplification, a temperature of about 62°C is typical, although high stringency annealing temperatures can range from about 50°C to about 65°C, depending on the primer length and specificity. Typical cycle conditions for both high and low stringency amplifications include a denaturation phase of 90°C - 95°C for 30 sec - 2 min., an annealing phase lasting 30 sec. - 2 min., and an extension phase of about 72°C for 1 - 2 min. Protocols and guidelines for low and high stringency amplification reactions are provided, e.g., in Innis et al. (1990) PCR Protocols, A Guide to Methods and Applications, Academic Press, Inc. N.Y.).

Nucleic acids that do not hybridize to each other under stringent conditions are still substantially identical if the polypeptides which they encode are substantially identical. This occurs, e.g., when a copy of a nucleic acid is created using the maximum codon degeneracy permitted by the genetic code. In such cases, the nucleic acids typically hybridize under moderately stringent hybridization conditions. Exemplary "moderately stringent hybridization conditions" include a hybridization in a buffer of 40% formamide, 1 M NaCl, 1% SDS at 37°C, and a wash in 1X SSC at 45°C. A positive hybridization is at least twice background. Those of ordinary skill will readily recognize that alternative hybridization and wash conditions can be utilized to provide conditions of similar stringency. Additional guidelines for determining hybridization parameters are provided in numerous reference, e.g., and Current Protocols in Molecular Biology, ed. Ausubel, et al.

25 The phrase "functional effects" in the context of assays for testing compounds that modulate activity of a breast cancer protein includes the determination of a parameter that is indirectly or directly under the influence of the breast cancer protein or nucleic acid, e.g., a functional, physical, or chemical effect, such as the ability to decrease breast cancer. It includes ligand binding activity; cell growth on soft agar; anchorage dependence; contact

10

20

30



inhibition and density limitation of growth; cellular proliferation; cellular transformation; growth factor or serum dependence; tumor specific marker levels; invasiveness into Matrigel; tumor growth and metastasis in vivo; mRNA and protein expression in cells undergoing metastasis, and other characteristics of breast cancer cells. "Functional effects" include in vitro, in vivo, and ex vivo activities.

By "determining the functional effect" is meant assaying for a compound that increases or decreases a parameter that is indirectly or directly under the influence of a breast cancer protein sequence, e.g., functional, enzymatic, physical and chemical effects. Such functional effects can be measured by any means known to those skilled in the art, e.g., changes in spectroscopic characteristics (e.g., fluorescence, absorbance, refractive index), hydrodynamic (e.g., shape), chromatographic, or solubility properties for the protein, measuring inducible markers or transcriptional activation of the breast cancer protein; measuring binding activity or binding assays, e.g. binding to antibodies or other ligands, and measuring cellular proliferation. Determination of the functional effect of a compound on breast cancer can also be performed using breast cancer assays known to those of skill in the art such as an in vitro assays, e.g., cell growth on soft agar; anchorage dependence; contact inhibition and density limitation of growth; cellular proliferation; cellular transformation; growth factor or serum dependence; tumor specific marker levels; invasiveness into Matrigel; tumor growth and metastasis in vivo; mRNA and protein expression in cells undergoing metastasis, and other characteristics of breast cancer cells. The functional effects can be evaluated by many means known to those skilled in the art, e.g., microscopy for quantitative or qualitative measures of alterations in morphological features, measurement of changes in RNA or protein levels for breast cancer-associated sequences, measurement of RNA stability, identification of downstream or reporter gene expression (CAT, luciferase, β-gal, GFP and the like), e.g., via chemiluminescence, fluorescence, colorimetric reactions, antibody binding, 25 inducible markers, and ligand binding assays.

"Inhibitors", "activators", and "modulators" of breast cancer polynucleotide and polypeptide sequences are used to refer to activating, inhibitory, or modulating molecules or compounds identified using in vitro and in vivo assays of breast cancer polynucleotide and polypeptide sequences. Inhibitors are compounds that, e.g., bind to, partially or totally block

10

15

20

25

30

activity, decrease, prevent, delay activation, inactivate, desensitize, or down regulate the activity or expression of breast cancer proteins, e.g., antagonists. Antisense nucleic acids may seem to inhibit expression and subsequent function of the protein. "Activators" are compounds that increase, open, activate, facilitate, enhance activation, sensitize, agonize, or up regulate breast cancer protein activity. Inhibitors, activators, or modulators also include genetically modified versions of breast cancer proteins, e.g., versions with altered activity, as well as naturally occurring and synthetic ligands, antagonists, agonists, antibodies, small chemical molecules and the like. Such assays for inhibitors and activators include, e.g., expressing the breast cancer protein *in vitro*, in cells, or cell membranes, applying putative modulator compounds, and then determining the functional effects on activity, as described above. Activators and inhibitors of breast cancer can also be identified by incubating breast cancer cells with the test compound and determining increases or decreases in the expression of 1 or more breast cancer proteins, e.g., 1, 2, 3, 4, 5, 10, 15, 20, 25, 30, 40, 50 or more breast cancer proteins, such as breast cancer proteins encoded by the sequences set out in Tables 1-25.

Samples or assays comprising breast cancer proteins that are treated with a potential activator, inhibitor, or modulator are compared to control samples without the inhibitor, activator, or modulator to examine the extent of inhibition. Control samples (untreated with inhibitors) are assigned a relative protein activity value of 100%. Inhibition of a polypeptide is achieved when the activity value relative to the control is about 80%, preferably 50%, more preferably 25-0%. Activation of a breast cancer polypeptide is achieved when the activity value relative to the control (untreated with activators) is 110%, achieved when the activity value relative to the control (untreated with activators) is 110%, more preferably 150%, more preferably 200-500% (i.e., two to five fold higher relative to the control), more preferably 1000-3000% higher.

The phrase "changes in cell growth" refers to any change in cell growth and proliferation characteristics in vitro or in vivo, such as formation of foci, anchorage independence, semi-solid or soft agar growth, changes in contact inhibition and density limitation of growth, loss of growth factor or serum requirements, changes in cell morphology, gaining or losing immortalization, gaining or losing tumor specific markers, ability to form or suppress tumors when injected into suitable animal hosts, and/or

10

15

20

25

30

immortalization of the cell. See, e.g., Freshney, Culture of Animal Cells a Manual of Basic Technique pp. 231-241 (3<sup>rd</sup> ed. 1994).

"Tumor cell" refers to precancerous, cancerous, and normal cells in a tumor.

"Cancer cells," "transformed" cells or "transformation" in tissue culture, refers to spontaneous or induced phenotypic changes that do not necessarily involve the uptake of new genetic material. Although transformation can arise from infection with a transforming virus and incorporation of new genomic DNA, or uptake of exogenous DNA, it can also arise spontaneously or following exposure to a carcinogen, thereby mutating an endogenous gene. Transformation is associated with phenotypic changes, such as immortalization of cells, aberrant growth control, nonmorphological changes, and/or malignancy (see, Freshney, Culture of Animal Cells a Manual of Basic Technique (3<sup>rd</sup> ed. 1994)).

"Antibody" refers to a polypeptide comprising a framework region from an immunoglobulin gene or fragments thereof that specifically binds and recognizes an antigen. The recognized immunoglobulin genes include the kappa, lambda, alpha, gamma, delta, epsilon, and mu constant region genes, as well as the myriad immunoglobulin variable region genes. Light chains are classified as either kappa or lambda. Heavy chains are classified as gamma, mu, alpha, delta, or epsilon, which in turn define the immunoglobulin classes, IgG, IgM, IgA, IgD and IgE, respectively. Typically, the antigen-binding region of an antibody or its functional equivalent will be most critical in specificity and affinity of binding. See Paul, Fundamental Immunology.

An exemplary immunoglobulin (antibody) structural unit comprises a tetramer. Each tetramer is composed of two identical pairs of polypeptide chains, each pair having one "light" (about 25 kD) and one "heavy" chain (about 50-70 kD). The N-terminus of each chain defines a variable region of about 100 to 110 or more amino acids primarily responsible for antigen recognition. The terms variable light chain (V<sub>L</sub>) and variable heavy chain (V<sub>H</sub>) refer to these light and heavy chains respectively.

Antibodies exist, e.g., as intact immunoglobulins or as a number of well-characterized fragments produced by digestion with various peptidases. Thus, e.g., pepsin digests an antibody below the disulfide linkages in the hinge region to produce F(ab)'<sub>2</sub>, a dimer of Fab which itself is a light chain joined to V<sub>H</sub>-C<sub>H</sub>1 by a disulfide bond. The F(ab)'<sub>2</sub>



may be reduced under mild conditions to break the disulfide linkage in the hinge region, thereby converting the F(ab)'<sub>2</sub> dimer into an Fab' monomer. The Fab' monomer is essentially Fab with part of the hinge region (see Fundamental Immunology (Paul ed., 3d ed. 1993). While various antibody fragments are defined in terms of the digestion of an intact antibody, one of skill will appreciate that such fragments may be synthesized de novo either chemically or by using recombinant DNA methodology. Thus, the term antibody, as used herein, also includes antibody fragments either produced by the modification of whole antibodies, or those synthesized de novo using recombinant DNA methodologies (e.g., single chain Fv) or those identified using phage display libraries (see, e.g., McCafferty et al., Nature 348:552-554 (1990))

For preparation of antibodies, e.g., recombinant, monoclonal, or polyclonal antibodies, many technique known in the art can be used (see, e.g., Kohler & Milstein, Nature 256:495-497 (1975); Kozbor et al., Immunology Today 4:72 (1983); Cole et al., pp. 77-96 in Monoclonal Antibodies and Cancer Therapy (1985); Coligan, Current Protocols in Immunology (1991); Harlow & Lane, Antibodies, A Laboratory Manual (1988); and Goding, Monoclonal Antibodies: Principles and Practice (2d ed. 1986)). Techniques for the production of single chain antibodies (U.S. Patent 4,946,778) can be adapted to produce antibodies to polypeptides of this invention. Also, transgenic mice, or other organisms such as other mammals, may be used to express humanized antibodies. Alternatively, phage display technology can be used to identify antibodies and heteromeric Fab fragments that specifically bind to selected antigens (see, e.g., McCafferty et al., Nature 348:552-554 (1990); Marks et al., Biotechnology 10:779-783 (1992)).

A "chimeric antibody" is an antibody molecule in which (a) the constant region, or a portion thereof, is altered, replaced or exchanged so that the antigen binding site (variable region) is linked to a constant region of a different or altered class, effector function and/or species, or an entirely different molecule which confers new properties to the chimeric antibody, e.g., an enzyme, toxin, hormone, growth factor, drug, etc.; or (b) the variable region, or a portion thereof, is altered, replaced or exchanged with a variable region having a different or altered antigen specificity.

10

15

20

25



# Identification of breast cancer-associated sequences

In one aspect, the expression levels of genes are determined in different patient samples for which diagnosis information is desired, to provide expression profiles. An expression profile of a particular sample is essentially a "fingerprint" of the state of the sample; while two states may have any particular gene similarly expressed, the evaluation of a number of genes simultaneously allows the generation of a gene expression profile that is characteristic of the state of the cell. That is, normal tissue (e.g., normal breast or other tissue) may be distinguished from cancerous or metastatic cancerous tissue of the breast, or breast cancer tissue or metastatic breast cancerous tissue can be compared with tissue samples of breast and other tissues from surviving cancer patients. By comparing expression profiles of tissue in known different breast cancer states, information regarding which genes are important (including both up- and down-regulation of genes) in each of these states is obtained.

The identification of sequences that are differentially expressed in breast cancer versus non-breast cancer tissue allows the use of this information in a number of ways. For example, a particular treatment regime may be evaluated: does a chemotherapeutic drug act to down-regulate breast cancer, and thus tumor growth or recurrence, in a particular patient. Similarly, diagnosis and treatment outcomes may be done or confirmed by comparing patient samples with the known expression profiles. Metastatic tissue can also be analyzed to determine the stage of breast cancer in the tissue. Furthermore, these gene expression profiles (or individual genes) allow screening of drug candidates with an eye to mimicking or altering a particular expression profile; e.g., screening can be done for drugs that suppress the breast cancer expression profile. This may be done by making biochips comprising sets of the important breast cancer genes, which can then be used in these screens. These methods can also be done on the protein basis; that is, protein expression levels of the breast cancer proteins can be evaluated for diagnostic purposes or to screen candidate agents. In addition, the breast cancer nucleic acid sequences can be administered for gene therapy purposes, including the administration of antisense nucleic acids, or the breast cancer proteins (including antibodies and other modulators thereof) administered as therapeutic drugs.

WO 02/059377

Thus the present invention provides nucleic acid and protein sequences that are differentially expressed in breast cancer, herein termed "breast cancer sequences." As outlined below, breast cancer sequences include those that are up-regulated (i.e., expressed at a higher level) in breast cancer, as well as those that are down-regulated (i.e., expressed at a lower level). In a preferred embodiment, the breast cancer sequences are from humans; however, as will be appreciated by those in the art, breast cancer sequences from other organisms may be useful in animal models of disease and drug evaluation; thus, other breast cancer sequences are provided, from vertebrates, including mammals, including rodents (rats, mice, hamsters, guinea pigs, etc.), primates, farm animals (including sheep, goats, pigs, cows, horses, etc.) and pets, e.g., (dogs, cats, etc.). Breast cancer sequences from other organisms may be obtained using the techniques outlined below.

5

10

15

20

25

30

Breast cancer sequences can include both nucleic acid and amino acid sequences. As will be appreciated by those in the art and is more fully outlined below, breast cancer nucleic acid sequences are useful in a variety of applications, including diagnostic applications, which will detect naturally occurring nucleic acids, as well as screening applications; e.g., biochips comprising nucleic acid probes or PCR microtiter plates with selected probes to the breast cancer sequences can be generated.

A breast cancer sequence can be initially identified by substantial nucleic acid and/or amino acid sequence homology to the breast cancer sequences outlined herein. Such homology can be based upon the overall nucleic acid or amino acid sequence, and is generally determined as outlined below, using either homology programs or hybridization conditions.

For identifying breast cancer-associated sequences, the breast cancer screen typically includes comparing genes identified in different tissues, e.g., normal and cancerous tissues, or tumor tissue samples from patients who have metastatic disease vs. non metastatic tissue. Other suitable tissue comparisons include comparing breast cancer samples with metastatic cancer samples from other cancers, such as lung, breast, gastrointestinal cancers, ovarian, etc. Samples of different stages of breast cancer, e.g., survivor tissue, drug resistant states, and tissue undergoing metastasis, are applied to biochips comprising nucleic acid probes. The samples are first microdissected, if applicable, and treated as is known in the art

10

15

20



for the preparation of mRNA. Suitable biochips are commercially available, e.g. from Affymetrix. Gene expression profiles as described herein are generated and the data analyzed.


In one embodiment, the genes showing changes in expression as between normal and disease states are compared to genes expressed in other normal tissues, preferably normal breast, but also including, and not limited to lung, heart, brain, liver, breast, kidney, muscle, colon, small intestine, large intestine, spleen, bone and placenta. In a preferred embodiment, those genes identified during the breast cancer screen that are expressed in any significant amount in other tissues are removed from the profile, although in some embodiments, this is not necessary. That is, when screening for drugs, it is usually preferable that the target be disease specific, to minimize possible side effects.

In a preferred embodiment, breast cancer sequences are those that are up-regulated in breast cancer; that is, the expression of these genes is higher in the breast cancer tissue as compared to non-cancerous tissue. "Up-regulation" as used herein often means at least about a two-fold change, preferably at least about a three fold change, with at least about five-fold or higher being preferred. All unigene cluster identification numbers and accession numbers herein are for the GenBank sequence database and the sequences of the accession numbers are hereby expressly incorporated by reference. GenBank is known in the art, see, e.g., Benson, DA, et al., Nucleic Acids Research 26:1-7 (1998) and

http://www.ncbi.nlm.nih.gov/. Sequences are also available in other databases, e.g., European Molecular Biology Laboratory (EMBL) and DNA Database of Japan (DDBJ). U.S. Patent Application N. 09/687,576, with the same assignee as the present application, further discloses related sequences, compositions, and methods of diagnosis and treatment of breast cancer is hereby expressly incorporated by reference.

In another preferred embodiment, breast cancer sequences are those that are down-regulated in the breast cancer; that is, the expression of these genes is lower in breast cancer tissue as compared to non-cancerous tissue (see, e.g., Tables 1,2, 3, 15, 16 etc...). "Down-regulation" as used herein often means at least about a two-fold change, preferably at least about a three fold change, with at least about five-fold or higher being preferred.

25



#### Informatics

5

10

15

20

25

30

The ability to identify genes that are over or under expressed in breast cancer can additionally provide high-resolution, high-sensitivity datasets which can be used in the areas of diagnostics, therapeutics, drug development, pharmacogenetics, protein structure, biosensor development, and other related areas. For example, the expression profiles can be used in diagnostic or prognostic evaluation of patients with breast cancer. Or as another example, subcellular toxicological information can be generated to better direct drug structure and activity correlation (see Anderson, Pharmaceutical Proteomics: Targets, Mechanism, and Function, paper presented at the IBC Proteomics conference, Coronado, CA (June 11-12, 1998)). Subcellular toxicological information can also be utilized in a biological sensor device to predict the likely toxicological effect of chemical exposures and likely tolerable exposure thresholds (see U.S. Patent No. 5,811,231). Similar advantages accrue from datasets relevant to other biomolecules and bioactive agents (e.g., nucleic acids, saccharides, lipids, drugs, and the like).

Thus, in another embodiment, the present invention provides a database that includes at least one set of assay data. The data contained in the database is acquired, e.g., using array analysis either singly or in a library format. The database can be in substantially any form in which data can be maintained and transmitted, but is preferably an electronic database. The electronic database of the invention can be maintained on any electronic device allowing for the storage of and access to the database, such as a personal computer, but is preferably distributed on a wide area network, such as the World Wide Web.


The focus of the present section on databases that include peptide sequence data is for clarity of illustration only. It will be apparent to those of skill in the art that similar databases can be assembled for any assay data acquired using an assay of the invention.

The compositions and methods for identifying and/or quantitating the relative and/or absolute abundance of a variety of molecular and macromolecular species from a biological sample undergoing breast cancer, i.e., the identification of breast cancer-associated sequences described herein, provide an abundance of information, which can be correlated with pathological conditions, predisposition to disease, drug testing, therapeutic monitoring,

10

15

30



gene-disease causal linkages, identification of correlates of immunity and physiological status, among others. Although the data generated from the assays of the invention is suited for manual review and analysis, in a preferred embodiment, prior data processing using highspeed computers is utilized.

An array of methods for indexing and retrieving biomolecular information is known in the art. For example, U.S. Patents 6,023,659 and 5,966,712 disclose a relational database system for storing biomolecular sequence information in a manner that allows sequences to be catalogued and searched according to one or more protein function hierarchies. U.S. Patent 5,953,727 discloses a relational database having sequence records containing information in a format that allows a collection of partial-length DNA sequences to be catalogued and searched according to association with one or more sequencing projects for obtaining full-length sequences from the collection of partial length sequences. U.S. Patent 5,706,498 discloses a gene database retrieval system for making a retrieval of a gene sequence similar to a sequence data item in a gene database based on the degree of similarity between a key sequence and a target sequence. U.S. Patent 5,538,897 discloses a method using mass spectroscopy fragmentation patterns of peptides to identify amino acid sequences in computer databases by comparison of predicted mass spectra with experimentally-derived mass spectra using a closeness-of-fit measure. U.S. Patent 5,926,818 discloses a multidimensional database comprising a functionality for multi-dimensional data analysis described as on-line analytical processing (OLAP), which entails the consolidation of projected and actual data according to more than one consolidation path or dimension. U.S. 20 Patent 5,295,261 reports a hybrid database structure in which the fields of each database record are divided into two classes, navigational and informational data, with navigational fields stored in a hierarchical topological map which can be viewed as a tree structure or as the merger of two or more such tree structures. 25

See also Mount et al., Bioinformatics (2001); Biological Sequence Analysis: Probabilistic Models of Proteins and Nucleic Acids (Durbin et al., eds., 1999); Bioinformatics: A Practical Guide to the Analysis of Genes and Proteins (Baxevanis & Oeullette eds., 1998)); Rashidi & Buehler, Bioinformatics: Basic Applications in Biological Science and Medicine (1999); Introduction to Computational Molecular Biology (Setubal et



10

15

20

25



al., eds 1997); Bioinformatics: Methods and Protocols (Misener & Krawetz, eds, 2000); Bioinformatics: Sequence, Structure, and Databanks: A Practical Approach (Higgins & Taylor, eds., 2000); Brown, Bioinformatics: A Biologist's Guide to Biocomputing and the Internet (2001); Han & Kamber, Data Mining: Concepts and Techniques (2000); and Waterman, Introduction to Computational Biology: Maps, Sequences, and Genomes (1995).

The present invention provides a computer database comprising a computer and software for storing in computer-retrievable form assay data records cross-tabulated, e.g., with data specifying the source of the target-containing sample from which each sequence specificity record was obtained.

In an exemplary embodiment, at least one of the sources of target-containing sample is from a control tissue sample known to be free of pathological disorders. In a variation, at least one of the sources is a known pathological tissue specimen, e.g., a neoplastic lesion or another tissue specimen to be analyzed for breast cancer. In another variation, the assay records cross-tabulate one or more of the following parameters for each target species in a sample: (1) a unique identification code, which can include, e.g., a target molecular structure and/or characteristic separation coordinate (e.g., electrophoretic coordinates); (2) sample source; and (3) absolute and/or relative quantity of the target species present in the sample.

The invention also provides for the storage and retrieval of a collection of target data in a computer data storage apparatus, which can include magnetic disks, optical disks, magneto-optical disks, DRAM, SRAM, SGRAM, SDRAM, RDRAM, DDR RAM, magnetic bubble memory devices, and other data storage devices, including CPU registers and on-CPU data storage arrays. Typically, the target data records are stored as a bit pattern in an array of magnetic domains on a magnetizable medium or as an array of charge states or transistor gate states, such as an array of cells in a DRAM device (e.g., each cell comprised of a transistor and a charge storage area, which may be on the transistor). In one embodiment, the invention provides such storage devices, and computer systems built therewith, comprising a bit pattern encoding a protein expression fingerprint record comprising unique identifiers for at least 10 target data records cross-tabulated with target source.

10

15

20

25

30



When the target is a peptide or nucleic acid, the invention preferably provides a method for identifying related peptide or nucleic acid sequences, comprising performing a computerized comparison between a peptide or nucleic acid sequence assay record stored in or retrieved from a computer storage device or database and at least one other sequence. The comparison can include a sequence analysis or comparison algorithm or computer program embodiment thereof (e.g., FASTA, TFASTA, GAP, BESTFIT) and/or the comparison may be of the relative amount of a peptide or nucleic acid sequence in a pool of sequences determined from a polypeptide or nucleic acid sample of a specimen.

The invention also preferably provides a magnetic disk, such as an IBM-compatible (DOS, Windows, Windows95/98/2000, Windows NT, OS/2) or other format (e.g., Linux, SunOS, Solaris, AIX, SCO Unix, VMS, MV, Macintosh, etc.) floppy diskette or hard (fixed, Winchester) disk drive, comprising a bit pattern encoding data from an assay of the invention in a file format suitable for retrieval and processing in a computerized sequence analysis, comparison, or relative quantitation method.

The invention also provides a network, comprising a plurality of computing devices linked via a data link, such as an Ethernet cable (coax or 10BaseT), telephone line, ISDN line, wireless network, optical fiber, or other suitable signal transmission medium, whereby at least one network device (e.g., computer, disk array, etc.) comprises a pattern of magnetic domains (e.g., magnetic disk) and/or charge domains (e.g., an array of DRAM cells) composing a bit pattern encoding data acquired from an assay of the invention.

The invention also provides a method for transmitting assay data that includes generating an electronic signal on an electronic communications device, such as a modem, ISDN terminal adapter, DSL, cable modem, ATM switch, or the like, wherein the signal includes (in native or encrypted format) a bit pattern encoding data from an assay or a database comprising a plurality of assay results obtained by the method of the invention.

In a preferred embodiment, the invention provides a computer system for comparing a query target to a database containing an array of data structures, such as an assay result obtained by the method of the invention, and ranking database targets based on the degree of identity and gap weight to the target data. A central processor is preferably initialized to load and execute the computer program for alignment and/or comparison of the

assay results. Data for a query target is entered into the central processor via an I/O device. Execution of the computer program results in the central processor retrieving the assay data from the data file, which comprises a binary description of an assay result.

The target data or record and the computer program can be transferred to secondary memory, which is typically random access memory (e.g., DRAM, SRAM, SGRAM, or SDRAM). Targets are ranked according to the degree of correspondence between a selected assay characteristic (e.g., binding to a selected affinity moiety) and the same characteristic of the query target and results are output via an I/O device. For example, a central processor can be a conventional computer (e.g., Intel Pentium, PowerPC, Alpha, PA-8000, SPARC, MIPS 4400, MIPS 10000, VAX, etc.); a program can be a commercial or public domain molecular biology software package (e.g., UWGCG Sequence Analysis Software, Darwin); a data file can be an optical or magnetic disk, a data server, a memory device (e.g., DRAM, SRAM, SGRAM, SDRAM, EPROM, bubble memory, flash memory, etc.); an I/O device can be a terminal comprising a video display and a keyboard, a modem, an ISDN terminal adapter, an Ethernet port, a punched card reader, a magnetic strip reader, or other suitable I/O device.

The invention also preferably provides the use of a computer system, such as that described above, which comprises: (1) a computer; (2) a stored bit pattern encoding a collection of peptide sequence specificity records obtained by the methods of the invention, which may be stored in the computer; (3) a comparison target, such as a query target; and (4) a program for alignment and comparison, typically with rank-ordering of comparison results on the basis of computed similarity values.

# Characteristics of breast cancer-associated proteins

5

10

15

20

25

30

Breast cancer proteins of the present invention may be classified as secreted proteins, transmembrane proteins or intracellular proteins. In one embodiment, the breast cancer protein is an intracellular protein. Intracellular proteins may be found in the cytoplasm and/or in the nucleus. Intracellular proteins are involved in all aspects of cellular function and replication (including, e.g., signaling pathways); aberrant expression of such proteins often results in unregulated or disregulated cellular processes (see, e.g., Molecular

10

15

20

25

30



Biology of the Cell (Alberts, ed., 3rd ed., 1994). For example, many intracellular proteins have enzymatic activity such as protein kinase activity, protein phosphatase activity, proteins activity, nucleotide cyclase activity, polymerase activity and the like. Intracellular proteins also serve as docking proteins that are involved in organizing complexes of proteins, or targeting proteins to various subcellular localizations, and are involved in maintaining the structural integrity of organelles.

An increasingly appreciated concept in characterizing proteins is the presence in the proteins of one or more motifs for which defined functions have been attributed. In addition to the highly conserved sequences found in the enzymatic domain of proteins, highly conserved sequences have been identified in proteins that are involved in protein-protein interaction. For example, Src-homology-2 (SH2) domains bind tyrosine-phosphorylated targets in a sequence dependent manner. PTB domains, which are distinct from SH2 domains, also bind tyrosine phosphorylated targets. SH3 domains bind to proline-rich targets. In addition, PH domains, tetratricopeptide repeats and WD domains to name only a few, have been shown to mediate protein-protein interactions. Some of these may also be involved in binding to phospholipids or other second messengers. As will be appreciated by one of ordinary skill in the art, these motifs can be identified on the basis of primary sequence; thus, an analysis of the sequence of proteins may provide insight into both the enzymatic potential of the molecule and/or molecules with which the protein may associate. One useful database is Pfam (protein families), which is a large collection of multiple sequence alignments and hidden Markov models covering many common protein domains. Versions are available via the internet from Washington University in St. Louis, the Sanger Center in England, and the Karolinska Institute in Sweden (see, e.g., Bateman et al., Nuc. Acids Res. 28:263-266 (2000); Sonnhammer et al., Proteins 28:405-420 (1997); Bateman et al., Nuc. Acids Res. 27:260-262 (1999); and Sonnhammer et al., Nuc. Acids Res. 26:320-322-(1998)).

In another embodiment, the breast cancer sequences are transmembrane proteins. Transmembrane proteins are molecules that span a phospholipid bilayer of a cell. They may have an intracellular domain, an extracellular domain, or both. The intracellular domains of such proteins may have a number of functions including those already described

PCT/US02/02242 WO 02/059377

for intracellular proteins. For example, the intracellular domain may have enzymatic activity and/or may serve as a binding site for additional proteins. Frequently the intracellular domain of transmembrane proteins serves both roles. For example certain receptor tyrosine kinases have both protein kinase activity and SH2 domains. In addition, autophosphorylation of tyrosines on the receptor molecule itself, creates binding sites for additional SH2 domain containing proteins.

containing proteins. Transmembrane proteins may contain from one to many transmembrane domains. For example, receptor tyrosine kinases, certain cytokine receptors, receptor guanylyl cyclases and receptor serine/threonine protein kinases contain a single transmembrane domain. However, various other proteins including channels and adenylyl cyclases contain numerous transmembrane domains. Many important cell surface receptors such as G protein coupled receptors (GPCRs) are classified as "seven transmembrane domain" proteins, as they contain 7 membrane spanning regions. Characteristics of transmembrane domains include approximately 20 consecutive hydrophobic amino acids that may be followed by charged amino acids. Therefore, upon analysis of the amino acid sequence of a particular protein, the localization and number of transmembrane domains within the protein may be predicted (see, e.g. PSORT web site http://psort.nibb.ac.jp/). Important transmembrane protein receptors include, but are not limited to the insulin receptor, insulin-like growth factor receptor, human growth hormone receptor, glucose transporters, transferrin receptor, epidermal growth factor receptor, low density lipoprotein receptor, epidermal growth factor receptor, leptin receptor, interleukin receptors, e.g. IL-1 receptor, IL-2 receptor,

10

15

20

25

30

The extracellular domains of transmembrane proteins are diverse; however, conserved motifs are found repeatedly among various extracellular domains. Conserved structure and/or functions have been ascribed to different extracellular motifs. Many extracellular domains are involved in binding to other molecules. In one aspect, extracellular domains are found on receptors. Factors that bind the receptor domain include circulating ligands, which may be peptides, proteins, or small molecules such as adenosine and the like. For example, growth factors such as EGF, FGF and PDGF are circulating growth factors that bind to their cognate receptors to initiate a variety of cellular responses. Other factors include

10

15

20

25

30

cytokines, mitogenic factors, neurotrophic factors and the like. Extracellular domains also bind to cell-associated molecules. In this respect, they mediate cell-cell interactions. Cell-associated ligands can be tethered to the cell, e.g., via a glycosylphosphatidylinositol (GPI) anchor, or may themselves be transmembrane proteins. Extracellular domains also associate with the extracellular matrix and contribute to the maintenance of the cell structure.

Breast cancer proteins that are transmembrane are particularly preferred in the present invention as they are readily accessible targets for immunotherapeutics, as are described herein. In addition, as outlined below, transmembrane proteins can be also useful in imaging modalities. Antibodies may be used to label such readily accessible proteins in situ. Alternatively, antibodies can also label intracellular proteins, in which case samples are typically permeablized to provide access to intracellular proteins.

It will also be appreciated by those in the art that a transmembrane protein can be made soluble by removing transmembrane sequences, e.g., through recombinant methods. Furthermore, transmembrane proteins that have been made soluble can be made to be secreted through recombinant means by adding an appropriate signal sequence.

In another embodiment, the breast cancer proteins are secreted proteins; the secretion of which can be either constitutive or regulated. These proteins have a signal peptide or signal sequence that targets the molecule to the secretory pathway. Secreted proteins are involved in numerous physiological events; by virtue of their circulating nature, they serve to transmit signals to various other cell types. The secreted protein may function in an autocrine manner (acting on the cell that secreted the factor), a paracrine manner (acting on cells in close proximity to the cell that secreted the factor) or an endocrine manner (acting on cells at a distance). Thus secreted molecules find use in modulating or altering numerous aspects of physiology. Breast cancer proteins that are secreted proteins are particularly preferred in the present invention as they serve as good targets for diagnostic markers, e.g., for blood, plasma, serum, or stool tests.

## Use of breast cancer nucleic acids

As described above, breast cancer sequence is initially identified by substantial nucleic acid and/or amino acid sequence homology or linkage to the breast cancer

WO 02/059377

5

10

15

20

25

30

PCT/US02/02242

sequences outlined herein. Such homology can be based upon the overall nucleic acid or amino acid sequence, and is generally determined as outlined below, using either homology programs or hybridization conditions. Typically, linked sequences on a mRNA are found on the same molecule.

The breast cancer nucleic acid sequences of the invention, e.g., the sequences in Tables 1-25, can be fragments of larger genes, i.e., they are nucleic acid segments. "Genes" in this context includes coding regions, non-coding regions, and mixtures of coding and non-coding regions. Accordingly, as will be appreciated by those in the art, using the sequences provided herein, extended sequences, in either direction, of the breast cancer genes can be obtained, using techniques well known in the art for cloning either longer sequences or the full length sequences; see Ausubel, et al., supra. Much can be done by informatics and many sequences can be clustered to include multiple sequences corresponding to a single gene, e.g., systems such as UniGene (see, http://www.ncbi.nlm.nih.gov/UniGene/).

Once the breast cancer nucleic acid is identified, it can be cloned and, if necessary, its constituent parts recombined to form the entire breast cancer nucleic acid coding regions or the entire mRNA sequence. Once isolated from its natural source, e.g., contained within a plasmid or other vector or excised therefrom as a linear nucleic acid segment, the recombinant breast cancer nucleic acid can be further-used as a probe to identify and isolate other breast cancer nucleic acids, e.g., extended coding regions. It can also be used as a "precursor" nucleic acid to make modified or variant breast cancer nucleic acids and proteins.

The breast cancer nucleic acids of the present invention are used in several ways. In a first embodiment, nucleic acid probes to the breast cancer nucleic acids are made and attached to biochips to be used in screening and diagnostic methods, as outlined below, or for administration, e.g., for gene therapy, vaccine, and/or antisense applications.

Alternatively, the breast cancer nucleic acids that include coding regions of breast cancer proteins can be put into expression vectors for the expression of breast cancer proteins, again for screening purposes or for administration to a patient.

In a preferred embodiment, nucleic acid probes to breast cancer nucleic acids (both the nucleic acid sequences outlined in the figures and/or the complements thereof) are

10

15

20

25

30



made. The nucleic acid probes attached to the biochip are designed to be substantially complementary to the breast cancer nucleic acids, *i.e.* the target sequence (either the target sequence of the sample or to other probe sequences, e.g., in sandwich assays), such that hybridization of the target sequence and the probes of the present invention occurs. As outlined below, this complementarity need not be perfect; there may be any number of base pair mismatches which will interfere with hybridization between the target sequence and the single stranded nucleic acids of the present invention. However, if the number of mutations is so great that no hybridization can occur under even the least stringent of hybridization conditions, the sequence is not a complementary target sequence. Thus, by "substantially complementary" herein is meant that the probes are sufficiently complementary to the target sequences to hybridize under normal reaction conditions, particularly high stringency conditions, as outlined herein.

A nucleic acid probe is generally single stranded but can be partially single and partially double stranded. The strandedness of the probe is dictated by the structure, composition, and properties of the target sequence. In general, the nucleic acid probes range from about 8 to about 100 bases long, with from about 10 to about 80 bases being preferred, and from about 30 to about 50 bases being particularly preferred. That is, generally whole genes are not used. In some embodiments, much longer nucleic acids can be used, up to hundreds of bases.

In a preferred embodiment, more than one probe per sequence is used, with either overlapping probes or probes to different sections of the target being used. That is, two, three, four or more probes, with three being preferred, are used to build in a redundancy for a particular target. The probes can be overlapping (i.e., have some sequence in common), or separate. In some cases, PCR primers may be used to amplify signal for higher sensitivity.

As will be appreciated by those in the art, nucleic acids can be attached or immobilized to a solid support in a wide variety of ways. By "immobilized" and grammatical equivalents herein is meant the association or binding between the nucleic acid probe and the solid support is sufficient to be stable under the conditions of binding, washing, analysis, and removal as outlined below. The binding can typically be covalent or non-covalent. By "non-covalent binding" and grammatical equivalents herein is meant one or more of electrostatic,

10

15

20

25

hydrophilic, and hydrophobic interactions. Included in non-covalent binding is the covalent attachment of a molecule, such as, streptavidin to the support and the non-covalent binding of the biotinylated probe to the streptavidin. By "covalent binding" and grammatical equivalents herein is meant that the two moieties, the solid support and the probe, are attached by at least one bond, including sigma bonds, pi bonds and coordination bonds. Covalent bonds can be formed directly between the probe and the solid support or can be formed by a cross linker or by inclusion of a specific reactive group on either the solid support or the probe or both molecules. Immobilization may also involve a combination of covalent and non-covalent interactions.

In general, the probes are attached to the biochip in a wide variety of ways, as will be appreciated by those in the art. As described herein, the nucleic acids can either be synthesized first, with subsequent attachment to the biochip, or can be directly synthesized on the biochip.

The biochip comprises a suitable solid substrate. By "substrate" or "solid support" or other grammatical equivalents herein is meant a material that can be modified to contain discrete individual sites appropriate for the attachment or association of the nucleic acid probes and is amenable to at least one detection method. As will be appreciated by those in the art, the number of possible substrates are very large, and include, but are not limited to, glass and modified or functionalized glass, plastics (including acrylics, polystyrene and copolymers of styrene and other materials, polypropylene, polyethylene, polybutylene, polyurethanes, TeflonJ, etc.), polysaccharides, nylon or nitrocellulose, resins, silica or silicabased materials including silicon and modified silicon, carbon, metals, inorganic glasses, plastics, etc. In general, the substrates allow optical detection and do not appreciably fluoresce. A preferred substrate is described in copending application entitled Reusable Low Fluorescent Plastic Biochip, U.S. Application Serial No. 09/270,214, filed March 15, 1999, herein incorporated by reference in its entirety.

Generally the substrate is planar, although as will be appreciated by those in the art, other configurations of substrates may be used as well. For example, the probes may be placed on the inside surface of a tube, for flow-through sample analysis to minimize

DCT/JE02/02242

sample volume. Similarly, the substrate may be flexible, such as a flexible foam, including closed cell foams made of particular plastics.

5

10

15

20

25

30

In a preferred embodiment, the surface of the biochip and the probe may be derivatized with chemical functional groups for subsequent attachment of the two. Thus, e.g., the biochip is derivatized with a chemical functional group including, but not limited to, amino groups, carboxy groups, oxo groups and thiol groups, with amino groups being particularly preferred. Using these functional groups, the probes can be attached using functional groups on the probes. For example, nucleic acids containing amino groups can be attached to surfaces comprising amino groups, e.g. using linkers as are known in the art; e.g., homo-or hetero-bifunctional linkers as are well known (see 1994 Pierce Chemical Company catalog, technical section on cross-linkers, pages 155-200). In addition, in some cases, additional linkers, such as alkyl groups (including substituted and heteroalkyl groups) may be used.

In this embodiment, oligonucleotides are synthesized as is known in the art, and then attached to the surface of the solid support. As will be appreciated by those skilled in the art, either the 5' or 3' terminus may be attached to the solid support, or attachment may be via an internal nucleoside.

In another embodiment, the immobilization to the solid support may be very strong, yet non-covalent. For example, biotinylated oligonucleotides can be made, which bind to surfaces covalently coated with streptavidin, resulting in attachment.

Alternatively, the oligonucleotides may be synthesized on the surface, as is known in the art. For example, photoactivation techniques utilizing photopolymerization compounds and techniques are used. In a preferred embodiment, the nucleic acids can be synthesized in situ, using well known photolithographic techniques, such as those described in WO 95/25116; WO 95/35505; U.S. Patent Nos. 5,700,637 and 5,445,934; and references cited within, all of which are expressly incorporated by reference; these methods of attachment form the basis of the Affimetrix GeneChip<sup>TM</sup> technology.

Often, amplification-based assays are performed to measure the expression level of breast cancer-associated sequences. These assays are typically performed in conjunction with reverse transcription. In such assays, a breast cancer-associated nucleic acid

PCT/US02/02242 WO 02/059377

sequence acts as a template in an amplification reaction (e.g., Polymerase Chain Reaction, or PCR). In a quantitative amplification, the amount of amplification product will be proportional to the amount of template in the original sample. Comparison to appropriate controls provides a measure of the amount of breast cancer-associated RNA. Methods of quantitative amplification are well known to those of skill in the art. Detailed protocols for quantitative PCR are provided, e.g., in Innis et al., PCR Protocols, A Guide to Methods and Applications (1990).

5

10

15

20

In some embodiments, a TaqMan based assay is used to measure expression. TaqMan based assays use a fluorogenic oligonucleotide probe that contains a 5' fluorescent dye and a 3' quenching agent. The probe hybridizes to a PCR product, but cannot itself be extended due to a blocking agent at the 3' end. When the PCR product is amplified in subsequent cycles, the 5' nuclease activity of the polymerase, e.g., AmpliTaq, results in the cleavage of the TaqMan probe. This cleavage separates the 5' fluorescent dye and the 3' quenching agent, thereby resulting in an increase in fluorescence as a function of amplification (see, e.g., literature provided by Perkin-Elmer, e.g., www2.perkin-elmer.com).

Other suitable amplification methods include, but are not limited to, ligase chain reaction (LCR) (see Wu & Wallace, Genomics 4:560 (1989), Landegren et al., Science 241:1077 (1988), and Barringer et al., Gene 89:117 (1990)), transcription amplification (Kwoh et al., Proc. Natl. Acad. Sci. USA 86:1173 (1989)), self-sustained sequence replication (Guatelli et al., Proc. Nat. Acad. Sci. USA 87:1874 (1990)), dot PCR, and linker adapter PCR, etc.

# Expression of breast cancer proteins from nucleic acids

In a preferred embodiment, breast cancer nucleic acids, e.g., encoding breast cancer proteins are used to make a variety of expression vectors to express breast cancer proteins which can then be used in screening assays, as described below. Expression vectors 25 and recombinant DNA technology are well known to those of skill in the art (see, e.g., Ausubel, supra, and Gene Expression Systems (Fernandez & Hoeffler, eds, 1999)) and are used to express proteins. The expression vectors may be either self-replicating extrachromosomal vectors or vectors which integrate into a host genome. Generally, these 30

10

15

20

25



expression vectors include transcriptional and translational regulatory nucleic acid operably linked to the nucleic acid encoding the breast cancer protein. The term "control sequences" refers to DNA sequences used for the expression of an operably linked coding sequence in a particular host organism. Control sequences that are suitable for prokaryotes, e.g., include a promoter, optionally an operator sequence, and a ribosome binding site. Eukaryotic cells are known to utilize promoters, polyadenylation signals, and enhancers.

Nucleic acid is "operably linked" when it is placed into a functional relationship with another nucleic acid sequence. For example, DNA for a presequence or secretory leader is operably linked to DNA for a polypeptide if it is expressed as a preprotein that participates in the secretion of the polypeptide; a promoter or enhancer is operably linked to a coding sequence if it affects the transcription of the sequence; or a ribosome binding site is operably linked to a coding sequence if it is positioned so as to facilitate translation.

Generally, "operably linked" means that the DNA sequences being linked are contiguous, and, in the case of a secretory leader, contiguous and in reading phase. However, enhancers do not have to be contiguous. Linking is typically accomplished by ligation at convenient restriction sites. If such sites do not exist, synthetic oligonucleotide adaptors or linkers are used in accordance with conventional practice. Transcriptional and translational regulatory nucleic acid will generally be appropriate to the host cell used to express the breast cancer protein. Numerous types of appropriate expression vectors, and suitable regulatory sequences are known in the art for a variety of host cells.

In general, transcriptional and translational regulatory sequences may include, but are not limited to, promoter sequences, ribosomal binding sites, transcriptional start and stop sequences, translational start and stop sequences, and enhancer or activator sequences. In a preferred embodiment, the regulatory sequences include a promoter and transcriptional start and stop sequences.

Promoter sequences encode either constitutive or inducible promoters. The promoters may be either naturally occurring promoters or hybrid promoters. Hybrid promoters, which combine elements of more than one promoter, are also known in the art, and are useful in the present invention.

PCT/US02/02242 WO 02/059377

In addition, an expression vector may comprise additional elements. For example, the expression vector may have two replication systems, thus allowing it to be maintained in two organisms, e.g. in mammalian or insect cells for expression and in a procaryotic host for cloning and amplification. Furthermore, for integrating expression vectors, the expression vector contains at least one sequence homologous to the host cell genome, and preferably two homologous sequences which flank the expression construct. The integrating vector may be directed to a specific locus in the host cell by selecting the appropriate homologous sequence for inclusion in the vector. Constructs for integrating vectors are well known in the art (e.g., Fernandez & Hoeffler, supra).

5

10

15

20

25

30

In addition, in a preferred embodiment, the expression vector contains a selectable marker gene to allow the selection of transformed host cells. Selection genes are well known in the art and will vary with the host cell used.

The breast cancer proteins of the present invention are produced by culturing a host cell transformed with an expression vector containing nucleic acid encoding a breast cancer protein, under the appropriate conditions to induce or cause expression of the breast cancer protein. Conditions appropriate for breast cancer protein expression will vary with the choice of the expression vector and the host cell, and will be easily ascertained by one skilled in the art through routine experimentation or optimization. For example, the use of constitutive promoters in the expression vector will require optimizing the growth and proliferation of the host cell, while the use of an inducible promoter requires the appropriate growth conditions for induction. In addition, in some embodiments, the timing of the harvest is important. For example, the baculoviral systems used in insect cell expression are lytic viruses, and thus harvest time selection can be crucial for product yield.

Appropriate host cells include yeast, bacteria, archaebacteria, fungi, and insect and animal cells, including mammalian cells. Of particular interest are Saccharomyces cerevisiae and other yeasts, E. coli, Bacillus subtilis, Sf9 cells, C129 cells, 293 cells, Neurospora, BHK, CHO, COS, HeLa cells, HUVEC (human umbilical vein endothelial cells), THP1 cells (a macrophage cell line) and various other human cells and cell lines.

In a preferred embodiment, the breast cancer proteins are expressed in mammalian cells. Mammalian expression systems are also known in the art, and include



retroviral and adenoviral systems. One expression vector system is a retroviral vector system such as is generally described in PCT/US97/01019 and PCT/US97/01048, both of which are hereby expressly incorporated by reference. Of particular use as mammalian promoters are the promoters from mammalian viral genes, since the viral genes are often highly expressed and have a broad host range. Examples include the SV40 early promoter, mouse mammary tumor virus LTR promoter, adenovirus major late promoter, herpes simplex virus promoter, and the CMV promoter (see, e.g., Fernandez & Hoeffler, supra). Typically, transcription termination and polyadenylation sequences recognized by mammalian cells are regulatory regions located 3' to the translation stop codon and thus, together with the promoter elements, flank the coding sequence. Examples of transcription terminator and polyadenlyation signals include those derived form SV40.

The methods of introducing exogenous nucleic acid into mammalian hosts, as well as other hosts, is well known in the art, and will vary with the host cell used.

Techniques include dextran-mediated transfection, calcium phosphate precipitation, polybrene mediated transfection, protoplast fusion, electroporation, viral infection, encapsulation of the polynucleotide(s) in liposomes, and direct microinjection of the DNA into nuclei.

In a preferred embodiment, breast cancer proteins are expressed in bacterial systems. Bacterial expression systems are well known in the art. Promoters from bacteriophage may also be used and are known in the art. In addition, synthetic promoters and hybrid promoters are also useful; e.g., the tac promoter is a hybrid of the trp and lac promoter sequences. Furthermore, a bacterial promoter can include naturally occurring promoters of non-bacterial origin that have the ability to bind bacterial RNA polymerase and initiate transcription. In addition to a functioning promoter sequence, an efficient ribosome binding site is desirable. The expression vector may also include a signal peptide sequence that provides for secretion of the breast cancer protein in bacteria. The protein is either secreted into the growth media (gram-positive bacteria) or into the periplasmic space, located between the inner and outer membrane of the cell (gram-negative bacteria). The bacterial expression vector may also include a selectable marker gene to allow for the selection of bacterial strains that have been transformed. Suitable selection genes include genes which

20

25

30

render the bacteria resistant to drugs such as ampicillin, chloramphenicol, erythromycin, kanamycin, neomycin and tetracycline. Selectable markers also include biosynthetic genes, such as those in the histidine, tryptophan and leucine biosynthetic pathways. These components are assembled into expression vectors. Expression vectors for bacteria are well known in the art, and include vectors for Bacillus subtilis, E. coli, Streptococcus cremoris, and Streptococcus lividans, among others (e.g., Fernandez & Hoeffler, supra). The bacterial expression vectors are transformed into bacterial host cells using techniques well known in the art, such as calcium chloride treatment, electroporation, and others.

In one embodiment, breast cancer proteins are produced in insect cells.

Expression vectors for the transformation of insect cells, and in particular, baculovirus-based expression vectors, are well known in the art.

In a preferred embodiment, breast cancer protein is produced in yeast cells. Yeast expression systems are well known in the art, and include expression vectors for Saccharomyces cerevisiae, Candida albicans and C. maltosa, Hansenula polymorpha, Kluyveromyces fragilis and K. lactis, Pichia guillerimondii and P. pastoris, Schizosaccharomyces pombe, and Yarrowia lipolytica.

The breast cancer protein may also be made as a fusion protein, using techniques well known in the art. Thus, e.g., for the creation of monoclonal antibodies, if the desired epitope is small, the breast cancer protein may be fused to a carrier protein to form an immunogen. Alternatively, the breast cancer protein may be made as a fusion protein to increase expression, or for other reasons. For example, when the breast cancer protein is a breast cancer peptide, the nucleic acid encoding the peptide may be linked to other nucleic acid for expression purposes.

In a preferred embodiment, the breast cancer protein is purified or isolated after expression. Breast cancer proteins may be isolated or purified in a variety of ways known to those skilled in the art depending on what other components are present in the sample. Standard purification methods include electrophoretic, molecular, immunological and chromatographic techniques, including ion exchange, hydrophobic, affinity, and reverse-phase HPLC chromatography, and chromatofocusing. For example, the breast cancer protein may be purified using a standard anti-breast cancer protein antibody column. Ultrafiltration

10

15

20

25

30



and diafiltration techniques, in conjunction with protein concentration, are also useful. For general guidance in suitable purification techniques, see Scopes, Protein Purification (1982). The degree of purification necessary will vary depending on the use of the breast cancer protein. In some instances no purification will be necessary.

Once expressed and purified if necessary, the breast cancer proteins and nucleic acids are useful in a number of applications. They may be used as immunoselection reagents, as vaccine reagents, as screening agents, etc.

## Variants of breast cancer proteins

In one embodiment, the breast cancer proteins are derivative or variant breast cancer proteins as compared to the wild-type sequence. That is, as outlined more fully below, the derivative breast cancer peptide will often contain at least one amino acid substitution, deletion or insertion, with amino acid substitutions being particularly preferred. The amino acid substitution, insertion or deletion may occur at any residue within the breast cancer peptide.

Also included within one embodiment of breast cancer proteins of the present invention are amino acid sequence variants. These variants typically fall into one or more of three classes: substitutional, insertional or deletional variants. These variants ordinarily are prepared by site specific mutagenesis of nucleotides in the DNA encoding the breast cancer protein, using cassette or PCR mutagenesis or other techniques well known in the art, to produce DNA encoding the variant, and thereafter expressing the DNA in recombinant cell culture as outlined above. However, variant breast cancer protein fragments having up to about 100-150 residues may be prepared by in vitro synthesis using established techniques. Amino acid sequence variants are characterized by the predetermined nature of the variation, a feature that sets them apart from naturally occurring allelic or interspecies variation of the breast cancer protein amino acid sequence. The variants typically exhibit the same qualitative biological activity as the naturally occurring analogue, although variants can also be selected which have modified characteristics as will be more fully outlined below.

While the site or region for introducing an amino acid sequence variation is predetermined, the mutation per se need not be predetermined. For example, in order to

10

15

20

25

30

PCT/US02/02242

optimize the performance of a mutation at a given site, random mutagenesis may be conducted at the target codon or region and the expressed breast cancer variants screened for the optimal combination of desired activity. Techniques for making substitution mutations at predetermined sites in DNA having a known sequence are well known, e.g., M13 primer mutagenesis and PCR mutagenesis. Screening of the mutants is done using assays of breast cancer protein activities.

Amino acid substitutions are typically of single residues; insertions usually will be on the order of from about 1 to 20 amino acids, although considerably larger insertions may be tolerated. Deletions range from about 1 to about 20 residues, although in some cases deletions may be much larger.

Substitutions, deletions, insertions or any combination thereof may be used to arrive at a final derivative. Generally these changes are done on a few amino acids to minimize the alteration of the molecule. However, larger changes may be tolerated in certain circumstances. When small alterations in the characteristics of the breast cancer protein are desired, substitutions are generally made in accordance with the amino acid substitution relationships provided in the definition section.

The variants typically exhibit the same qualitative biological activity and will elicit the same immune response as the naturally-occurring analog, although variants also are selected to modify the characteristics of the breast cancer proteins as needed. Alternatively, the variant may be designed such that the biological activity of the breast cancer protein is altered. For example, glycosylation sites may be altered or removed.

Substantial changes in function or immunological identity are made by selecting substitutions that are less conservative than those described above. For example, substitutions may be made which more significantly affect: the structure of the polypeptide backbone in the area of the alteration, for example the alpha-helical or beta-sheet structure; the charge or hydrophobicity of the molecule at the target site; or the bulk of the side chain. The substitutions which in general are expected to produce the greatest changes in the polypeptide's properties are those in which (a) a hydrophilic residue, e.g. seryl or threonyl is substituted for (or by) a hydrophobic residue, e.g. leucyl, isoleucyl, phenylalanyl, valyl or alanyl; (b) a cysteine or proline is substituted for (or by) any other residue; (c) a residue

10

15

20

25

having an electropositive side chain, e.g. lysyl, arginyl, or histidyl, is substituted for (or by) an electronegative residue, e.g. glutamyl or aspartyl; or (d) a residue having a bulky side chain, e.g. phenylalanine, is substituted for (or by) one not having a side chain, e.g. glycine.

Covalent modifications of breast cancer polypeptides are included within the scope of this invention. One type of covalent modification includes reacting targeted amino acid residues of a breast cancer polypeptide with an organic derivatizing agent that is capable of reacting with selected side chains or the N-or C-terminal residues of a breast cancer polypeptide. Derivatization with bifunctional agents is useful, for instance, for crosslinking polypeptide. Derivatization with bifunctional agents is useful, for instance, for crosslinking breast cancer polypeptides to a water-insoluble support matrix or surface for use in the method for purifying anti-breast cancer polypeptide antibodies or screening assays, as is more fully described below. Commonly used crosslinking agents include, e.g., 1,1-bis(diazoacetyl)-2-phenylethane, glutaraldehyde, N-hydroxysuccinimide esters, e.g., esters with 4-azidosalicylic acid, homobifunctional imidoesters, including disuccinimidyl esters such as 3,3'-dithiobis(succinimidylpropionate), bifunctional maleimides such as bis-N-maleimido-1,8-octane and agents such as methyl-3-((p-azidophenyl)dithio)propioimidate.

Other modifications include deamidation of glutaminyl and asparaginyl residues to the corresponding glutamyl and aspartyl residues, respectively, hydroxylation of proline and lysine, phosphorylation of hydroxyl groups of seryl, threonyl or tyrosyl residues, methylation of the amino groups of the lysine, arginine, and histidine side chains (Creighton, *Proteins: Structure and Molecular Properties*, pp. 79-86 (1983)), acetylation of the N-terminal amine, and amidation of any C-terminal carboxyl group.

Another type of covalent modification of the breast cancer polypeptide included within the scope of this invention comprises altering the native glycosylation pattern of the polypeptide. "Altering the native glycosylation pattern" is intended for purposes herein to mean deleting one or more carbohydrate moieties found in native sequence breast cancer polypeptide, and/or adding one or more glycosylation sites that are not present in the native sequence breast cancer polypeptide. Glycosylation patterns can be altered in many ways. For example the use of different cell types to express breast cancer-associated sequences can result in different glycosylation patterns.

PCT/US02/02242 WO 02/059377

Addition of glycosylation sites to breast cancer polypeptides may also be accomplished by altering the amino acid sequence thereof. The alteration may be made, e.g., by the addition of, or substitution by, one or more serine or threonine residues to the native sequence breast cancer polypeptide (for O-linked glycosylation sites). The breast cancer amino acid sequence may optionally be altered through changes at the DNA level, particularly by mutating the DNA encoding the breast cancer polypeptide at preselected bases such that codons are generated that will translate into the desired amino acids.

5

10

15

20

25

30

Another means of increasing the number of carbohydrate moieties on the breast cancer polypeptide is by chemical or enzymatic coupling of glycosides to the polypeptide. Such methods are described in the art, e.g., in WO 87/05330, and in Aplin & Wriston, CRC Crit. Rev. Biochem., pp. 259-306 (1981).

Removal of carbohydrate moieties present on the breast cancer polypeptide may be accomplished chemically or enzymatically or by mutational substitution of codons encoding for amino acid residues that serve as targets for glycosylation. Chemical deglycosylation techniques are known in the art and described, for instance, by Hakimuddin, et al., Arch. Biochem. Biophys., 259:52 (1987) and by Edge et al., Anal. Biochem., 118:131 (1981). Enzymatic cleavage of carbohydrate moieties on polypeptides can be achieved by the use of a variety of endo-and exo-glycosidases as described by Thotakura et al., Meth. Enzymol., 138:350 (1987).

Another type of covalent modification of breast cancer comprises linking the breast cancer polypeptide to one of a variety of nonproteinaceous polymers, e.g., polyethylene glycol, polypropylene glycol, or polyoxyalkylenes, in the manner set forth in U.S. Patent Nos. 4,640,835; 4,496,689; 4,301,144; 4,670,417; 4,791,192 or 4,179,337.

Breast cancer polypeptides of the present invention may also be modified in a way to form chimeric molecules comprising a breast cancer polypeptide fused to another, heterologous polypeptide or amino acid sequence. In one embodiment, such a chimeric molecule comprises a fusion of a breast cancer polypeptide with a tag polypeptide which provides an epitope to which an anti-tag antibody can selectively bind. The epitope tag is generally placed at the amino-or carboxyl-terminus of the breast cancer polypeptide. The presence of such epitope-tagged forms of a breast cancer polypeptide can be detected using

10

15

25

30

an antibody against the tag polypeptide. Also, provision of the epitope tag enables the breast cancer polypeptide to be readily purified by affinity purification using an anti-tag antibody or another type of affinity matrix that binds to the epitope tag. In an alternative embodiment, the chimeric molecule may comprise a fusion of a breast cancer polypeptide with an immunoglobulin or a particular region of an immunoglobulin. For a bivalent form of the chimeric molecule, such a fusion could be to the Fc region of an IgG molecule.

Various tag polypeptides and their respective antibodies are well known in the art. Examples include poly-histidine (poly-his) or poly-histidine-glycine (poly-his-gly) tags; HIS6 and metal chelation tags, the flu HA tag polypeptide and its antibody 12CA5 (Field et al., Mol. Cell. Biol. 8:2159-2165 (1988)); the c-myc tag and the 8F9, 3C7, 6E10, G4, B7 and 9E10 antibodies thereto (Evan et al., Molecular and Cellular Biology 5:3610-3616 (1985)); and the Herpes Simplex virus glycoprotein D (gD) tag and its antibody (Paborsky et al., Protein Engineering 3(6):547-553 (1990)). Other tag polypeptides include the Flag-peptide (Hopp et al., BioTechnology 6:1204-1210 (1988)); the KT3 epitope peptide (Martin et al., Science 255:192-194 (1992)); tubulin epitope peptide (Skinner et al., J. Biol. Chem. 266:15163-15166 (1991)); and the T7 gene 10 protein peptide tag (Lutz-Freyermuth et al., Proc. Natl. Acad. Sci. USA 87:6393-6397 (1990)).

Also included are other breast cancer proteins of the breast cancer family, and breast cancer proteins from other organisms, which are cloned and expressed as outlined 20 below. Thus, probe or degenerate polymerase chain reaction (PCR) primer sequences may be used to find other related breast cancer proteins from humans or other organisms. As will be appreciated by those in the art, particularly useful probe and/or PCR primer sequences include the unique areas of the breast cancer nucleic acid sequence. As is generally known in the art, preferred PCR primers are from about 15 to about 35 nucleotides in length, with from about 20 to about 30 being preferred, and may contain inosine as needed. The conditions for the PCR reaction are well known in the art (e.g., Innis, PCR Protocols, supra).

#### Antibodies to breast cancer proteins

In a preferred embodiment, when the breast cancer protein is to be used to generate antibodies, e.g., for immunotherapy or immunodiagnosis, the breast cancer protein PCT/US02/02242 WO 02/059377

should share at least one epitope or determinant with the full length protein. By "epitope" or "determinant" herein is typically meant a portion of a protein which will generate and/or bind an antibody or T-cell receptor in the context of MHC. Thus, in most instances, antibodies made to a smaller breast cancer protein will be able to bind to the full-length protein, particularly linear epitopes. In a preferred embodiment, the epitope is unique; that is, antibodies generated to a unique epitope show little or no cross-reactivity.

5

10

15

20

25

30

Methods of preparing polyclonal antibodies are known to the skilled artisan (e.g., Coligan, supra; and Harlow & Lane, supra). Polyclonal antibodies can be raised in a mammal, e.g., by one or more injections of an immunizing agent and, if desired, an adjuvant. Typically, the immunizing agent and/or adjuvant will be injected in the mammal by multiple subcutaneous or intraperitoneal injections. The immunizing agent may include a protein encoded by a nucleic acid of the figures or fragment thereof or a fusion protein thereof. It may be useful to conjugate the immunizing agent to a protein known to be immunogenic in the mammal being immunized. Examples of such immunogenic proteins include but are not limited to keyhole limpet hemocyanin, serum albumin, bovine thyroglobulin, and soybean trypsin inhibitor. Examples of adjuvants which may be employed include Freund's complete adjuvant and MPL-TDM adjuvant (monophosphoryl Lipid A, synthetic trehalose dicorynomycolate). The immunization protocol may be selected by one skilled in the art without undue experimentation.

The antibodies may, alternatively, be monoclonal antibodies. Monoclonal antibodies may be prepared using hybridoma methods, such as those described by Kohler & Milstein, Nature 256:495 (1975). In a hybridoma method, a mouse, hamster, or other appropriate host animal, is typically immunized with an immunizing agent to elicit lymphocytes that produce or are capable of producing antibodies that will specifically bind to the immunizing agent. Alternatively, the lymphocytes may be immunized in vitro. The immunizing agent will typically include a polypeptide encoded by a nucleic acid of Tables 1-25 or fragment thereof, or a fusion protein thereof. Generally, either peripheral blood lymphocytes ("PBLs") are used if cells of human origin are desired, or spleen cells or lymph node cells are used if non-human mammalian sources are desired. The lymphocytes are then fused with an immortalized cell line using a suitable fusing agent, such as polyethylene

glycol, to form a hybridoma cell (Goding, Monoclonal Antibodies: Principles and Practice, pp. 59-103 (1986)). Immortalized cell lines are usually transformed mammalian cells, particularly myeloma cells of rodent, bovine and human origin. Usually, rat or mouse myeloma cell lines are employed. The hybridoma cells may be cultured in a suitable culture medium that preferably contains one or more substances that inhibit the growth or survival of the unfused, immortalized cells. For example, if the parental cells lack the enzyme hypoxanthine guanine phosphoribosyl transferase (HGPRT or HPRT), the culture medium for the hybridomas typically will include hypoxanthine, aminopterin, and thymidine ("HAT medium"), which substances prevent the growth of HGPRT-deficient cells.

10

15

5

In one embodiment, the antibodies are bispecific antibodies. Bispecific antibodies are monoclonal, preferably human or humanized, antibodies that have binding specificities for at least two different antigens or that have binding specificities for two epitopes on the same antigen. In one embodiment, one of the binding specificities is for a protein encoded by a nucleic acid Tables 1-25 or a fragment thereof, the other one is for any other antigen, and preferably for a cell-surface protein or receptor or receptor subunit, preferably one that is tumor specific. Alternatively, tetramer-type technology may create multivalent reagents.

20

In a preferred embodiment, the antibodies to breast cancer protein are capable of reducing or eliminating a biological function of a breast cancer protein, as is described below. That is, the addition of anti-breast cancer protein antibodies (either polyclonal or preferably monoclonal) to breast cancer tissue (or cells containing breast cancer) may reduce or eliminate the breast cancer. Generally, at least a 25% decrease in activity, growth, size or the like is preferred, with at least about 50% being particularly preferred and about a 95-100% decrease being especially preferred.

25

30

In a preferred embodiment the antibodies to the breast cancer proteins are humanized antibodies (e.g., Xenerex Biosciences, Mederex, Inc., Abgenix, Inc., Protein Design Labs,Inc.) Humanized forms of non-human (e.g., murine) antibodies are chimeric molecules of immunoglobulins, immunoglobulin chains or fragments thereof (such as Fv, Fab, Fab', F(ab')2 or other antigen-binding subsequences of antibodies) which contain minimal sequence derived from non-human immunoglobulin. Humanized antibodies include

54

30

human immunoglobulins (recipient antibody) in which residues from a complementary determining region (CDR) of the recipient are replaced by residues from a CDR of a nonhuman species (donor antibody) such as mouse, rat or rabbit having the desired specificity, affinity and capacity. In some instances, Fv framework residues of the human immunoglobulin are replaced by corresponding non-human residues. Humanized antibodies 5 may also comprise residues which are found neither in the recipient antibody nor in the imported CDR or framework sequences. In general, a humanized antibody will comprise substantially all of at least one, and typically two, variable domains, in which all or substantially all of the CDR regions correspond to those of a non-human immunoglobulin and all or substantially all of the framework (FR) regions are those of a human immunoglobulin consensus sequence. The humanized antibody optimally also will comprise 10 at least a portion of an immunoglobulin constant region (Fc), typically that of a human immunoglobulin (Jones et al., Nature 321:522-525 (1986); Riechmann et al., Nature 332:323-329 (1988); and Presta, Curr. Op. Struct. Biol. 2:593-596 (1992)). Humanization can be essentially performed following the method of Winter and co-workers (Jones et al., 15 Nature 321:522-525 (1986); Riechmann et al., Nature 332:323-327 (1988); Verhoeyen et al., Science 239:1534-1536 (1988)), by substituting rodent CDRs or CDR sequences for the corresponding sequences of a human antibody. Accordingly, such humanized antibodies are chimeric antibodies (U.S. Patent No. 4,816,567), wherein substantially less than an intact human variable domain has been substituted by the corresponding sequence from a non-20 human species.

Human antibodies can also be produced using various techniques known in the art, including phage display libraries (Hoogenboom & Winter, J. Mol. Biol. 227:381 (1991); Marks et al., J. Mol. Biol. 222:581 (1991)). The techniques of Cole et al. and Boerner et al. are also available for the preparation of human monoclonal antibodies (Cole et al., Monoclonal Antibodies and Cancer Therapy, p. 77 (1985) and Boerner et al., J. Immunol. 147(1):86-95 (1991)). Similarly, human antibodies can be made by introducing of human immunoglobulin loci into transgenic animals, e.g., mice in which the endogenous immunoglobulin genes have been partially or completely inactivated. Upon challenge, human antibody production is observed, which closely resembles that seen in humans in all

10

15

20

25

30

respects, including gene rearrangement, assembly, and antibody repertoire. This approach is described, e.g., in U.S. Patent Nos. 5,545,807; 5,545,806; 5,569,825; 5,625,126; 5,633,425; 5,661,016, and in the following scientific publications: Marks et al., Bio/Technology 10:779-783 (1992); Lonberg et al., Nature 368:856-859 (1994); Morrison, Nature 368:812-13 (1994); Fishwild et al., Nature Biotechnology 14:845-51 (1996); Neuberger, Nature Biotechnology 14:845-51 (1996); Neuberger, Nature Biotechnology 14:826 (1996); Lonberg & Huszar, Intern. Rev. Immunol. 13:65-93 (1995).

By immunotherapy is meant treatment of breast cancer with an antibody raised against breast cancer proteins. As used herein, immunotherapy can be passive or active. Passive immunotherapy as defined herein is the passive transfer of antibody to a recipient (patient). Active immunization is the induction of antibody and/or T-cell responses in a recipient (patient). Induction of an immune response is the result of providing the recipient with an antigen to which antibodies are raised. As appreciated by one of ordinary skill in the art, the antigen may be provided by injecting a polypeptide against which antibodies are desired to be raised into a recipient, or contacting the recipient with a nucleic acid capable of expressing the antigen and under conditions for expression of the antigen, leading to an immune response.

In a preferred embodiment the breast cancer proteins against which antibodies are raised are secreted proteins as described above. Without being bound by theory, antibodies used for treatment, bind and prevent the secreted protein from binding to its receptor, thereby inactivating the secreted breast cancer protein.

In another preferred embodiment, the breast cancer protein to which antibodies are raised is a transmembrane protein. Without being bound by theory, antibodies used for treatment, bind the extracellular domain of the breast cancer protein and prevent it from binding to other proteins, such as circulating ligands or cell-associated molecules. The antibody may cause down-regulation of the transmembrane breast cancer protein. As will be appreciated by one of ordinary skill in the art, the antibody may be a competitive, non-competitive or uncompetitive inhibitor of protein binding to the extracellular domain of the breast cancer protein. The antibody is also an antagonist of the breast cancer protein. Further, the antibody prevents activation of the transmembrane breast cancer protein. In one aspect, when the antibody prevents the binding of other molecules to the breast cancer

10

15

20

25

30

protein, the antibody prevents growth of the cell. The antibody may also be used to target or sensitize the cell to cytotoxic agents, including, but not limited to TNF-α, TNF-β, IL-1, INF-γ and IL-2, or chemotherapeutic agents including 5FU, vinblastine, actinomycin D, cisplatin, methotrexate, and the like. In some instances the antibody belongs to a sub-type that activates serum complement when complexed with the transmembrane protein thereby mediating cytotoxicity or antigen-dependent cytotoxicity (ADCC). Thus, breast cancer is treated by administering to a patient antibodies directed against the transmembrane breast cancer protein. Antibody-labeling may activate a co-toxin, localize a toxin payload, or otherwise provide means to locally ablate cells.

In another preferred embodiment, the antibody is conjugated to an effector moiety. The effector moiety can be any number of molecules, including labelling moieties such as radioactive labels or fluorescent labels, or can be a therapeutic moiety. In one aspect the therapeutic moiety is a small molecule that modulates the activity of the breast cancer protein. In another aspect the therapeutic moiety modulates the activity of molecules associated with or in close proximity to the breast cancer protein. The therapeutic moiety may inhibit enzymatic activity such as protease or collagenase or protein kinase activity associated with breast cancer.

In a preferred embodiment, the therapeutic moiety can also be a cytotoxic agent. In this method, targeting the cytotoxic agent to breast cancer tissue or cells, results in a reduction in the number of afflicted cells, thereby reducing symptoms associated with breast cancer. Cytotoxic agents are numerous and varied and include, but are not limited to, cytotoxic drugs or toxins or active fragments of such toxins. Suitable toxins and their corresponding fragments include diphtheria A chain, exotoxin A chain, ricin A chain, abrin A chain, curcin, crotin, phenomycin, enomycin and the like. Cytotoxic agents also include radiochemicals made by conjugating radioisotopes to antibodies raised against breast cancer proteins, or binding of a radionuclide to a chelating agent that has been covalently attached to the antibody. Targeting the therapeutic moiety to transmembrane breast cancer proteins not only serves to increase the local concentration of therapeutic moiety in the breast cancer afflicted area, but also serves to reduce deleterious side effects that may be associated with the therapeutic moiety.

15

20

25

30

In another preferred embodiment, the breast cancer protein against which the antibodies are raised is an intracellular protein. In this case, the antibody may be conjugated to a protein which facilitates entry into the cell. In one case, the antibody enters the cell by endocytosis. In another embodiment, a nucleic acid encoding the antibody is administered to the individual or cell. Moreover, wherein the breast cancer protein can be targeted within a cell, i.e., the nucleus, an antibody thereto contains a signal for that target localization, i.e., a nuclear localization signal.

The breast cancer antibodies of the invention specifically bind to breast cancer proteins. By "specifically bind" herein is meant that the antibodies bind to the protein with a  $K_d$  of at least about 0.1 mM, more usually at least about 1  $\mu$ M, preferably at least about 0.1  $\mu$ M or better, and most preferably, 0.01  $\mu$ M or better. Selectivity of binding is also important.

### Detection of breast cancer sequence for diagnostic and therapeutic applications

In one aspect, the RNA expression levels of genes are determined for different cellular states in the breast cancer phenotype. Expression levels of genes in normal tissue (i.e., not undergoing breast cancer) and in breast cancer tissue (and in some cases, for varying severities of breast cancer that relate to prognosis, as outlined below) are evaluated to provide expression profiles. An expression profile of a particular cell state or point of development is essentially a "fingerprint" of the state. While two states may have any particular gene similarly expressed, the evaluation of a number of genes simultaneously allows the generation of a gene expression profile that is reflective of the state of the cell. By comparing expression profiles of cells in different states, information regarding which genes are important (including both up- and down-regulation of genes) in each of these states is obtained. Then, diagnosis may be performed or confirmed to determine whether a tissue sample has the gene expression profile of normal or cancerous tissue. This will provide for molecular diagnosis of related conditions.

"Differential expression," or grammatical equivalents as used herein, refers to qualitative or quantitative differences in the temporal and/or cellular gene expression patterns within and among cells and tissue. Thus, a differentially expressed gene can

qualitatively have its expression altered, including an activation or inactivation, in, e.g., normal versus breast cancer tissue. Genes may be turned on or turned off in a particular state, relative to another state thus permitting comparison of two or more states. A qualitatively regulated gene will exhibit an expression pattern within a state or cell type which is detectable by standard techniques. Some genes will be expressed in one state or cell type, but not in both. Alternatively, the difference in expression may be quantitative, e.g., in that expression is increased or decreased; i.e., gene expression is either upregulated, resulting in an increased amount of transcript, or downregulated, resulting in a decreased amount of transcript. The degree to which expression differs need only be large enough to quantify via standard characterization techniques as outlined below, such as by use of Affymetrix GeneChip™ expression arrays, Lockhart, Nature Biotechnology 14:1675-1680 (1996), hereby expressly incorporated by reference. Other techniques include, but are not limited to, quantitative reverse transcriptase PCR, northern analysis and RNase protection. As outlined above, preferably the change in expression (i.e., upregulation or downregulation) is at least about 50%, more preferably at least about 100%, more preferably at least about 150%, more preferably at least about 200%, with from 300 to at least 1000% being especially preferred.

5

10

15

20

25

Evaluation may be at the gene transcript, or the protein level. The amount of gene expression may be monitored using nucleic acid probes to the DNA or RNA equivalent of the gene transcript, and the quantification of gene expression levels, or, alternatively, the final gene product itself (protein) can be monitored, e.g., with antibodies to the breast cancer protein and standard immunoassays (ELISAs, etc.) or other techniques, including mass spectroscopy assays, 2D gel electrophoresis assays, etc. Proteins corresponding to breast cancer genes, i.e., those identified as being important in a breast cancer phenotype, can be evaluated in a breast cancer diagnostic test.

In a preferred embodiment, gene expression monitoring is performed simultaneously on a number of genes. Multiple protein expression monitoring can be performed as well. Similarly, these assays may be performed on an individual basis as well.

In this embodiment, the breast cancer nucleic acid probes are attached to biochips as outlined herein for the detection and quantification of breast cancer sequences in

10

15

20

25

30

a particular cell. The assays are further described below in the example. PCR techniques can be used to provide greater sensitivity.

In a preferred embodiment nucleic acids encoding the breast cancer protein are detected. Although DNA or RNA encoding the breast cancer protein may be detected, of particular interest are methods wherein an mRNA encoding a breast cancer protein is detected. Probes to detect mRNA can be a nucleotide/deoxynucleotide probe that is complementary to and hybridizes with the mRNA and includes, but is not limited to, oligonucleotides, cDNA or RNA. Probes also should contain a detectable label, as defined herein. In one method the mRNA is detected after immobilizing the nucleic acid to be examined on a solid support such as nylon membranes and hybridizing the probe with the sample. Following washing to remove the non-specifically bound probe, the label is detected. In another method detection of the mRNA is performed in situ. In this method permeabilized cells or tissue samples are contacted with a detectably labeled nucleic acid probe for sufficient time to allow the probe to hybridize with the target mRNA. Following washing to remove the non-specifically bound probe, the label is detected. For example a digoxygenin labeled riboprobe (RNA probe) that is complementary to the mRNA encoding a breast cancer protein is detected by binding the digoxygenin with an anti-digoxygenin secondary antibody and developed with nitro blue tetrazolium and 5-bromo-4-chloro-3indoyl phosphate.

In a preferred embodiment, various proteins from the three classes of proteins as described herein (secreted, transmembrane or intracellular proteins) are used in diagnostic assays. The breast cancer proteins, antibodies, nucleic acids, modified proteins and cells containing breast cancer sequences are used in diagnostic assays. This can be performed on an individual gene or corresponding polypeptide level. In a preferred embodiment, the expression profiles are used, preferably in conjunction with high throughput screening techniques to allow monitoring for expression profile genes and/or corresponding polypeptides.

As described and defined herein, breast cancer proteins, including intracellular, transmembrane or secreted proteins, find use as markers of breast cancer.

Detection of these proteins in putative breast cancer tissue allows for detection or diagnosis

of breast cancer. In one embodiment, antibodies are used to detect breast cancer proteins. A preferred method separates proteins from a sample by electrophoresis on a gel (typically a denaturing and reducing protein gel, but may be another type of gel, including isoelectric focusing gels and the like). Following separation of proteins, the breast cancer protein is detected, e.g., by immunoblotting with antibodies raised against the breast cancer protein. Methods of immunoblotting are well known to those of ordinary skill in the art.

5

10

15

20

25

30

In another preferred method, antibodies to the breast cancer protein find use in in situ imaging techniques, e.g., in histology (e.g., Methods in Cell Biology: Antibodies in Cell Biology, volume 37 (Asai, ed. 1993)). In this method cells are contacted with from one to many antibodies to the breast cancer protein(s). Following washing to remove non-specific antibody binding, the presence of the antibody or antibodies is detected. In one embodiment the antibody is detected by incubating with a secondary antibody that contains a detectable label. In another method the primary antibody to the breast cancer protein(s) contains a detectable label, e.g. an enzyme marker that can act on a substrate. In another preferred embodiment each one of multiple primary antibodies contains a distinct and detectable label. This method finds particular use in simultaneous screening for a plurality of breast cancer proteins. As will be appreciated by one of ordinary skill in the art, many other histological imaging techniques are also provided by the invention.

In a preferred embodiment the label is detected in a fluorometer which has the ability to detect and distinguish emissions of different wavelengths. In addition, a fluorescence activated cell sorter (FACS) can be used in the method.

In another preferred embodiment, antibodies find use in diagnosing breast cancer from blood, serum, plasma, stool, and other samples. Such samples, therefore, are useful as samples to be probed or tested for the presence of breast cancer proteins.

Antibodies can be used to detect a breast cancer protein by previously described immunoassay techniques including ELISA, immunoblotting (western blotting),

immunoprecipitation, BIACORE technology and the like. Conversely, the presence of antibodies may indicate an immune response against an endogenous breast cancer protein.

In a preferred embodiment, *in situ* hybridization of labeled breast cancer

nucleic acid probes to tissue arrays is done. For example, arrays of tissue samples, including

breast cancer tissue and/or normal tissue, are made. In situ hybridization (see, e.g., Ausubel, supra) is then performed. When comparing the fingerprints between an individual and a standard, the skilled artisan can make a diagnosis, a prognosis, or a prediction based on the findings. It is further understood that the genes which indicate the diagnosis may differ from those which indicate the prognosis and molecular profiling of the condition of the cells may lead to distinctions between responsive or refractory conditions or may be predictive of outcomes.

In a preferred embodiment, the breast cancer proteins, antibodies, nucleic acids, modified proteins and cells containing breast cancer sequences are used in prognosis assays. As above, gene expression profiles can be generated that correlate to breast cancer, in terms of long term prognosis. Again, this may be done on either a protein or gene level, with the use of genes being preferred. As above, breast cancer probes may be attached to biochips for the detection and quantification of breast cancer sequences in a tissue or patient. The assays proceed as outlined above for diagnosis. PCR method may provide more sensitive and accurate quantification.

#### Assays for therapeutic compounds

10

15

20

25

30

In a preferred embodiment members of the proteins, nucleic acids, and antibodies as described herein are used in drug screening assays. The breast cancer proteins, antibodies, nucleic acids, modified proteins and cells containing breast cancer sequences are used in drug screening assays or by evaluating the effect of drug candidates on a "gene expression profile" or expression profile of polypeptides. In a preferred embodiment, the expression profiles are used, preferably in conjunction with high throughput screening techniques to allow monitoring for expression profile genes after treatment with a candidate agent (e.g., Zlokarnik, et al., Science 279:84-8 (1998); Heid, Genome Res 6:986-94, 1996).

In a preferred embodiment, the breast cancer proteins, antibodies, nucleic acids, modified proteins and cells containing the native or modified breast cancer proteins are used in screening assays. That is, the present invention provides novel methods for screening for compositions which modulate the breast cancer phenotype or an identified physiological function of a breast cancer protein. As above, this can be done on an individual gene level or

by evaluating the effect of drug candidates on a "gene expression profile". In a preferred embodiment, the expression profiles are used, preferably in conjunction with high throughput screening techniques to allow monitoring for expression profile genes after treatment with a candidate agent, see Zlokarnik, *supra*.

5

10

15

20

25

Having identified the differentially expressed genes herein, a variety of assays may be executed. In a preferred embodiment, assays may be run on an individual gene or protein level. That is, having identified a particular gene as up regulated in breast cancer, test compounds can be screened for the ability to modulate gene expression or for binding to the breast cancer protein. "Modulation" thus includes both an increase and a decrease in gene expression. The preferred amount of modulation will depend on the original change of the gene expression in normal versus tissue undergoing breast cancer, with changes of at least 10%, preferably 50%, more preferably 100-300%, and in some embodiments 300-1000% or greater. Thus, if a gene exhibits a 4-fold increase in breast cancer tissue compared to normal tissue, a decrease of about four-fold is often desired; similarly, a 10-fold decrease in breast cancer tissue compared to normal tissue often provides a target value of a 10-fold increase in expression to be induced by the test compound.

The amount of gene expression may be monitored using nucleic acid probes and the quantification of gene expression levels, or, alternatively, the gene product itself can be monitored, e.g., through the use of antibodies to the breast cancer protein and standard immunoassays. Proteomics and separation techniques may also allow quantification of expression.

In a preferred embodiment, gene expression or protein monitoring of a number of entities, i.e., an expression profile, is monitored simultaneously. Such profiles will typically involve a plurality of those entities described herein.

In this embodiment, the breast cancer nucleic acid probes are attached to biochips as outlined herein for the detection and quantification of breast cancer sequences in a particular cell. Alternatively, PCR may be used. Thus, a series, e.g., of microtiter plate, may be used with dispensed primers in desired wells. A PCR reaction can then be performed and analyzed for each well.

Expression monitoring can be performed to identify compounds that modify the expression of one or more breast cancer-associated sequences, e.g., a polynucleotide sequence set out in Table 17. Generally, in a preferred embodiment, a test modulator is added to the cells prior to analysis. Moreover, screens are also provided to identify agents that modulate breast cancer, modulate breast cancer proteins, bind to a breast cancer protein, or interfere with the binding of a breast cancer protein and an antibody or other binding partner.

The term "test compound" or "drug candidate" or "modulator" or grammatical equivalents as used herein describes any molecule, e.g., protein, oligopeptide, small organic molecule, polysaccharide, polynucleotide, etc., to be tested for the capacity to directly or indirectly alter the breast cancer phenotype or the expression of a breast cancer sequence, e.g., a nucleic acid or protein sequence. In preferred embodiments, modulators alter expression profiles, or expression profile nucleic acids or proteins provided herein. In one embodiment, the modulator suppresses a breast cancer phenotype, e.g. to a normal tissue fingerprint. In another embodiment, a modulator induced a breast cancer phenotype.

Generally, a plurality of assay mixtures are run in parallel with different agent concentrations to obtain a differential response to the various concentrations. Typically, one of these concentrations serves as a negative control, i.e., at zero concentration or below the level of detection.

Drug candidates encompass numerous chemical classes, though typically they are organic molecules, preferably small organic compounds having a molecular weight of more than 100 and less than about 2,500 daltons. Preferred small molecules are less than 2000, or less than 1500 or less than 1000 or less than 500 D. Candidate agents comprise functional groups necessary for structural interaction with proteins, particularly hydrogen bonding, and typically include at least an amine, carbonyl, hydroxyl or carboxyl group, preferably at least two of the functional chemical groups. The candidate agents often comprise cyclical carbon or heterocyclic structures and/or aromatic or polyaromatic structures substituted with one or more of the above functional groups. Candidate agents are also found among biomolecules including peptides, saccharides, fatty acids, steroids, purines, pyrimidines, derivatives, structural analogs or combinations thereof. Particularly preferred are peptides.

In one aspect, a modulator will neutralize the effect of a breast cancer protein. By "neutralize" is meant that activity of a protein is inhibited or blocked and the consequent effect on the cell.

In certain embodiments, combinatorial libraries of potential modulators will be screened for an ability to bind to a breast cancer polypeptide or to modulate activity. Conventionally, new chemical entities with useful properties are generated by identifying a chemical compound (called a "lead compound") with some desirable property or activity, e.g., inhibiting activity, creating variants of the lead compound, and evaluating the property and activity of those variant compounds. Often, high throughput screening (HTS) methods are employed for such an analysis.

5

10

15

20

25

30

In one preferred embodiment, high throughput screening methods involve providing a library containing a large number of potential therapeutic compounds (candidate compounds). Such "combinatorial chemical libraries" are then screened in one or more assays to identify those library members (particular chemical species or subclasses) that display a desired characteristic activity. The compounds thus identified can serve as conventional "lead compounds" or can themselves be used as potential or actual therapeutics.

A combinatorial chemical library is a collection of diverse chemical compounds generated by either chemical synthesis or biological synthesis by combining a number of chemical "building blocks" such as reagents. For example, a linear combinatorial chemical library, such as a polypeptide (e.g., mutein) library, is formed by combining a set of chemical building blocks called amino acids in every possible way for a given compound length (i.e., the number of amino acids in a polypeptide compound). Millions of chemical compounds can be synthesized through such combinatorial mixing of chemical building blocks (Gallop *et al.*, *J. Med. Chem.* 37(9):1233-1251 (1994)).

Preparation and screening of combinatorial chemical libraries is well known to those of skill in the art. Such combinatorial chemical libraries include, but are not limited to, peptide libraries (see, e.g., U.S. Patent No. 5,010,175, Furka, Pept. Prot. Res. 37:487-493 (1991), Houghton et al., Nature, 354:84-88 (1991)), peptoids (PCT Publication No WO 91/19735), encoded peptides (PCT Publication WO 93/20242), random bio-oligomers (PCT Publication WO 92/00091), benzodiazepines (U.S. Pat. No. 5,288,514), diversomers such as

hydantoins, benzodiazepines and dipeptides (Hobbs et al., Proc. Nat. Acad. Sci. USA 90:6909-6913 (1993)), vinylogous polypeptides (Hagihara et al., J. Amer. Chem. Soc. 114:6568 (1992)), nonpeptidal peptidomimetics with a Beta-D-Glucose scaffolding (Hirschmann et al., J. Amer. Chem. Soc. 114:9217-9218 (1992)), analogous organic syntheses of small compound libraries (Chen et al., J. Amer. Chem. Soc. 116:2661 (1994)), oligocarbamates (Cho, et al., Science 261:1303 (1993)), and/or peptidyl phosphonates (Campbell et al., J. Org. Chem. 59:658 (1994)). See, generally, Gordon et al., J. Med. Chem. 37:1385 (1994), nucleic acid libraries (see, e.g., Strategene, Corp.), peptide nucleic acid libraries (see, e.g., U.S. Patent 5,539,083), antibody libraries (see, e.g., Vaughn et al., Nature Biotechnology 14(3):309-314 (1996), and PCT/US96/10287), carbohydrate libraries (see, e.g., Liang et al., Science 274:1520-1522 (1996), and U.S. Patent No. 5,593,853), and small organic molecule libraries (see, e.g., benzodiazepines, Baum, C&EN, Jan 18, page 33 (1993); isoprenoids, U.S. Patent No. 5,569,588; thiazolidinones and metathiazanones, U.S. Patent No. 5,549,974; pyrrolidines, U.S. Patent Nos. 5,525,735 and 5,519,134; morpholino compounds, U.S. Patent No. 5,506,337; benzodiazepines, U.S. Patent No. 5,288,514; and the like).

5

10

15

20

25

Devices for the preparation of combinatorial libraries are commercially available (*see, e.g.,* 357 MPS, 390 MPS, Advanced Chem Tech, Louisville KY, Symphony, Rainin, Woburn, MA, 433A Applied Biosystems, Foster City, CA, 9050 Plus, Millipore, Bedford, MA).

A number of well known robotic systems have also been developed for solution phase chemistries. These systems include automated workstations like the automated synthesis apparatus developed by Takeda Chemical Industries, LTD. (Osaka, Japan) and many robotic systems utilizing robotic arms (Zymate II, Zymark Corporation, Hopkinton, Mass.; Orca, Hewlett-Packard, Palo Alto, Calif.), which mimic the manual synthetic operations performed by a chemist. Any of the above devices are suitable for use with the present invention. The nature and implementation of modifications to these devices (if any) so that they can operate as discussed herein will be apparent to persons skilled in the relevant art. In addition, numerous combinatorial libraries are themselves commercially available (see, e.g., ComGenex, Princeton, N.J., Asinex, Moscow, Ru, Tripos, Inc., St. Louis,

MO, ChemStar, Ltd, Moscow, RU, 3D Pharmaceuticals, Exton, PA, Martek Biosciences, Columbia, MD, etc.).

The assays to identify modulators are amenable to high throughput screening. Preferred assays thus detect enhancement or inhibition of breast cancer gene transcription, inhibition or enhancement of polypeptide expression, and inhibition or enhancement of polypeptide activity.

High throughput assays for the presence, absence, quantification, or other properties of particular nucleic acids or protein products are well known to those of skill in the art. Similarly, binding assays and reporter gene assays are similarly well known. Thus, e.g., U.S. Patent No. 5,559,410 discloses high throughput screening methods for proteins, U.S. Patent No. 5,585,639 discloses high throughput screening methods for nucleic acid binding (i.e., in arrays), while U.S. Patent Nos. 5,576,220 and 5,541,061 disclose high throughput methods of screening for ligand/antibody binding.

10

15

20

25

In addition, high throughput screening systems are commercially available (see, e.g., Zymark Corp., Hopkinton, MA; Air Technical Industries, Mentor, OH; Beckman Instruments, Inc. Fullerton, CA; Precision Systems, Inc., Natick, MA, etc.). These systems typically automate entire procedures, including all sample and reagent pipetting, liquid dispensing, timed incubations, and final readings of the microplate in detector(s) appropriate for the assay. These configurable systems provide high throughput and rapid start up as well as a high degree of flexibility and customization. The manufacturers of such systems provide detailed protocols for various high throughput systems. Thus, e.g., Zymark Corp. provides technical bulletins describing screening systems for detecting the modulation of gene transcription, ligand binding, and the like.

In one embodiment, modulators are proteins, often naturally occurring proteins or fragments of naturally occurring proteins. Thus, e.g., cellular extracts containing proteins, or random or directed digests of proteinaceous cellular extracts, may be used. In this way libraries of proteins may be made for screening in the methods of the invention. Particularly preferred in this embodiment are libraries of bacterial, fungal, viral, and mammalian proteins, with the latter being preferred, and human proteins being especially

preferred. Particularly useful test compound will be directed to the class of proteins to which the target belongs, e.g., substrates for enzymes or ligands and receptors.

In a preferred embodiment, modulators are peptides of from about 5 to about 30 amino acids, with from about 5 to about 20 amino acids being preferred, and from about 7 to about 15 being particularly preferred. The peptides may be digests of naturally occurring proteins as is outlined above, random peptides, or "biased" random peptides. By "randomized" or grammatical equivalents herein is meant that each nucleic acid and peptide consists of essentially random nucleotides and amino acids, respectively. Since generally these random peptides (or nucleic acids, discussed below) are chemically synthesized, they may incorporate any nucleotide or amino acid at any position. The synthetic process can be designed to generate randomized proteins or nucleic acids, to allow the formation of all or most of the possible combinations over the length of the sequence, thus forming a library of randomized candidate bioactive proteinaceous agents.

5

10

15

20

25

In one embodiment, the library is fully randomized, with no sequence preferences or constants at any position. In a preferred embodiment, the library is biased. That is, some positions within the sequence are either held constant, or are selected from a limited number of possibilities. For example, in a preferred embodiment, the nucleotides or amino acid residues are randomized within a defined class, e.g., of hydrophobic amino acids, hydrophilic residues, sterically biased (either small or large) residues, towards the creation of nucleic acid binding domains, the creation of cysteines, for cross-linking, prolines for SH-3 domains, serines, threonines, tyrosines or histidines for phosphorylation sites, etc., or to purines, etc.

Modulators of breast cancer can also be nucleic acids, as defined above.

As described above generally for proteins, nucleic acid modulating agents may be naturally occurring nucleic acids, random nucleic acids, or "biased" random nucleic acids. For example, digests of procaryotic or eucaryotic genomes may be used as is outlined above for proteins.

In a preferred embodiment, the candidate compounds are organic chemical moieties, a wide variety of which are available in the literature.

After the candidate agent has been added and the cells allowed to incubate for some period of time, the sample containing a target sequence to be analyzed is added to the biochip. If required, the target sequence is prepared using known techniques. For example, the sample may be treated to lyse the cells, using known lysis buffers, electroporation, etc., with purification and/or amplification such as PCR performed as appropriate. For example, an *in vitro* transcription with labels covalently attached to the nucleotides is performed. Generally, the nucleic acids are labeled with biotin-FITC or PE, or with cy3 or cy5.

5

10

15

20

25

30

In a preferred embodiment, the target sequence is labeled with, e.g., a fluorescent, a chemiluminescent, a chemical, or a radioactive signal, to provide a means of detecting the target sequence's specific binding to a probe. The label also can be an enzyme, such as, alkaline phosphatase or horseradish peroxidase, which when provided with an appropriate substrate produces a product that can be detected. Alternatively, the label can be a labeled compound or small molecule, such as an enzyme inhibitor, that binds but is not catalyzed or altered by the enzyme. The label also can be a moiety or compound, such as, an epitope tag or biotin which specifically binds to streptavidin. For the example of biotin, the streptavidin is labeled as described above, thereby, providing a detectable signal for the bound target sequence. Unbound labeled streptavidin is typically removed prior to analysis.

As will be appreciated by those in the art, these assays can be direct hybridization assays or can comprise "sandwich assays", which include the use of multiple probes, as is generally outlined in U.S. Patent Nos. 5,681,702, 5,597,909, 5,545,730, 5,594,117, 5,591,584, 5,571,670, 5,580,731, 5,571,670, 5,591,584, 5,624,802, 5,635,352, 5,594,118, 5,359,100, 5,124,246 and 5,681,697, all of which are hereby incorporated by reference. In this embodiment, in general, the target nucleic acid is prepared as outlined above, and then added to the biochip comprising a plurality of nucleic acid probes, under conditions that allow the formation of a hybridization complex.

A variety of hybridization conditions may be used in the present invention, including high, moderate and low stringency conditions as outlined above. The assays are generally run under stringency conditions which allows formation of the label probe hybridization complex only in the presence of target. Stringency can be controlled by altering a step parameter that is a thermodynamic variable, including, but not limited to,

temperature, formamide concentration, salt concentration, chaotropic salt concentration pH, organic solvent concentration, etc.

These parameters may also be used to control non-specific binding, as is generally outlined in U.S. Patent No. 5,681,697. Thus it may be desirable to perform certain steps at higher stringency conditions to reduce non-specific binding.

5

10

15

20

25

30

The reactions outlined herein may be accomplished in a variety of ways. Components of the reaction may be added simultaneously, or sequentially, in different orders, with preferred embodiments outlined below. In addition, the reaction may include a variety of other reagents. These include salts, buffers, neutral proteins, e.g. albumin, detergents, etc. which may be used to facilitate optimal hybridization and detection, and/or reduce non-specific or background interactions. Reagents that otherwise improve the efficiency of the assay, such as protease inhibitors, nuclease inhibitors, anti-microbial agents, etc., may also be used as appropriate, depending on the sample preparation methods and purity of the target.

The assay data are analyzed to determine the expression levels, and changes in expression levels as between states, of individual genes, forming a gene expression profile.

Screens are performed to identify modulators of the breast cancer phenotype. In one embodiment, screening is performed to identify modulators that can induce or suppress a particular expression profile, thus preferably generating the associated phenotype. In another embodiment, e.g., for diagnostic applications, having identified differentially expressed genes important in a particular state, screens can be performed to identify modulators that alter expression of individual genes. In an another embodiment, screening is performed to identify modulators that alter a biological function of the expression product of a differentially expressed gene. Again, having identified the importance of a gene in a particular state, screens are performed to identify agents that bind and/or modulate the biological activity of the gene product.

In addition screens can be done for genes that are induced in response to a candidate agent. After identifying a modulator based upon its ability to suppress a breast cancer expression pattern leading to a normal expression pattern, or to modulate a single breast cancer gene expression profile so as to mimic the expression of the gene from normal tissue, a screen as described above can be performed to identify genes that are specifically

modulated in response to the agent. Comparing expression profiles between normal tissue and agent treated breast cancer tissue reveals genes that are not expressed in normal tissue or breast cancer tissue, but are expressed in agent treated tissue. These agent-specific sequences can be identified and used by methods described herein for breast cancer genes or proteins. In particular these sequences and the proteins they encode find use in marking or identifying agent treated cells. In addition, antibodies can be raised against the agent induced proteins and used to target novel therapeutics to the treated breast cancer tissue sample.

5

10

15

20

25

30

Thus, in one embodiment, a test compound is administered to a population of breast cancer cells, that have an associated breast cancer expression profile. By "administration" or "contacting" herein is meant that the candidate agent is added to the cells in such a manner as to allow the agent to act upon the cell, whether by uptake and intracellular action, or by action at the cell surface. In some embodiments, nucleic acid encoding a proteinaceous candidate agent (i.e., a peptide) may be put into a viral construct such as an adenoviral or retroviral construct, and added to the cell, such that expression of the peptide agent is accomplished, e.g., PCT US97/01019. Regulatable gene therapy systems can also be used.

Once the test compound has been administered to the cells, the cells can be washed if desired and are allowed to incubate under preferably physiological conditions for some period of time. The cells are then harvested and a new gene expression profile is generated, as outlined herein.

Thus, e.g., breast cancer tissue may be screened for agents that modulate, e.g., induce or suppress the breast cancer phenotype. A change in at least one gene, preferably many, of the expression profile indicates that the agent has an effect on breast cancer activity. By defining such a signature for the breast cancer phenotype, screens for new drugs that alter the phenotype can be devised. With this approach, the drug target need not be known and need not be represented in the original expression screening platform, nor does the level of transcript for the target protein need to change.

In a preferred embodiment, as outlined above, screens may be done on individual genes and gene products (proteins). That is, having identified a particular differentially expressed gene as important in a particular state, screening of modulators of

either the expression of the gene or the gene product itself can be done. The gene products of differentially expressed genes are sometimes referred to herein as "breast cancer proteins" or a "breast cancer modulatory protein". The breast cancer modulatory protein may be a fragment, or alternatively, be the full length protein to the fragment encoded by the nucleic acids of the Tables. Preferably, the breast cancer modulatory protein is a fragment. In a preferred embodiment, the breast cancer amino acid sequence which is used to determine sequence identity or similarity is encoded by a nucleic acid of Table 25. In another embodiment, the sequences are naturally occurring allelic variants of a protein encoded by a nucleic acid of Table 25. In another embodiment, the sequences are sequence variants as further described herein.

Preferably, the breast cancer modulatory protein is a fragment of approximately 14 to 24 amino acids long. More preferably the fragment is a soluble fragment. Preferably, the fragment includes a non-transmembrane region. In a preferred embodiment, the fragment has an N-terminal Cys to aid in solubility. In one embodiment, the C-terminus of the fragment is kept as a free acid and the N-terminus is a free amine to aid in coupling, i.e., to cysteine.

10

20

25

In one embodiment the breast cancer proteins are conjugated to an immunogenic agent as discussed herein. In one embodiment the breast cancer protein is conjugated to BSA.

Measurements of breast cancer polypeptide activity, or of breast cancer or the breast cancer phenotype can be performed using a variety of assays. For example, the effects of the test compounds upon the function of the breast cancer polypeptides can be measured by examining parameters described above. A suitable physiological change that affects activity can be used to assess the influence of a test compound on the polypeptides of this invention. When the functional consequences are determined using intact cells or animals, one can also measure a variety of effects such as, in the case of breast cancer associated with tumors, tumor growth, tumor metastasis, neovascularization, hormone release, transcriptional changes to both known and uncharacterized genetic markers (e.g., northern blots), changes in cell metabolism such as cell growth or pH changes, and changes in intracellular second

messengers such as cGMP. In the assays of the invention, mammalian breast cancer polypeptide is typically used, e.g., mouse, preferably human.

5

10

15

20

25

Assays to identify compounds with modulating activity can be performed in vitro. For example, a breast cancer polypeptide is first contacted with a potential modulator and incubated for a suitable amount of time, e.g., from 0.5 to 48 hours. In one embodiment, the breast cancer polypeptide levels are determined in vitro by measuring the level of protein or mRNA. The level of protein is measured using immunoassays such as western blotting, ELISA and the like with an antibody that selectively binds to the breast cancer polypeptide or a fragment thereof. For measurement of mRNA, amplification, e.g., using PCR, LCR, or hybridization assays, e.g., northern hybridization, RNAse protection, dot blotting, are preferred. The level of protein or mRNA is detected using directly or indirectly labeled detection agents, e.g., fluorescently or radioactively labeled nucleic acids, radioactively or enzymatically labeled antibodies, and the like, as described herein.

Alternatively, a reporter gene system can be devised using the breast cancer protein promoter operably linked to a reporter gene such as luciferase, green fluorescent protein, CAT, or  $\beta$ -gal. The reporter construct is typically transfected into a cell. After treatment with a potential modulator, the amount of reporter gene transcription, translation, or activity is measured according to standard techniques known to those of skill in the art.

In a preferred embodiment, as outlined above, screens may be done on individual genes and gene products (proteins). That is, having identified a particular differentially expressed gene as important in a particular state, screening of modulators of the expression of the gene or the gene product itself can be done. The gene products of differentially expressed genes are sometimes referred to herein as "breast cancer proteins." The breast cancer protein may be a fragment, or alternatively, be the full length protein to a fragment shown herein.

In one embodiment, screening for modulators of expression of specific genes is performed. Typically, the expression of only one or a few genes are evaluated. In another embodiment, screens are designed to first find compounds that bind to differentially expressed proteins. These compounds are then evaluated for the ability to modulate

differentially expressed activity. Moreover, once initial candidate compounds are identified, variants can be further screened to better evaluate structure activity relationships.

In a preferred embodiment, binding assays are done. In general, purified or isolated gene product is used; that is, the gene products of one or more differentially expressed nucleic acids are made. For example, antibodies are generated to the protein gene products, and standard immunoassays are run to determine the amount of protein present. Alternatively, cells comprising the breast cancer proteins can be used in the assays.

5

10

15

20

25

30

Thus, in a preferred embodiment, the methods comprise combining a breast cancer protein and a candidate compound, and determining the binding of the compound to the breast cancer protein. Preferred embodiments utilize the human breast cancer protein, although other mammalian proteins may also be used, e.g. for the development of animal models of human disease. In some embodiments, as outlined herein, variant or derivative breast cancer proteins may be used.

Generally, in a preferred embodiment of the methods herein, the breast cancer protein or the candidate agent is non-diffusably bound to an insoluble support having isolated sample receiving areas (e.g. a microtiter plate, an array, etc.). The insoluble supports may be made of any composition to which the compositions can be bound, is readily separated from soluble material, and is otherwise compatible with the overall method of screening. The surface of such supports may be solid or porous and of any convenient shape. Examples of suitable insoluble supports include microtiter plates, arrays, membranes and beads. These are typically made of glass, plastic (e.g., polystyrene), polysaccharides, nylon or nitrocellulose, teflon<sup>TM</sup>, etc. Microtiter plates and arrays are especially convenient because a large number of assays can be carried out simultaneously, using small amounts of reagents and samples. The particular manner of binding of the composition is not crucial so long as it is compatible with the reagents and overall methods of the invention, maintains the activity of the composition and is nondiffusable. Preferred methods of binding include the use of antibodies (which do not sterically block either the ligand binding site or activation sequence when the protein is bound to the support), direct binding to "sticky" or ionic supports, chemical crosslinking, the synthesis of the protein or agent on the surface, etc. Following binding of the protein or agent, excess unbound material is removed by washing. The sample receiving

areas may then be blocked through incubation with bovine serum albumin (BSA), casein or other innocuous protein or other moiety.

In a preferred embodiment, the breast cancer protein is bound to the support, and a test compound is added to the assay. Alternatively, the candidate agent is bound to the support and the breast cancer protein is added. Novel binding agents include specific antibodies, non-natural binding agents identified in screens of chemical libraries, peptide analogs, etc. Of particular interest are screening assays for agents that have a low toxicity for human cells. A wide variety of assays may be used for this purpose, including labeled in vitro protein-protein binding assays, electrophoretic mobility shift assays, immunoassays for protein binding, functional assays (phosphorylation assays, etc.) and the like.

5

10

15

20

25

30

The determination of the binding of the test modulating compound to the breast cancer protein may be done in a number of ways. In a preferred embodiment, the compound is labeled, and binding determined directly, e.g., by attaching all or a portion of the breast cancer protein to a solid support, adding a labeled candidate agent (e.g., a fluorescent label), washing off excess reagent, and determining whether the label is present on the solid support. Various blocking and washing steps may be utilized as appropriate.

In some embodiments, only one of the components is labeled, e.g., the proteins (or proteinaceous candidate compounds) can be labeled. Alternatively, more than one component can be labeled with different labels, e.g., <sup>125</sup>I for the proteins and a fluorophor for the compound. Proximity reagents, e.g., quenching or energy transfer reagents are also useful.

In one embodiment, the binding of the test compound is determined by competitive binding assay. The competitor is a binding moiety known to bind to the target molecule (i.e., a breast cancer protein), such as an antibody, peptide, binding partner, ligand, etc. Under certain circumstances, there may be competitive binding between the compound and the binding moiety, with the binding moiety displacing the compound. In one embodiment, the test compound is labeled. Either the compound, or the competitor, or both, is added first to the protein for a time sufficient to allow binding, if present. Incubations may be performed at a temperature which facilitates optimal activity, typically between 4 and 40°C. Incubation periods are typically optimized, e.g., to facilitate rapid high throughput

screening. Typically between 0.1 and 1 hour will be sufficient. Excess reagent is generally removed or washed away. The second component is then added, and the presence or absence of the labeled component is followed, to indicate binding.

In a preferred embodiment, the competitor is added first, followed by the test compound. Displacement of the competitor is an indication that the test compound is binding to the breast cancer protein and thus is capable of binding to, and potentially modulating, the activity of the breast cancer protein. In this embodiment, either component can be labeled. Thus, e.g., if the competitor is labeled, the presence of label in the wash solution indicates displacement by the agent. Alternatively, if the test compound is labeled, the presence of the label on the support indicates displacement.

5

10

15

20

25

In an alternative embodiment, the test compound is added first, with incubation and washing, followed by the competitor. The absence of binding by the competitor may indicate that the test compound is bound to the breast cancer protein with a higher affinity. Thus, if the test compound is labeled, the presence of the label on the support, coupled with a lack of competitor binding, may indicate that the test compound is capable of binding to the breast cancer protein.

In a preferred embodiment, the methods comprise differential screening to identity agents that are capable of modulating the activity of the breast cancer proteins. In this embodiment, the methods comprise combining a breast cancer protein and a competitor in a first sample. A second sample comprises a test compound, a breast cancer protein, and a competitor. The binding of the competitor is determined for both samples, and a change, or difference in binding between the two samples indicates the presence of an agent capable of binding to the breast cancer protein and potentially modulating its activity. That is, if the binding of the competitor is different in the second sample relative to the first sample, the agent is capable of binding to the breast cancer protein.

Alternatively, differential screening is used to identify drug candidates that bind to the native breast cancer protein, but cannot bind to modified breast cancer proteins. The structure of the breast cancer protein may be modeled, and used in rational drug design to synthesize agents that interact with that site. Drug candidates that affect the activity of a

breast cancer protein are also identified by screening drugs for the ability to either enhance or reduce the activity of the protein.

Positive controls and negative controls may be used in the assays. Preferably control and test samples are performed in at least triplicate to obtain statistically significant results. Incubation of all samples is for a time sufficient for the binding of the agent to the protein. Following incubation, samples are washed free of non-specifically bound material and the amount of bound, generally labeled agent determined. For example, where a radiolabel is employed, the samples may be counted in a scintillation counter to determine the amount of bound compound.

5

10

15

20

25

30

A variety of other reagents may be included in the screening assays. These include reagents like salts, neutral proteins, e.g. albumin, detergents, etc. which may be used to facilitate optimal protein-protein binding and/or reduce non-specific or background interactions. Also reagents that otherwise improve the efficiency of the assay, such as protease inhibitors, nuclease inhibitors, anti-microbial agents, etc., may be used. The mixture of components may be added in an order that provides for the requisite binding.

In a preferred embodiment, the invention provides methods for screening for a compound capable of modulating the activity of a breast cancer protein. The methods comprise adding a test compound, as defined above, to a cell comprising breast cancer proteins. Preferred cell types include almost any cell. The cells contain a recombinant nucleic acid that encodes a breast cancer protein. In a preferred embodiment, a library of candidate agents are tested on a plurality of cells.

In one aspect, the assays are evaluated in the presence or absence or previous or subsequent exposure of physiological signals, e.g. hormones, antibodies, peptides, antigens, cytokines, growth factors, action potentials, pharmacological agents including chemotherapeutics, radiation, carcinogenics, or other cells (i.e. cell-cell contacts). In another example, the determinations are determined at different stages of the cell cycle process.

In this way, compounds that modulate breast cancer agents are identified.

Compounds with pharmacological activity are able to enhance or interfere with the activity of the breast cancer protein. Once identified, similar structures are evaluated to identify critical structural feature of the compound.

In one embodiment, a method of inhibiting breast cancer cell division is provided. The method comprises administration of a breast cancer inhibitor. In another embodiment, a method of inhibiting breast cancer is provided. The method comprises administration of a breast cancer inhibitor. In a further embodiment, methods of treating cells or individuals with breast cancer are provided. The method comprises administration of a breast cancer inhibitor.

In one embodiment, a breast cancer inhibitor is an antibody as discussed above. In another embodiment, the breast cancer inhibitor is an antisense molecule.

A variety of cell growth, proliferation, and metastasis assays are known to those of skill in the art, as described below.

Soft agar growth or colony formation in suspension

10

15

20

25

30

Normal cells require a solid substrate to attach and grow. When the cells are transformed, they lose this phenotype and grow detached from the substrate. For example, transformed cells can grow in stirred suspension culture or suspended in semi-solid media, such as semi-solid or soft agar. The transformed cells, when transfected with tumor suppressor genes, regenerate normal phenotype and require a solid substrate to attach and grow. Soft agar growth or colony formation in suspension assays can be used to identify modulators of breast cancer sequences, which when expressed in host cells, inhibit abnormal cellular proliferation and transformation. A therapeutic compound would reduce or eliminate the host cells' ability to grow in stirred suspension culture or suspended in semi-solid media, such as semi-solid or soft.

Techniques for soft agar growth or colony formation in suspension assays are described in Freshney, *Culture of Animal Cells a Manual of Basic Technique* (3<sup>rd</sup> ed., 1994), herein incorporated by reference. *See also*, the methods section of Garkavtsev *et al.* (1996), *supra*, herein incorporated by reference.

Contact inhibition and density limitation of growth

Normal cells typically grow in a flat and organized pattern in a petri dish until they touch other cells. When the cells touch one another, they are contact inhibited and stop growing. When cells are transformed, however, the cells are not contact inhibited and continue to grow to high densities in disorganized foci. Thus, the transformed cells grow to a

higher saturation density than normal cells. This can be detected morphologically by the formation of a disoriented monolayer of cells or rounded cells in foci within the regular pattern of normal surrounding cells. Alternatively, labeling index with (<sup>3</sup>H)-thymidine at saturation density can be used to measure density limitation of growth. *See* Freshney (1994), *supra*. The transformed cells, when transfected with tumor suppressor genes, regenerate a normal phenotype and become contact inhibited and would grow to a lower density.

In this assay, labeling index with (<sup>3</sup>H)-thymidine at saturation density is a preferred method of measuring density limitation of growth. Transformed host cells are transfected with a breast cancer-associated sequence and are grown for 24 hours at saturation density in non-limiting medium conditions. The percentage of cells labeling with (<sup>3</sup>H)-thymidine is determined autoradiographically. *See*, Freshney (1994), *supra*.

### Growth factor or serum dependence

5

10

15

20

25

30

Transformed cells have a lower serum dependence than their normal counterparts (see, e.g., Temin, J. Natl. Cancer Insti. 37:167-175 (1966); Eagle et al., J. Exp. Med. 131:836-879 (1970)); Freshney, supra. This is in part due to release of various growth factors by the transformed cells. Growth factor or serum dependence of transformed host cells can be compared with that of control.

### Tumor specific markers levels

Tumor cells release an increased amount of certain factors (hereinafter "tumor specific markers") than their normal counterparts. For example, plasminogen activator (PA) is released from human glioma at a higher level than from normal brain cells (see, e.g., Gullino, Angiogenesis, tumor vascularization, and potential interference with tumor growth. in Biological Responses in Cancer, pp. 178-184 (Mihich (ed.) 1985)). Similarly, Tumor angiogenesis factor (TAF) is released at a higher level in tumor cells than their normal counterparts. See, e.g., Folkman, Angiogenesis and Cancer, Sem Cancer Biol. (1992)).

Various techniques which measure the release of these factors are described in Freshney (1994), *supra*. Also, *see*, Unkless *et al.*, *J. Biol. Chem.* 249:4295-4305 (1974); Strickland & Beers, *J. Biol. Chem.* 251:5694-5702 (1976); Whur *et al.*, *Br. J. Cancer* 42:305-

312 (1980); Gullino, Angiogenesis, tumor vascularization, and potential interference with tumor growth. in Biological Responses in Cancer, pp. 178-184 (Mihich (ed.) 1985); Freshney Anticancer Res. 5:111-130 (1985).

#### Invasiveness into Matrigel

5

10

15

30

The degree of invasiveness into Matrigel or some other extracellular matrix constituent can be used as an assay to identify compounds that modulate breast cancer-associated sequences. Tumor cells exhibit a good correlation between malignancy and invasiveness of cells into Matrigel or some other extracellular matrix constituent. In this assay, tumorigenic cells are typically used as host cells. Expression of a tumor suppressor gene in these host cells would decrease invasiveness of the host cells.

Techniques described in Freshney (1994), *supra*, can be used. Briefly, the level of invasion of host cells can be measured by using filters coated with Matrigel or some other extracellular matrix constituent. Penetration into the gel, or through to the distal side of the filter, is rated as invasiveness, and rated histologically by number of cells and distance moved, or by prelabeling the cells with <sup>125</sup>I and counting the radioactivity on the distal side of the filter or bottom of the dish. *See, e.g.*, Freshney (1984), *supra*.

#### Tumor growth in vivo

Effects of breast cancer-associated sequences on cell growth can be tested in transgenic or immune-suppressed mice. Knock-out transgenic mice can be made, in which the breast cancer gene is disrupted or in which a breast cancer gene is inserted. Knock-out transgenic mice can be made by insertion of a marker gene or other heterologous gene into the endogenous breast cancer gene site in the mouse genome via homologous recombination.

Such mice can also be made by substituting the endogenous breast cancer gene with a mutated version of the breast cancer gene, or by mutating the endogenous breast cancer gene, e.g., by exposure to carcinogens.

A DNA construct is introduced into the nuclei of embryonic stem cells. Cells containing the newly engineered genetic lesion are injected into a host mouse embryo, which is re-implanted into a recipient female. Some of these embryos develop into chimeric mice

that possess germ cells partially derived from the mutant cell line. Therefore, by breeding the chimeric mice it is possible to obtain a new line of mice containing the introduced genetic lesion (see, e.g., Capecchi et al., Science 244:1288 (1989)). Chimeric targeted mice can be derived according to Hogan et al., Manipulating the Mouse Embryo: A Laboratory Manual, Cold Spring Harbor Laboratory (1988) and Teratocarcinomas and Embryonic Stem Cells: A Practical Approach, Robertson, ed., IRL Press, Washington, D.C., (1987).

Alternatively, various immune-suppressed or immune-deficient host animals can be used. For example, genetically athymic "nude" mouse (see, e.g., Giovanella et al., J. Natl. Cancer Inst. 52:921 (1974)), a SCID mouse, a thymectomized mouse, or an irradiated mouse (see, e.g., Bradley et al., Br. J. Cancer 38:263 (1978); Selby et al., Br. J. Cancer 41:52 (1980)) can be used as a host. Transplantable tumor cells (typically about 10<sup>6</sup> cells) injected into isogenic hosts will produce invasive tumors in a high proportions of cases, while normal cells of similar origin will not. In hosts which developed invasive tumors, cells expressing a breast cancer-associated sequences are injected subcutaneously. After a suitable length of time, preferably 4-8 weeks, tumor growth is measured (e.g., by volume or by its two largest dimensions) and compared to the control. Tumors that have statistically significant reduction (using, e.g., Student's T test) are said to have inhibited growth.

### Polynucleotide modulators of breast cancer

5

10

15

20

25

30

Antisense Polynucleotides

In certain embodiments, the activity of a breast cancer-associated protein is down-regulated, or entirely inhibited, by the use of antisense polynucleotide, *i.e.*, a nucleic acid complementary to, and which can preferably hybridize specifically to, a coding mRNA nucleic acid sequence, e.g., a breast cancer protein mRNA, or a subsequence thereof. Binding of the antisense polynucleotide to the mRNA reduces the translation and/or stability of the mRNA.

In the context of this invention, antisense polynucleotides can comprise naturally-occurring nucleotides, or synthetic species formed from naturally-occurring subunits or their close homologs. Antisense polynucleotides may also have altered sugar moieties or inter-sugar linkages. Exemplary among these are the phosphorothioate and other

sulfur containing species which are known for use in the art. Analogs are comprehended by this invention so long as they function effectively to hybridize with the breast cancer protein mRNA. See, e.g., Isis Pharmaceuticals, Carlsbad, CA; Seguitor, Inc., Natick, MA.

Such antisense polynucleotides can readily be synthesized using recombinant means, or can be synthesized *in vitro*. Equipment for such synthesis is sold by several vendors, including Applied Biosystems. The preparation of other oligonucleotides such as phosphorothioates and alkylated derivatives is also well known to those of skill in the art.

Antisense molecules as used herein include antisense or sense oligonucleotides. Sense oligonucleotides can, e.g., be employed to block transcription by binding to the anti-sense strand. The antisense and sense oligonucleotide comprise a single-stranded nucleic acid sequence (either RNA or DNA) capable of binding to target mRNA (sense) or DNA (antisense) sequences for breast cancer molecules. A preferred antisense molecule is for a breast cancer sequences in Tables 1-25, or for a ligand or activator thereof. Antisense or sense oligonucleotides, according to the present invention, comprise a fragment generally at least about 14 nucleotides, preferably from about 14 to 30 nucleotides. The ability to derive an antisense or a sense oligonucleotide, based upon a cDNA sequence encoding a given protein is described in, e.g., Stein & Cohen (Cancer Res. 48:2659 (1988 and van der Krol et al. (BioTechniques 6:958 (1988)).

### Ribozymes

5

10

15

20

25

30

In addition to antisense polynucleotides, ribozymes can be used to target and inhibit transcription of breast cancer-associated nucleotide sequences. A ribozyme is an RNA molecule that catalytically cleaves other RNA molecules. Different kinds of ribozymes have been described, including group I ribozymes, hammerhead ribozymes, hairpin ribozymes, RNase P, and axhead ribozymes (see, e.g., Castanotto et al., Adv. in Pharmacology 25: 289-317 (1994) for a general review of the properties of different ribozymes).

The general features of hairpin ribozymes are described, e.g., in Hampel *et al.*, *Nucl. Acids Res.* 18:299-304 (1990); European Patent Publication No. 0 360 257; U.S. Patent No. 5,254,678. Methods of preparing are well known to those of skill in the art (*see*, *e.g.*,

WO 94/26877; Ojwang et al., Proc. Natl. Acad. Sci. USA 90:6340-6344 (1993); Yamada et al., Human Gene Therapy 1:39-45 (1994); Leavitt et al., Proc. Natl. Acad. Sci. USA 92:699-703 (1995); Leavitt et al., Human Gene Therapy 5:1151-120 (1994); and Yamada et al., Virology 205: 121-126 (1994)).

5

10

15

20

25

Polynucleotide modulators of breast cancer may be introduced into a cell containing the target nucleotide sequence by formation of a conjugate with a ligand binding molecule, as described in WO 91/04753. Suitable ligand binding molecules include, but are not limited to, cell surface receptors, growth factors, other cytokines, or other ligands that bind to cell surface receptors. Preferably, conjugation of the ligand binding molecule does not substantially interfere with the ability of the ligand binding molecule to bind to its corresponding molecule or receptor, or block entry of the sense or antisense oligonucleotide or its conjugated version into the cell. Alternatively, a polynucleotide modulator of breast cancer may be introduced into a cell containing the target nucleic acid sequence, e.g., by formation of an polynucleotide-lipid complex, as described in WO 90/10448. It is understood that the use of antisense molecules or knock out and knock in models may also be used in screening assays as discussed above, in addition to methods of treatment.

Thus, in one embodiment, methods of modulating breast cancer in cells or organisms are provided. In one embodiment, the methods comprise administering to a cell an anti-breast cancer antibody that reduces or eliminates the biological activity of an endogenous breast cancer protein. Alternatively, the methods comprise administering to a cell or organism a recombinant nucleic acid encoding a breast cancer protein. This may be accomplished in any number of ways. In a preferred embodiment, e.g. when the breast cancer sequence is down-regulated in breast cancer, such state may be reversed by increasing the amount of breast cancer gene product in the cell. This can be accomplished, e.g., by overexpressing the endogenous breast cancer gene or administering a gene encoding the breast cancer sequence, using known gene-therapy techniques, e.g.. In a preferred embodiment, the gene therapy techniques include the incorporation of the exogenous gene using enhanced homologous recombination (EHR), e.g. as described in PCT/US93/03868, hereby incorporated by reference in its entirety. Alternatively, e.g. when the breast cancer

sequence is up-regulated in breast cancer, the activity of the endogenous breast cancer gene is decreased, e.g. by the administration of a breast cancer antisense nucleic acid.

In one embodiment, the breast cancer proteins of the present invention may be used to generate polyclonal and monoclonal antibodies to breast cancer proteins. Similarly, the breast cancer proteins can be coupled, using standard technology, to affinity chromatography columns. These columns may then be used to purify breast cancer antibodies useful for production, diagnostic, or therapeutic purposes. In a preferred embodiment, the antibodies are generated to epitopes unique to a breast cancer protein; that is, the antibodies show little or no cross-reactivity to other proteins. The breast cancer antibodies may be coupled to standard affinity chromatography columns and used to purify breast cancer proteins. The antibodies may also be used as blocking polypeptides, as outlined above, since they will specifically bind to the breast cancer protein.

### Methods of identifying variant breast cancer-associated sequences

15

20

25

30

Without being bound by theory, expression of various breast cancer sequences is correlated with breast cancer. Accordingly, disorders based on mutant or variant breast cancer genes may be determined. In one embodiment, the invention provides methods for identifying cells containing variant breast cancer genes, e.g., determining all or part of the sequence of at least one endogenous breast cancer genes in a cell. This may be accomplished using any number of sequencing techniques. In a preferred embodiment, the invention provides methods of identifying the breast cancer genotype of an individual, e.g., determining all or part of the sequence of at least one breast cancer gene of the individual. This is generally done in at least one tissue of the individual, and may include the evaluation of a number of tissues or different samples of the same tissue. The method may include comparing the sequence of the sequenced breast cancer gene to a known breast cancer gene, i.e., a wild-type gene.

The sequence of all or part of the breast cancer gene can then be compared to the sequence of a known breast cancer gene to determine if any differences exist. This can be done using any number of known homology programs, such as Bestfit, etc. In a preferred embodiment, the presence of a difference in the sequence between the breast cancer gene of

the patient and the known breast cancer gene correlates with a disease state or a propensity for a disease state, as outlined herein.

In a preferred embodiment, the breast cancer genes are used as probes to determine the number of copies of the breast cancer gene in the genome.

In another preferred embodiment, the breast cancer genes are used as probes to determine the chromosomal localization of the breast cancer genes. Information such as chromosomal localization finds use in providing a diagnosis or prognosis in particular when chromosomal abnormalities such as translocations, and the like are identified in the breast cancer gene locus.

10

15

20

25

30

5

## Administration of pharmaceutical and vaccine compositions

In one embodiment, a therapeutically effective dose of a breast cancer protein or modulator thereof, is administered to a patient. By "therapeutically effective dose" herein is meant a dose that produces effects for which it is administered. The exact dose will depend on the purpose of the treatment, and will be ascertainable by one skilled in the art using known techniques (e.g., Ansel et al., Pharmaceutical Dosage Forms and Drug Delivery; Lieberman, Pharmaceutical Dosage Forms (vols. 1-3, 1992), Dekker, ISBN 0824770846, 082476918X, 0824712692, 0824716981; Lloyd, The Art, Science and Technology of Pharmaceutical Compounding (1999); and Pickar, Dosage Calculations (1999)). As is known in the art, adjustments for breast cancer degradation, systemic versus localized delivery, and rate of new protease synthesis, as well as the age, body weight, general health, sex, diet, time of administration, drug interaction and the severity of the condition may be necessary, and will be ascertainable with routine experimentation by those skilled in the art. U.S. Patent Application N. 09/687,576, further discloses the use of compositions and methods of diagnosis and treatment in breast cancer is hereby expressly incorporated by reference.

A "patient" for the purposes of the present invention includes both humans and other animals, particularly mammals. Thus the methods are applicable to both human therapy and veterinary applications. In the preferred embodiment the patient is a mammal, preferably a primate, and in the most preferred embodiment the patient is human.

85

The administration of the breast cancer proteins and modulators thereof of the present invention can be done in a variety of ways as discussed above, including, but not limited to, orally, subcutaneously, intravenously, intranasally, transdermally, intraperitoneally, intramuscularly, intrapulmonary, vaginally, rectally, or intraocularly. In some instances, e.g., in the treatment of wounds and inflammation, the breast cancer proteins and modulators may be directly applied as a solution or spray.

5

10

15

20

25

The pharmaceutical compositions of the present invention comprise a breast cancer protein in a form suitable for administration to a patient. In the preferred embodiment, the pharmaceutical compositions are in a water soluble form, such as being present as pharmaceutically acceptable salts, which is meant to include both acid and base addition salts. "Pharmaceutically acceptable acid addition salt" refers to those salts that retain the biological effectiveness of the free bases and that are not biologically or otherwise undesirable, formed with inorganic acids such as hydrochloric acid, hydrobromic acid, sulfuric acid, nitric acid, phosphoric acid and the like, and organic acids such as acetic acid, propionic acid, glycolic acid, pyruvic acid, oxalic acid, maleic acid, malonic acid, succinic acid, fumaric acid, tartaric acid, citric acid, benzoic acid, cinnamic acid, mandelic acid, methanesulfonic acid, ethanesulfonic acid, p-toluenesulfonic acid, salicylic acid and the like. "Pharmaceutically acceptable base addition salts" include those derived from inorganic bases such as sodium, potassium, lithium, ammonium, calcium, magnesium, iron, zinc, copper, manganese, aluminum salts and the like. Particularly preferred are the ammonium, potassium, sodium, calcium, and magnesium salts. Salts derived from pharmaceutically acceptable organic non-toxic bases include salts of primary, secondary, and tertiary amines, substituted amines including naturally occurring substituted amines, cyclic amines and basic ion exchange resins, such as isopropylamine, trimethylamine, diethylamine, triethylamine, tripropylamine, and ethanolamine.

The pharmaceutical compositions may also include one or more of the following: carrier proteins such as serum albumin; buffers; fillers such as microcrystalline cellulose, lactose, corn and other starches; binding agents; sweeteners and other flavoring agents; coloring agents; and polyethylene glycol.

The pharmaceutical compositions can be administered in a variety of unit dosage forms depending upon the method of administration. For example, unit dosage forms suitable for oral administration include, but are not limited to, powder, tablets, pills, capsules and lozenges. It is recognized that breast cancer protein modulators (e.g., antibodies, antisense constructs, ribozymes, small organic molecules, etc.) when administered orally, should be protected from digestion. This is typically accomplished either by complexing the molecule(s) with a composition to render it resistant to acidic and enzymatic hydrolysis, or by packaging the molecule(s) in an appropriately resistant carrier, such as a liposome or a protection barrier. Means of protecting agents from digestion are well known in the art.

The compositions for administration will commonly comprise a breast cancer protein modulator dissolved in a pharmaceutically acceptable carrier, preferably an aqueous carrier. A variety of aqueous carriers can be used, e.g., buffered saline and the like. These solutions are sterile and generally free of undesirable matter. These compositions may be sterilized by conventional, well known sterilization techniques. The compositions may contain pharmaceutically acceptable auxiliary substances as required to approximate physiological conditions such as pH adjusting and buffering agents, toxicity adjusting agents and the like, e.g., sodium acetate, sodium chloride, potassium chloride, calcium chloride, sodium lactate and the like. The concentration of active agent in these formulations can vary widely, and will be selected primarily based on fluid volumes, viscosities, body weight and the like in accordance with the particular mode of administration selected and the patient's needs (e.g., Remington's Pharmaceutical Science (15th ed., 1980) and Goodman & Gillman, The Pharmacologial Basis of Therapeutics (Hardman et al.,eds., 1996)).

Thus, a typical pharmaceutical composition for intravenous administration would be about 0.1 to 10 mg per patient per day. Dosages from 0.1 up to about 100 mg per patient per day may be used, particularly when the drug is administered to a secluded site and not into the blood stream, such as into a body cavity or into a lumen of an organ. Substantially higher dosages are possible in topical administration. Actual methods for preparing parenterally administrable compositions will be known or apparent to those skilled in the art, e.g., Remington's Pharmaceutical Science and Goodman and Gillman, The Pharmacologial Basis of Therapeutics, supra.

The compositions containing modulators of breast cancer proteins can be administered for therapeutic or prophylactic treatments. In therapeutic applications, compositions are administered to a patient suffering from a disease (e.g., a cancer) in an amount sufficient to cure or at least partially arrest the disease and its complications. An amount adequate to accomplish this is defined as a "therapeutically effective dose." Amounts effective for this use will depend upon the severity of the disease and the general state of the patient's health. Single or multiple administrations of the compositions may be administered depending on the dosage and frequency as required and tolerated by the patient. In any event, the composition should provide a sufficient quantity of the agents of this invention to effectively treat the patient. An amount of modulator that is capable of preventing or slowing the development of cancer in a mammal is referred to as a "prophylactically effective dose." The particular dose required for a prophylactic treatment will depend upon the medical condition and history of the mammal, the particular cancer being prevented, as well as other factors such as age, weight, gender, administration route, efficiency, etc. Such prophylactic treatments may be used, e.g., in a mammal who has previously had cancer to prevent a recurrence of the cancer, or in a mammal who is suspected of having a significant likelihood of developing cancer.

5

10

15

20

25

30

It will be appreciated that the present breast cancer protein-modulating compounds can be administered alone or in combination with additional breast cancer modulating compounds or with other therapeutic agent, e.g., other anti-cancer agents or treatments.

In numerous embodiments, one or more nucleic acids, e.g., polynucleotides comprising nucleic acid sequences set forth in Tables 1-25, such as antisense polynucleotides or ribozymes, will be introduced into cells, in vitro or in vivo. The present invention provides methods, reagents, vectors, and cells useful for expression of breast cancer-associated polypeptides and nucleic acids using in vitro (cell-free), ex vivo or in vivo (cell or organism-based) recombinant expression systems.

The particular procedure used to introduce the nucleic acids into a host cell for expression of a protein or nucleic acid is application specific. Many procedures for introducing foreign nucleotide sequences into host cells may be used. These include the use

of calcium phosphate transfection, spheroplasts, electroporation, liposomes, microinjection, plasma vectors, viral vectors and any of the other well known methods for introducing cloned genomic DNA, cDNA, synthetic DNA or other foreign genetic material into a host cell (see, e.g., Berger & Kimmel, Guide to Molecular Cloning Techniques, Methods in Enzymology volume 152 (Berger), Ausubel et al., eds., Current Protocols (supplemented through 1999), and Sambrook et al., Molecular Cloning - A Laboratory Manual (2nd ed., Vol. 1-3, 1989.

5

10

15

20

25

30

In a preferred embodiment, breast cancer proteins and modulators are administered as therapeutic agents, and can be formulated as outlined above. Similarly, breast cancer genes (including both the full-length sequence, partial sequences, or regulatory sequences of the breast cancer coding regions) can be administered in a gene therapy application. These breast cancer genes can include antisense applications, either as gene therapy (i.e. for incorporation into the genome) or as antisense compositions, as will be appreciated by those in the art.

Breast cancer polypeptides and polynucleotides can also be administered as vaccine compositions to stimulate HTL, CTL and antibody responses.. Such vaccine compositions can include, e.g., lipidated peptides (see, e.g., Vitiello, A. et al., J. Clin. Invest. 95:341 (1995)), peptide compositions encapsulated in poly(DL-lactide-co-glycolide) ("PLG") microspheres (see, e.g., Eldridge, et al., Molec. Immunol. 28:287-294, (1991); Alonso et al., Vaccine 12:299-306 (1994); Jones et al., Vaccine 13:675-681 (1995)), peptide compositions contained in immune stimulating complexes (ISCOMS) (see, e.g., Takahashi et al., Nature 344:873-875 (1990); Hu et al., Clin Exp Immunol. 113:235-243 (1998)), multiple antigen peptide systems (MAPs) (see, e.g., Tam, Proc. Natl. Acad. Sci. U.S.A. 85:5409-5413 (1988); Tam, J. Immunol. Methods 196:17-32 (1996)), peptides formulated as multivalent peptides; peptides for use in ballistic delivery systems, typically crystallized peptides, viral delivery vectors (Perkus, et al., In: Concepts in vaccine development (Kaufmann, ed., p. 379, 1996); Chakrabarti, et al., Nature 320:535 (1986); Hu et al., Nature 320:537 (1986); Kieny, et al., AIDS Bio/Technology 4:790 (1986); Top et al., J. Infect. Dis. 124:148 (1971); Chanda et al., Virology 175:535 (1990)), particles of viral or synthetic origin (see, e.g., Kofler et al., J. Immunol. Methods. 192:25 (1996); Eldridge et al., Sem. Hematol. 30:16 (1993); Falo et al., Nature Med. 7:649 (1995)), adjuvants (Warren et al., Annu. Rev. Immunol. 4:369 (1986);

Gupta et al., Vaccine 11:293 (1993)), liposomes (Reddy et al., J. Immunol. 148:1585 (1992); Rock, Immunol. Today 17:131 (1996)), or, naked or particle absorbed cDNA (Ulmer, et al., Science 259:1745 (1993); Robinson et al., Vaccine 11:957 (1993); Shiver et al., In: Concepts in vaccine development (Kaufmann, ed., p. 423, 1996); Cease & Berzofsky, Annu. Rev. Immunol. 12:923 (1994) and Eldridge et al., Sem. Hematol. 30:16 (1993)). Toxin-targeted delivery technologies, also known as receptor mediated targeting, such as those of Avant Immunotherapeutics, Inc. (Needham, Massachusetts) may also be used.

Vaccine compositions often include adjuvants. Many adjuvants contain a substance designed to protect the antigen from rapid catabolism, such as aluminum hydroxide or mineral oil, and a stimulator of immune responses, such as lipid A, *Bortadella pertussis* or *Mycobacterium tuberculosis* derived proteins. Certain adjuvants are commercially available as, e.g., Freund's Incomplete Adjuvant and Complete Adjuvant (Difco Laboratories, Detroit, MI); Merck Adjuvant 65 (Merck and Company, Inc., Rahway, NJ); AS-2 (SmithKline Beecham, Philadelphia, PA); aluminum salts such as aluminum hydroxide gel (alum) or aluminum phosphate; salts of calcium, iron or zinc; an insoluble suspension of acylated tyrosine; acylated sugars; cationically or anionically derivatized polysaccharides; polyphosphazenes; biodegradable microspheres; monophosphoryl lipid A and quil A. Cytokines, such as GM-CSF, interleukin-2, -7, -12, and other like growth factors, may also be used as adjuvants.

10

15

20

25

30

Vaccines can be administered as nucleic acid compositions wherein DNA or RNA encoding one or more of the polypeptides, or a fragment thereof, is administered to a patient. This approach is described, for instance, in Wolff et. al., Science 247:1465 (1990) as well as U.S. Patent Nos. 5,580,859; 5,589,466; 5,804,566; 5,739,118; 5,736,524; 5,679,647; WO 98/04720; and in more detail below. Examples of DNA-based delivery technologies include "naked DNA", facilitated (bupivicaine, polymers, peptide-mediated) delivery, cationic lipid complexes, and particle-mediated ("gene gun") or pressure-mediated delivery (see, e.g., U.S. Patent No. 5,922,687).

For therapeutic or prophylactic immunization purposes, the peptides of the invention can be expressed by viral or bacterial vectors. Examples of expression vectors include attenuated viral hosts, such as vaccinia or fowlpox. This approach involves the use of

vaccinia virus, e.g., as a vector to express nucleotide sequences that encode breast cancer polypeptides or polypeptide fragments. Upon introduction into a host, the recombinant vaccinia virus expresses the immunogenic peptide, and thereby elicits an immune response. Vaccinia vectors and methods useful in immunization protocols are described in, e.g., U.S. Patent No. 4,722,848. Another vector is BCG (Bacille Calmette Guerin). BCG vectors are described in Stover et al., Nature 351:456-460 (1991). A wide variety of other vectors useful for therapeutic administration or immunization e.g. adeno and adeno-associated virus vectors, retroviral vectors, Salmonella typhi vectors, detoxified anthrax toxin vectors, and the like, will be apparent to those skilled in the art from the description herein (see, e.g., Shata et al., Mol Med Today 6:66-71 (2000); Shedlock et al., J Leukoc Biol 68:793-806 (2000); Hipp et al., In Vivo 14:571-85 (2000)).

10

15

20

25

30

Methods for the use of genes as DNA vaccines are well known, and include placing a breast cancer gene or portion of a breast cancer gene under the control of a regulatable promoter or a tissue-specific promoter for expression in a breast cancer patient. The breast cancer gene used for DNA vaccines can encode full-length breast cancer proteins, but more preferably encodes portions of the breast cancer proteins including peptides derived from the breast cancer protein. In one embodiment, a patient is immunized with a DNA vaccine comprising a plurality of nucleotide sequences derived from a breast cancer gene. For example, breast cancer-associated genes or sequence encoding subfragments of a breast cancer protein are introduced into expression vectors and tested for their immunogenicity in the context of Class I MHC and an ability to generate cytotoxic T cell responses. This procedure provides for production of cytotoxic T cell responses against cells which present antigen, including intracellular epitopes.

In a preferred embodiment, the DNA vaccines include a gene encoding an adjuvant molecule with the DNA vaccine. Such adjuvant molecules include cytokines that increase the immunogenic response to the breast cancer polypeptide encoded by the DNA vaccine. Additional or alternative adjuvants are available.

In another preferred embodiment breast cancer genes find use in generating animal models of breast cancer. When the breast cancer gene identified is repressed or diminished in cancer tissue, gene therapy technology, e.g., wherein antisense RNA directed

to the breast cancer gene will also diminish or repress expression of the gene. Animal models of breast cancer find use in screening for modulators of a breast cancer-associated sequence or modulators of breast cancer. Similarly, transgenic animal technology including gene knockout technology, e.g. as a result of homologous recombination with an appropriate gene targeting vector, will result in the absence or increased expression of the breast cancer protein. When desired, tissue-specific expression or knockout of the breast cancer protein may be necessary.

It is also possible that the breast cancer protein is overexpressed in breast cancer. As such, transgenic animals can be generated that overexpress the breast cancer protein. Depending on the desired expression level, promoters of various strengths can be employed to express the transgene. Also, the number of copies of the integrated transgene can be determined and compared for a determination of the expression level of the transgene. Animals generated by such methods find use as animal models of breast cancer and are additionally useful in screening for modulators to treat breast cancer.

15

20

25.

10

5

#### Kits for Use in Diagnostic and/or Prognostic Applications

For use in diagnostic, research, and therapeutic applications suggested above, kits are also provided by the invention. In the diagnostic and research applications such kits may include any or all of the following: assay reagents, buffers, breast cancer-specific nucleic acids or antibodies, hybridization probes and/or primers, antisense polynucleotides, ribozymes, dominant negative breast cancer polypeptides or polynucleotides, small molecules inhibitors of breast cancer-associated sequences *etc*. A therapeutic product may include sterile saline or another pharmaceutically acceptable emulsion and suspension base.

In addition, the kits may include instructional materials containing directions (i.e., protocols) for the practice of the methods of this invention. While the instructional materials typically comprise written or printed materials they are not limited to such. Any medium capable of storing such instructions and communicating them to an end user is contemplated by this invention. Such media include, but are not limited to electronic storage media (e.g., magnetic discs, tapes, cartridges, chips), optical media (e.g., CD ROM), and the

like. Such media may include addresses to internet sites that provide such instructional materials.

The present invention also provides for kits for screening for modulators of breast cancer-associated sequences. Such kits can be prepared from readily available materials and reagents. For example, such kits can comprise one or more of the following materials: a breast cancer-associated polypeptide or polynucleotide, reaction tubes, and instructions for testing breast cancer-associated activity. Optionally, the kit contains biologically active breast cancer protein. A wide variety of kits and components can be prepared according to the present invention, depending upon the intended user of the kit and the particular needs of the user. Diagnosis would typically involve evaluation of a plurality of genes or products. The genes will be selected based on correlations with important parameters in disease which may be identified in historical or outcome data.

15 EXAMPLES

5

10

20

25

30

### Example 1: Tissue Preparation, Labeling Chips, and Fingerprints

### Purifying total RNA from tissue sample using TRIzol Reagent

The sample weight is first estimated. The tissue samples are homogenized in 1 ml of TRIzol per 50 mg of tissue using a homogenizer (e.g., Polytron 3100). The size of the generator/probe used depends upon the sample amount. A generator that is too large for the amount of tissue to be homogenized will cause a loss of sample and lower RNA yield. A larger generator (e.g., 20 mm) is suitable for tissue samples weighing more than 0.6 g. Fill tubes should not be overfilled. If the working volume is greater than 2 ml and no greater than 10 ml, a 15 ml polypropylene tube (Falcon 2059) is suitable for homogenization.

Tissues should be kept frozen until homogenized. The TRIzol is added directly to the frozen tissue before homogenization. Following homogenization, the insoluble material is removed from the homogenate by centrifugation at 7500 x g for 15 min. in a Sorvall superspeed or 12,000 x g for 10 min. in an Eppendorf centrifuge at 4°C. The cleared

homogenate is then transferred to a new tube(s). Samples may be frozen and stored at -60 to -70°C for at least one month or else continue with the purification.

The next process is phase separation. The homogenized samples are incubated for 5 minutes at room temperature. Then, 0.2 ml of chloroform per 1ml of TRIzol reagent is added to the homogenization mixture. The tubes are securely capped and shaken vigorously by hand (do not vortex) for 15 seconds. The samples are then incubated at room temp. for 2-3 minutes and next centrifuged at 6500 rpm in a Sorvall superspeed for 30 min. at 4oC.

The next process is RNA Precipitation. The aqueous phase is transferred to a fresh tube. The organic phase can be saved if isolation of DNA or protein is desired. Then 0.5 ml of isopropyl alcohol is added per 1ml of TRIzol reagent used in the original homogenization. Then, the tubes are securely capped and inverted to mix. The samples are then incubated at room temp. for 10 minutes an centrifuged at 6500 rpm in Sorvall for 20 min. at 4°C.

The RNA is then washed. The supernatant is poured off and the pellet washed with cold 75% ethanol. 1 ml of 75% ethanol is used per 1 ml of the TRIzol reagent used in the initial homogenization. The tubes are capped securely and inverted several times to loosen pellet without vortexing. They are next centrifuged at <8000 rpm (<7500 x g) for 5 minutes at 4°C.

15

20

The RNA wash is decanted. The pellet is carefully transferred to an Eppendorf tube (sliding down the tube into the new tube by use of a pipet tip to help guide it in if necessary). Tube(s) sizes for precipitating the RNA depending on the working volumes. Larger tubes may take too long to dry. Dry pellet. The RNA is then resuspended in an appropriate volume (e.g., 2 -5 ug/ul) of DEPC H<sub>2</sub>0. The absorbance is then measured.

The poly A+ mRNA may next be purified from total RNA by other methods

such as Qiagen's RNeasy kit. The poly A + mRNA is purified from total RNA by adding the oligotex suspension which has been heated to 37°C and mixing prior to adding to RNA.

The Elution Buffer is incubated at 70°C. If there is precipitate in the buffer, warm up the 2 x Binding Buffer at 65°C. The the total RNA is mixed with DEPC-treated water, 2 x Binding

Buffer, and Oligotex according to Table 2 on page 16 of the Oligotex Handbook and next incubated for 3 minutes at 65°C and 10 minutes at room temperature.

The preparation is centrifuged for 2 minutes at 14,000 to 18,000 g, preferably, at a "soft setting," The supernatant is removed without disturbing Oligotex pellet. A little bit of solution can be left behind to reduce the loss of Oligotex. The supernatant is saved until satisfactory binding and elution of poly A+ mRNA has been found.

Then, the preparation is gently resuspended in Wash Buffer OW2 and pipetted onto the spin column and centrifuged at full speed (soft setting if possible) for 1 minute.

Next, the spin column is transferred to a new collection tube and gently resuspended in Wash Buffer OW2 and centrifuged as described herein.

5

10

15

20

25

Then, the spin column is transferred to a new tube and eluted with 20 to 100 ul of preheated (70°C) Elution Buffer. The Oligotex resin is gently resuspended by pipetting up and down. The centrifugation is repeated as above and the elution repeated with fresh elution buffer or first eluate to keep the elution volume low.

The absorbance is next read to determine the yield, using diluted Elution

Buffer as the blank.

Before proceeding with cDNA synthesis, the mRNA is precipitated before proceeding with cDNA synthesis, as components leftover or in the Elution Buffer from the Oligotex purification procedure will inhibit downstream enzymatic reactions of the mRNA. 0.4 vol. of 7.5 M NH4OAc + 2.5 vol. of cold 100% ethanol is added and the preparation precipitated at -20°C 1 hour to overnight (or 20-30 min. at -70°C), and centrifuged at 14,000-16,000 x g for 30 minutes at 4°C. Next, the pellet is washed with 0.5 ml of 80% ethanol (-20°C) and then centrifuged at 14,000-16,000 x g for 5 minutes at room temperature. The 80% ethanol wash is then repeated. The last bit of ethanol from the pellet is then dried without use of a speed vacuum and the pellet is then resuspended in DEPC H<sub>2</sub>0 at 1 ug/ul concentration.

Alternatively the RNA may be purified using other methods (e.g., Qiagen's RNeasy kit).

No more than 100 ug is added to the RNeasy column. The sample volume is adjusted to 100 ul with RNase-free water. 350 ul Buffer RLT and then 250 ul ethanol (100%) are added to the sample. The preparation is then mixed by pipetting and applied to an RNeasy mini spin column for centrifugation (15 sec at >10,000 rpm). If yield is low, reapply the flowthrough to the column and centrifuge again.

Then, transfer column to a new 2 ml collection tube and add 500 ul Buffer RPE and centrifuge for 15 sec at >10,000 rpm. The flowthrough is discarded. 500 ul Buffer RPE and is then added and the preparation is centriuged for 15 sec at >10,000 rpm. The flowthrough is discarded. and the column membrane dried by centrifuging for 2 min at maximum speed. The column is transferred to a new 1.5-ml collection tube. 30-50 ul of RNase-free water is applied directly onto column membrane. The column is then centrifuged for 1 min at >10,000 rpm and the elution step repeated.

The absorbance is then read to determine yield. If necessary, the material may be ethanol precipitated with ammonium acetate and 2.5X volume 100% ethanol.

15

20

10

5

#### First Strand cDNA Synthesis

The first strand can be make using using Gibco's "SuperScript Choice System for cDNA Synthesis" kit. The starting material is 5 ug of total RNA or 1 ug of polyA+ mRNAl. For total RNA, 2 ul of SuperScript RT is used; for polyA+ mRNA, 1 ul of SuperScript RT is used. The final volume of first strand synthesis mix is 20 ul. The RNA should be in a volume no greater than 10 ul. The RNA is incubated with 1 ul of 100 pmol T7-T24 oligo for 10 min at 70°C followed by addition on ice of 7 ul of: 4ul 5X 1st Strand Buffer, 2 ul of 0.1M DTT, and 1 ul of 10mM dNTP mix. The preparation is then incubated at 37°C for 2 min before addition of the SuperScript RT followed by incubation at 37°C for 1

25 hour.

30

#### Second Strand Synthesis

For the second strand synthesis, place 1st strand reactions on ice and add: 91 ul DEPC H<sub>2</sub>0; 30 ul 5X 2nd Strand Buffer; 3 ul 10mM dNTP mix; 1 ul 10 U/ul E.coli DNA Ligase; 4 ul 10 U/ul E.coli DNA Polymerase; and 1 ul 2 U/ul RNase H. Mix and incubate 2

hours at 16°C. Add 2 ul T4 DNA Polymerase. Incubate 5 min at 16°C. Add 10 ul of 0.5M EDTA.

### Cleaning up cDNA

The cDNA is purified using Phenol:Chloroform:Isoamyl Alcohol (25:24:1) and Phase-Lock gel tubes. The PLG tubes are centrifuged for 30 sec at maximum speed. The cDNA mix is then transferred to PLG tube. An equal volume of phenol:chloroform:isamyl alcohol is then added, the preparation shaken vigorously (no vortexing), and centrifuged for 5 minutes at maximum speed. The top aqueous solution is transferred to a new tube and ethanol precipitated by adding 7.5X 5M NH4OAc and 2.5X volume of 100% ethanol. Next, it is centrifuged immediately at room temperature for 20 min, maximum speed. The supernatant is removed, and the pellet washed with 2X with cold 80% ethanol. As much ethanol wash as possible should be removed before air drying the pellet; and resuspending it in 3 ul RNase-free water.

15

20

25

30

5

10

### In vitro Transcription (IVT) and labeling with biotin

In vitro Transcription (IVT) and labeling with biotin is performed as follows: Pipet 1.5 ul of cDNA into a thin-wall PCR tube. Make NTP labeling mix by combining 2 ul T7 10xATP (75 mM) (Ambion); 2 ul T7 10xGTP (75 mM) (Ambion); 1.5 ul T7 10xCTP (75 mM) (Ambion); 1.5 ul T7 10xUTP (75 mM) (Ambion); 3.75 ul 10 mM Bio-11-UTP (Boehringer-Mannheim/Roche or Enzo); 3.75 ul 10 mM Bio-16-CTP (Enzo); 2 ul 10x T7 transcription buffer (Ambion); and 2 ul 10x T7 enzyme mix (Ambion). The final volume is 20 ul. Incubate 6 hours at 37°C in a PCR machine. The RNA can be furthered cleaned. Clean-up follows the previous instructions for RNeasy columns or Qiagen's RNeasy protocol handbook. The cRNA often needs to be ethanol precipitated by resuspension in a volume compatible with the fragmentation step.

Fragmentation is performed as follows. 15 ug of labeled RNA is usually fragmented. Try to minimize the fragmentation reaction volume; a 10 ul volume is recommended but 20 ul is all right. Do not go higher than 20 ul because the magnesium in the fragmentation buffer contributes to precipitation in the hybridization buffer. Fragment

RNA by incubation at 94 C for 35 minutes in 1 x Fragmentation buffer (5 x Fragmentation buffer is 200 mM Tris-acetate, pH 8.1; 500 mM KOAc; 150 mM MgOAc). The labeled RNA transcript can be analyzed before and after fragmentation. Samples can be heated to 65°C for 15 minutes and electrophoresed on 1% agarose/TBE gels to get an approximate idea of the transcript size range

For hybridization, 200 ul (10 ug cRNA) of a hybridization mix is put on the chip. If multiple hybridizations are to be done (such as cycling through a 5 chip set), then it is recommended that an initial hybridization mix of 300 ul or more be made. The hybridization mix is: fragment labeled RNA (50 ng/ul final conc.); 50 pM 948-b control oligo; 1.5 pM BioB; 5 pM BioC; 25 pM BioD; 100 pM CRE; 0.1 mg/ml herring sperm DNA; 0.5 mg/ml acetylated BSA; and 300 ul with 1xMES hyb buffer.

The hybridization reaction is conducted with non-biotinylated IVT (purified by RNeasy columns) (see example 1 for steps from tissue to IVT): The following mixture is prepared:

IVT antisense RNA; 4 μg: μl
Random Hexamers (1 μg/μl): 4 μl
H<sub>2</sub>O:  $\mu$ l
14 μl

5

10

Incubate the above 14 µl mixture at 70°C for 10 min.; then put on ice.

The Reverse transcription procedure uses the following mixture:

The Reverse transcription pro  $0.1 \, \text{M DTT}$ :  $3 \, \mu \text{l}$   $50 \, \text{X dNTP mix}$ :  $0.6 \, \mu \text{l}$   $H_2\text{O}$ :  $2.4 \, \mu \text{l}$  Cy3 or Cy5 dUTP (1mM):  $3 \, \mu \text{l}$   $SS \, \text{RT II (BRL)}$ :  $1 \, \mu \text{l}$ 

The above solution is added to the hybridization reaction and incubated for 30 min., 42°C. Then, 1 µl SSII is added and incubated for another hour before being placed on ice.

16 µl

The 50X dNTP mix contains 25mM of cold dATP, dCTP, and dGTP, 10mM of dTTP and is made by adding 25  $\mu l$  each of 100mM dATP, dCTP, and dGTP; 10  $\mu l$  of 100mM dTTP to 15  $\mu l$  H<sub>2</sub>O. ]

RNA degradation is performed as follows. Add 86 µl H<sub>2</sub>O, 1.5 µl 1M NaOH/

2 mM EDTA and incubate at 65°C, 10 min.. For U-Con 30, 500 µl TE/sample spin at 7000 g for 10 min, save flow through for purification. For Qiagen purification, suspend u-con recovered material in 500 µl buffer PB and proceed using Qiagen protocol. For DNAse digestion, add 1 ul of 1/100 dilution of DNAse/30 ul Rx and incubate at 37°C for 15 min. Incubate at 5 min 95°C to denature the DNAse.

10

15

### Sample preparation

For sample preparation, add Cot-1 DNA,  $10 \,\mu l$ ;  $50 \times dNTPs$ ,  $1 \,\mu l$ ;  $20 \times SSC$ ,  $2.3 \,\mu l$ ; Na pyro phosphate,  $7.5 \,\mu l$ ;  $10 \,mg/ml$  Herring sperm DNA;  $1 \,u l$  of  $1/10 \,dilution$  to  $21.8 \,final$  vol. Dry in speed vac. Resuspend in  $15 \,\mu l \,H_2 0$ . Add  $0.38 \,\mu l \,10\%$  SDS. Heat  $95^{\circ}C$ ,  $2 \,min$  and slow cool at room temp. for  $20 \,min$ . Put on slide and hybridize overnight at  $64^{\circ}C$ . Washing after the hybridization:  $3 \times SSC/0.03\%$  SDS:  $2 \,min$ ,  $37.5 \,ml \,20 \times SSC+0.75 \,ml \,10\%$  SDS in  $250 \,ml \,H_2 O$ ;  $1 \times SSC$ :  $5 \,min$ ,  $12.5 \,ml \,20 \times SSC$  in  $250 \,ml \,H_2 O$ ;  $0.2 \times SSC$ :  $5 \,min$ ,  $2.5 \,ml \,20 \times SSC$  in  $250 \,ml \,H_2 O$ . Dry slides and scan at appropriate PMT's and channels.

# TABLE 1: Figure 1 from BRCA 001 US

Table 1 shows genes, (incorporated in their entirety here and throughout the application where primekeys are provided), downregulated in tumor tissue compared to normal breast tissue.

| 10  |         |                       |                                       |  |          |  |  |
|-----|---------|-----------------------|---------------------------------------|--|----------|--|--|
| 10  | Pkey:   | 1 ln                  | Unique Eos probeset identifier number |  |          |  |  |
|     | ExAccn: |                       |                                       | ion number, Genbank accession number   |          |  |  |
|     | Unigene |                       | igene number                          |  |          |  |  |
|     | Unigene |                       | igene gene title                      | •  |          |  |  |
| 15  | R1:     | Ra                    | tio of normal b                       | reast tissue to tumor  |          |  |  |
|     |         |                       |                                       | •;   |          |  |  |
|     |         |                       |                                       |  |          |  |  |
|     | Pkey    | ExAccn                | UnigenelD                             | UnigeneTitle   | R1       |  |  |
| 20  | 400472  | D90084                | Hs.1023                               | avariate debudarences (lineamide) alaba  | 5        |  |  |
| 20  |         | T51986                |                                       | pyruvate dehydrogenase (lipoamide) alpha<br>hemoglobin, gamma G                      | 5<br>10  |  |  |
|     |         | M55405                | 113.203100                            | gb:Homo sapiens mucin (MUC-3) mRNA, part   | 5        |  |  |
|     |         | BE142019              | Hs 222056                             | Homo sapiens cDNA FLJ11572 fis, clone HE   | 10       |  |  |
|     |         | X52078                |                                       | transcription factor 3 (E2A immunoglobul   | 5        |  |  |
| 25  |         | BE259039              |                                       | Ewing sarcoma breakpoint region 1  | 5        |  |  |
| -   | 100645  | X16841                |                                       | neural cell adhesion molecule 1  | 5        |  |  |
|     | 100654  | A03758                |                                       | NM_000477*:Homo sapiens albumin (ALB), m   | 10       |  |  |
|     | 100702  | L27065                |                                       | gb:Human neurofibromatosis 2 (NF2) mRNA,   | 5        |  |  |
| ~~  |         | M60832                |                                       | collagen, type VIII, alpha 2   | 5        |  |  |
| 30  |         | BE379727              | Hs.83213                              |  | 10       |  |  |
|     |         | AJ250562              | Hs.82749                              |  | 5        |  |  |
|     |         | M90424                | Hs.2099                               | lipocalin 1 (protein migrating faster th   | 5        |  |  |
|     |         | NM_001674             |                                       | activating transcription factor 3  | . 10     |  |  |
| 35  |         | NM_006732<br>X03350   | Hs.75678<br>Hs.4                      |  | 10       |  |  |
| 22  |         | M21305                | DS.4                                  | alcohol dehydrogenase 1B (class I), beta<br>gb:Human alpha satellite and satellite 3 | 10<br>10 |  |  |
|     |         | N98569                | Hs.76422                              | phospholipase A2, group IIA (platelets,  | 10       |  |  |
|     |         | M27826                |                                       | endogenous retroviral protease   | 10       |  |  |
|     |         | AV650262              | Hs.75765                              | GRO2 oncogene  | 5        |  |  |
| 40  |         | M74447                | Hs.502                                | transporter 2, ATP-binding cassette, sub   | 10       |  |  |
|     |         | U22961                |                                       | gb:Human mRNA clone with similarity to L   | 10       |  |  |
|     | 102297  | NM_001504             | Hs.198252                             | G protein-coupled receptor 9   | 5        |  |  |
|     |         | U48251                | Hs.75871                              |  | 10       |  |  |
| 4.5 |         | U89337                |                                       | tenascin XB  | 10       |  |  |
| 45  |         | U60115                | Hs.239069                             | four and a half LIM domains 1  | 5        |  |  |
|     |         | AA313538              |                                       | gb:EST185419 Colon carcinoma (HCC) cell  | 10       |  |  |
|     |         | NM_006744<br>AA829286 |                                       | retinol-binding protein 4, interstitial  | 10<br>10 |  |  |
|     | 102990  |                       | Hs.54433                              | serum amyloid A1   | 5        |  |  |
| 50  |         | AA081995              | 113.04433                             | tenascin R (restrictin, janusin)<br>gb:zn26d06.r1 Stratagene neuroepithelium         | 10       |  |  |
| 50  |         | AA126129              |                                       | gb:zm78c07.r1 Stratagene neuroepithelium   | 5        |  |  |
|     |         | AA137107              | Hs.326391                             | Homo sapiens, clone MGC:16638, mRNA, com   | 10       |  |  |
|     |         | AA326216              | Hs.8719                               | hypothetical protein MGC1136   | 5        |  |  |
|     |         | AB041036              | Hs.57771                              | kallikrein 11 (KLK11; TLSP; PRSS20; hipp   | 5        |  |  |
| 55  | 104093  | R50727                | Hs.336970                             |  | 10       |  |  |
|     |         | AA422123              |                                       | gb:zv26h12.r1 Soares_NhHMPu_S1 Homo sapi   | 5 -      |  |  |
|     |         | AL353957              |                                       | hypothetical protein DKFZp434P0531   | 10       |  |  |
|     | 104250  |                       | Hs.12440                              | Homo sapiens done 24734 mRNA sequence  | 10       |  |  |
| 60  |         | AA426189              | 11-04000                              | gb:zw11e09.r1 Soares_NhHMPu_S1 Homo sapl   | 5        |  |  |
| 60  |         | N73185                | Hs.94285                              |  | 10       |  |  |
|     |         | N91071<br>N99542      | Hs.109650<br>Hs.572                   | erosomucoid 1  | 10<br>5  |  |  |
|     |         | AI498763              |                                       | hypothetical protein FLJ12748  | 10       |  |  |
|     | 104002  | 1507 00               | . 10.200010                           | Typestosous protoss ( Es 12170   | 10       |  |  |

|     |        |                           |                        | DATA CLIMATO Sa alama NT   | 5          |
|-----|--------|---------------------------|------------------------|--|------------|
|     |        | R24024                    | Hs.158101              | Homo sapiens cDNA FLJ14673 fis, clone NT<br>phosphoinositide-3-kinase, class 2, beta | . 5        |
|     |        | Y11312<br>AW969769        | Hs.105201              |  | 5          |
|     |        | AA009764                  | Hs.190380              |  | 10         |
| 5   |        | AA017245                  | Hs.32794               | ESTs .   | 10         |
| •   |        | AA019300                  | Hs.125070              | ESTs, Moderately similar to 154374 gene  | 10         |
|     | 104764 | AI039243                  | Hs.278585              |  | 5<br>10    |
|     |        | AI298208                  |                        | ESTS   | . 10<br>10 |
| 10  |        | AA130390                  | Hs.25549               | hypothetical protein FLJ20898  | 5          |
| 10  |        | R61532                    | Hs.87016               | hypothetical protein FLJ22938<br>hypothetical protein FLJ11090                       | 5          |
|     |        | AW970043                  | ns.230033              | gb:zr03f12.r1 Stratagene NT2 neuronal pr   | 10         |
|     |        | AA221036<br>AA421973      | He 169119              | ESTs, Weakly similar to T25731 hypotheti   | 5          |
|     |        | BE242857                  | Hs.27021               | hypothetical protein FLJ11159  | 5          |
| 15  |        | N79885                    | Hs.6382                | ESTs, Highly similar to T00391 hypotheti   | 10         |
|     |        | AL359624                  |                        | KIAA1453 protein   | 5          |
|     | 106181 | AI803651                  | Hs.191608              | ESTs   | 10         |
|     |        | AW976171                  | Hs.286194              | hypothetical protein FLJ22233  | . 5<br>10  |
| 20  |        | A1085846                  | Hs.25522               | KIAA1808 protein   | 10         |
| 20  |        | AL042069                  | Hs.119021<br>Hs.313182 | DKFZP434N061 protein   | 10         |
|     |        | AW235928<br>AA135688      | Hs.10083               | Homo sapiens, clone IMAGE:4139786, mRNA,   | 10         |
|     |        | AA906434                  | Hs.3776                | zinc finger protein 216  | 5          |
|     |        | AW054886                  | Hs.25682               | Homo sapiens mRNA for KIAA1863 protein,  | 10         |
| 25  |        | Al458623                  |                        | ab:tk04a09.x1 NCI_CGAP_Lu24 Homo sapiens   | 5          |
|     |        | AI983730                  | Hs.26530               | serum deprivation response (phosphatidy)   | 5<br>5     |
|     |        | Al347578                  | Hs.124015              | hypothetical protein MGC2605   | 5<br>5     |
|     |        | AF128847                  |                        | indolethylamine N-methyltransferase  | 5          |
| 20  |        | AJ223811                  | Hs.30127               | hypothetical protein<br>ESTs, Highly similar to CYA5_HUMAN ADENY                     | 5          |
| 30  |        | Al446183<br>AB006532      | Hs.9572<br>Hs.31442    |  | 10         |
|     |        | AB000032<br>Al005036      |                        | GS1999full   | 10         |
|     |        | AF127026                  | Hs.5394                | myosin IA  | 10         |
|     |        | AB020672                  |                        | KIAA0865 protein   | 10         |
| 35  |        | AI905985                  | Hs.111805              | ESTs   | 10         |
|     | 107351 | U51704                    |                        | ESTs, Moderately similar to ALU8_HUMAN A   | 5<br>5     |
|     |        | W26652                    | Hs.6163                | PTEN induced putative kinase 1   | 10         |
|     |        | W28516                    | Hs.19210               | hypothetical protein MGC11308<br>hypothetical protein PRO2389                        | 10         |
| 40  |        | AL042425<br>Al092790      | He 334703              | hypothetical protein FLJ14529  | 5          |
| 40  |        | W38002                    | 113.337700             | Empirically selected from AFFX single pr   | 10         |
|     |        | N53167                    | Hs.47623               |  | 10         |
|     |        | W96141                    | Hs.220687              |  | 10         |
|     | 10775  | AA017462                  | Hs.269244              | ESTs   | 10<br>10   |
| 45  |        | 7 BE621721                |                        | hypothetical protein FLJ12387 similar to   | 10         |
|     |        | AA025060                  | Hs.61246               | ESTS   | 10         |
|     |        | 2 BE271708                | Hs.191637              | ESTs, Weakly similar to A55943 1-phospha   | 5          |
|     |        | 3 AA025836<br>7 AL049176  |                        | chordin-like   | 10         |
| 50  |        | 6 AA043675                | Hs.62633               | ESTs   | 10         |
| 50  |        | 1 AA093668                | Hs.28578               | muscleblind (Drosophila)-like  | 5          |
|     |        | 3 AA012881                | Hs.72531               | hypothetical protein FLJ11838  | 10         |
|     | 10823  | 8 AA059473                | Hs.66783               | EST  | 10<br>5    |
|     |        | 7 AA677927                | Hs.144269              | ESTS   | 5          |
| 55  |        | 5 AA070500                |                        | gb:zm70h03.s1 Stratagene neuroepithelium<br>gb:zf79b12.s1 Soares_pineat_gland_N3HPG  | 10         |
|     | 10835  | 1 AA071193                | Hs.67726               | macrophage receptor with collagenous str   | 5          |
|     | 10830  | 2 NM_006770<br>2 AA075124 | 113.01120              | gb:zm86a01.s1 Stratagene ovarian cancer  | 10         |
|     |        | 1 AA079079                |                        | gb:zm97c09.s1 Stratagene colon HT29 (937   | 10         |
| 60  |        | 6 AA085383                |                        | ob:zn13o03.s1 Stratagene hNT neuron (937   | 10         |
| - 0 | 10849  | 7 AA074897                |                        | gb:zm85a05.r1 Stratagene ovarian cancer  | 10<br>5    |
|     | 10860  | 4 AA934589                | Hs.49696               | ESTs   | 5<br>5     |
|     | 10866  | 2 AF117646                |                        | 7 Cas-Br-M (murine) ectropic retroviral tr   | 10         |
| 65  | 10870  | 6 AA121820                | Hs.74569<br>Hs.15872   |  | 10         |
| 65  | 108/3  | 8 AA126583<br>7 Al273692  | Hs.11047               |  | 10         |
|     | 10002  | 3 Al028376                | Hs.73232               |  | 10         |
|     | 10312  |                           |                        | 404  |            |

WO 02/059377

### PCT/US02/02242

|           | 109389 | AA101325            | Hs.86154   | hypothetical protein FLJ12457  | 10      |
|-----------|--------|---------------------|------------|--|---------|
|           |        | F01449              | Hs.26954   | Homo sapiens mRNA; cDNA DKFZp762G123 (fr   | 5       |
|           |        | R40604              | Hs.129539  | ESTs, Weakly similar to MCAT_HUMAN MITOC   | 10      |
| _         | 110006 | A1094674            | Hs.30524   |  | 10      |
| 5         | 110141 | H46749              | Hs.31540   | ESTs   | 10      |
|           |        | W22165              | Hs.22586   | ESTs   | 5       |
|           |        | AW294162            | Hs.301062  | UDP-N-acetyl-alpha-D-galactosamine:polyp   | 10      |
|           |        | H51276              | Hs.13526   | hypothetical protein FLJ12688  | 10      |
|           | 110455 | H52576              |            | gb:yt85e08.r1 Soares_pineal_gland_N3HPG  | 5       |
| 10        |        | H72639              | Hs.167608  | ESTs   | 5       |
|           |        | H60593              | Hs.124990  |  | 10      |
|           | 110976 | AL044174            |            | patched (Drosophila) homolog   | 10      |
|           |        | AI753316            | Hs.26034   |  | 5       |
|           |        | N66616              | Hs.138629  | H.sapiens mRNA for subtelomeric repeat s   | 5       |
| 15        |        | AI798376            |            | gb:tr34b07.x1 NCL_CGAP_Ov23 Homo sapiens   | 10      |
|           |        | AJ224864            | Hs.9688    | leukocyte membrane antigen   | 5       |
|           |        | AA641636            | Hs.37477   |  | 5       |
|           |        | R00144              | Hs.189771  |  | 10      |
| 20        |        | Al168511            | 11 00400   | gb:ow90h09.s1 Soares_fetal_liver_spleen_   | 10      |
| 20        |        | R16733              | Hs.20499   | ESTs   | 10      |
|           |        | R26065              | 14- 005000 | gb:yh39d03.s1 Soares placenta Nb2HP Homo   | 5       |
|           |        | AA593731            | HS.320023  | ESTs, Moderately similar to ALU5_HUMAN A   | 10      |
|           |        | R42333              | Hs.302292  |  | 10      |
| 25        |        | AL117490            | Hs.47225   |  | 10      |
| 23        |        | NM_006668<br>R51889 | Hs.25121   | cytochrome P450, subfamily 46 (cholester   | 10      |
|           |        |                     | Hs.24990   | ESTS   | 5<br>10 |
|           |        | R31094<br>R77302    | Hs.24378   |  | 10      |
|           |        | BE618629            | Hs.268809  | gb:yi75h08.s1 Soares placenta Nb2HP Homo   | 5       |
| 30        |        | T98628              | Hs.191290  |  | 5       |
| 30        |        | AI057205            | Hs.14584   |  | 5       |
|           |        | AA581428            | Hs.5021    | EST  | 10      |
|           |        | T16837              | Hs.4241    | ESTs   | 5       |
|           |        | T51588              | . 10.7271  | gb:yb27e06.s1 Stratagene fetal spleen (9   | 10      |
| 35        |        | T54659              | Hs 301755  | Homo sapiens cDNA FLJ11465 fis, clone HE   | 5       |
| -         |        | AA743563            | Hs.10305   |  | 5       |
|           |        | AW207424            | Hs.332594  |  | 10      |
|           |        | N92359              |            | ESTs, Moderately similar to A48752 B-cel   | 10      |
|           |        | R16763              | Hs.268679  |  | 5       |
| 40        | 113563 | AA913635            | Hs.326413  | Homo sapiens cDNA FLJ20812 fis, clone AD   | 10      |
|           | 113574 | R06874              | Hs.268628  | ESTs, Moderately similar to ALU1_HUMAN A   | 5       |
|           | 113776 | Al791905            | Hs.95549   | hypothetical protein   | 10      |
|           | 113790 | Al244311            | Hs.26912   | ESTs   | 10      |
|           | 113807 | W07586              | Hs.8045    | ESTs   | 3       |
| 45        | 113958 | W86195              |            | gb:zh54e05.s1 Soares_fetal_liver_spleen_   | · 10    |
|           | 114211 | Z39319              | Hs.27347   | EST  | 10      |
|           | 114254 | AB018263            | Hs.180338  | tumor necrosis factor receptor superfami   | 5       |
|           |        | AA745978            | Hs.28273   | ESTs   | 5       |
|           | 114449 | AA020736            |            | gb:ze63b11.s1 Soares retina N2b4HR Homo  | 5       |
| 50        | 114484 | AA034378            | Hs.267319  | endogenous retroviral protease   | 5<br>5  |
|           |        | AA065096            |            | gb:zm50a02.s1 Stratagene fibroblast (937   | 5       |
|           |        | AA081507            |            | gb:zn05b10.r1 Stratagene hNT neuron (937   | 5       |
|           |        | AA234826            | Hs.87386   | EST  | 5       |
| <i></i>   |        | AA234462            |            |  | 5       |
| 55        |        | AK000725            |            |  | 3       |
|           |        | AF173081            | Hs.178215  | Vertebrate LIN7 homolog 1, Tax interacti   | 5       |
|           |        | AB020649            |            | KIAA0842 protein   | 5       |
|           |        | AA398841            | Hs.39850   | hypothetical protein FLJ20517  | 10      |
| <b>CO</b> |        | AI478427            | Hs.43125   | esophageal cancer related gene 4 protein   | 10      |
| 60        |        | AL133916            |            | hypothetical protein FLJ20093  | 10      |
|           |        | AA463902            | Hs.13522   | ESTs, Weakly similar to 138022 hypotheti   | 5       |
|           |        | AW968703            | Hs.30085   | hypothetical protein FLJ23186  | . 5     |
|           |        | AW410377            | Hs.41502   | hypothetical protein FLJ21276  | 5       |
| 65        |        | AW194253            | Hs.68607   | ESTS Home sacions close 23763 tinknown mPNA in                                       | 10      |
| 65        |        | BE314852<br>F10528  | Hs.70001   | Homo sapiens clone 23763 unknown mRNA, p<br>ESTs, Moderately similar to JC6169 nucle | 5       |
|           |        | AW801806            | 112.10001  | gb:lL5-UM0070-110400-062-g07 UM0070 Homo   | 5<br>5  |
|           | 111030 | V1100 1000          |            | Several Chinasia Control Control Control Control                                     | 3       |

|    |        | AI803656                 | Hs.42373   | ESTs<br>gb:yx39b10.s1 Soares melanocyte 2NbHM Ho                                    | 5<br>10 |
|----|--------|--------------------------|------------|---|---------|
|    |        | N20468                   |            | ESTs  | 5       |
|    |        | AI472863<br>N34417       |            | ESTs  | 3       |
| 5  |        | N26627                   |            | ESTs, Weakly similar to JC4124 pregnancy  | 5       |
| ,  | 117673 |                          |            | Homo saplens Ets-1 binding protein (E1B)  | 10      |
|    |        | N49285                   | Hs.182391  |   | 10      |
|    |        | AW263476                 | Hs.44268   | myelin gene expression factor 2   | 10      |
|    |        | BE222341                 | Hs.279472  |   | 5       |
| 10 | 118049 | N53145                   |            | gb:yv55f09.s1 Soares fetal liver spleen   | 3       |
|    | 118413 | AW955696                 | Hs.90960   | ESTs  | 10      |
|    | 118613 | A1078236                 | Hs.49688   |   | · 10    |
|    |        | N70907                   | Hs.230619  | EST - 42404070 /5   | 3       |
|    |        | AL122040                 | Hs.102981  | Homo sapiens mRNA; cDNA DKFZp434G1972 (f  | 5       |
| 15 |        | AA993527                 | Hs.293907  | hypothetical protein FLJ23403   | 3       |
|    |        | At160570                 | HS.252097  | pregnancy specific beta-1-glycoprotein 6<br>homolog of mouse quaking QKI (KH domain | 5       |
|    |        | AF142419                 | Hs.221849  |   | 5       |
|    |        | AA514422<br>AK002001     |            | v-maf musculoaponeurotic fibrosarcoma (a  | 10      |
| 20 |        | T77892                   | 113.3 1000 | gb:yd20f04.s1 Soares fetal liver spleen   | 5       |
| 20 |        | T81824                   | Hs.90949   | EST   | 5       |
|    |        | W38051                   | (,0.000.0  | Empirically selected from AFFX single pr  | 10      |
|    |        | AL049798                 | Hs.80552   |   | 3       |
|    |        | AF086332                 | Hs.58314   |   | 10      |
| 25 |        | AF088061                 | Hs.159690  | ESTs  | 5       |
|    |        | AF086429                 | Hs.58429   | ESTs  | 5       |
|    | 119923 | AW803308                 | - Hs.62954 | femilin, heavy polypeptide 1  | 5       |
|    | 119961 | U34249                   | Hs.337461  | Human putative zinc finger protein (ZNFB  | 5<br>10 |
|    |        | AL042725                 |            | gb:DKFZp434B1822_r1 434 (synonym: htes3)  | 5       |
| 30 |        | AW136934                 | Hs.97162   |   | 5       |
|    |        | AA907743                 | Hs.142373  |   | 5       |
|    |        | AA401695                 | Hs.97334   | Homo sapiens cDNA FLJ20470 fis, clone KA  | 5       |
|    |        | AA405763                 | HS.111939  | ESTs, Weakly similar to KIAA0926 protein  | 5       |
| 25 |        | AA421452                 | Hs.98017   |   | 10      |
| 35 |        | AK000229<br>AA447555     | Hs.99116   |   | 10      |
|    |        | AA458945                 | Hs.95898   |   | 10      |
|    |        | AW135093                 | Hs.97282   | ESTs. Highly similar to G100_HUMAN 110 K  | 5       |
|    |        | AA609122                 | Hs.112645  | Homo sapiens mRNA; cDNA DKFZp434D2472 (f  | 5       |
| 40 |        | AI024595                 | Hs.97508   | a disintegrin and metalloproteinase doma  | 5       |
|    |        | AA621529                 |            | gb:af47a02.s1 Soares_total_fetus_Nb2HF8_  | 10      |
|    | 124215 | H62570                   |            | gb:yr44a01.r1 Soares fetal liver spleen   | 5       |
|    | 124276 | H83465                   |            | gb:ys91a11.s1 Soares retina N2b5HR Homo   | 5<br>5  |
|    |        | AK001527                 | Hs.163953  | hypothetical protein FLJ10665   | 10      |
| 45 |        | NM_014312                |            | cortic al thymocyte receptor (X. laevis   | 10      |
|    |        | T98199                   | Hs.48403   | hypothetical protein FLJ10847   | 5       |
|    |        | BE299567                 | Hs.103253  | ESTs, Moderately similar to ALU8_HUMAN A  | 10      |
|    |        | NM_002666                | Hs. 103233 | p75NTR-associated cell death executor, o  | 5       |
| 50 |        | BE256206<br>AA485421     | He 270503  | ESTs, Weakly similar to ALU7_HUMAN ALU S  | 10      |
| 50 |        | NM_002250                | Hs.10082   |   | 10      |
|    |        | R44214                   | Hs.101189  |   | 5       |
|    |        | C16161                   |            | hypothetical protein PRO2543  | 5       |
|    |        | AA193106                 | Hs.180817  | chromosome 11 open reading frame 23   | 10      |
| 55 |        | H39537                   | Hs.75309   | eukaryotic translation elongation factor  | 10      |
|    | 128903 | 3 AW150717               | Hs.296176  | S STAT induced STAT inhibitor 3   | 10      |
|    |        | N62889                   |            | 2 Homo sapiens cDNA FLJ12965 fis, clone NT  | 10      |
|    |        | 1 AA443323               | Hs.10781   | 2 BPOZ protein  | 5<br>5  |
|    |        | 1 AA056483               |            | Human Chromosome 16 BAC clone CIT987SK-A  | 10      |
| 60 |        | 1 NM_013403              | Hs.108669  |   | 5       |
|    | 12914  | AL117472                 |            | SH3-domain protein 5 (ponsin) ESTs, Weakly similar to IRX2_HUMAN IROQU              | 3       |
|    |        | 3 Al146494               | HS.10952   | tyrosyl-IRNA synthetase   | 5       |
|    |        | B U40714                 | Hs.23930   | 5 dual specificity phosphatase 1  | 5       |
| 65 |        | 5 AA530892<br>5 BE617015 | Hs.171096  |   | 10      |
| 65 | 12928  | 6 AF110141               | Hs.28890   | 8 WAS protein family, member 2  | 10      |
|    | 12036  | 8 NM_003877              |            | 6 STAT induced STAT inhibitor-2   | 5       |
|    | 12.000 | _ ,                      |            |   |         |

|     | 129371 | X06828               | Hs.110802 | von Willebrand factor   | 5                     |
|-----|--------|----------------------|-----------|---|-----------------------|
|     |        | AW245805             |           | claudin 5 (transmembrane protein deleted                                  | 10                    |
|     |        | W37944               | Hs.4007   | Sarcolemmal-associated protein  | 5                     |
|     |        | BE061069             |           | KIAA0467 protein  | 10                    |
| 5   |        | AF020038             | Hs.11223  |   | 10                    |
|     |        | BE222078             | Hs.113069 |   | 10                    |
|     | 129684 | BE622468             | Hs.11924  | ESTs, Weakly similar to I38022 hypotheti                                  | 5                     |
|     | 129702 | Al304966             | Hs.12035  |   | 5                     |
|     | 129778 | AK001676             | Hs.12457  | hypothetical protein FLJ10814   | 10                    |
| 10  | 129893 | AK000956             | Hs.13209  | hypothetical protein FLJ10094   | 5                     |
|     | 129928 | Al338993             | Hs.134535 |   | 5                     |
|     |        | AJ251760             | Hs.273385 | guanine nucleotide binding protein (G pr                                  | 5<br>5<br>5<br>5<br>5 |
|     | 129977 | NM_000399            | Hs.1395   | early growth response 2 (Krox-20 (Drosop                                  | 5                     |
|     |        | NM_001158            | Hs.143102 | amine oxidase, copper containing 2 (reti                                  | 5                     |
| 15  | 130085 | M62402               | Hs.274313 | insulin-like growth factor binding prote                                  | 10                    |
|     |        | AA452006             | Hs.333199 | ESTs  | 5                     |
|     | 130162 | W80711               | Hs.319946 | Homo sapiens mRNA for KIAA1727 protein,                                   | 5                     |
|     |        | D88435               |           | cyclin G associated kinase  | 10                    |
|     |        | Al241084             | Hs.154353 | nonselective sodium potassium/proton exc                                  | 5                     |
| 20  |        | AA435746             |           | gb:zt79e03.s1 Soares_testis_NHT Homo sap                                  | 5                     |
|     |        | V00517               |           | hemoglobin, gamma G   | 10                    |
|     |        | NM_001928            |           | D component of complement (adipsin)                                       | 10                    |
|     | 130478 | X72308               | Hs.251526 | small inducible cytokine A7 (monocyte ch                                  | 5                     |
| 0.5 |        | BE222978             | Hs.15760  |   | 10                    |
| 25  |        | AW390834             | Hs.75874  | pregnancy-associated plasma protein A                                     | 5                     |
|     |        | BE270472             |           | HSPC015 protein   | 10                    |
|     |        | AL110226             | Hs.16441  |   | 10                    |
|     |        | Al652143             |           | hypothetical protein FLJ13111   | 5                     |
| 20  |        | A1769067             |           | ESTs, Weakly similar to T28770 hypotheti                                  | 3                     |
| 30  |        | AA993269             | Hs.17872  |   | 10                    |
|     |        | NM_006691            | Hs.17917  | extracellular link domain-containing 1                                    | 10                    |
|     |        | AA232075             | Hs.18259  | XPA binding protein 1; putative ATP(GTP)                                  | 5                     |
|     |        | AF263462             | Hs.18376  | KIAA1319 protein  | 10                    |
| 35  |        | N41322               | Hs.18441  | ESTs  | 5                     |
| 55  |        | M81349<br>BE048821   | Hs.1955   | serum amyloid A4, constitutive  | 10                    |
|     |        |                      | Hs.20144  | small Inducible cytokine subfamily A (Cy                                  | 10<br>10              |
|     |        | AB040935<br>AA360419 | Hs.23954  | cerebral cell adhesion molecule   | 10                    |
|     |        | X03350               | Hs.4      | inositol(myo)-1(or 4)-monophosphatase 1                                   | 10                    |
| 40  |        | AW939251             | Hs.25647  | alcohol dehydrogenase 18 (class I), beta                                  | 10                    |
| 70  |        | AK000393             | Hs.25817  | v-fos FBJ murine osteosarcoma viral onco<br>BTB (POZ) domain containing 2 | 5                     |
|     |        | AF110908             |           | TNF receptor-associated factor 3  | 5                     |
|     |        | H83294               |           | Wnt inhibitory factor-1   | 5                     |
|     |        | BE394648             | Hs.27414  |   | 5                     |
| 45  |        | AW966881             | Hs.41639  | programmed cell death 2   | 10                    |
| 1.5 |        | BE559681             | Hs.30736  |   | 5                     |
|     |        | AA829286             |           | serum amyloid A1  |                       |
|     |        | AA443966             | Hs.31595  |   | 10                    |
|     |        | H69342               | Hs 26320  | TRABID protein  | 10                    |
| 50  |        | AA021258             | Hs.32753  | ESTs  | 5                     |
|     |        | BE244961             |           | FE65-LIKE 2   | 5                     |
|     |        | AJ000263             |           | keratin, hair, basic, 6 (monilethrix)                                     | 10                    |
|     |        | AW294659             | Hs.34054  | Homo sapiens cDNA: FLJ22488 fis, clone H                                  | 5                     |
|     |        | AJ003112             | Hs.34780  | doublecortex; lissencephaly, X-linked (d                                  | 5                     |
| 55  |        | AK000010             |           | hypothetical protein FLJ20003   | 10                    |
| -   | 132115 | H81604               | Hs.178471 | KIAA0798 gene product   | 5                     |
|     |        | X80818               | Hs.178078 | glutamate receptor, metabotropic 4  | 5                     |
|     |        | AA467752             | Hs.195161 |   | 5                     |
|     |        | AW118072             | Hs.89981  | dlacylglycerol kinase, zeta (104kD)                                       | 10                    |
| 60  |        | S68874               | Hs.170917 | prostaglandin E receptor 3 (subtype EP3)                                  | 5                     |
|     | 132675 | A1291496             | Hs.5476   | Homo sapiens, clone IMAGE:3530123, mRNA,                                  | 10                    |
|     | 132796 | NM_006283            | Hs.173159 |   | 10                    |
|     |        | W28548               | Hs.224829 | ESTs  | 10                    |
| /-  |        | NM_004235            | Hs.7934   | Kruppel-like factor 4 (gut)   | 10                    |
| 65  |        | BE175645             |           | LBP protein 32  | 5                     |
|     |        | BE563966             | Hs.6529   | ESTs, Weakly similar to 178885 serine/th                                  | 5                     |
|     | 133120 | NM_003278            | Hs.65424  | tetranectin (plasminogen-binding protein                                  | 10                    |
|     |        |                      |           |   |                       |

|    |        |                     |           |  | _     |
|----|--------|---------------------|-----------|--|-------|
|    | 133139 | AF052138            | Hs.6580   | Horno capione april in a campione                      | 5     |
|    | 133163 | AA668224            | Hs.6634   |  | 5     |
|    | 133268 | AW956781            | Hs.293937 | LO10, Hours distant to 17                              | 5     |
|    | 133272 | NM_002776           |           | kallikrein 10 (KLK10) (PRSSL1) (nes1)                  | 5     |
| 5  | 133379 | AA207059            |           | guilden com a company                                  | 5     |
|    | 133407 | AF017987            |           | secreted frizzled-related protein 1                    | 5     |
|    | 133552 | H21497              | Hs.7471   | BBP-like protein 1                                     | 5     |
|    | 133702 | L02321              | Hs.75652  | glutathione S-transferase M5                           | 5     |
|    | 133719 |                     |           | apolipoprolein D                                       | 5     |
| 10 | 133731 |                     | Hs.272572 | hemoglobin, alpha 2                                    | 10    |
|    | 133789 | T85626              | Hs.76239  | hypothetical protein FLJ20608                          | 5     |
|    |        | AF072441            | Hs.7840   | calcineurin binding protein 1                          | 10    |
|    | 134055 |                     | Hs.182423 | ES1 (zebrafish) protein, human homolog o               | 10    |
|    |        | Al372588            | Hs.8022   | TU3A protein   | 10    |
| 15 |        | AA081846            | Hs.7921   | Homo sapiens mRNA; cDNA DKFZp566E183 (fr               | 10    |
|    |        | BE243319            | Hs.79672  | KIAA0652 gene product                                  | 5     |
|    |        | AW905827            | Hs.81454  | ketohexokinase (fructokinase)                          | 10    |
|    |        | BE549343            | Hs.82208  | acyl-Coenzyme A dehydrogenase, very long               | 5     |
|    |        | AF207664            | Hs.8230   | a disintegrin-like and metalloprotease (               | 5     |
| 20 | 134449 |                     | Hs.83450  | taminin, alpha 3 (nicein (150kD), kalini               | 5     |
| 20 |        | Al190413            | Hs.8373   | ESTs   | 10    |
|    |        | M64936              | 113.0010  | gb:Homo sapiens retinoic acid-inducible                | 10    |
|    |        |                     | He 250870 | mitogen-activated protein kinase kinase                | 10    |
|    | 134510 | NM_002757<br>M26315 | Hs.85258  | CD8 antigen, alpha polypeptide (p32)                   | 10    |
| 25 |        |                     | Hs.85951  | exportin, tRNA (nuclear export receptor                | 5     |
| 25 |        | BE244323<br>U73394  | He 166085 | killer cell immunoglobulin-like receptor               | 5     |
|    |        |                     | He 197505 | dynein, axonemal, light polypeptide 4                  | 5     |
|    |        | AL008583            | Hs.89394  | POU domain, class 1, transcription facto               | 5     |
|    |        | D10216              | Hs.89538  | cholesteryl ester transfer protein, plas               | 10    |
| 30 |        | NM_000078           | Hs.89640  | TEK tyrosine kinase, endothelial (venous               | 10    |
| 30 |        | T29618              | Hs.261457 |  | 5     |
|    |        | T87521              |           | wingless-type MMTV integration site fami               | 10    |
|    |        | NM_003394           | Hs.91985  | hypothetical protein FLJ20093                          | 5     |
|    |        | H22570              |           | KIAA1444 protein                                       | 5     |
| 25 |        | AA302517            | Hs.92732  | interleukin 6 (interferon, beta 2)                     | 10    |
| 35 |        | X04430              | Hs.93913  | putative lymphocyte G0/G1 switch gene                  | 10    |
|    |        | AL036557            | Hs.95910  | Figure inhibitor of motallograteinase A                | 5     |
|    |        | U76456              |           | tissue inhibitor of metalloproteinase 4                | 5     |
|    |        | AB002361            | Hs.96633  | KIAA0363 protein                                       | 5     |
| 40 |        | U83171              | Hs.97203  | small inducible cytokine subfamily A (Cy               | 5     |
| 40 |        | AA416829            | Hs.191597 |  | 3     |
|    |        | AA905406            | Hs.9905   | ESTs, Weakly similar to unnamed protein                | 10    |
|    |        | X55019              | Hs.99975  | cholinergic receptor, nicotinic, delta p               | 5     |
|    |        | X03350              | Hs.4      | alcohol dehydrogenase 1B (class I), beta               | 5     |
|    |        | H39537              | Hs.75309  | eukaryotic translation elongation factor               | 5     |
| 45 |        | AW245805            |           | claudin 5 (transmembrane protein deleted               | 5     |
|    |        | M62402              |           | insulin-like growth factor binding prote               | 10    |
|    |        | NM_006691           | Hs.17917  | extracellular link domain-containing 1                 | 3     |
|    |        | NM_003278           | Hs.65424  | tetranectin (plasminogen-binding protein               | 5     |
|    |        | AF017987            | Hs.7306   | secreted frizzled-related protein 1                    | 5     |
| 50 | 133731 | N71725              | Hs.272572 | hemoglobin, alpha 2                                    |       |
|    | 134369 | AF207664            | Hs.8230   | a disintegrin-like and metalloprotease (               | 5     |
|    | 135066 | X04430              | Hs.93913  | interleukin 6 (interferon, beta 2)                     | 10    |
|    | 135173 | AL036557            | Hs.95910  | putative lymphocyte G0/G1 switch gene                  | 5     |
|    | 322580 | AK001852            | Hs.274151 |  | 5     |
| 55 |        | AW580227            | Hs.47860  | neurotrophic tyrosine kinase, receptor, type 2         | 10    |
|    |        | AW377752            | Hs.83341  | AXL receptor tyrosine kinase                           | 5     |
|    | 427458 | BE208364            | Hs.29283  | ESTs, Weakly similar to LKHU proteoglycan link         | 5     |
|    | 446674 | AA563892            | Hs.306000 | solute carrier family 4 (anion exchanger), memb        | 10    |
|    |        | U85642              | Hs.138508 | ESTS   | . 5   |
| 60 | . ,    | RC_H15814           | _\$       | Human apM1 mRNA for GS3109 (novel adipose specific col | uagen |
|    |        | YEL024w/RI          |           | EST - YEL024w/RIP1                                     | 3     |
|    |        |                     |           |  |       |

10

### TABLE 1A


Table 1 A shows the accession numbers for those pkeys lacking unigeneID's for Table 1. For each probeset, we have listed the gene cluster number from which the oligonucleotides were designed. Gene clusters were compiled using sequences derived from Genbank ESTs and mRNAs. These sequences were clustered based on sequence similarity using Clustering and Alignment Tools (DoubleTwist, Oakland California). The Genbank accession numbers for sequences comprising each cluster are listed in the "Accession" column.

| 1) |  |
|----|--|
| v  |  |
|    |  |

| Pkey:       | Unique Eos probeset identifier number |
|-------------|---------------------------------------|
| CAT number: | Gene cluster number                   |
| Accession:  | Genbank accession numbers             |

15

| 15 |  |   |  |
|----|--|---|--|
|    | Pkey   | CAT Number  | Accessions   |
| 20 | 108446<br>108497                                 | 112224_1<br>110079_2  | AA085383 AA126091 AA074174 AA075373 AA079120 AA070831 AA075978 AA075372 AA128503 AA074897 AA113914 AA064871 AA079329 AA071309 AA084710 AA129030 AA076042 AA074794 AA071453 AA078803 AA148628 AA122204 AA074159 AA126185 AA079117 AA127089 AA070912 AA079280 AA131372 AA078833 AA071087 AA076131 AA071047 AA079401 AA083070 AA102076 AA115163 AA074198 AA134725 AA113889 AA121103 AA075041 AA065148 AA071310 AA101144 AA079659 AA078931 AA079209 AA070928 AA068994 AA069817 AA076187 AA069053 |
| 25 | :  |   | AA131489 AA071308 AA063317 AA070156 AA071430 AA076056 AA075684 AA070053 AA126283 AA126078 AA075895 AA079208 AA074583 AA071086 AA079623 AA070627 AA078802 AA076622 AA065051 AA079143 AA071110 AA079434 AA148748 AA079230 AA085188 AA074485 AA070580 AA076151 AA083166 AA085118 AA079450 AA085044 AA120938 AA079200 AA100188 AA081472 AA122355 AA129031 AA085362 AA069220 AA070940 AA075968 AA074563 AA084027 AA115929   |
| 30 | 124215<br>117058<br>110455<br>111168             | 1597154_1<br>1219924_1<br>46874_1<br>38585_1                | H62570 H59063 AW801806 H90434 BE086530 H52576 AF085971 H52172 AI798376 S46400 AW811617 AW811616 W00557 BE142245 AW858232 AW861851 AW858362 AA232351 AA218567 AA055556 AW858231 AW857541 AW814172 H66214 AW814398 AF134164 AA243093 AA173345 AA199942 AA223384  |
| 35 |  |   | AA227092 AA227080 T12379 AA092174 T61139 AA149776 AA699829 AW879188 AW813567 AW813538 Al267168 AA157718 AA157719 AA100472 AA100774 AA130756 AA157705 AA157730 AA157715 AA053524 AW849581 AW854566 C05254 AW882836 T92637 AW812621 AA206583 AA209204 BE156909 AA226824 Al829309 AW991957 N66951 AA527374 H66215 AA045564 Al694265 H60808 AA149726 AW195620 BE081333 BE073424 AW817662 AW817705 AW817703 AW817659 BE081531 H59570  |
| 40 | 111498<br>104340<br>103747<br>134496<br>Al684569 | 411008_1<br>46289_10<br>117944_1<br>46501_1<br>4A257011     | Al168511 Al022712 AA700366 R07371 R07324<br>AA426189 F15201<br>AA081995 AA101099<br>M64936 Al025512 Al382987 BE061777 AA089966 BE169930 T41176 AW594624 BE502415 AA121893 Al269283 T40311  |
| 45 | 103750<br>105239                                 | 118365_1<br>34624_1   | A079277 Al241318 BE327710 AW975215 AW896268 AA884990 BE327514  AA126129 AA126033 AA082561  AA221036 R87170 BE537068 BE544757 C18935 AW812058 T92565 AA227415 AA233942 AA223237 AA668403 AA601627  AW869639 BE061833 BE000620 AW961170 AW847519 AA308542 AW821833 AW945688 C04699 AA205504 AA377241  AW869639 AA055720 AW817981 AW856468 AA155719 AA179928 T03007 AW754298 AA227407 AA113928 AA307904  C16859   |
| 50 | 120379   | 34624_3   | AL042725 BE063316 AW975610 AA457591 BE062092 AI655202 AA714296 AI267264 AI075321 AA223286 AA071122 AA227849 AA216700 AI696002 AA101867 AA099426 AA135997 AL041698 T02815 T51824 AA207189 T59230 T51868 AA663341 BE165757 AW818104 AW392886 AA584918 AA099408 AW856396 AW861859 AA053045  |
| 55 | 114624<br>106851<br>108392<br>100545<br>100654   | 111686_1<br>322947_1<br>113549_1<br>22955_11<br>tigr_HT2969 | AA081507 AA070071 AA070840 AA084362<br>Al458623 AA639708 AA485409 R22065 AA485570<br>AA075124 AA075208<br>M55405 AW752552<br>A03758 A06977 A15293 D17029 D17107 D17171 L00132 L00133 M12523 M13075 M13076 M92816 U22961 V00494 V00495  |
| 60 | 100702<br>102208                                 | tigr_HT3413<br>6735_9                                       | X51363 X51364 X51365<br>L27065<br>U22961 AA203623 AA503337 A1174733 A1192802 C06092 AA035357 A1190619 A1199244 A1628450 AA602296 A1378195<br>A1209170 A1186653 A1127795 A1183846 H77389 A1589465 AA629390 H94306 A1018388 R68584 AA027196 A1745413<br>A1685092 A1093426 A1623873 A1074570 N50096 AA047486 N25060 AA327614 A1042512 A1383957 AA156873 A1333101  |



### TABLE 2: Figure 2 from BRCA 001 US

Table 2 shows genes downregulated in tumor tissue compared to normal breast tissue.

Pkey: ExAccn:

Unique Eos probeset Identifier number Exemplar Accession number, Genbank accession number Unigene number Unigene gene title Ratio of normal breast tissue to tumor

10 UnigeneID: Unigene Title: R1:

| 15         | Pkey   | ExAccn    | UnigenelD | Unigene Tittle                                 | Rf |
|------------|--------|-----------|-----------|--|----|
|            | 100499 | T51986    | Hs.283108 | hemoglobin, gamma G                            | 10 |
|            | 100549 | BE142019  | Hs.222056 | Homo sapiens cDNA FLJ11572 fis, clone HE       | 10 |
| ••         | 100654 | A03758    |           | NM_000477*:Homo sapiens albumin (ALB), m       | 10 |
| 20         | 100971 | BE379727  | Hs.83213  | fatty acid binding protein 4, adipocyte        | 10 |
|            | 101184 | NM_001674 | Hs.460    | activating transcription factor 3              | 10 |
|            | 101336 | NM_006732 | Hs.75678  | FBJ murine osteosarcoma viral oncogene h       | 10 |
|            | 101367 | X03350    | Hs.4      | alcohol dehydrogenase 1B (class I), beta       | 10 |
|            | 101447 | M21305    |           | gb:Human alpha satellite and satellite 3       | 10 |
| 25         | 101461 | N98569    | Hs.76422  | phospholipase A2, group IIA (platelets,        | 10 |
|            | 101511 | M27826    | Hs.267319 | endogenous retroviral protease                 | 10 |
|            | 101736 | M74447    | Hs.502    | transporter 2, ATP-binding cassette, sub-famil | 10 |
|            |        | U22961    |           | gb:Human mRNA clone with similarity to L       | 10 |
| ••         |        | U48251    | Hs.75871  | protein kinase C binding protein 1             | 10 |
| 30         | 102800 | AA313538  |           | gb:EST185419 Colon carcinoma (HCC) cell        | 10 |
|            | 102857 | NM_006744 | Hs.76461  | retinol-binding protein 4, interstitial        | 10 |
|            | 102990 | AA829286  | Hs.332053 | serum amyloid A1                               | 10 |
|            |        | AA081995  |           | gb:zn26d06.r1 Stratagene neuroepithelium       | 10 |
|            |        | AA137107  | Hs.326391 | Homo sapiens, clone MGC:16638, mRNA, com       | 10 |
| 35         |        | R50727    | Hs.336970 | ESTs   | 10 |
|            |        | AL353957  | Hs.284181 | hypothetical protein DKFZp434P0531             | 10 |
|            |        | F06638    | Hs.12440  | Homo sapiens clone 24734 mRNA sequence         | 10 |
|            |        | N73185    | Hs.94285  | EST  | 10 |
| 40         |        | N91071    | Hs.109650 | ESTs   | 10 |
| 40         |        | AI498763  | Hs.203013 | hypothetical protein FLJ12748                  | 10 |
|            |        | AA009764  | Hs.190380 | ESTs   | 10 |
|            |        | AA017245  | Hs.32794  | ESTs   | 10 |
|            |        | AA019300  | Hs.125070 | ESTs, Moderately similar to I54374 gene        | 10 |
| 4-         |        | Al298208  | Hs.28805  | ESTs   | 10 |
| 45         |        | AA130390  | Hs.25549  | hypothetical protein FLJ20898                  | 10 |
|            |        | AA221036  |           | gb:zr03f12.r1 Stratagene NT2 neuronal pr       | 10 |
|            |        | N79885    | Hs.6382   | ESTs, Highly similar to T00391 hypotheti       | 10 |
|            |        | AI803651  | Hs.191608 | ESTs   | 10 |
| ė.         |        | A1085846  | Hs.25522  | KIAA1808 protein                               | 10 |
| 50         |        | AL042069  | Hs.119021 | DKFZP434N061 protein                           | 10 |
|            |        | AW235928  | Hs.313182 | ESTs   | 10 |
|            |        | AA135688  | Hs.10083  | Homo sapiens, clone IMAGE:4139786, mRNA,       | 10 |
|            |        | AW054886  | Hs.25682  | Homo sapiens mRNA for KIAA1863 protein,        | 10 |
|            |        | AB006532  | Hs.31442  | RecQ protein-like 4                            | 10 |
| 55         |        | AI005036  | Hs.334305 | GS1999full                                     | 10 |
|            | ,      | AF127026  | Hs.5394   | myosin IA                                      | 10 |
|            |        | AB020672  | Hs.175411 | KIAA0865 protein                               | 10 |
|            |        | Al905985  | Hs.111805 | ESTs   | 10 |
| <b>C</b> O |        | W28516    | Hs.19210  | hypothetical protein MGC11308                  | 10 |
| 60         |        | AL042425  | Hs.283976 | hypthetical protein PRO2389                    | 10 |
|            |        | BE271708  | Hs.95110  | ESTs, Weakly similar to A55943 1-phospha       | 10 |
|            |        | AA071193  | 11- 00054 | gb:zf79b12.s1 Soares_pineal_gland_N3HPG        | 10 |
|            |        | F01449    | Hs.26954  | Homo saplens mRNA; cDNA DKFZp762G123 (fr       | 10 |
| 65         |        | AW294162  | Hs.301062 | UDP-N-acetyl-alpha-D-galactosamine:polyp       | 10 |
| 65         | 1109/6 | AL044174  | Hs.159526 | patched (Drosophila) homolog                   | 5  |

|    | 111168 | A1798376    |           | gb:tr34b07.x1 NCI_CGAP_Ov23 Homo sapiens        | 10      |
|----|--------|-------------|-----------|---|---------|
|    | 111651 | R16733      | Hs.20499  | ESTs  | 10      |
|    | 111803 | AA593731    | Hs.325823 | ESTs, Moderately similar to ALU5_HUMAN A        | 10      |
|    | 114484 | AA034378    | Hs.267319 | endogenous retroviral protease                  | 10      |
| 5  | 125284 | NM_002666   | Hs.103253 | perilipin                                       | 10      |
|    |        | AA193106    | Hs.180817 | chromosome 11 open reading frame 23             | 5       |
|    | 128903 | AW150717    | Hs.296176 | STAT induced STAT inhibitor 3                   | 10      |
|    | 129346 | AF110141    | Hs.288908 | WAS protein family, member 2                    | 10      |
|    | 129381 | AW245805    | Hs.110903 | claudin 5 (transmembrane protein deleted        | 10      |
| 10 | 129516 | AF020038    | Hs.11223  | Isocitrate dehydrogenase 1 (NADP+), solu        | 10      |
|    | 129554 | BE222078    | Hs.113069 | ESTs  | 10      |
|    | 130085 | M62402      | Hs.274313 | insulin-like growth factor binding prote        | 10      |
|    | 130243 | D88435      | Hs.153227 | cyclin G associated kinase                      | 10      |
|    | 130400 | V00517      | Hs.283108 | hemoglobin, gamma G                             | 10      |
| 15 |        | NM_001928   | Hs.155597 | D component of complement (adipsin)             | 10      |
|    | 130563 | BE270472    | Hs.279900 | HSPC015 protein                                 | 10      |
|    | 130589 | AL110226    | Hs.16441  | DKFZP434H204 protein                            | 10      |
|    |        | AA993269    | Hs.17872  | Homo sapiens, clone IMAGE:3875012, mRNA         | 10      |
|    | 130689 | NM_006691   | Hs.17917  | extracellular link domain-containing 1          | 10      |
| 20 | 130689 | AA046747    | Hs.17917  | extracellular link domain-containing 1          | 10      |
|    |        | N70196      | Hs.18376  | KIAA1319 protein                                | 10      |
|    |        | M81349      | Hs.1955   | serum amyloid A4, constitutive                  | 10      |
|    | 130840 | BE048821    | Hs.20144  | small inducible cytokine subfamily A (Cy        | 10      |
|    |        | AB040935    | Hs.23954  | cerebral cell adhesion molecule                 | 10      |
| 25 |        | X03350      | Hs.4      | alcohol dehydrogenase 1B (class I), beta        | 10      |
|    |        | AW939251    | Hs.25647  | v-fos FBJ murine osteosarcoma viral onco        | 10      |
|    | 131543 | AW966881    | Hs.41639  | programmed cell death 2                         | 10      |
|    | 131753 | AA829286    | Hs.332053 | serum amyloid A1                                | 10      |
|    |        | H69342      | Hs.26320  | TRABID protein                                  | 10      |
| 30 | 131828 | AJ000263    | Hs.278658 | keratin, hair, basic, 6 (monilethrix)           | 10      |
|    | 132426 | AW118072    | Hs.89981  | diacytglycerol kinase, zeta (104kD)             | 10      |
|    | 132675 | AI291496    | Hs.5476   | Homo saplens, clone IMAGE:3530123, mRNA,        | 10      |
|    |        | W28548      | Hs.224829 | ESTs  | 10      |
|    | 132905 | NM_004235   | Hs.7934   | Kruppel-like factor 4 (gut)                     | 10      |
| 35 | 133120 | NM_003278   | Hs.65424  | tetranectin (plasminogen-binding protein        | 10      |
|    |        | AF017987    | Hs.7306   | secreted frizzled-related protein 1             | 10      |
|    | 133719 | H26904      | Hs.75736  | apolipoprotein D                                | 10      |
|    | 134007 | AF072441    | Hs.7840   | calcineurin binding protein 1                   | 10      |
|    | 134055 | D86062      | Hs.182423 | ES1 (zebrafish) protein, human homolog o        | 10      |
| 40 | 134111 | Al372588    | Hs.8022   | TU3A protein                                    | 5       |
|    | 134117 | AA081846    | Hs.7921   | Homo sapiens mRNA; cDNA DKFZp566E183 (fr        | 5       |
|    | 134177 | BE243319    | Hs.79672  | KIAA0652 gene product                           | 10      |
|    | 134369 | AF207664    | Hs.8230   | a disintegrin-like and metalloprotease (        | 10      |
|    | 134496 | M64936      |           | gb:Homo sapiens retinoic acid-inducible         | 10      |
| 45 | 134510 | NM_002757   | Hs.250870 | mitogen-activated protein kinase kinase         | 10<br>5 |
|    | 134550 | ) M26315    | Hs.85258  | CD8 antigen, alpha polypeptide (p32)            | 5       |
|    | 134758 | NM_000078   | Hs.89538  | cholesteryl ester transfer protein, plas        | 5<br>10 |
|    | 134963 | 3 NM_003394 | Hs.91985  | wingless-type MMTV integration site fami        | 10      |
|    | 135066 | X04430      | Hs.93913  | interleukin 6 (interferon, beta 2)              | 10      |
| 50 |        | ) AW580227  | Hs.47860  | neurotrophic tyrosine kinase, receptor, type 2  | 10      |
|    | 446674 | AA563892    | Hs.306000 | solute carrier family 4 (anion exchanger), memb |         |
|    |        |             |           |   |         |

### TABLE 2A

Table 2A shows the accession numbers for those pkeys lacking unigeneID's for Table 2. For each probeset, we have listed the gene cluster number from which the oligonucleotides were designed. Gene clusters were compiled using sequences derived from Genbank ESTs and mRNAs. These sequences were clustered based on sequence similarity using Clustering and Alignment Tools (DoubleTwist, Oakland California). The Genbank accession numbers for sequences comprising each cluster are listed in the "Accession" column.

5

10

Unique Eos probeset identifier number

CAT number: Accession: Gene cluster number Genbank accession numbers

|    | Accession: | Genba       | nk accession numbers  |
|----|------------|-------------|---|
| 15 | Pkey       | CAT number  | r Accessions  |
| 20 | 111168     | _           | AI798376 S46400 AW811617 AW811616 W00557 BE142245 AW858232 AW861851 AW858362 AA232351 AA218567 AA055556 AW858231 AW857541 AW814172 H66214 AW814398 AF134164 AA243093 AA173345 AA199942 AA223384 AA227092 AA227080 T12379 AA092174 T61139 AA149776 AA699829 AW879188 AW813567 AW813538 Al267168 AA157718 AA157719 AA100772 AA100774 AA130756 AA157705 AA157730 AA157715 AA053524 AW849581 AW854566 C05254 AW882836 T92637 AW812621 AA206583 AA209204 BE156909 AA226824 Al829309 AW991957 N66951 AA527374 H66215 AA045564 Al694265 H60808 AA149726 AW195620 BE081333 BE073424 AW817662 AW817705 AW817703 AW817659 BE081531 H59570                 |
| 25 | 103747     | 117944_1    | AA081995 AA101099   |
|    | 134496     | 46501_1     | M64936 Al025512 Al382987 BE061777 AA089966 BE169930 T41176 AW594624 BE502415 AA121893 Al269283 T40311<br>Al684569 AA257011 Al079277 Al241318 BE327710 AW975215 AW896268 AA884990 BE327514   |
| 30 | 105239     | _           | AA221036 R87170 BE537068 BE544757 C18935 AW812058 T92565 AA227415 AA233942 AA223237 AA668403 AA601627 AW869639 BE061833 BE000620 AW961170 AW847519 AA308542 AW821833 AW945688 C04699 AA205504 AA377241 AW821667 AA055720 AW817981 AW856468 AA155719 AA179928 T03007 AW754298 AA227407 AA113928 AA307904   |
|    | 100654     | tigr_HT2969 | C16859 A03758 A06977 A15293 D17029 D17107 D17171 L00132 L00133 M12523 M13075 M13076 M92816 U22961 V00494 V00495 X51363 X51364 X51365  |
| 35 | 102208     | 6735_9      | U22961 AA203623 AA503337 A1174733 A1192802 C06092 AA035357 A1190619 A1199244 Al828450 AA602296 Al378195 A1209170 A1186653 A1127795 A1183846 H77389 A1589465 AA629390 H94306 A1018388 R68584 AA027196 A1745413 A1685092 A1093426 A1623873 A1074570 N50096 AA047466 N25060 AA327614 A104251 A1883957 AA156873 A133101 N70806 A1141254 A1383191 A1401237 A1080709 A1093400 W84549 T90806 R00012 W01413 AA630557 A1378348 A1559265 AA877103 W84464 AA625146 R68379 A1133207 A1132880 A1133214 A1064826 A1061615 A1133473 A1174852 A1133404  |
| 40 |            |             | Al133272 V00494 M12523 M12523 Al207526 Al133120 Al064802 Al174993 Al114729 Al061645 Al064716 Al064959 H77388 T85706 AF075298 Al110799 D17107 NM_000477 AF190168 R50724 Al248416 Al207432 Al133684 Al133345 Al174710 Al133290 Al133304 Al174948 Al207484 Al110717 AF074624 Al114515 AF063516 Al110642 Al114559 Al114498 Al114759 Al207568 Al064960 Al174753 Al114666 R69184 R00011 Al064997 T60501 Al207701 T71735 AA385318 H73569 T60496  |
| 45 |            |             | H94399 Al133158 T74675 AA484750 T73413 T55909 R50261 T72061 N80533 T51189 T74936 Al207490 Al132925 Al064701 Al174748 Al114663 Al133104 Al132995 Al33100 Al064925 Al064979 Al133063 AA343347 T69091 AA233989 T39772 Al444620 T52290 D16931 T40012 T48403 T58926 T69195 Al133061 T50850 Al400677 Al091136 AA334608 T57411 Z20979 N56507 T87485 Al133622 AA343370 T40075 T69671 T53849 T74820 AF075316 Al110818 T40121 T57381 Al114468 AA332728 T51362 Al114589 R06691 Al110629 AF063503 Al140543 AA334661 AA332720 AA343262 T73513 T86549 Al114840 T57284 T39981 T61407 T72757 T51749 T56630 AA343125 T72126 R94135 T83028 T39972 T39896 Al174786 |
| 50 |            |             | A1132926 R09237 A1064838 A1133660 T60398 T88753 T55930 T92126 AI444602 T60996 AI114792 H93911 AI133106 R10779 A1065020 T90925 T50889 D17029 AI133703 AA333805 AI133040 AI133047 A1064857 AI110730 AF074637 AI207567 H71080 T73217 AA343950 AI174743 AA334224 AA334281 R06692 T64739 T40163 T60628 T81661 T73179 R01842 AA501730 T39931 T39662 T40136 AA334904 T71425 H77784 R00874 A1065049 T84512 T55918 AI207595 T39951 AA005016 T60361 T69176 T73356 T58795 T61233 T39955 T60612 AI114676 A1064778 AA035710 W52763 AI114786  |
| 55 |            |             | T83564 AA341859 T81684 T55769 AI114710 T51776 AA343213 AI114714 T58102 AI110809 R28984 AI174854 AA305675 AA343592 T538336 T46869 T64721 T55508 W05241 T54019 T57945 T60513 T48364 AF075308 W86731 T82851 T48269 H54053 T73211 AI114590 T48317 T55965 T74857 R84226 T56552 T52231 T74946 T76976 R02576 T95666 AI203974 AI189471 AA005147 AI478102 AI207662 AI192792 AI768421 AI064737 AW051713 AA936693 AI133117 AI766232 AI913646 T83962 AI065112 AI207669 AI174684 AI207702 T81475 AI133325 AI032512 AA701169 AI936354 AI114720 AI433289   |
| 60 |            |             | AA046980 Al823482 Al114536 AA860651 AW242644 R07469 AW300438 Al133416 AW271670 Al991363 T78943 Al823481 AA845518 AA719124 AA883454 T68850 T69115 Al935509 Al150977 T62890 T71374 T68294 Al174774 T67411 T68318 Al064689 T56624 T69010 T68982 T68302 Al332829 T72908 Al064819 Al205880 T62895 T69430 T95111 AA025050 T73330 W52657 T71984 T69118 W92684 Al114860 T62093 T61797 Al522333 T73322 H92981 T56018 T61811 T57232 Al336158  |

PCT/US02/02242 WO 02/059377

5

102800 108351 101447

### TABLE 3: Figure 3 from BRCA 001 US

Table 3 shows genes downregulated in tumor tissue compared to normal breast tissue.

5

10

| Pkey:         | Unique Eos probeset identifier number               |
|---------------|---|
| ExAcon:       | Exemplar Accession number, Genbank accession number |
| UnigenelD:    | Unigene number                                      |
| Unigene Title | Uninona gana titla                                  |

R1: Unigene gene title
Ratio of normal breast tissue to tumor

| 15 |        |           |           |  |      |
|----|--------|-----------|-----------|--|------|
| 13 | Pkey   | ExAccn    | UnigenelD | UnigeneTitle                             | R1   |
|    | 101336 | NM_006732 | Hs.75678  | FBJ murine osteosarcoma viral oncogene h | 10.0 |
|    |        | U22961    |           | gb:Human mRNA done with similarity to L  | 10.0 |
| 20 | 102990 | AA829286  | Hs.332053 | serum amyloid A1                         | 10.0 |
|    | 111168 | AI798376  |           | gb:tr34b07.x1 NCI_CGAP_Ov23 Homo sapiens | 10.0 |
|    | 111803 | AA593731  | Hs.325823 | ESTs, Moderately similar to ALU5_HUMAN A | 10.0 |
|    | 130085 | M62402    | Hs.274313 | insulin-like growth factor binding prote | 10.0 |
|    | 130840 | BE048821  | Hs.20144  | small inducible cytokine subfamily A (Cy | 10.0 |
| 25 | 131543 | AW966881  | Hs.41639  | programmed cell death 2                  | 10.0 |
|    | 133120 | NM 003278 | Hs.65424  | tetranectin (plasminogen-binding protein | 10.0 |
|    | 134758 | NM_000078 | Hs.89538  | cholesteryl ester transfer protein, plas | 10.0 |

#### TABLE 3A

Table 3A shows the accession numbers for those pkeys lacking unigeneID's for Table 3. For each probeset, we have listed the gene cluster number from which the oligonucleotides were designed. Gene clusters were compiled using sequences derived from Genbank ESTs and mRNAs. These sequences were clustered based on sequence similarity using Clustering and Alignment Tools (DoubleTwist, Oakland California). The Genbank accession numbers for sequences comprising each cluster are listed in the "Accession" column.

10 Pkey: Unique Eos probeset identifier number CAT number: Gene cluster number Accession: Genbank accession numbers

T64300 T28321 T55864

35

40

45

50

55

#### 15 **CAT number Accessions** AI798376 S46400 AW811617 AW811616 W00557 BE142245 AW858232 AW861851 AW858362 AA232351 AA218567 111168 38585\_1 AA055556 AW858231 AW857541 AW814172 H66214 AW814398 AF134164 AA243093 AA173345 AA199942 AA223384 AA227092 AA227080 T12379 AA092174 T61139 AA149776 AA699829 AW879188 AW813567 AW813538 AI267168 AA157718 AA157719 AA100472 AA100774 AA130756 AA157705 AA157730 AA157715 AA053524 AW849581 AW854566 C05254 20 AW882836 T92637 AW812621 AA206583 AA209204 BE156909 AA226824 Al829309 AW991957 N66951 AA527374 H66215 AA045564 Al694265 H60808 AA149726 AW195620 BE081333 BE073424 AW817662 AW817705 AW817703 AW817659 BE081531 H59570 U22961 AA203623 AA503337 Al174733 Al192802 C06092 AA035357 Al190619 Al199244 Al828450 AA602296 Al378195 1022086735\_9 Al209170 Al186653 Al127795 Al183846 H77389 Al589465 AA629390 H94306 Al018388 R68584 AA027196 Al745413 Al685092 25 AI093426 AI623873 AI074570 N50096 AA047486 N25060 AA327614 AI042512 AI383957 AA156873 AI333101 N70806 AI141254 AI383191 AI401237 AI080709 AI093400 W84549 T90806 R00012 W01413 AAG30557 AI378348 AI559265 AA877103 W84464 AA625146 R68379 Al133207 Al132980 Al133214 Al064826 Al061615 Al133473 Al174852 Al133404 Al133272 V00494 M12523 M12523 Al207526 Al133120 Al064802 Al174993 Al114729 Al061645 Al064716 Al064959 H77388 T85706 AF075298 Al110799 D17107 NM\_000477 AF190168 R50724 AI248416 AI207432 AI133684 AI133345 AI174710 AI133290 AI133304 AI174948 30

Al207484 Al110717 AF074624 Al114515 AF063516 Al110642 Al114559 Al114498 Al114759 Al207568 Al064960 Al174753 Al114666 R69184 R00011 Al064997 T60501 Al207701 T71735 AA385318 H73569 T60496 H94399 Al133158 T74675 AA484750 T73413 T55909 R50261 T72061 N80533 T51189 T74936 AI207490 AI132925 AI064701 AI174748 AI114663 AI133104 AI132999 Al133100 Al064925 Al064979 Al133063 AA343347 T69091 AA233989 T39772 Al444620 T52290 D16931 T40012 T48403 T58926 T69195 Al133061 T50850 Al400677 Al091136 AA334608 T57411 Z20979 N56507 T87485 Al133622 AA343370 T40075 T69671 T53849 T74820 AF075316 AI110818 T40121 T57381 AI114468 AA332728 T51362 AI114589 R06691 AI110629 AF063503 Al140543 AA334661 AA332720 AA343262 T73513 T86549 Al114840 T57284 T39981 T61407 T72757 T51749 T56630 AA343125 T72126 R94135 T83028 T39972 T39896 Al174786 Al132926 R09237 Al064838 Al133660 T60398 T88753 T55930 T92126 Al444602 T60996 Al114792 H93911 Al133106 R10779 Al065020 T90925 T50889 D17029 Al133703 AA333805 Al133040 Al133017 Al064857 Al110730 AF074637 Al207567 H71080 T73217 AA343950 Al174743 AA334224 AA334281 R06692 T64739 T40163 T60628 T81661 T73179 R01842 AA501730 T39931 T39662 T40136 AA334904 T71425 H77784 R00874 AI065049 T84512 T55918 AI207595 T39951 AA005016 T60361 T69176 T73356 T58795 T61233 T39955 T60612 AI114676 AI064778 AA035710 W52763 AI114786 T83564 AA341859 T81684 T55769 AI114710 T51776 AA343213 AI114714 T58102 A1110809 R28984 A1174854 AA305675 AA343592 T53836 T46869 T64721 T55508 W05241 T54019 T57945 T60513 T48364 AF075308 W86731 T82851 T48269 H54053 T73211 A1114590 T48317 T55965 T74857 R84226 T56552 T52231 T74946 T76976 R02576 T95666 Al203974 Al189471 AA005147 Al478102 Al207662 Al192792 Al768421 Al064737 AW051713 AA936693 Al133117 Al766232 Al913646 T83962 Al065112 Al207689 Al174684 Al207702 T81475 Al133325 Al032512 AA701169 Al936354 Al114720 Al433289 AA046980 Al823482 Al114536 AA860651 AW242644 R07469 AW300438 Al133416 AW271670 Al991363 T78943 AI823481 AA845518 AA719124 AA883454 T68850 T69115 AI935509 AI150977 T62890 T71374 T68294 AI174774 T67411 T68318 AI064689 T56624 T69010 T68982 T68302 AI332829 T72908 AI064819 AI205880 T62895 T69430 T95111 AA025050 T73330 W52657 T71984 T69118 W92684 AI114860 T62093 T61797 AI522333 T73322 H92981 T56018 T61811 T57232 Al336158 T61821 T69457 T62900 T62912 T72917 T46885 Al702448 T57212 T57203 R94581 T71311 T61819 T89358 T67708 T70918 T59166 Al187111 T64308 T62071 T69427 Al114750 T60430 R09734 T69033 T69141 T69453 T67908 R16809 T69394 Al207729 T55839 T90273 T73339 AW194909 T75486 T71850 T71305 T71287 T53877 T73452 T68852 N75290

Al312890 T67751 Al174983 T51679 T54851 H69880 N73734 AA443453 T73466 H69672 N53869 T68447 D11809 D12412

### TABLE 4: Figure 4 from BRCA 001 US

Table 4 shows genes upregulated in tumor tissue compared to normal breast tissue.

Pkey: Unique Eos probeset identifier number
ExAccn: Exemplar Accession number, Genbank accession number
UnigenelD: Unigene number
Unigene Title: Unigene gene title
R1: Ratio of tumor to normal breast tissue

| 15 | Pkey   | ExAcon    | UnigenelD                               | Unigene Title   | R1         |
|----|--------|-----------|---|---|------------|
| •  | 100113 | NM 001269 | 9Hs.84746                               | chromosome condensation 1   | 2.3        |
|    |        | X02308    | Hs.82962                                |   | 2.9        |
|    | 100131 | D12485    | Hs.11951                                | ectonucleotide pyrophosphatase/phosphodiesterase 1  | 1.9        |
| 20 | 100146 | BE185499  | Hs.2471                                 | KIAA0020 gene product   | 1.9        |
|    | 100147 | D13666    | Hs.136348                               | osteoblast specific factor 2 (fasciclin I-like) (perlostin)   | 7.5        |
|    | 100154 | H60720    | Hs.81892                                | KIAA0101 gene product   | 9.2        |
|    | 100163 | W44671    | Hs.124                                  | gene predicted from cDNA with a complete coding sequence  | 1.6        |
|    | 100220 | AW015534  |   | annexin A2  | 2.0        |
| 25 |        | D38521    |   | KIAA0077 protein  | 1.5        |
|    |        |           |   | S100 calcium-binding protein A11 (calgizzarin)  | 13.5       |
|    |        |           |   | KIAA0090 protein  | 5.1        |
|    |        | D50920    |   | KIAA0130 gene product   | 1.9        |
| 20 |        | AW247529  |   | platelet-activating factor acetyfhydrolase, Isoform Ib, gamma subunit (29kD)  | 2.7        |
| 30 |        |           |   | carbamoyl-phosphate synthetase 2, asparlate transcarbamylase, and dihydroorotase  | 2.0        |
|    |        |           |   | KIAA0175 gene product   | 2.6        |
|    |        | D84145    | Hs.39913                                |   | 3.2        |
|    |        |           |   | phosphatidylinositol glycan, class C  | 1.5        |
| 25 |        | D86978    |   | KIAA0225 protein  | 2.0<br>2.9 |
| 35 |        | M65028    |   | heterogeneous nuclear ribonucleoprotein A/B   | 1.9        |
|    |        |           |   | desmoplakin (DPI, DPII) CD44 antigen (homing function and Indian blood group system)                                      | 5.7        |
|    |        | L05424    |   |   | 9.0        |
|    |        | L05424    |   | CD44 antigen (homing function and Indian blood group system) CD44 antigen (homing function and Indian blood group system) | 7.6        |
| 40 |        | L05424    |   | PTK2 protein tyrosine kinase 2  | 53.2       |
| 40 |        | AW502935  |   | ribosomal protein L24   | 1.8        |
|    |        | AA383256  |   | estrogen receptor 1   | 1.6        |
|    | 100030 | AE078847  | He 101356                               | general transcription factor IIH, polypeptide 2 (44kD subunit)  | 5.9        |
|    | 100703 | AAR36472  | He 207030                               | cathepsin B   | 1.7        |
| 45 |        |           |   | S164 protein  | 1.7        |
| 43 |        |           |   | ubiquitin protein ilgase E3A (human papilloma virus E6-associated protein, Angelman syndrome)                             | 1.5        |
|    |        |           | Hs.79172                                |   | 6.3        |
|    |        | AK000405  |   | ubiquitin-like 4  | 11.4       |
|    | 100000 | H38765    | Hs.80706                                | diaphorase (NADH/NADPH) (cytochrome b-5 reductase)  | 1.6        |
| 50 |        | J05070    | Hs 151738                               | matrix metalloproteinase 9 (gelatinase B, 92kD gelatinase, 92kD type IV collagenase)                                      | 8.2        |
| 50 |        | J05614    | ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,, | gb:Human proliferating cell nuclear antigen (PCNA) gene, promoter region.   | 5.0        |
|    |        | N99692    | Hs.75227                                | Empirically selected from AFFX single probeset  | 2.6        |
|    | 101093 | L06419    | Hs.75093                                | procollagen-lysine, 2-oxoglutarate 5-dioxygenase (lysine hydroxylase, Ehlers-Danlos syndrome ty                           | pe VI)1.4  |
|    | 101161 | NM_00626  |   | peripherin  | 16.9       |
| 55 |        |           |   | core-binding factor, beta subunit   | 2.0        |
| -  |        | AA284166  |   | cyclin-dependent kinase inhibitor 3 (CDK2-associated dual specificity phosphatase)  | 1.8        |
|    | 101228 | AA333387  | Hs.82916                                | chaperonin containing TCP1, subunit 6A (zeta 1)   | 1.7        |
|    | 101247 | AA132666  | Hs.78802                                | glycogen synthase kinase 3 beta   | 1.9        |
|    |        | L18964    | Hs.1904                                 | protein kinase C, lota  | 1.5        |
| 60 | 101332 | J04088    | Hs.156346                               | topoisomerase (DNA) II alpha (170kD)  | 5.2        |
|    | 101332 | J04088    |   | topoisomerase (DNA) II alpha (170kD)  | 3.4        |
|    | 101352 | Al494299  |   | COX17 (yeast) homolog, cytochrome c oxidase assembly protein  | 6.3        |
|    | 101396 | BE267931  | Hs.78996                                | proliferating cell nuclear antigen  | 4.2        |
|    | 101445 | M21259    |   | gb:Human Alu repeats in the region 5' to the small nuclear rib  | 1.9        |
| 65 |        | NM_00054  | 6Hs.1846                                | tumor protein p53 (LI-Fraumeni syndrome)  | 1.6        |

|  | 101483                                   |                       | He 76768              | proceitagen profine 2-prochitarate 4-dipryogenase (profine 4-hydroxylase), alpha polypeptide I   | 2.5<br>5.5 |
|--|--|-----------------------|-----------------------|--|------------|
|  | 101483                                   |                       | He 76768              | procellagen-profine 2-oxoghitarate 4-dioxygenase (profine 4-hydroxylase), alpha polypeptide i  |            |
|  | 404540                                   |                       |                       | biocounders browned a constituent of an artistic and a second of the sec |            |
|  | 101040                                   | J04977                | Hs.84981              | X-ray repair complementing defective repair in Chinese hamster cells 5 (double-strand-break rejoin   | ing Z. I   |
|  | 101573                                   | AW248421              | Hs.250758             | proteasome (prosome, macropain) 26S subunit, ATPase, 3   | 1.6<br>5.7 |
| 5  |  |                       |                       | coagulation factor VIII-associated (intronic transcript)   | 1.8        |
|  |  |                       |                       | guanine nucleotide binding protein (G protein), beta polypepilde 2   | 5.6        |
| 101573 AW248421 Hs.290758 proleasoma (prosone, macropain) 265 subunit, ATPase, 3 101592 APG6483 Hs.91299 101592 APG6483 Hs.91299 guanina nucleotide binding protein (G protein), beta polypeptide 2 101692 APG6483 Hs.91299 guanina nucleotide binding protein (G protein), beta polypeptide 2 101692 APG6483 Hs.91299 guanina nucleotide binding protein (G protein), beta polypeptide 2 101702 AW504099 Hs.17947 polypeptide 2 guanylate binding protein (G protein), beta polypeptide 2 101703 M07409 Hs.17947 polypeptide 2 guanylate binding protein (I protein), beta polypeptide 2 101703 M07409 Hs.17947 polypeptide 2 guanylate binding protein (I protein), beta polypeptide 2 101703 M07409 Hs.17947 polypeptide 2 (CCAAT displacement protein) 101704 AW50909 Hs.17947 polypeptide 3 (Scabon), and transporter, y-system), member 5 101805 AA56889 Hs.112408 St00 calcium-binding protein AT (psoriasin 1) 101810 MM.000318Hs.19809 glycoprotein and membrane protein (I sistone-binding) 101917 AA41787 Hs.124388 nuclear autoantigenic sperm protein (Instone-binding) 101917 AA41787 Hs.1989 glycoprotein and membrane protein 3 (SSiO, Zeihweger syndrome) 101920 AF182645 Hs.8024 Kcyfokine, down-regulator of Hs.1 II 10193 AB904221 Hs.75323 prohibilin 102038 BE250127 Hs.82066 CDC20 (cell division cycle 20, S. cerevisiae, homolog) 102038 BE250127 Hs.82066 CDC20 (cell division cycle 20, S. cerevisiae, homolog) 10216 BE258602 Hs.178591 polypeptide Ms.2064 polypeptide Ms | guanine nucleotide binding protein (G pr | 2.4                   |                       |  |            |
|  | 101621                                   | BE391804              | HS.62661              | guanyiate binding protein 1, interferon-inductive, of AD   | 1.3        |
| 10   |  | AW504089              | HS.1/95/4             | protein prospitations 2 (rounterly 2A), regulatory stability 5 (111, 52), depict account   | 2.1        |
| 10   |  |                       | HS.14/049             | colute carrier family 7 (cationic amino acid transporter, v+ system), member 5   | 5.0        |
|  |  |                       | He 190994             | carbovymentidase R1 (fissile)  | 14.4       |
|  |  |                       |                       | nhoshodiromitase 1   | 5.2        |
|  |  |                       |                       | stress-induced-phosphoprotein 1 (Hsp70/Hsp90-organizing protein)   | 8.6        |
| 15   | 101003                                   | A4586894              | Hs 112408             | S100 calcium-binding protein A7 (psoriasin 1)  | 8.9        |
| 1.5  | 101000                                   | NM 00031              | 8Hs 180612            | peroxisomal membrane protein 3 (35kD, Zellweger syndrome)  | 3.2        |
|  | 101879                                   | AA176374              | Hs.243886             | nuclear autoantigenic sperm protein (histone-binding)  | 1.6        |
|  | 101911                                   | AA441787              | Hs.119689             | glycoprotein homones, alpha polypeptide  | 31.3       |
|  |  |                       |                       | IV adolino, down-regulator of Hi A II  | 1.8        |
| 20   |  |                       |                       | UDP-N-acetyl-alpha-D-galactosamine:polypeptide N-acetylgalactosaminyttransferase 1 (GaliNAC-1  | 0 /        |
|  | 101983                                   | AI904232              | Hs.75323              | prohibitin   | 8.4<br>1.3 |
|  |  |                       |                       | protein tyrosine kinase 9  | 2.0        |
|  | 102036                                   | BE250127              |                       | CDC20 (cell division cycle 20, S. cerevisiae, homolog)   | 1.6        |
|  | 102083                                   | T35901                |                       |  | 1.3        |
| 25   | 102083                                   | T35901                | Hs.75117              |  | 1.4        |
|  |  |                       |                       |  | 1.8        |
|  | 102123                                   | NM_00180              | 9HS.1594              | centromere protein A (17kb)  | 4.6        |
|  |  |                       |                       | notionarase (DNA directed), delta 2, regulatory subunit (50kD)   | 4.3        |
| 20   | 102198                                   | A 4 0 2 0 0 7 9       | He 301613             | ITV4 none  | 6.7        |
| 20   |  |                       |                       | lveneomal  | 4.3        |
| •  | 102220                                   | AW163390              | Hs 278554             | heterochromatin-like protein 1   | 1.9        |
|  | 102234                                   | AI 039104             | Hs.159557             | karyopherin alpha 2 (RAG cohort 1, importin alpha 1)   | 4.4        |
|  |  |                       |                       | protein kinase C-like 2  | 2.7        |
| 35   |  |                       |                       | chromobox homolog 1 (Drosophila HP1 beta)  | 1.5        |
| -  |  |                       |                       | cyclin-dependent kinase 4  | 2.3        |
|  | 102348                                   | U37519                | Hs.87539              | aldehyde dehydrogenase 3 family, member 82   | 2.0<br>3.2 |
|  | 102349                                   | AU077055              | Hs.289107             | baculoviral IAP repeat-containing 2  | 2.0        |
|  | 102369                                   | U39840                | Hs.299867             | hepatocyte nuclear factor 3, alpha   | 6.2        |
| 40   | 102374                                   | U33635                | Hs.90572              | PTK7 protein tyrosine kinase 7   | 1.5        |
|  |  |                       |                       | deoxyguanosine kinase  | 6.9        |
|  |  |                       |                       | discoidin domain receptor tamily, member 1   | 1.8        |
|  |  |                       |                       | 2,4-dienoyi CoA reduciase 1, milocitorional  | 1.5        |
| 40   |  |                       |                       | amylolo deta predictor protein-birding protein 1, 0000   | 3.3        |
| 43   |  |                       |                       |  | 2.1        |
|  | 102494                                   | A110013/              | He 74562              | sigh binding protein 1. FRP interacting repressor, pyrimidine tract binding splicing   | 3.2        |
|  | 102501                                   | ME211191              | He 183556             | solute carrier family 1 (neutral amino acid transporter), member 5   | 2.8        |
|  | 102522                                   | AF040253              | Hs 70186              | sunnressor of Tv (S.cerevisiae) 5 nomolog  | 5.7        |
| 50   | 102552                                   | 1159423               |                       | MAD (mothers against decapentaplegic, Drosophila) homolog 1  | 2.3        |
| 50   |  |                       | Hs 223025             | RAR31, member RAS oncogene family  | 5.3        |
|  |  |                       | Hs.152981             | CDP-diacylolycerol synthase (phosphatidate cytidylyltransterase) 1   | 2.1        |
|  | 102581                                   | AU077228              | Hs.77256              | enhancer of zeste (Drosophila) homolog 2   | 1.6        |
|  | 40000                                    | 1161232               | He 32675              | tubulin-specific chaperone e   | 2.1        |
| 55   | 102617                                   | AW16145               | 3 Hs.198767           | COP9 (constitutive photomorphogenic, Arabidopsis, homolog) subunit 5   | 1.8<br>5.8 |
|  | 102618                                   | N ALO37672            | Hs.81071              | extracellular matrix protein 1   | 1.3        |
|  | 102627                                   | 7 ALO21918            | Hs.158174             | zing finger protein 184 (Kruppel-ike)  | 1.8        |
|  | 102663                                   | 3 NM_0022             | 70Hs.16807            | i karyopherin (importin) beta 2  | 2.3        |
|  | 102676                                   | BE262989              | Hs.12045              | putative protein   | 4.3        |
| 60   | 10268                                    | 7 NM_0070             | 19HS.93002            | ubiquin carrier protein 62-0   | 6.0        |
|  | 102689                                   | J U96132              | HS.777289             | 1 hydroxyacyr-coencyme A denydrogendae, type tr  | 4.2        |
|  | 10269                                    | 4 ALIO7705            | # 175.239<br># 15.239 |  | 1.9        |
|  | 102/0                                    | # MUU//UDI            | #6.50000<br>#6.50000  | email inducible cytokine subfamily A (Cys-Cys), member 19  | 2.3        |
| 65   | 102/0                                    | ) 197490<br>) ARN1AAR | Hs.66196              | nth (E.coii endonuclease III)-like 1   | 1.2        |
| 65   | 102/3                                    | 4 BE32334             | 1 He 38041            | pyridoval (pyridoxine, vitamin B6) kinase  | 6.4        |
|  |  | 2 U90549              | He 23677              | 4 high-mobility group (nonhistone chromosomal) protein 17-like 3   | 1.6        |

|    | 102827   | BE244588  | Hs.6456    | chaperonin containing TCP1, subunit 2 (beta)   | 5.6          |
|----|--|-----------|------------|--|--------------|
|    |  |           |            |  | 2.0          |
|    |  |           |            |  | 1.3          |
|    |  |           |            |  | 4.4          |
| 5  |  |           |            |  | 1.9          |
| ,  |  |           |            |  | 2.4          |
|    | 102935   | BE561850  | MS.8050b   | small nuclear ribonucleoprotein polypepude A   |              |
|    |  |           |            |  | ionyorolase2 |
|    | 102983   | BE387202  | Hs.118638  | non-metastatic cells 1, protein (NM23A) expressed in                                     | 3.1          |
|    |  |           | Hs.2707    | G1 to S phase transition 1   | 5.2          |
| 10 | 103023   | AW500470  | Hs.117950  | multifunctional polypeptide similar to SAICAR synthetase and AIR carboxylase             | 1.6          |
|    | 103038   | AA926960  | Hs.334883  | CDC28 protein kinase 1   | 2.5          |
|    |  |           |            |  | 4.5          |
|    |  |           |            |  | 3.1          |
|    |  |           |            |  | 2.4          |
| 15 |  |           |            |  | 3.5          |
| IJ | 103023 AVS00470 Hs.117950 multifunctional polypeptide similar to SAICAR synthetase and AIR carboxylase 103080 NU.005940Hs.155324 matrix metalloproteinase 11 (MAPT1; stromelysin 3) (volin 1) (FARCH) parathyroid adenomatosis 1) collagen, bype X, alpha 1 (Schmid metaphyseal chondrodysplasia) (volin 1) (FARCH) parathyroid adenomatosis 1) (volin 1) (FARCH) (F | 9.9       |            |  |              |
|    |  |           |            |  | 1.3          |
|    |  |           |            |  |              |
|    |  |           |            | Homo sapiens, clone IMAGE:3448306, mRNA, partial cds                                     | 2.0          |
|    |  |           |            |  | 1.6          |
| 20 | 103191   | AA401039  | Hs.2903    | protein phosphatase 4 (formerly X), catalytic subunit                                    | 2.5          |
|    | 103193   | NM_004766 | 6Hs.75724  | coatomer protein complex, subunit beta 2 (beta prime)                                    | 2.2          |
|    |  |           |            | DEAD/H (Asp-Glu-Ala-Asp/His) box polypeptide 1   | 6.3          |
|    |  |           |            |  | 8.8          |
|    |  |           |            |  | 3.0          |
| 25 |  |           |            |  | 1.8          |
| 23 |  |           |            |  | 5.6          |
|    |  |           |            |  | 1.9          |
|    |  |           |            |  | 2.5          |
|    |  |           | MS.//496   | small nuclear noonucleoprotein polypepude G  | 1.6          |
| 20 |  |           |            |  |              |
| 30 |  |           | Hs.323378  | coated vesicle membrane protein  | 1.8          |
|    |  |           | Hs.114366  |  | 2.3          |
|    | 103392   | X94563    |            |  | 4.0          |
|    | 103430   | BE564090  | Hs.20716   | translocase of inner mitochondrial membrane 17 (yeast) homolog A                         | 1.3          |
|    | 103491   | AF264750  | Hs.288971  | myeloid/lymphoid or mixed-lineage teukemia 3   | 5.6          |
| 35 |  |           |            | transcription factor AP-2 beta (activating enhancer-binding protein 2 beta)              | 5.1          |
| 35 | 103547   | AI376722  | Hs 180062  | professome (prosome, macropain) subunit, beta type, 8 (large multifunctional professe 7) | 9.7          |
|    |  |           |            |  | 2.0          |
|    |  |           |            | SBV (ear determining region VLhov 0 (campomelic dysplasia, autospmal sex-reversal)       | 1.3          |
|    |  |           |            |  | 2.0          |
| 40 |  |           |            |  | 2.3          |
| 40 |  |           |            |  | 1.3          |
|    |  |           |            |  |              |
|    |  | AL135301  | Hs.8768    | hypothetical protein FLJ10849  | 1.8          |
|    | 103754   | AI015709  | Hs.172089  | Homo sapiens mRNA; cDNA DKFZp586l2022 (from clone DKFZp586l2022)                         | 1.3          |
|    | 103780   | AA094752  | Hs. 169992 | hypothetical 43.2 Kd protein   | 7.5          |
| 45 | 103795   | H26531    | Hs.7367    | Homo sapiens BTB domain protein (BDPL) mRNA, partial cds                                 | 1.2          |
|    |  |           |            | ob:zn04d03.r1 Stratagene hNT neuron (937233) Homo sapiens cDNA clone 5 similar           | 1.5          |
|    |  |           | Hs 181271  | CGI-120 nmtein   | 1.5          |
|    |  |           |            |  | 1.5          |
|    | 402000   | AV004270  | He 106727  | hypothetical protein FL (10416 cimilar to constitutive photographorenic protein 1        | 6.5          |
| 50 |  |           |            |  | 2.9          |
| 50 |  |           |            |  | 1.4          |
|    |  |           |            |  |              |
|    |  |           |            |  | 5.6          |
|    |  |           |            |  | 1.6          |
| _  | 104275   | A1751970  | Hs.101067  | GCN5 (general control of amino-acid synthesis, yeast, homolog)-like 2                    | 5.4          |
| 55 | 104325   | BE379766  | Hs.150675  | polymerase (RNA) II (DNA directed) polypeptide K (7.0kD)                                 | 6.3          |
|    | 104370   | AA324597  | Hs.21851   | Homo sapiens cDNA FLJ12900 fis, clone NT2RP2004321                                       | 1,6          |
|    |  |           |            |  | 5.2          |
|    | 104482   | AB037762  |            |  | 1.2          |
|    |  |           | He 203013  |  | 2.1          |
| 60 | 104552   | AL 117/02 | He 306180  | DKF7P434F1735 protein  | 1.2          |
| UU |  |           |            |  | 1.3          |
|    |  |           |            |  | 2.3          |
|    |  |           |            |  |              |
|    | 104804   | A1858702  | HS.31803   |  | 1.3          |
|    | 104806   | AB023175  | Hs.22982   |  | 2.3          |
| 65 | 104827   | AW052006  | Hs.8551    |  | 10.9         |
|    | 104846   | A1250789  | Hs.32478   | ESTs   | 5.6          |
|    | 104854   | AA041276  | Hs.154729  | 3-phosphoinositide dependent protein kinase-1  | 12.3         |

### WO 02/059377

|   | 104867   | AA278898   | Hs.225979   |   | 2.0  |
|---|--|--|-------------|---|--|
|   |  |  | Hs.28893    | Homo sapiens mRNA; cDNA DKFZp564O2364 (from clone DKFZp564O2364)                          | 1.3  |
|   |  |  |             | ESTs  | 17.7   |
|   | 104909   | AW408164   | Hs.249184   | transcription factor 19 (SC1)   | 5.0<br>1.7   |
| 5   | 104916   | AW958157   | Hs.155489   | NS1-associated protein 1  | 1.4  |
|   | 104919   | AA026880   | Hs.25252    | prolactin receptor  | 2.2  |
|   | 10486 AV07531 h s.25893 Homo saplens mRNA; CNA DK-2poe402594 (from cone UN-2poe402594) 10499 AW06164 h s.26913 transcription factor 19 (SC1) 104916 AW05880 h s.25925 probatin receptor 10493 AK05880 h s.25925 probatin receptor 104937 AM.015310hs.6763 KNAA942 probein 104947 AV1293 h s.27926 homo saplens containing 4 104947 AV1293 h s.27926 browndownshore containing 4 104957 AL138877 h s.50758 SMC4 (structural maintenance of chromoson 104978 AV139288 h s.19322 homo saplens, Similar to RIKEN cDNA 2010317E24 gene, clone IMAGE:3502019, mRNA 104978 AV139288 h s.19322 homo saplens, Similar to RIKEN cDNA 2010317E24 gene, clone IMAGE:3502019, mRNA 104978 AV139288 h s.19322 homo saplens, Similar to RIKEN cDNA 2010317E24 gene, clone IMAGE:3502019, mRNA 104994 AW99300 h s.34885 mitochondrial CFIP binding protein 105012 AV699301 h s.34885 mitochondrial CFIP binding protein 105012 AV69015 h s.92475 binding protein 105012 AV69015 h s.23016 10502 AV69017 h s.2301 105030 AS097706 h s.26945 10504 SE242899 h s.129951 speckle-type PC/2 protein 105045 SE242899 h s.129951 speckle-type PC/2 protein 105067 AV14784 h s.9912 10508 AV897543 h s.36988 105095 Z78407 h s.27023 vesicle transport-telated protein 105108 AV897543 h s.36288 105095 Z78407 h s.27023 vesicle transport-telated protein 105108 AV697543 h s.36987 nucli (mucloscide diphosphate linked molely X)-type molif 5 10512 AV697537 h s.23585 10514 AV67637 h s.3585 10515 AV67637 h s.3585 10530 AV707037 h s. 179907 10509 BE38887 h s.3516 10509 AV67638 h s.30997 nucli (mucloscide diphosphate linked molely X)-type molif 5 10516 AV67638 h s.30997 nucli (mucloscide diphosphate linked molely X)-type molif 5 10518 AV67637 h s.3585 10518 AV67637 h s.3585 10519 AV67637 h s.3585 10519 AV67637 h s.3585 10530 AV67607 h s.3595 10530 AV67607 h s.35 | 5.0  |             |   |  |
|   |  |  | )Hs.6763    | KIAA0942 protein  | 1.4  |
|   |  |  |             | bromodomain-containing 4  | 2.4  |
| 10  |  |  |             | SMC4 (structural maintenance of chromoso  | 2.3  |
| 104896 AW016318 Hs.23165 ESTs 104999 AW09616 Hs.2549104 transcription factor 19 (SC1) 104916 AW0958167 Hs.155499 NS1-associated protein 1 104917 AV026800 Hs.25525 protein receptor 1 104974 Y12059 Hs.278675 bromodomain-containing 4 104975 AL138877 Hs.50758 SMC4 (structural maintenance of chromosomes 4, yeast)-like 1 104975 AL138877 Hs.50758 SMC4 (structural maintenance of chromosomes 4, yeast)-like 1 104976 AL138877 Hs.50758 SMC4 (structural maintenance of chromosomes 4, yeast)-like 1 105976 AL138877 Hs.50758 SMC4 (structural maintenance of chromosomes 4, yeast)-like 1 105977 AL138877 Hs.50758 SMC4 (structural maintenance of chromosomes 4, yeast)-like 1 105978 AN99280 Hs.19320 Homos appliers, Similar to RINKA CDNA (2010317E24 gene, done IMAGE.3502019, mRNA, part 1 105979 AR397934 Hs.231062 ESTs 1 105980 BE379594 Hs.34769 dchiroly-like protein glycosyltransferase 1 105028 AN907305 Hs.34769 dchiroly-like protein glycosyltransferase 2 105045 AR127818 dchiroly-like protein glycosyltransferase 3 105032 AN907305 Hs.3475 ESTs 1 105045 BE242899 hs.129591 special year protein 1 105045 BE242899 hs.129591 special year protein 1 105047 AL13784 Hs.9912 Homos appliers cDNA FLI14388 fis, clone HEMBA1002716 hs.2914 hs.29120 year year year year year year year year |  |  |             |   |  |
|   |  |  |             |   | 1.3  |
|   |  |  | MS.JZ 100Z  | mitochandrial GTP hinding protein   | 3.5  |
| 15  |  |  |             | datichvi.dinhosohooligosaccharide-protein glycosyltransferase                             | 5.5  |
| 13  |  |  |             | chromosome 20 onen reading frame 1  | 3.3  |
| 104871 178044   | 2.2  |  |             |   |  |
|   |  |  | 113.2001    | ph://12a02.s1 Spares pregnant uterus_NbHPU Homo sapiens cDNA clone IMAGE:501674 3'        | 6.8  |
|   |  |  | Hs 36475    |   | 2.5  |
| 20  |  |  |             |   | 2.2  |
| 20  | 105041   | BE242899   | Hs.129951   | speckle-type POZ protein  |  |
|   |  |  |             | CGI-147 protein   |  |
|   |  |  |             | Homo sapiens cDNA FLJ14388 fis, clone HEMBA1002716  |  |
|   |  |  |             | Homo sapiens cDNA FLJ11027 fis, clone PLACE1004114  |  |
| 2.5   |  |  |             |   |  |
|   |  |  | Hs.33122    | KIAA1160 protein  |  |
|   | 105128   | AW975433   | Hs 36288    | ESTs  |  |
|   | 105127   | AA045648   | Hs.301957   | nudix (nucleoside diphosphate linked moiety X)-type mott 5                                |  |
|   | 105141   | AA164687   | Hs.177576   | mannosyl (alpha-1,3-)-glycoprotein beta-1,4-iv-acetyiglucusaminylu ansierase, isoenzyme A |  |
| 30  | 105158   | AW976357   | ' Hs.234545 | hypothetical protein NUF2R  |  |
|   |  |  |             | \$164 protein   |  |
|   |  |  |             |   |  |
| 10525<br>10528  |  |  |             |   |  |
|   |  |  |             | RAUST-Interacting protein   | 1.9  |
| 105281 AA263143 Hs.24596 RAD51-Interacting protein 105288 N99673 Hs.3585 ESTs, Weakly similar to AF126743 1 DNAJ domain-containing protein MCJ [H.sapiens] 105302 AA700122 Hs.3355 sentrin-specific protease  | 8.0  |  |             |   |  |
|   | 105302   | BE387350 Hs.33122 KIAA1160 protein ESTs  AA045648 Hs.301957 nudix (nucleoside diphosphate linked moiety X)-type motif 5  AA164687 Hs.177576 mannosyl (alpha-1,3-)-glycoprotein beta-1,4-N-acetylglucosaminyltransferase, isoenzyme A  AW976357 Hs.234545 hypothetical protein NUF2R  BE245294 Hs.180789 S164 protein  AA191512 Hs.28005 Homo sapiens cDNA FLJ11309 fis, clone PLACE1010076  AA071276 Hs.19469 KIAA0859 protein  AA263143 Hs.24596 RAD51-Interacting protein  N99673 Hs.3585 ESTs, Weakly similar to AF126743 1 DNAJ domain-containing protein MCJ [H.sapiens]  Sentrin-specific protease  AW270037 Hs.179507 KIAA0779 protein  NM_016015Hs.8054 CGI-68 protein  BE264645 Hs.282033 hypothetical protein FLJ21918  AW887701 Hs.32356 hypothetical protein FLJ20628  BE242803 Hs.262823 hypothetical protein FLJ20628  BE242803 Hs.26583 interleukin enhancer binding factor 3, 90kD  BE366877 Hs.334811 Npw38-binding protein Npw8P | 1.8         |   |  |
|   | 105331   | AVV2/003/  | 15.179307   | CCLSS protein   | 8.2  |
|   | 105359   | MINCOLOR   | : ⊔₀ 282003 | No hypothetical protein FLJ21918  | 5.0  |
| 40  |  |  |             | hypothetical protein FLJ20628   |  |
| 40  | 105373   | BE242803   | Hs 262823   | hypothetical protein FLJ10326   |  |
|   | 105387   | AW592146   | 5 Hs.108636 | 6 membrane protein CH1  | ne PLACE1004114  2.2 1.6 6.3 noiely X)-type motif 5 2.7 ta-1,4-N-acetylglucosaminyltransferase, isoenzyme A 2.7 1.9 1.7 1.7 1.8 2.8 2.8 2.8 2.9 2.8 2.8 2.8 2.8 2.8 2.8 2.8 2.9 2.8 2.9 2.8 2.9 2.8 2.9 2.8 2.9 2.8 2.9 3.0 3.1 3.4 3.4 3.3 4.4 3.3 4.4 3.3 4.4 3.9 3.1 4.4 10.9 |
|   | 105393   | AF167570   | Hs.256583   | interleukin enhancer binding factor 3, 90kD   |  |
|   | 105399   | BE386877   | Hs.33481    | Npw38-binding protein NpwBP   |  |
| 45  |  |  |             | DAIA binding motif protoin RA   |  |
|   | 105445   | AA252395   | i           | ab:zs12q10.s1 NCI_CGAP_GCB1 Homo sapiens cDNA clone IMAGE:685026 31, HIRNA sequence       | 8, 3.1<br>4 R  |
|   | 105507   | BE268348   | Hs.226318   | 3 CCR4-NOT transcription complex, subunit 7   |  |
|   | 105529   | AA113449   | Hs.32471    | hypothetical protein FLJ20364   |  |
|   | 105530   | AB023179   | Hs.9059     |   |  |
| 50  | 105547   | AA262640   | Hs.27445    | unknown   |  |
|   |  |  |             |   |  |
|   | 105598   | AA57953  | Hs.18490    | hypothetical protein FLJ20432   | 1.7<br>4.8<br>1.9<br>2.8<br>1.9<br>8.0<br>1.8<br>8.2<br>5.0<br>2.5<br>2.2<br>2.3<br>5.4<br>1.6<br>1.6<br>1.6<br>1.6<br>1.3<br>3.4<br>9.3<br>1.4<br>9.3<br>1.7<br>1.7<br>1.7<br>1.7<br>1.7<br>1.7<br>1.7<br>1.7<br>1.7<br>1.7   |
|   | 105597   | AF054284   | Hs.33482    | 6 Spirang factor 30, Subufit 1, 19380   | 1.7  |
|   | 105608   | AI808201   | HS.28785    | 3 hypothetical protein FLJ (2473  | 1.4  |
| 22  | 105610   | ) AAZOUU//   | 2 MS.9907Z  | alvesentionid modulatory element binding protein 1  | 1.7  |
|   | 10561  | AKUUU89  | 2 MS.4009   | Gilliocoli Minaco 1, gamma 2  | 5.5  |
|   | 105620   | J AVVOUZZ4   | 3 NS. 10133 | 5. bynothefical protein FL 120059   |  |
|   | 105000   | RDDDNIAIA T  | 0 Un 27204  | nine finger protein 278   |  |
| 60  | 10505  | DOROAA   | He 18077    | 7. Light capions mDNA: cDNA DKF7n564MU264 (from clone DKFZD564MU264)                      |  |
| ΟŪ  | 10574  | 3 BE24650  | 2 Hs.9598   | sema domain, immunoglobulin domain (Ig), transmembrane domain (TM) and short              |  |
|   | 1067/  | 6 AW15195  | 2 Hs.46679  | S. 179507   KIAA0779 protein   S. 2.  |  |
|   | 10575  | 0 A1123118   | Hs 15159    | chemokina-like factor, alternatively spliced  |  |
|   | 10577  | 1 AI267720   | Hs.15322    | 1 synovial sarcoma, translocated to X chromosome  |  |
| 65  | 10582  | O AA74133  | 6 Hs.15210  | 8 transcriptional unit N143   |  |
|   | 10582  | 6 AA47875  | 6 Hs.19447  | 7 E3 ubiquitin ligase SMURF2  | 2.4  |
|   | 10585  | 6 AI262108   | Hs.12653    | ESTs .  | 2.4  |

|                | 105858   | AF151066 | Hs.281428 | hypothetical protein  | 2.9   |
|----------------|--|----------|-----------|---|---|
|                |  | AK001708 |           |   | 1.4   |
|                |  | AF016371 |           |   | 5.2   |
|                |  | AW194426 |           |   | 1.7   |
| 5              |  | AW081202 |           |   | 2.8   |
| -              |  | AA477956 |           |   | 5.2 1.7 1.7 1.8 1.4 1.4 1.4 1.4 1.4 1.5 1.6 1.6 1.6 1.6 1.6 1.6 1.6 1.6 1.7 1.7 1.7 1.7 1.7 1.7 1.7 1.7 1.7 1.7 |
|                |  |          |           | downstream neighbor of SON  | 1.4   |
|                |  | AA130158 |           |   | 1.6   |
|                |  |          |           | hypothetical protein FLJ14681   | 6.8   |
| 10             |  |          |           | KIAA0286 protein  | 1.6   |
| •              | 106271   | AA251393 | Hs.289052 | Homo sapiens, Similar to RIKEN cDNA 5430429M05 gene, clone MGC:13155, mRNA, complete co   | ds 10.8   |
|                |  |          | Hs.24336  | KIAA1321 protein  |   |
|                |  | Y10043   | Hs.19114  |   | 3.6   |
|                |  | AL043114 |           |   | 5.4   |
| 15             |  | AK001404 |           |   | 5.7   |
|                |  | AW390282 |           |   | 6.3   |
|                |  |          |           |   | 6.5   |
|                |  | AW748420 |           | Homo sapiens cDNA: FLJ21487 fis, clone COL05419   | 2.2   |
|                |  | AF119256 |           |   | 2.7   |
| 20             |  | D63078   |           |   | 2.3   |
|                |  | AA454036 |           |   | 1.6   |
|                |  | AA243837 |           |   | 1.6   |
|                |  |          |           | Homo sapiens cDNA FLJ10071 fis, clone HEMBA1001702  | 2.4   |
|                |  | AA458882 |           |   | 7.9   |
| 25             |  | NM_00359 |           |   | 7.7   |
|                |  |          |           |   | 1.8   |
|                | 106669   | AV657117 | Hs.184164 | ESTs, Moderately similar to S65657 alpha-1C-adrenergic receptor splice form 2 [H.sapiens] | 1.3   |
|                |  |          |           |   | 4.5   |
|                |  |          |           |   | 1.3   |
| 30             |  |          |           |   | 1.6   |
| •              |  |          |           |   | 5.7   |
|                | 106829   | AW959893 | Hs.27099  | hypothetical protein FLJ23293 similar to ARL-6 interacting protein-2                      | 16.2  |
|                |  |          |           |   | 1.5   |
|                |  |          |           |   | 2.2   |
| 35             | 106852   | AF151031 | Hs.300631 | hypothetical protein  | 1.3   |
|                |  |          | Hs.11197  | Homo sapiens, done IMAGE:3343149, mRNA, partial cds                                       | 16.8  |
|                |  |          |           |   | 1.5   |
|                |  |          |           |   | 2.2   |
|                |  |          |           |   | 3.3   |
| 40             | 106945   | AK000511 | Hs.6294   | hypothetical protein DKFZp434L1435 similar to valyl tRNA synthetase                       | 6.8   |
|                |  |          |           |   |   |
|                | 106713   BE614802   Hs. 184352   hypothetical protein FLJ12549 | 4.8      |           |   |   |
|                | 106978   | AW631480 | Hs.8688   | ESTs  | 6.0   |
|                |  |          |           | hypothetical protein FLJ20727   | 1.3   |
| 45             | 107029   | AF264750 | Hs.288971 |   | 1.8   |
|                | 107071   | AW385224 | Hs.35198  | ectonucleotide pyrophosphatase/phosphodiesterase 5 (putative function)                    |   |
|                | 107113   | AK000733 | Hs.23900  | GTPase activating protein   |   |
|                | 107125   | AK000512 | Hs.69388  |   |   |
|                | 107136   | AV661958 | Hs.8207   |   |   |
| 50             |  | AV661958 |           |   |   |
|                |  | AK001455 |           | Down syndrome critical region gene 2  | 2.0   |
|                | 107151   | AW378065 | Hs.8687   | ESTs  | 6.3   |
|                |  | AW391927 |           |   |   |
|                |  | BE122762 |           | ESTs  | 5.2   |
| 55             | 107197   | W15477   | Hs.64639  | glioma pathogenesis-related protein   | 6.1   |
|                | 107221   | AW888411 | Hs.81915  |   | 17.4  |
|                | 107243   | BE219716 | Hs.34727  | ESTs, Moderately similar to 138759 zinc finger/leucine zipper protein [H.sapiens]         | 7.4   |
|                | 107248   | AW263124 | Hs.315111 | nuclear receptor co-repressor/HDAC3 complex subunit                                       | 1.8   |
|                |  | D60341   | Hs.21198  | transfocase of outer mitochondrial membrane 70 (yeast) homolog A                          |   |
| 60             |  | BE379594 |           | ESTS, Moderately similar to ALU7_HUMAN ALU SUBFAMILY SQ SEQUENCE CONTAMINATION            | 2.5   |
|                |  | N95657   | Hs,6820   | ESTs, Moderately similar to YOJ1_CAEEL HYPOTHETICAL 63.5 KD PROTEIN ZK353.1 IN            |   |
|                |  | N95657   | Hs.6820   | ESTs, Moderately similar to YOJ1_CAEEL H  | 1.7   |
|                |  | BE277457 |           | . 1   | 3.2   |
|                | 107316   | T63174   | Hs.193700 | Homo sapiens mRNA; cDNA DKFZp586I0324 (from clone DKFZp586I0324)                          |   |
| 65             | 107354   | NM_00629 | 9Hs.96448 |   |   |
|                | 107392   | AW299900 | Hs.267632 | TATA element modulatory factor 1  |   |
| 50<br>55<br>60 |  |          |           |   |   |

PCT/US02/02242

5.3

#### WO 02/059377

|    |         |             |                           |  | 20         |
|----|---------|-------------|---------------------------|--|------------|
|    | 107529  | BE515065    | Hs.296585                 |  | 3.0<br>1.3 |
|    | 4007564 | 44004000    | 11- 50044                 | CCT.   |            |
|    | 107681  | BE379594    | Hs.49136                  | ESTS, Moderately similar to ALUZ_HUMAN ALU SUBFAMILY SQ SEQUENCE CONTAMINATION   | 2.1        |
| -  | 107772  | AA018587    | Hs.303055                 | ESTS Weakly similar to ALU1 HUMAN ALU SUBPAIVILLI J SEQUENCE CONTINUES   | 8.4        |
| 5  |         |             | Hs.47584                  | potassium voltage-gated chainlei, detayed-recitier, sacramin of montes.  | 2.5        |
|    |         | L42612      | Hs.335952                 |  | 1.6        |
|    |         | L42612      | Hs.335952                 |  | 2.2        |
|    | 407074  | 111000100   | Hs.61460                  |  | 6.7        |
| 10 | 10/9/4  | AU 424024   | Hs.61712                  | bytovate denyologeness raises, soonsyme is SWI/SNF related, matrix associated, actin dependent regulator of chromatin, subfamily b, member   | 1 1.5      |
| 10 | 100040  | AL121031    | Hs.59847                  | FCTs   |            |
|    | 100230  | AF120535    | Hs 272027                 | F-box only protein 5   | 7.1        |
|    |         | N31256      | Hs.161623                 | FSTs   | 2.5        |
|    | 108496  | AA083069    | Hs 339659                 | ESTs   | 3.5        |
| 15 | 108607  | BE300380    | Hs.69476                  | Homo sapiens cDNA FLJ12758 fis, clone NT2RP2001328   | 3.4        |
| 10 | 108621  | AA101809    | Hs.182685                 | ESTs   | 1.6<br>1.7 |
|    | 108634  | AW022410    | Hs.69507                  | ESTs   | 9.8        |
|    | 108647  | BE546947    | Hs.44276                  | homeo box C10  | 7.2        |
|    |         | AB029000    |                           | KIAA1077 protein   | 1.3        |
| 20 |         |             | Hs.70811                  | hypothetical protein FLJ20516  | 2.7        |
|    | 108740  | Al089575    | Hs.9071                   | progesterone membrane binding protein  | 1.8        |
|    | 108828  | AK001693    | Hs.273344                 | DKFZP564O0463 protein  | 1.5        |
|    |         |             | Hs.178904                 | ESIS   | 2.1        |
| 25 |         | H06720      |                           | endosulfine alpha  | 5.3        |
| 25 | 400004  | AM004434    | Hs.48480                  | hypothetical protein FL J10569   | 4.0        |
|    | 108894  | ANUU 1431   | He 105155                 | Homo sapiens amino acid transport system N2 (SN2) mRNA, complete cds   | 5.6        |
|    | 100900  | AA151708    | He 171980                 | homeo box (expressed in ES cells) 1  | 1.6        |
|    | 108987  | AA152178    | Hs.23467                  | hypothetical protein FLJ10633  | 6.2        |
| 30 |         |             | Hs.72134                  | KIAA 1064 protein  | 1.7        |
| 50 |         |             | Hs.72127                  | ESTs Control of the Market control of the Ma | 1.4        |
|    | 109026  | AA157811    |                           | gb:zo35d07.s1 Stratagene colon (937204) Homo sapiens cDNA clone 3' similar to contains Alu re  | 2.9        |
|    |         |             | Hs.72545                  | ESTs   | 1.6        |
|    | 109101  | AW60893     | ) Hs.52184                | hypothetical protein FLJ20618  | 3.2        |
| 35 | 109112  | AW41919     | 6 Hs.257924               | hypothetical protein FLJ13782  | 1.7        |
|    |         |             |                           | hypothetical protein FLJ22104  | 2.6        |
|    |         |             | Hs.59757                  | zinc finger protein 281 RAB6 interacting, kinesin-like (rabkinesin 6)  | 2.9        |
|    |         |             | Hs.73625                  | highly expressed in cancer, rich in leucine heptad repeats   | 2.0        |
| 40 |         |             | 2 Hs.58169                | potential nuclear protein C5ORF5; GAP-like protein   | 5.3        |
| 40 | 109213  | 141V_U100   | 03Hs.82035<br>1 Hs.189998 | R FSTs   | 5.7        |
|    | 100220  | 1 AM 330 10 | 1 Hs 17028                | = muelconorin 214kD (CAIN)   | 5.3        |
|    |         | N99673      | Hs.3585                   | EQTe Weakly similar to AF126743 1 DNAJ domain-containing protest two in traplets;  | 1.4        |
|    |         |             | Hs.82719                  | Homo sapiens mRNA; cDNA DKFZp586F1822 (from done DKF2p586F1822)  | 2.9        |
| 45 |         |             | Hs.86276                  |  | 1.3<br>2.9 |
|    | 10034   | 4 421350    | : He 115099               | a FST  | 1.5        |
|    |         |             |                           | KIAA0929 protein Msx2 interacting nuclear target (MINT) homolog  | 2.2        |
|    |         | 3 H83603    | Hs.40408                  | homeo box C9   | 3.0        |
|    |         | 6 N30531    | Hs.42215                  |  | 1.9        |
| 50 | 10942   | 9 Al160029  | Hs.61438                  | ESIS   | 1.8        |
|    | 10944   | 5 AA23210   | 3 Hs.18991                | 3 E315<br>2 MMA11/3 postoja  | 3.7        |
|    | 10945   | 0 ABU3296   | 9 HS.1/304                | 2 KIAA1143 protein<br>KIAA0942 protein   | 3.2        |
|    | 10940   | 0 NW_U103   | 110Hs.6763<br>13 Hs.87134 |  | 2.0        |
| 55 |         | 0 L40027    | He 11889                  | 0 glycogen synthase kinase 3 alpha   | 2.1        |
| 33 |         | 2 F02614    | Hs.27319                  | ESTS   | 1.4        |
|    | 10000   | 5 R71264    | Hs.16798                  |  | 1.3        |
|    | 11003   | 9 H11938    | Hs.21907                  | histone acetyltransferase  | 2.0        |
|    | 11005   | 6 AA50304   | 1 Hs.27900                | 9 matrix Gla protein   | 2.5        |
| 60 | 11008   | 5 AA60384   | 0 Hs.29956                | KIAA0460 protein   | 1.7<br>2.9 |
|    | 11011   | 0 T07353    | 11-7010                   | ECT6   | 1.7        |
|    | 11012   | 9 R51853    | Hs.22642                  | 9 ESTS, Weakly similar to ALU1_HUMAN ALU SUBFAMILY J SEQUENCE CONTAMINATION  | 4.2        |
|    |         |             | 521Hs.17667               | SH3-domain binding protein 4   | 4.2        |
|    | 11024   | O A166859   | 4 Hs.17658                | 18 ESTS, Weakly similar to CP4Y_HUMAN CYTOCHROME P450 4A11 PRECURSOR [H.sapiens]   | 1.3        |
| 65 |         | 2 N41744    | Hs.19978                  |  | 2.2        |
|    | 11025   | 9 H28428    | Hs.32406                  | hynothefical protein FLJ12089  | 2.1        |

|    | 110330 | Al288666  | Hs.16621   | DKFZP434I116 protein   | 6.2  |
|----|--------|-----------|------------|--|------|
|    |        | H55748    |            |  | 6.1  |
|    |        |           | 11- 040050 | gb:yq94a01.s1 Soares fetal liver spleen 1NFLS Homo sapiens cDNA done IMAGE:203400 3          |      |
|    |        | H55915    |            | hypothetical protein FLJ11016  | 6.1  |
| -  |        | H57330    | Hs.37430   |  | 6.3  |
| 5  | 110568 | AK001160  | Hs.5999    | hypothetical protein FLJ 10298   | 1.3  |
|    | 110699 | T97586    | Hs.18090   | ESTs   | 1.8  |
|    | 110705 | AB007902  | Hs.32168   | KIAA0442 protein   | 1.6  |
|    |        | AW190338  |            | hypothetical protein MGC11256  | 7.6  |
|    |        |           |            |  |      |
| 10 |        | AL138077  |            |  | 2.5  |
| 10 |        | BE044245  |            | hypothetical protein MGC2963   | 9.3  |
|    |        | AK000322  |            |  | 5.5  |
|    | 110769 | BE000831  | Hs.23837   | Homo sapiens cDNA FLJ11812 fis, clone HEMBA1006364   | 2.1  |
|    | 110799 | A1089660  | Hs.323401  | dpy-30-like protein  | 1.5  |
|    |        | T25829    |            | FK506 binding protein precursor  | 6.6  |
| 15 |        | AA767373  |            |  | 5.7  |
| 13 |        |           |            |  |      |
|    |        | R33261    | Hs.6614    | ESTs, Weakly similar to A43932 mucin 2 precursor, intestinal [H.sapiens]                     | 3.4  |
|    |        | N31598    | Hs.12727   |  | 1.7  |
|    | 110844 | AI740792  | Hs.167531  | methylcrotonoyl-Coenzyme A carboxylase 2 (beta)  | 1.7  |
|    | 110854 | BE612992  | Hs.27931   | hypothetical protein FLJ10607 similar to glucosamine-phosphate N-acetyltransferase           | 4.7  |
| 20 |        | AA992380  |            | gb:ot37g06.s1 Soares_testis_NHT Homo sapiens cDNA clone 3' similar to contains element       | 2.3  |
| ~~ |        | BE384447  | He 16034   |  | 3.5  |
|    |        |           |            | hypothetical protein MGC13186  |      |
|    |        | AL117430  |            | DKFZP434D156 protein   | 2.2  |
|    | 110915 | BE092285  | Hs.29724   | hypothetical protein FLJ13187  | 2.6  |
|    | 110918 | H04360    | Hs.24283   | ESTs, Moderately similar to reduced expression in cancer [H.sapiens]                         | 1.9  |
| 25 | 110958 | NM_005864 | 4Hs.24587  | signal transduction protein (SH3 containing)   | 6.7  |
|    |        | AK002180  |            |  | 2.0  |
|    |        | AK001980  |            |  | 1.3  |
|    |        |           |            | ADP-ribosyltransferase (NAD+; poly(ADP-ribose) polymerase)-like 2                            |      |
|    |        |           |            | UDP-N-acetyl-alpha-D-galactosamine:polypeptide N-acetylgalactosaminyltransferase 1 (GalNAc-T |      |
| ~^ |        | N63823    |            | ESTs, Moderately similar to Z195_HUMAN ZINC FINGER PROTEIN 195 [H.sapiens]                   | 3.6  |
| 30 |        | AB037807  |            |  | 2.1  |
|    | 111164 | N46180    | Hs.122489  | Homo sapiens cDNA FLJ13289 fis, clone OVARC1001170   | 2.3  |
|    | 111172 | R67419    |            | Homo saplens cDNA FLJ12900 fis, clone NT2RP2004321   | 3.7  |
|    |        | AL050166  |            |  | 7.5  |
|    |        | AK000136  |            |  | 7.1  |
| 35 |        |           |            |  |      |
| 33 |        |           |            |  | 6.7  |
|    |        |           | Hs.243901  | Homo sapiens cONA FLJ20738 fis, clone HE   | 3.3  |
|    | 111189 | N67603    | Hs.272130  | ESTs, Weakly similar to S65824 reverse transcriptase homolog [H.saplens]                     | 3.6  |
|    | 111216 | AW139408  | Hs.152940  | ESTs   | 1.5  |
|    | 111221 | AB037782  | Hs 15119   |  | 2.6  |
| 40 |        |           |            |  | 4.6  |
| 70 |        |           |            |  |      |
|    |        | N90956    |            |  | 7.9  |
|    |        | AA778711  |            |  | 6.9  |
|    | 111299 | AB033091  | Hs.74313   | KIAA1265 protein   | 5.0  |
|    | 111312 | Al523913  | Hs.34504   | ESTS   | 3.8  |
| 45 |        | T99755    | Hs.334728  |  | 1.2  |
|    |        |           |            |  | 5.1  |
|    |        |           |            |  | 2.2  |
|    |        | H58589    |            | • -  |      |
|    |        | AJ478658  |            |  | 2.8  |
|    | 111384 | N94606    | Hs.288969  | HSCARG protein   | 2.2  |
| 50 | 111389 | AK000987  | Hs.169111  | oxidation resistance 1   | 2.1  |
|    | 111391 | NM 003896 | Hs.225939  | sialyltransferase 9 (CMP-NeuActactosylceramide alpha-2,3-sialyltransferase; GM3 synthase)    | 5.1  |
|    |        |           |            |  | 8.4  |
|    |        | R02354    |            |  |      |
|    |        |           | Hs.15999   |  | 2.7  |
|    |        | Al051194  |            |  | 6.5  |
| 55 | 111549 | W90638    | Hs.20321   | ESTs, Moderately similar to ZRF1_HUMAN ZUOTIN RELATED FACTOR-1 (M-PHASE                      | 1.4  |
|    | 111585 | R10720    | Hs.20670   | EST  | 1.6  |
|    |        | R52656    | Hs.21691   |  | 1.6  |
|    |        | AB037834  |            |  | 2.4  |
|    |        | BE298665  |            |  |      |
| ۲۸ |        |           |            |  | 10.6 |
| 60 |        | AW083791  |            |  | 6.6  |
|    |        | NM_015310 | JHs.6763   |  | 5.1  |
|    | 112134 | R41823    | Hs.7413    |  | 2.8  |
|    |        | AB029000  |            |  | 14.6 |
|    |        |           |            |  | 9.0  |
| 65 | 112456 | NM 016249 | He 222076  |  |      |
| UJ | 440464 | AMMO07007 | Ma 20520   | Home continue of the CL 104000 Co  | 1.4  |
|    |        | AW007287  |            |  | 1.4  |
|    | 112506 | Al742756  | rts.200/9  | ESIS   | 32   |

|     |        |                          |            |  | ••          |     |
|-----|--------|--------------------------|------------|--|-------------|-----|
|     | 112513 |                          | Hs.13809   | hypothetical protein FLJ10648  | 2.0<br>1.8  |     |
|     |        | AK001635                 | Hs.14838   | hypothetical protein FLJ10773  | 6.6         |     |
|     |        | AK000004                 |            | Homo saplens mRNA for FLJ00004 protein, partial cds  | 1.5         |     |
| 5   | 112923 | AW970826                 | Hs.5037    | EST<br>KIAA1557 protein  | 3.2         |     |
| 5   | 112958 |                          | Hs.6724    | ESTs   | 6.0         |     |
|     | 112966 |                          |            | glucocorticold receptor DNA binding factor 1   | 6.4         |     |
|     |        | AK000272                 |            | hypothetical protein FLJ20265  | 1.2         |     |
|     | 112995 | AA737033                 | Hs.7155    | ESTs, Moderately similar to 2115357A TYKi protein [M.musculus]   | 5.6         |     |
| 10  | 112996 | BE276112                 | Hs.7165    | zinc finger protein 259  | 2.0         |     |
|     |        | Al571940                 |            | ESTS   | 1.9<br>2.4  |     |
|     |        | AW965190                 |            | Homo sapiens mRNA for KIAA1729 protein, partial cds  | 1.3         |     |
|     | 113089 |                          | Hs.270862  | gb:yb51a03.s1 Stratagene fetal spleen (937205) Homo sapiens cDNA clone IMAGE:74668 3',                           | 1.7         |     |
| 15  |        | T57317                   |            | gb:yc16e01.s1 Stratagene lung (937210) Homo sapiens cDNA clone 3', mRNA sequence                                 | 2.8         |     |
| 13  |        | T63857                   | He 11//0   | DKFZP564O123 protein   | 1.3         |     |
|     |        |                          | Hs.11774   |  | 3.2         |     |
|     |        |                          | Hs.179808  |  | 1.2         |     |
|     |        | AI467908                 |            | ESTs   | 5,9         |     |
| 20  | 113547 | H59588                   | Hs.15233   | ESTs   | 2.0         |     |
|     | 113554 | AW503990                 | Hs.142442  | HP1-BP74   | 3.6<br>1.3  |     |
|     |        |                          | Hs.188173  | Homo sapiens cDNA FLJ12187 fis, clone MAMMA1000831   | 1.5<br>4.4  |     |
|     |        | T97307                   |            | gb:ye53h05.s1 Soares fetal liver spleen 1NFLS Homo sapiens cDNA clone IMAGE:121497 3',                           | 1.3         |     |
| 25  |        |                          | Hs.184411  | albumin SWI/SNF related, matrix associated, actin dependent regulator of chromatin, subfamily a, member          |             |     |
| 25  |        | AW499665                 |            |  | 13.4        |     |
|     |        | AL359588                 | Hs.10590   | hypothetical protein DKFZp762B226  | 1.7         |     |
|     |        |                          |            | chitobiase, di-N-acetyl-   | 1.3         |     |
|     |        | W44735                   | Hs.9286    | Homo sapiens cDNA: FLJ21278 fis, clone COL01832  | 3.3         |     |
| 30  | 113811 | BE207480                 |            | Homo sapiens cDNA: FLJ22044 fis, clone HEP09141  | 3.1         |     |
| •   |        | H13325                   | Hs.332795  | hypothetical protein DKFZp761O17121  | 3.2         |     |
|     | 113826 | AW378212                 | Hs.24809   | hypothetical protein FLJ10826  | 2.3<br>11.3 |     |
|     |        | T26483                   | Hs.6059    | EGF-containing fibulin-like extracellular matrix protein 2   | 2.7         |     |
| 2.5 | 113868 | W57902                   | Hs.90744   | proteasome (prosome, macropain) 26S subunit, non-ATPase, 11  | 6.1         |     |
| 35  |        |                          | Hs.16537   | hypothetical protein, similar to (U06944) PRAJA1<br>ESTs   | 6.6         |     |
|     |        | AW953484                 | Hs.21732   | hypothetical protein FLJ22041 similar to FK506 binding proteins  | 1.9         |     |
|     |        | W87544                   | Hs.268828  |  | 1.2         |     |
|     | 114022 | A1539519                 | Hs.120969  | Homo sapiens cDNA FLJ11562 fs, clone HEMBA1003197  | 5.4         |     |
| 40  | 114030 | Al825386                 | Hs.164478  | hypothetical protein FLJ21939 similar to 5-azacytidine induced gene 2  | 9.4         |     |
|     | 114060 | AB029551                 | Hs.7910    | RING1 and YY1 binding protein  | 1.8<br>1.5  |     |
|     |        |                          |            | fucose-1-phosphate guanylyltransferase   | 1.8         |     |
|     |        | AB028968                 |            | KIAA1045 protein<br>Homo saplens, Similar to zinc finger protein 136 (clone pHZ-20), clone MGC:10647, mRNA, comp |             | 2.3 |
| 15  |        |                          | Hs.14831   |  | 1.4         | •   |
| 45  | 114202 | AL117518                 | MS.3000    | KIAA0978 protein<br>KIAA0306 protein   | 15.8        |     |
|     | 1142/0 | AVVD 10443               | Hs 184641  | fatty acid desaturase 2  | 1.9         |     |
|     | 44/300 | A A 332/453              | He 20824   | CGI-85 omtein  | 2.4         |     |
|     | 114392 | AA249590                 | Hs.100748  | ESTs. Weakly similar to A28996 proline-rich protein M14 precursor - mouse [M.musculus]                           | 1.8         |     |
| 50  | 114407 | BE539976                 | Hs 103305  | Homo saniens mRNA: cDNA DKFZp434B0425 (from clone DKrZp434B0425)   | 1.2         |     |
| • • | 114455 | H37908                   | Hs.271616  | ESTS, Weakly similar to ALU8_HUMAN ALU SUBFAMILY SX SEQUENCE   | 5.5<br>5.2  |     |
|     | 114463 | AL120247                 | Hs.40109   | KIAA0872 protein   |             |     |
|     | 114464 | Al091713                 | Hs.106597  | Homo sapiens, Similar to RIKEN cDNA 1110012M11 gene, clone IMAGE:3688605, mRNA, partia                           | 1.8         |     |
|     | 114471 | AA028074                 | HS.104613  | RP42 homolog<br>UDP-N-acatyl-alpha-D-galactosamine:polypeptide N-acetylgalactosaminyltransferase 6 (GalNAc-      |             |     |
| 55  | 114480 | BE000//8                 | HS. 1010/0 | hypothetical protein FLJ13346  | 1.9         |     |
|     | 1146/1 | AA/00200                 | He 110857  | polymerase (RNA) III (DNA directed) polypeptide K (12.3 kDa)   | 3.5         |     |
|     | 11/730 | A1373544                 | Hs.331328  | Intermediate filament protein syncoilin  | 3.8         |     |
|     | 114767 | AI859865                 | Hs.154443  | minichromosome maintenance deficient (S. cerevisiae) 4   | 1.6         |     |
| 60  | 114774 | AV656017                 | Hs.184325  | i CGI-76 protein   | 3.1         |     |
| •   | 114798 | AA159181                 | Hs.54900   | serologically defined colon cancer antigen 1   | 3.5         |     |
|     | 114860 | AL157545                 | Hs.42179   | bromodomain and PHD finger containing, 3   | 4.3<br>7.1  |     |
|     | 114895 | AA236177                 | Hs.76591   | KIAA0887 protein   | 1.3         | •   |
|     | 114896 | BE539101                 | HS.5324    | hypothetical protein gb:zt29f02.s1 Soares ovary tumor NbHOT Homo sapiens cDNA done IMAGE:723771 3', mRNA:        | sequence.   | 1.5 |
| 65  | 114911 | AA236672                 | Hs.188717  | guilles locates availy tuitor round suprem contract mande mander to the war.                                     | 2.0         |     |
|     | 114930 | 1 AAZJ1UZZ<br>1 AAZADRZA | Hs.58384   | ESTs   | 2.9         |     |
|     | 114930 | , MAC45004               | , 13.00004 | <del></del>  |             |     |

|    | 114965 | A1733881             | Hs.72472  | BMP-R1B  | 2.3        |
|----|--------|----------------------|-----------|--|------------|
|    |        | AF102546             |           | dachshund (Drosophila) homolog   | 1.3        |
|    |        |                      | Hs.87968  |  | 1.6        |
| _  |        |                      | Hs.41271  |  | 11.8       |
| 5  | 115062 | AA253314             | Hs.154103 | LIM protein (similar to rat protein kina                                       | 1.5        |
|    |        | A1670847             |           | hypothetical protein   | 1.5        |
|    |        |                      | Hs.88155  |  | 2.8        |
|    |        |                      | Hs.186572 |  | 2.5        |
| 10 |        |                      | Hs.79741  |  | 1.5        |
| 10 |        |                      | Hs.73291  |  | 1.3<br>1.4 |
|    |        |                      |           | ESTs, Moderately similar to ALU1_HUMAN ALU SUBFAMILY J SEQUENCE                | 1.5        |
|    |        |                      |           | hypothetical protein FLJ11301  | 2.4        |
|    |        |                      | Hs.293736 |  | 6.2        |
| 15 |        |                      | Hs.89113  | hypothetical protein FLJ10461<br>ESTs  | 6.6        |
| 13 |        | AA314349             |           | tumor antigen SLP-8p   | 7.4        |
|    |        |                      | Hs.59346  | hypothetical protein FLJ10514  | 1.4        |
|    | 115470 | AWANIENS             | Hs 278188 | ESTs, Moderately similar to I54374 gene NF2 protein [H.sapiens]                | 4.0        |
|    |        |                      | Hs.71819  |  | 16.3       |
| 20 |        | Y14443               | Hs.88219  | zinc finger protein 200  | 5.0        |
|    |        |                      | Hs.71414  |  | 2.5        |
|    |        |                      | Hs.61082  |  | 6.1        |
|    |        |                      |           | HSPC039 protein  | 2.9        |
|    | 115590 | AA399477             | Hs.67896  | 7-60 protein   | 5.3        |
| 25 | 115646 | N36110               | Hs.305971 | solute carrier family 2 (facilitated glucose transporter), member 10           | 4.7        |
|    |        | BE093589             |           | hypothetical protein FLJ23468  | 10.6       |
|    |        |                      |           | Homo sapiens, clone MGC:16063, mRNA, complete cds                              | 12.7       |
|    |        | Al138785             |           | ESTs   | 2.0        |
| 20 |        | AA953006             |           | ESTs   | 3.0        |
| 30 |        | AA625132             |           | hypothetical protein FLJ21615  | 1.7<br>6.8 |
|    |        | AF231023             |           | cadherin, EGF LAG seven-pass G-type receptor 3, flamingo (Drosophila) homolog  | 1.7        |
|    |        | BE395161             |           | proteasome (prosome, macropaln) subunit, beta type, 2                          | 2.6        |
|    |        | Al950339             |           | ESTs  DVEZDAZABASS portain   | 2.1        |
| 35 |        | NM_01543<br>AI732742 |           | DKFZP434B168 protein<br>ESTs   | 2.1        |
| 55 |        | AI675217             |           | ESTs   | 1.3        |
|    |        |                      |           | hypothetical protein MGC5370   | 4.4        |
|    |        |                      | Hs.52081  |  | 7.2        |
|    |        | N55669               |           | mitochondrial ribosomal protein L13  | 1.2        |
| 40 |        |                      | Hs.46679  |  | 5.5        |
| •• |        | AB037753             |           | KIAA1332 protein   | 9.8        |
|    |        |                      |           | Down syndrome critical region gene 5   | 1.4        |
|    |        | AL359053             |           | Homo sapiens mRNA full length insert cDNA clone EUROIMAGE 2005735              | 2.4        |
|    |        | AA770688             |           | H2A histone family, member L   | 1.8        |
| 45 | 116134 | BE243834             | Hs.50441  | CGI-04 protein   | 1.4        |
|    | 116189 | N35719               | Hs.44749  | ESTs, Moderately similar to T00358 hypothetical protein KIAA0684 [H.sapiens]   | 1.2        |
|    | 116195 | AW821113             | Hs.72402  |  | 2.1        |
|    |        |                      | Hs.47144  |  | 1.7        |
|    |        |                      |           | baculoviral IAP repeat-containing 6  | 1.7        |
| 50 |        |                      | Hs.59838  | hypothetical protein FLJ10808  | 1.7        |
|    |        | AI955411             | Hs.94109  | Homo sapiens cDNA FLJ13634 fis, clone PLACE1011133                             | 1.9        |
|    | 116318 | AF097645             | HS.58570  | deleted in cancer 1; RNA helicase HDB/DICE1                                    | 4.9<br>1.4 |
|    | 116325 | AM/2106              | Hs.49303  |  | 1.9        |
| 55 |        | AL133033             |           | KIAA1025 protein   | 1.5        |
| 55 | 116339 | ANUUU290             | Hs.44033  | dipeptidyl peptidase 8 nuclear factor I/C (CCAAT-binding transcription factor) | 1.9        |
|    |        |                      |           |  | 1.9        |
|    | 110330 | AI149586<br>N50174   | Hs.46765  | interferon-induced protein 75, 52kD<br>ESTs                                    | 6.1        |
|    | 110303 | N90466               | Hs.71109  | KIAA1229 protein   | 1.6        |
| 60 | 110300 | AW499664             |           | Human clone 23826 mRNA sequence  | 7.4        |
| 00 | 11647  | AA161411             | Hs.58668  | chromosome 21 open reading frame 57  | 2.1        |
|    | 116462 | AF218313             | Hs.236828 | putative helicase RUVBL  | 1.5        |
|    |        | Al272141             | Hs.83484  | SRY (sex determining region Y)-box 4   | 2.1        |
|    |        | A1272141             | Hs.83484  | SRY (sex determining region Y)-box 4   | 1.2        |
| 65 | 116575 | AA312572             | Hs.6241   | phosphoinosifide-3-kinase, regulatory subunit, polypeptide 1 (p85 alpha)       | 1.5        |
|    | 116637 | AK001043             | Hs.92033  | integrin-linked kinase-associated serine/threonine phosphatase 2C              | 2.7        |
|    | 116640 | X89984               | Hs.211563 | B-cell CLL/lymphoma 7A   | 2.3        |

|         | 116700 | A1800202   | Hs 317589                  |  | 1.4         |     |
|---------|--------|------------|----------------------------|--|-------------|-----|
|         | 116705 | AW/07/1910 | He 12313                   | hynothetical protein FL 114566   | 3.4         |     |
|         | 116732 | AW152225   | Hs 165909                  | ESTs Weakly similar to 1380/22 hypothetical protein in Sapiensi  | 2.9         |     |
|         | 116921 | AW068115   | Hs.821                     | hinkran  | 8.3         |     |
| 5       | 116926 |            | Hs.290830                  | FŠŤs   | 1.7         |     |
| ~       | 117034 |            | Hs.180324                  | VV1_associated factor 2  | 3.4         |     |
|         | 117132 | Al393666   | Hs.42315                   | -40 hinding protoin  | 5.2         | 5.5 |
|         | 117247 |            |                            | ab:yx46f06.s1 Soares melanocyte 2NbHM Homo sapiens cuiva done liviaGE:204003 3, mixta se   | 1.5         | J.J |
|         | 117276 | N71183     | Hs.121806                  |  | 2.0         |     |
| 10      | 117284 | AK001701   | Hs.183779                  | Homo sapiens CDIA FLU 10090 its, Gotte 111214 200 1002, Industry Chillies  | 2.0         |     |
|         | 117367 | Al041793   | Hs.42502                   | FS1S   | 2.1         |     |
|         | 117368 | AI878942   | Hs.90336                   | ATPase, n+ transporting, typosotrial (vacables protest patiety) memory   | 2.7         |     |
|         |        | AF150275   |                            |  | 1.4         |     |
| 1.5     |        | N32536     | Hs.42645                   |  | 3.4         |     |
| 15      |        |            | Hs.44532                   | diubiquitin<br>ESTs  | 3.4         |     |
|         | 11/588 | N34895     | Hs.44648                   | CGI-12 protein   | 3.0         |     |
|         |        |            | Hs.59757                   |  | 1.9         |     |
|         |        | N54706     | He 303025                  | chromosome 11 open reading frame 24  | 1.8         |     |
| 20      | 117075 | AE161470   | He 260622                  | hub mits ladwood transcript 1  | 5.7         |     |
| 20      | 117904 | RE540675   | Hs 332938                  | hypothetical protein MGC5370   | 5.9         |     |
|         | 117911 | Al 137379  | Hs 47125                   | hypothetical protein FLJ13912  | 1.7         |     |
|         |        | Y10518     | Hs.116470                  | hypothetical protein FLJ20048  | 1.7         |     |
|         | 117983 | Al 110246  | Hs.47367                   | KIAA1785 protein   | 5.4         |     |
| 25      |        | N54321     | Hs.47790                   | EST  | 5.2         |     |
|         | 118301 | AA453902   | Hs.293264                  | ESTs   | 2.6         |     |
|         | 118429 | AA243332   | Hs.74649                   | cytochrome c oxidase subunit Vic   | 2.5<br>4.1  |     |
|         | 118472 | AL157545   | Hs.42179                   | bromodomain and PHD finger containing, 3   | 1.2         |     |
|         | 118488 | AJ277275   | Hs.50102                   | rapa-2 (rapa gene)   | 1.5         |     |
| 30      | 118509 | N22617     | Hs.43228                   |  | 7.4         |     |
|         | 118528 | Al949952   | Hs.49397                   | ESTs   | 2.5         |     |
|         | 118656 | Al458020   | Hs.293287                  | ESTS ESTS, Moderately similar to ZN91_HUMAN ZINC FINGER PROTEIN 91 [H.sapiens]   | 1.2         |     |
|         | 118570 | AA332845   | HS.152618                  | ESTS, Moderately Similar to ANST_Homens Ento 1 in Section 2014 1 and 1 in Sect | 2.1         |     |
| 25      | 118698 | AB033113   |                            | KIAA1287 protein<br>gb:zq75g09.r1 Stratagene hNT neuron (937233) Homo sapiens cDNA clone IMAGE:647488 5'   | 5.2         |     |
| 35      |        | AA199686   | 11- 0000000                | LECTA Madamatak similarta ALLIR HILMAN ALLI SUBLAMILY SX SEQUENCE CONTAMINATION  | 1.4         |     |
|         | 110923 | N92293     | Un 240722                  | ESTS, Moderately similar to ALUS_HUMAN ALU SUBFAMILY SX SEQUENCE CONTAMINATION   | 1 3.6       |     |
|         | 110904 | AE1/8713   | He 125830                  | bladder cancer overexpressed protein   |             |     |
|         | 110300 | W24781     | He 203708                  | KIAA1710 protein   | 1.7         |     |
| 40      |        | AW453069   |                            | activity-dependent neuroprotective protein   | 2.2         |     |
| 40      |        | AW453069   |                            | notivity dependent neuroprotective prote   | 1.6         |     |
|         | 119265 | BF539706   | Hs.285363                  | ESTs   | 1.4         |     |
|         |        | N57568     | Hs.48028                   | EST  | 25.1        |     |
|         | 440209 | NIM 0012/  | 11He 155478                | Revelin T2   | 1.6         |     |
| 45      | 119338 | Al417240   | Hs.320836                  | S ESTs, Weakly similar to A47582 B-cell growth factor precursor [H.sapiens]  | 1.3<br>8.4  |     |
| -       | 119349 | T65004     | Hs.163561                  | I ESTs   | 6.7         |     |
|         | 119403 | AL117554   | Hs.119908                  | 3 nucleolar protein NOP5/NOP58   | 2.4         |     |
|         | 119478 | Al624342   | Hs.170042                  | 2 ESTs   | 2.1         |     |
|         |        |            | Hs.55513                   | ESTS   | 1.9         |     |
| 50      | 119513 | W37933     |                            | Empirically selected from AFFX single probeset   | 3.7         |     |
|         | 119601 | AK000155   | Hs.91684                   | Homo sapiens mRNA; cDNA DKFZp6671103 (from clone DKFZp6671103)   | 3.0         |     |
|         | 119602 | AW67529    | 8 Hs.233694                | 4 hypothetical protein FLJ11350  | 1.4         |     |
|         |        |            | Hs.57787                   | E318   | 1.2         |     |
| <i></i> |        | W61019     | Hs.57811                   |  | 1.8         |     |
| 55      | 119774 | AB032977   | MS.DZ90                    | KIAA1151 protein   | 3.1         |     |
|         |        |            | 11- 50045                  | 1 hypothetical protein kallikrein 5 (KLK5; KLK-L2; stratum comeum tryptic enzyme) SENSITIVE PROTEIN IEE SSP  | 9.2         |     |
|         | 11970  | * DEJECTOR | 1 115.30313<br>1 116.43913 | ESTs, Weakly similar to IEES, HUMAN TRANSFORMATION-SENSITIVE PROTEIN IEF SSP   | 3.6         |     |
|         | 11900  | 1 AULZOUIU | 115.43213<br>1 He 58382    | hynothetical protein FLJ11101  | 2.5         |     |
| 60      | 440000 | 3 AAA0131  | DE ESCUS                   | Homo egniene cDNA FL 114206 fis. close NT2RP3003157  | 2.7         |     |
| UU      | 11090  | AW44908    | 4 Hs.11957                 | 1 collagen, type III, alpha 1 (Ehlers-Danlos syndrome type IV, autosomal dominant)   | 2.6         |     |
|         | 11996  | 5 AA70312  | 9 Hs.58963                 | ESTs   | 2.7         |     |
|         | 12013  | 2 W57554   | Hs.12501                   | 9 lymphoid nuclear protein (LAF-4) mRNA  | 1.2         |     |
|         | 12020  | H26735     | Hs.91668                   | Homo sapiens clone PP1498 unknown mRNA   | 45.7        |     |
| 65      | 12024  | B A1924294 | Hs.17325                   | 9 uncharacterized bone marrow protein BM033  | 1.2<br>38.9 |     |
|         | 12025  | 3 AA13137  | 6 Hs.32640                 | 11 fibroblast growth factor 128  | 38.9<br>9.6 |     |
|         | 12026  | 9 AW13194  | 10 Hs.10403                | 0 ESTS   | 9.0         |     |

|                |         |          |                        | I see as a supplemental to the control of the contr | 4.0    |
|----------------|---------|----------|------------------------|--|--------|
|                | 120274  | AA177051 |                        | gb:nc02a02.s1 NCI_CGAP_Pr3 Homo saplens cDNA clone IMAGE:194 similar to contains Atu   | 4.6    |
|                | 120280  | AA190577 |                        | gb:zp52g02.s1 Stratagene HeLa cell s3 937216 Homo sapiens cDNA clone 3', mRNA sequence   | 2.0    |
|                |         |          | Hs.299883              | hypothetical protein FLJ23399  | 1.8    |
|                |         |          |                        | ESTs, Weakly similar to Z195_HUMAN ZINC FINGER PROTEIN 195 [H.sapiens]   | 15.2   |
| 5              |         | AA195517 |                        |  | 5.5    |
| ,              |         |          |                        |  | 6.4    |
|                |         | AA195651 |                        |  |        |
|                |         |          |                        | hypothetical protein FLJ20285  | 16.1   |
|                | 120336  | N85785   | Hs.181165              | eukaryotic translation elongation factor 1 alpha 1   | 2.9    |
|                | 120342  | AW450669 | Hs.45068               | hypothetical protein DKFZp434I143  | 5.7    |
| 10             |         | AA210722 |                        |  | 4.5    |
|                |         |          |                        | hypothetical protein   | 16.8   |
|                |         | R06859   |                        | ESTs, Weakly similar to I38022 hypothetical protein [H.sapiens]  | 5.0    |
|                |         |          |                        |  | 28.1   |
|                |         |          |                        | putative purinergic receptor   |        |
| 1.0            |         | AA219305 |                        |  | 12.4   |
| 15             | 120382  | AA228026 | Hs.38774               | ESTs   | 4.0    |
|                | 120383  | AL109963 | Hs.123122              | FSH primary response (LRPR1, rat) homolog 1  | 9.7    |
|                | 120386  | AW969665 | Hs.154848              | hypothetical protein DKFZp434D0127   | 32.6   |
|                |         | AA232874 |                        |  | 3.1    |
|                | 120380  | AMO67085 | He 325572              | ESTs, Moderately similar to ALU7_HUMAN ALU SUBFAMILY SQ SEQUENCE CONTAMINATION   |        |
| 20             |         |          |                        |  | 12.5   |
| 20             |         |          |                        | eukaryotic translation initiation factor 4E  |        |
|                |         | AB023230 |                        |  | 7.2    |
|                |         |          |                        | Homo sapiens mRNA; cDNA DKFZp586F1323 (from done DKFZp586F1323)  | 11.4   |
|                | 120423  | AA236453 | Hs.18978               | Homo sapiens cDNA: FLJ22822 fis, clone KAIA3968  | 1.9    |
|                | 120472  | Al950087 |                        | gb:wq05c02.x1 NCI_CGAP_Kid12 Homo sapiens cDNA clone 3', mRNA sequence   | 19.4   |
| 25             |         | AA251973 | Hs.269988              |  | 5.4    |
|                |         | AA253170 |                        |  | 10.4   |
|                |         | AA256837 | 113.30 17 0            | gb:zr84d10.s1 Soares_NhHMPu_S1 Homo sapiens cDNA clone IMAGE:682387 3*, mRNA sequen  |        |
|                |         |          | Un OCEAE               |  | 9.4    |
|                |         | BE047718 |                        | 4919   |        |
| 20             |         | AA258601 |                        |  | 2.4    |
| 30             | 120535  | BE350244 | Hs.96547               | ESTs   | 2.5    |
|                | 120551  | AA279160 | Hs.111407              | Homo sapiens, done IMAGE:3613029, mRNA, partial cds  | 5.2    |
|                | 120570  | AA280679 | Hs.271445              | ESTs, Weakly similar to ALU1_HUMAN ALU SUBFAMILY J SEQUENCE CONTAMINATION  | 14.4   |
|                |         |          |                        | ZNF135-like protein  | 10.2   |
|                |         |          |                        | leucine-rich repeat-containing 2   | 2.1    |
| 35             |         |          |                        | N-acety/glucosamine-phosphate mutase   | 7.5    |
| 55             |         |          |                        |  | 2.5    |
|                | 120519  | AW965339 | MS.1114/1              | ESIS   |        |
|                |         |          | Hs.1/3518              | M-phase phosphoprotein homolog   | 52.0   |
|                | 120639  | AA286942 |                        | gb:zs56f05.s1 NCI_CGAP_GCB1 Homo sapiens cDNA clone IMAGE:701505 3' similar to contains  | Alu2.4 |
|                | 120648  | AA287095 | Hs.140309              | Homo sapiens, clone IMAGE:3677194, mRNA, partial cds   | 5.0    |
| 40             | 120653  | AW063659 | Hs.191649              | ESTs   | 2.2    |
| . •            |         |          |                        | 6.2 kd protein   | 2.2    |
|                |         | BE536739 |                        |  | 1.9    |
|                |         |          | 113.105505             | gb:oq30a04.s1 NCI_CGAP_GC4 Homo sapiens cDNA clone 3' similar to contains PTR7.t1 PTR7   |        |
|                |         | AA976503 | 07040                  |  |        |
| 15             |         | Al821539 |                        |  | 2.5    |
| 45             |         | AW449855 |                        |  | 5.9    |
|                | 120718  | AA292747 | Hs.97296               | ESTs   | 2.9    |
|                | 120750  | Al191410 | Hs.96693               | ESTs, Moderately similar to 2109260A B cell growth factor [H.saplens]  | 7.0    |
| •              | 120774  | A1608909 | Hs.193985              | ESTs   | 7.8    |
|                |         |          |                        |  | 6.8    |
| 50             |         | AA346495 | 710.0000               | gb:EST52657 Fetal heart II Homo sapiens cDNA 3' end similar to EST containing O family repeat,   |        |
| <i>5</i> 0     |         |          | Un 104633              |  | 4.4    |
|                |         | AA386260 |                        |  |        |
|                |         | AA398155 |                        |  | 4.4    |
|                |         | BE262951 |                        |  | 5.6    |
|                |         | Al219896 | Hs.97592               |  | 1.2    |
| 55             | 121011  | AA398360 | Hs.97608               | EST  | 3.1    |
|                |         | Al439713 | Hs.165295              |  | 3.5    |
| •              | 121021  | AA398721 |                        | ESTs, Highly similar to 137550 mismatch repair protein MSH2 [H.sapiens]  | 5.4    |
|                |         |          |                        |  | 3.7    |
|                | 121133  | AA363307 | 113.77032              | ECTA   | 1.7    |
| <b>~</b> 0     | 1211/6  | AL121523 | ns.9///4               | ESIS  FOT- Manifesta dicerta dicertato per alle 1  |        |
| 60             |         |          |                        | ESTs, Weakly similar to dJ667H12.2.1 [H.sapiens]   | 2.9    |
|                |         | AA403008 |                        |  | 1.9    |
|                | 121340  | AW956981 | Hs.97910               | Homo sapiens cDNA FLJ13383 fis, clone PLACE1001024   | 3.5    |
|                | 121408  | AA406137 | Hs.98019               | EST  | 6.0    |
|                | 121439  | AA410190 | Hs.98076               | ESTs, Weakly similar to A47582 B-cell growth factor precursor [H.sapiens]  | 7.4    |
| 65             | 121/150 | ΔΔ406430 | Hs 105362              | Homo sapiens, clone MGC:18257, mRNA, complete cds  | 6.9    |
| <del>5</del> 5 | 121450  | AW971063 | He 202882              | FSTs   | 1.8    |
|                |         | MEDOUS   | 113.434004<br>Un 45465 | retinoic acid induced 14   |        |
|                | 121400  | H58306   | ris. 13103             | Tentore and maneer 14  | 10.5   |

|            | 121457 | W07404                   | Hs.144502              | hypothetical protein FLJ22055   | 3.4          |
|------------|--------|--------------------------|------------------------|---|--------------|
|            |        |                          | Hs.97900               |   | 14.4         |
|            |        |                          | Hs.194417              |   | 13.1<br>28.0 |
| _          | 121508 | AA402515                 | Hs.97887               | ESTs  | 6.2          |
| 5          |        |                          | Hs.181510              | ESTs<br>gb:zt69b02.s1 Soares_testis_NHT Homo sapiens cDNA clone IMAGE:727563 3', mRNA sequence                                |              |
|            |        | AA412112                 |                        |   | 7.4          |
|            |        |                          | Hs.98142               | gb:zt95g12.s1 Soares_testis_NHT Homo sapiens cDNA clone IMAGE:730150 3' similar to contain                                    |              |
|            |        | AA412497                 | 11- 00000              |   | 3.5          |
| 10         |        | AA411970<br>AA416568     | Hs.98096               | gb:zu05c10.s1 Soares_testis_NHT Homo sapiens cDNA clone 3', mRNA sequence   | 6.1          |
| 10         |        |                          | He 80718               | spermine synthase   | 3.9          |
|            |        |                          | Hs.98247               |   | 2.2          |
|            | 121622 | A A 416031               | Hs 126065              | FSTs  | 4.2          |
|            | 121655 | AA421537                 | Hs.178072              | Homo sapiens mRNA: cDNA DKFZp434B1023 (from clone DKFZp434B1023)  | 7.8          |
| 15         | 121682 | AA418160                 | Hs.86043               | Homo sapiens cDNA FLJ13558 fis, clone PLACE1007743  | 2.0          |
|            | 121690 | AV660305                 | Hs.110286              | ESTs  | 4.7          |
|            | 121706 | 1155184                  | Hs.154145              | hypothetical protein FLJ11585   | 12.7<br>8.1  |
|            | 121714 | AA419225                 | Hs.98269               | Homo sapiens cDNA FLJ11953 fis, clone HEMBB1000883  | 1.8          |
|            |        |                          | Hs.98325               |   | 4.0          |
| 20         | 121731 | AA421041                 | Hs.180744              | ESTs  | 7.1          |
|            | 121744 | AA398784                 | Hs.97514               | ESTS  | 19.5         |
|            | 121748 | BE536911                 | Hs.234545              | hypothetical protein NUF2R  | 7.9          |
|            | 121773 | AB033022                 | HS.158654              | KIAA1196 protein  | 1.7          |
| 25         | 121775 | AA421//3                 | Hs.161008              | hypothetical protein FLJ22501   | 6.6          |
| 25         | 121//0 | AAZ9Z019                 | Hs.98376               | FSTe  | 10.5         |
|            | 121700 | AM340797                 | Hs.98434               | FSTs  | 5.8          |
|            |        |                          | Hs.218289              |   | 3.8          |
|            | 121839 | AA425691                 | Hs.191606              | ESTs, Highly similar to KIAA1048 protein [H.sapiens]  | 5.0          |
| 30         | 121842 | AF027406                 | Hs.104865              | serine/threonine kinase 23  | 2.7          |
|            | 121847 | AA446628                 | Hs.2799                | cartilage linking protein 1   | 2.3<br>2.9   |
|            | 121871 | AW972668                 | 3 Hs.293044            | ESTs  | 5.0          |
|            |        |                          | Hs.98459               | ESTs  | 7.2          |
|            | 121911 | AA427950                 |                        | gb:zw50f02.s1 Soares_total_fetus_Nb2HF8_9w Homo sapiens cDNA clone iMAGE:773499 3'  | 2.5          |
| 35         | 121915 | AA428179                 | Hs.223405              | ESTs, Moderately similar to A46010 X-linked retinopathy protein [H.sapiens]   | 2.3          |
|            | 121935 | AA428647                 | Hs.98611               | EST hundringt protein EL 114004   | 3.4          |
|            | 121983 | AA298760                 | HS.180191              | hypothetical protein FLJ14904<br>Homo sapiens, clone IMAGE:2822295, mRNA, partial cds   | 11.4         |
|            | 121985 | AA210863                 | He 3532 14             | nemo-like kinase  | 3.8          |
| 40         |        |                          | Hs.98668               |   | 6.4          |
| 40         | 122000 | AW29276                  | 3 Hs.160822            | 2 Homo sapiens cDNA: FLJ20863 fis, clone ADKA01804  | 2.2          |
|            | 122003 | AA431085                 | LC 00706               | EQTe  | 6.5          |
|            | 122036 | W92142                   | Hs 271963              | B ESTs. Weakly similar to ALU5_HUMAN ALU SUBFAMILY SC SEQUENCE CONTAININATION   | 13.1         |
|            | 122050 | AI453076                 | Hs.166109              | ELAV (embryonic lethal, abnormal vision, Drosophila)-like 2   | 9.1          |
| 45         | 122060 | AA431738                 | Hs.98750               | EST   | 13.1<br>1.5  |
|            | 122114 | AW16102                  | 3 Hs.10492             | I FSTs  | 3.3          |
|            | 122188 | AA398838                 | }                      | gb:zt80d01.r1 Soares_testis_NHT Homo sapiens cDNA clone 5', mRNA sequence   | 5.6          |
|            |        |                          | Hs.98842               |   | 5.1          |
| <b>-</b> 0 | 122246 | AA329550                 | Hs.29417               | HCF-binding transcription factor Zhangfei   | 5.6          |
| 50         | 122257 | AA436819                 | Hs.98899               | E015  | 5.8          |
|            | 122302 | AA441801                 | Hs.10494               | hypothetical protein FLJ22263 similar to nuclear receptor-binding SET-domain protein 1  | 2.0          |
|            | 12234  | AWOU190                  | Hs.98390               | FSTs  | 7.3          |
|            | 122330 | PROSPANA                 | Hs.30322               | 2 ESTs  | 12.2         |
| 55         | 12230  | AA86855                  | Hs.17822               | 2 ESTs  | 5.0          |
| 55         | 12237  | 2 AA446008               | Hs.33667               | 7 EST   | 7.6          |
|            | 122378 | 3 AB032948               | B Hs.21356             | hypothetical protein DKFZp/62K2U15  | 2.5          |
|            | 122409 | 5 AA446572               | 2 Hs.30322             | 3 EŞT   | 2.8<br>7.3   |
|            | 12241  | 2 AA446869               | 9 Hs.11931             | 6 ESTs  | 1.9          |
| 60         | 12241  | 5 AA446918               | 8 Hs.99088             | EST   | 6.8          |
|            | 12241  | B AA44696                | 6 Hs.99090             | ESTs, Moderately similar to similar to KIAA0766 [H.sapiens]<br>Homo sapiens mRNA; cDNA DKFZp547C244 (from clone DKFZp547C244) | 2.6          |
|            | 12244  | D AW50513                | 9 Hs.9460              | TOTAL SAPIENS MINNA; CUINA UNTERPATORAT (MONICONE DIA EPOTE ORTA)   | 1.8          |
|            | 12244  | 6 AA44760                | 3 Hs.99123             | S EST<br>S EST  | 3.5          |
| CE         | 12244  | 0 AA44/02                | 6 Hs.99127<br>Hs.10498 | n Ecto  | 1.5          |
| 65         | 12245  | 0 MIZOUIDS<br>0 AM/A1R78 | 38 Hs.99148            | ESTs, Weakly similar to S43569 R01H10.6 protein - Caenorhabditis elegans [C.elegans]  | 9.7          |
|            | 12240  | 4 AA44815                | 8 Hs.99152             |   | 4.8          |

|            |        |           |            | ***  | 6.1               |   |
|------------|--------|-----------|------------|--|-------------------|---|
|            |        | AA448349  |            | 20.  | 5.4               |   |
|            | 122492 | AA448417  | Hs.104990  | ESTS   |                   |   |
|            |        |           |            | tionio opposito and a constanting  | 1.3<br>11.2       |   |
| _          | 122510 | AA449232  | Hs.99195   | ESIS   | 10.1              |   |
| 5          |        |           |            | adaptor-related protein complex 1, sigma 2 subunit   |                   |   |
|            |        | AA779725  |            | 2010   | 2.5               |   |
|            |        | AA194055  |            |  | 1.9               |   |
|            |        | AA452578  |            |  | 9.5               |   |
|            | 122572 | AA452601  | Hs.99287   |  | 11.0              |   |
| 10         | 122586 | AK001910  | Hs.99303   | Tions depose de la la contrata de la contrata del la contrata de l | 3.4               |   |
|            | 122587 | AB040893  | Hs.6968    |  | 2.0               |   |
|            |        | AI028173  |            | LO10   | 1.7               |   |
|            | 122599 | AL355841  | Hs.99330   |  | 4.4               |   |
|            |        | AA411925  |            | ESTs   | 4.6               |   |
| 15         | 122607 | AA453518  | Hs.98023   | ESTs   | 61.5              |   |
|            | 122614 | AA453630  | Hs.99339   | EST  | 10.7              |   |
|            |        | AA453638  |            | ESTs   | 107.3             |   |
|            |        |           |            | serine/lhreonine kinase 33   | 121.4             |   |
|            |        | AA453641  |            | gb:zx48e06.s1 Soares_testis_NHT Homo sapiens cDNA clone 3', mRNA sequence  | 31.1              |   |
| 20         |        | AA453987  |            |  | 5.6               |   |
|            |        | AA456859  |            |  | 8.5               |   |
|            |        | Al376875  |            |  | 10.4              |   |
|            |        | AW204530  |            |  | 81.8              |   |
|            | 122834 | 44461492  | Hs 99545   | Homo sapiens cDNA FLJ10658 fis, clone NT2RP2006052   | 3.6               |   |
| 25         | 122034 | AA460581  | He 290996  | FSTs   | 4.5               |   |
| 23         | 122837 | AAA61500  | He 203565  | ESTs, Weakly similar to putative p150 [H.sapiens]  | 2.7               |   |
|            |        | AA460584  |            |  | 75.3              |   |
|            | 122030 | AA600334  | He 0625    | NiMA (never in mitosis gene a)-related kinase 6  | 7.7               |   |
|            | 122034 | A1020374  | He 75367   | Src-like-adapter   | 5.8               |   |
| 30         | 122000 | AA335721  | He 11030/  | FSTe   | 1.3               |   |
| 50         |        | BE539656  |            |  | 4.1               |   |
|            | 122000 | VEUUE318  | He 1155/11 | Janus kinase 2 (a protein tyrosine kinase)   | 5.3               |   |
|            | 122000 | A1003210  | He 318722  | Homo saplens cDNA: FLJ21766 fis, done COLF7179   | 9.9               |   |
|            |        | AW081394  |            |  | 5.3               |   |
| 35         |        | AA769410  |            |  | 13.9              |   |
| 55         |        | AA470074  |            |  | 11.5              |   |
|            |        | AA470140  |            |  | 1.7               |   |
|            |        | AA478951  |            |  | 5.0               |   |
|            |        | AW968324  |            |  | 15.4              |   |
| 40         | 123013 | AM2200324 | De 22224   | Homo sapiens cDNA FLJ11946 fis, clone HEMBB1000709   | 2.8               |   |
| 40         | 123010 | A1250571  | Ha 44054   | ninein (GSK3B Interacting protein)   | 8.7               |   |
|            | 123034 | AL339371  | 115.44004  | ESTs, Weakly similar to KIAA1395 protein [H.sapiens]   | 8.8               |   |
|            | 123072 | A1382000  | HS.104300  | ECTs. Weakly Sittiliat to NAN 1999 protein [1150protein]   | 3.9               |   |
|            |        | AA485360  |            |  | 3.8               |   |
| 15         |        | Al343652  |            |  | 7.4               |   |
| 45         |        | AA486256  |            |  | 2.8               |   |
|            | 123114 | BE304942  | MS.200040  | myornegalin  | 2.4               |   |
|            | 123131 | 102027    | NS.27 1790 | ESTs, Weakly similar to I38022 hypothetical protein [H.sapiens] Homo sapiens cDNA FLJ12371 fis, clone MAMMA1002434   | 15.6              |   |
|            |        |           |            |  | 5.1               |   |
| 50         |        | AW451999  |            |  | 23.8              |   |
| 50         |        | AI734179  |            |  | 5.2               |   |
|            | 123152 | AW601773  | MS.270209  | ESTS, Weakly similar to RMS1_HUMAN REGULATOR OF MITOTIC SPINDLE ASSEMBLY 1 [H.s  |                   | 3 |
|            |        |           |            | gb:zv37d10.s1 Soares ovary tumor NbHOT Homo sapiens cDNA clone IMAGE:755827 3' similar to  | nd 1              | - |
|            |        | AA496369  |            |  | 6.9               |   |
|            |        | AA504757  |            |  | 3.6               |   |
| 55         | 123394 | AA731404  | MS.10551U  | 5015   | 3.7               |   |
|            | 123433 | AW450922  | HS.1124/8  | 5313   | 7.4               |   |
|            | 123466 | AA599042  | HS.112503  | EST  | 1.4<br>to 3.5     |   |
|            | 123470 | AW303285  | Hs.303632  | Human DNA sequence from clone RP11-110H4 on chromosome 5 Contains a pseudogene similar   | 5.2               |   |
|            |        |           |            | zinc finger protein 14 (KOX 6)   |                   |   |
| 60         |        |           |            | Homo sapiens, clone IMAGE:4098694, mRNA, partial cds   | 1.7<br>1.6        |   |
|            | 123482 | N95059    | Hs.55098   | ED18   | 2.4               |   |
|            | 123486 | BE019072  | HS.334802  | Homo saplens cDNA FLJ14680 fts, clone NT2RP2004242, weakly similar to  | 2.2               |   |
|            | 123508 | AW380388  | HS.155546  | KIAA1080 protein; Golgi-associated, gamma-adaptin ear containing, ARF-binding protein 2  | 7.8               |   |
| <i>.</i> - |        | AA609170  |            | gb:af12a12.s1 Soares_testis_NHT Homo sapiens cDNA clone 3', mRNA sequence  | 7.8<br>2.8        |   |
| 65         |        | AA602964  |            | gb:no97c02.s1 NCL CGAP_Pr2 Homo sapiens cDNA done, mRNA sequence   | 2.0<br>ns Alu. 1. | 7 |
|            |        | AA609364  |            | gb:zu/1d09.s1 Soares_testis_NHT Homo saplens cDNA clone IMAGE:743441 3' similar to contain   | 13 ANU. 1.        |   |
|            | 123674 | A1269609  | HS.105187  | kinesin protein 9 gene   | 5.7               |   |

|      | 123735 | NIM 013241           | He 95231           | FH1/FH2 domain-containing protein  | 10.0        |
|------|--------|----------------------|--------------------|--|-------------|
|      |        | AA609891             |                    |  | 5.2         |
|      | 123753 | A A 600055           | He 234961          | Huntinotin interacting protein E   | 30.6        |
|      | 123804 | AA620464             | Un 204046          | ECT Mostly similar to S65657 alpha-1C-adrenemic recentor splice form 2 Irt.Sablens             | 2.1         |
| 5    |        | AA620586             | 110.20 10 10       | gb:ae60g05.s1 Stratagene lung carcinoma 937218 Homo sapiens cDNA clone IMAGE:951320 3'         | 2.7         |
| ,    | 123951 | AR012922             | Hs.173043          | metastasis-associated 1-like 1   | 0.2         |
|      | 123983 | A 1272267            | Hs.146178          | choline dehydrogenase .  | 4.4         |
|      | 124001 | L42542               | Hs.75447           | ralA binding protein 1   | 7.0         |
|      |        | AI147155             |                    |  | 8.1         |
| 10   | 124070 | AI950314             | Hs.154762          | HIV-1 rev binding protein 2  | 3.7         |
|      | 124074 | H05635               | Hs.294030          | topolsomerase-related function protein 4-2   | 1.2         |
|      | 12/178 | RE463721             | He 97101           | nutative G protein-coupled receptor  | 3.1         |
|      | 124203 | AA372796             | Hs.269339          | ESTs, Weakly similar to AF161356 1 HSPC093 [H.sapiens]   | 5.7         |
|      | 124352 | AA640891             | Hs.102406          | ESTs   | 3.1         |
| 15   |        | D87454               | Hs.192966          | KIAA0265 protein   | 3.5<br>57.1 |
|      | 124385 | AI267847             |                    | gb:aq49a10.x1 Stanley Frontal NB pool 2 Homo sapiens cDNA clone similar to contains            | 2.8         |
|      | 124390 | AA317338             | Hs.7535            | COBW-like protein  | 7.1         |
|      | 124391 | AF155099             | Hs.279780          | NY-REN-18 antigen  |             |
|      | 124417 | N34059               |                    | gb:yv28h09.s1 Soares fetal liver spleen 1NFLS Homo sapiens cDNA clone 3' similar to contains A | 2.9         |
| 20   | 404400 | 1142540              | Hs.82202           | ribosomal protein L17  | 7.8         |
|      | 124440 | AA532519             | Hs.129043          | Human DNA sequence from clone 989H11 on chromosome 22q13.1-13.2. Contains part of a            | 2.6         |
|      |        | R10084               | Hs.113319          | kinesin heavy chain member 2   | 7.9         |
|      |        | N53935               |                    | gb;yy59d09.s1 Soares fetal liver spleen 1NFLS Homo saplens cDNA clone 3', mRNA sequence        | 7.8         |
|      | 124498 | H79433               | Hs.268997          | ESIS   | 3.3         |
| 25   |        | AA669097             | Hs.109370          | ESIS   | 4.5         |
|      | 124608 | N71076               | Hs.102800          | ESTs, Weakly similar to neuronal thread protein AD7c-NTP [H.sapiens]                           | 3.2         |
|      | 124631 | NM_01405             | 3Hs.270594         | FLVCR protein  | 5.8         |
|      | 124634 | AI/65123             | HS. 1436/1         | Homo saplens cDNA FLJ13533 fis, clone PLACE1006371   | 9.3         |
| 20   | 12463/ | AA1604/4             | HS./3/90           | hypothetical protein   | 3.5         |
| 30   |        |                      | Hs.313054          | sorting nexin 17   | 6.1         |
|      | 124049 | N92593<br>AW297702   |                    |  | 8.3         |
|      |        | R48170               | Hs.78436           | Eola<br>Eola   | 5.6         |
|      | 124001 | V40110               | He 110878          | ESTs, Weakly similar to M3K9_HUMAN MITOGEN-ACTIVATED PROTEIN KINASE KINASE                     | 7.9         |
| 35   | 124003 | R09166               | He 101148          | FSTs   | 5.7         |
| 55   | 124712 | R22952               | Hs.268685          | ESTs   | 11.3        |
|      | 124761 | ΔΔ374756             | Hs 93560           | Homo sapiens mRNA for KIAA1771 protein, partial cds  | 9.0         |
|      | 124768 | AW368528             | Hs 100855          | ESTs   | 8.1         |
|      | 124775 | R41772               | He 100878          | FSTs   | 4.9         |
| 40   | 124777 | R41933               | Hs.140237          | ESTS. Weakly similar to ALU1_HUMAN ALU SUBFAMILY 3 SEQUENCE                                    | 2.8         |
| ••   | 124788 | R43543               | Hs.100912          | Homo sapiens cDNA: FLJ22726 fis, clone HSI15005  | 5.1         |
|      | 124809 | AL355722             | Hs.106875          | Homo sapiens EST from clone 35214, full insert   | 4.2         |
|      |        | R46068               | Hs.288912          | hypothetical protein FLJ22604  | 14.2        |
|      | 12/812 | P47948               | Hs 188732          | FSTs   | 7.9<br>6.6  |
| 45   | 124822 | AA418160             | Hs.86043           | Homo sapiens cDNA FLJ13558 fis, clone PLACE1007743   | 2.3         |
|      | 124825 | AA501669             | Hs.336693          | ESTs   | 2.7         |
|      | 124833 | AW975868             |                    |  | 2.3         |
|      | 124857 | R63652               |                    |  | 23.9        |
|      | 124860 | R65763               | Hs.101477          | Y EST  | 2.0         |
| 50   | 124863 | Al382555             | Hs.127950          | bromodomain-containing 1   | 4.4         |
|      | 124876 | AF135422             | Hs.27059           | GDP-mannose pyrophosphorylase A  | 2.7         |
|      | 124878 | BE397530             | Hs.288057          | hypothetical protein FLJ22242  | 5.7         |
|      |        | H37941               | Hs.101883          |  | 32.4        |
| ے ہے | 124903 | AW29671              | 5 HS.ZZ144         | ESTS, Weakly similar to ALUB_HUMAN !!!! ALU CLASS B WARNING ENTRY !!! [H.sapiens]              | 22.8        |
| 55   |        |                      | HS.1/3933          | 2 ESTs, Moderately similar to B34087 hypothetical protein [H.sapiens]                          | 6.1         |
|      |        | R99978               |                    | murine leukemia viral (bmi-1) oncogene homolog   | 1.9         |
|      | 124950 | A1078645             | Hs.431<br>Hs.98681 |  | 4.5         |
|      |        | T40841<br>T59338     | He 26046           | 3 ESTs, Weakly similar to ALU1_HUMAN ALU SUBFAMILY J SEQUENCE CONTAMINATION                    | 4.9         |
| 60   |        |                      | Hs.27979           |  | 5.0         |
| 60   | 123041 | 7 T79815<br>1 T79956 | Hs.10058           |  | 135.3       |
|      |        | T81310               | Hs.10059           |  | 5.4         |
|      |        | A1472068             | He 28623           | S. KIAA 1856 protein   | 5.6         |
|      |        | T96595               | Hs.30227           | n ESTs Weakly similar to At UF HI IMAN IIII ALU CLASS F WARNING ENTRY !!! [H.sapiens]          | 1.8         |
| 65   | 12511  | 5 T97341             |                    | abve57e05 s1 Soares fetal liver soleen 1NFLS Homo saniens cDNA clone IMAGE:121806 3 SIF        | nilar to 9  |
| 05   | 12512  | 5 Al222382           | Hs.24076           | 7 Human DNA sequence from clone RP1-12G14 on chromosome 6q24.1-25.2, Contains the 5' end       | or the gene |
|      | 12514  | 7 W38150             |                    | Empirically selected from AFFX single probeset   | 1.7         |

|    | 125161 | W44657      | Hs.144232   | EST  | 10.7       |
|----|--------|-------------|-------------|--|------------|
|    | 125249 | AA630863    | Hs.131375   | ESTs, Moderately similar to ALUB_HUMAN III! ALU CLASS B WARNING ENTRY II! [H.sapiens]  | 1.3        |
|    | 125255 | AF098162    | Hs.118631   | timeless (Drosophila) homolog  | 9.4        |
| _  | 125279 | AW401809    | Hs.4779     | KIAA1150 protein   | 1.5        |
| 5  | 125280 | Al123705    | Hs.106932   | ESTs   | 8.0        |
|    | 125298 | AW972542    | Hs.289008   | Homo sapiens cDNA: FLJ21814 fis, clone HEP01068  | 1.5        |
|    |        | AW292171    |             | scaffold attachment factor B   | 5.9        |
|    | 125827 | NM_003403   | 3Hs.97496   | YY1 transcription factor   | 1.2        |
|    |        |             | Hs.7138     | cholinergic receptor, muscarlnic 3   | 6.4        |
| 10 |        | AW409701    |             | baculoviral IAP repeat-containing 5 (survivin)   | 14.3       |
|    |        |             |             | vacuolar proton pump delta polypeptide   | 2.4        |
|    |        |             |             | a disintegrin and metalloproteinase domain 10  | 9.1        |
|    |        |             |             | CGI-89 protein   | 17.0       |
|    |        |             |             | Homo sapiens cDNA FLJ12789 fis, clone NT2RP2001947   | 12.8       |
| 15 |        |             | Hs.161623   |  | 7.3        |
|    |        |             |             | KIAA0276 protein   | 3.1        |
|    |        | D87466      |             | KIAA0276 protein   | 1.3        |
|    |        |             |             | putative nucleolar RNA helicase  | 9.4        |
|    |        |             |             | transcription factor 3 (E2A immunoglobulin enhancer binding factors E12/E47)   | 1.5        |
| 20 |        |             |             | ESTs, Weakly similar to IDN4-GGTR14 [H.sapiens]  | 2.8        |
| 20 |        | U31875      |             | short-chain alcohol dehydrogenase family member  | 12.1       |
|    |        |             |             | Rho GTPase activating protein 8  | 2.3        |
|    | 120099 | A1070000    | J⊓S. 102330 | GIOT-3 for gonadotropin inducible transcription repressor-3  | 1.3        |
|    |        |             |             |  | 7.1        |
| 25 |        |             |             | zinc finger protein  | 1.3        |
| 23 |        |             |             | hypothetical protein ASH1 .  | 3.2        |
|    |        |             |             | DKFZP434A043 protein   | 2.0        |
|    |        |             |             | CGI-47 protein   | 1.4        |
|    |        |             | Hs.10326    |  | 1.3        |
| 20 | 120000 | NA400042    | HS. 10320   | coatomer protein complex, subunit epsilo diptheria toxin resistance protein required for diphthamide biosynthesis (Saccharomyces)-like 2 | 2.4        |
| 30 | 120000 | A A 07E 40C | Ha 402444   | Homo sapiens, Similar to RIKEN cDNA 1700010L19 gene, done MGC:16214, mRNA, complete of   |            |
|    |        |             |             | hypothetical protein MGC5576   | 7.7        |
|    |        |             |             |  | 3.8        |
|    |        |             |             | nuclear receptor coactivator 3 small Inducible cytokine subfamily B (Cys-X-Cys), member 11   | 1.6        |
| 35 |        |             |             | tubulin, beta 5  | 7.6        |
| 55 |        |             |             | hypothetical protein FLJ10702  | 5.5        |
|    |        |             |             | ESTs, Moderately similar to I38022 hypothetical protein [H.sapiens]  | 2.7        |
|    |        |             |             | RP42 homolog   | 2.8        |
|    |        |             |             | proteasome (prosome, macropain) subunit, alpha type, 4   | 4.4        |
| 40 |        |             |             | actin related protein 2/3 complex, subunit 4 (20 kD)   | 2.2        |
| •• |        |             |             | PDZ-binding kinase; T-cell originated protein kinase   | 2.8        |
|    |        |             |             | thymidine kinase 1, soluble  | 5.3        |
|    |        | N71826      |             | small nuclear ribonucleoprotein polypeptide F  | 53.9       |
|    |        |             |             | stem ceil growth factor; lymphocyte secreted C-type lectin   | 13.3       |
| 45 |        |             |             | RD RNA-binding protein   | 2.6        |
|    |        |             |             | nuclear prelamin A recognition factor  | 2.2        |
|    |        |             |             | valosin-containing protein   | 5.9        |
|    | 128835 | AK001731    | Hs 106390   | Homo sapiens mRNA; cDNA DKFZp586H0924 (from clone DKFZp586H0924)   | 1.6        |
|    | 128854 | BF159181    | Hs.168232   | hypothetical protein FLJ13855  | 2.2        |
| 50 |        |             |             | hypothetical protein FLJ13855  | 1.9        |
| 50 |        |             |             | chromosome 22 open reading frame 3   | 3.0        |
|    |        |             |             | chromosome 22 open reading frame 3   | 2.2        |
|    |        |             |             | ATPase, Ca++ transporting, type 2C, member 1   | 1.5        |
|    |        | F34856      |             | Homo sapiens, clone MGC:16362, mRNA, complete cds  | 13.3       |
| 55 |        | R57988      |             | epithelial protein lost in neoplasm beta   | 4.7        |
|    | 128920 | AA622037    |             | programmed cell death 5  | 1.4        |
|    | 128925 | R67419      | Hs.21851    | Homo sapiens cDNA FLJ12900 fis, done NT2RP2004321  | 1.9        |
|    |        | Y13153      |             | kynurenine 3-monooxygenase (kynurenine 3-hydroxylase)  | 7.2        |
|    |        | AA009647    |             | a disintegrin and metalloproteinase domain 12 (meltrin alpha) (ADAM-12)  | 2.4        |
| 60 |        |             |             | hypothetical protein DKFZp434N035  | 1.3        |
| -  |        |             |             | hypothetical prolein FLJ11200  | 10.9       |
|    |        |             | Hs.107418   |  | 1.4        |
|    |        |             | Hs.165028   |  | 1.3        |
|    |        |             |             | NICE-5 protein   | 14.0       |
| 65 | 128979 | AW271217    | Hs.281434   | Homo sapiens cDNA FLJ14028 fis, clone HEMBA1003838   | 1.6        |
| 05 |        |             |             |  | 4.0        |
|    | 128995 | AJ816224    | Hs.107747   | DKFZP566C243 protein<br>qb:wq05c02.x1 NCI_CGAP_Kid12 Homo saplens cDNA clone 3', mRNA sequence   | 1.9<br>2.9 |

|     | 129021 AL044675                  | Hs.173081                    | KIAA0530 protein   | 3.8         |
|-----|----------------------------------|------------------------------|--|-------------|
|     | 129021 AL044675                  | Hs.173081                    | KIAA0530 protein   | 2.5         |
|     | 490000 000000                    | Un 100 104                   | ubiquitin conjugating enzyme E2U3  | 3.4<br>5.0  |
|     | 129076 AW29680                   | 6 Hs.326234                  | ESTs, Highly similar to T46422 hypothetical protein DKFZp434M2023.1 [H.sapiens]            | 2,1         |
| 5   | 129078 Al351010                  | Hs.102267                    | lysosomal  | 17.1        |
|     | 129088 AA744610                  |                              |  | 2.7         |
|     | 129095 L12350                    | Hs.108623                    | thrombospondin 2   | 20.9        |
|     | 129096 AA463189                  | Hs.288906                    | WW Domain-Containing Gene  | 3.0         |
| 10  | 129097 BE24393                   | 3 Hs.108642                  | zinc finger protein 22 (KOX 15)<br>ATP-binding cassette, sub-family C (CFTR/MRP), member 5 | 5.8         |
| 10  |                                  | 4 HS.106060                  | hyperthetical protein MCC27A7  | 5.9         |
|     | 129136 W93048                    | HS.250723                    | hypothetical protein MGC2747 KIAA0050 gene product   | 6.3         |
|     | 129149 AA330020                  | U NS.100547                  | hypothetical protein PRO2577   | 1.8         |
|     | 129192 AA28691                   | 4 He 183299                  | FSTs   | 2.1         |
| 15  | 129194 AA15079                   | 7 Hs 109276                  | latexin protein  | 3.2         |
| 13  | 129198 N57532                    | Hs.109315                    | KIAA1415 protein   | 5.8         |
|     | 129207 Al934365                  | Hs.109439                    | osteoglycin (osteoinductive factor, mimecan)   | 8.0<br>2.9  |
|     | 120228 1140714                   | Hs 239307                    | tvmsvl-tRNA synthetase   | 3.2         |
|     | 129229 AF01375                   | 8 Hs.109643                  | polyadenylate binding protein-interacting protein 1  | 2.6         |
| 20  | 129254 AA25246                   | 8 Hs.1098                    | DKFZp434J1813 protein  | 7.3         |
|     |                                  | Hs.109804                    | H1 histone family, member X  | 9.6         |
|     | 129288 W26392                    | Hs.110080                    | ESTs, Weakly similar to S13495 pregnancy zone protein [H.sapiens]                          | 1.2         |
|     | 129296 Al051967                  |                              | Homo sapiens cDNA FLJ11311 fis, clone PLACE1010102   | 5.1         |
| 25  | 129323 AA28723                   | 19 HS.5518                   | F-box only protein 9   | 4.6         |
| 25  | 129340 H75334                    | 12 Un 170860                 | molanoma_associated antinen recognised by Cyloloxic 1 lymphocytes                          | 7.6         |
|     | 129362 U30246                    | He 110736                    | solute carrier family 12 (sodium/potassium/chloride transporters), member 2                | 6.7         |
|     | 129302 030240<br>129366 RE22080  | 16 Hs 184697                 | Homo sapiens done 23785 mRNA sequence  | 8.6         |
|     | 129370 Al686379                  | 9 Hs.110796                  | SAR1 protein   | 1.4<br>2.0  |
| 30  | 120272 NM 016                    | 039He 110803                 | CGI-99 protein   | 7.4         |
| 50  | 129403 AF14978                   | 5 Hs.111126                  | pituitary tumor-transforming 1 interacting protein   | 5.0         |
|     | 129404 AI26770                   | 0 Hs.317584                  | ESTS   | 2.5         |
|     | 129404 AI26770                   | 0 Hs.317584                  | ESTs   | 10.2        |
|     | 129423 AA20468                   | 36 Hs.234149                 | hypothetical protein FLJ20647  | 8.0         |
| 35  | 129449 Al09698                   | 8 Hs.111554                  | ADP-ribosylation factor-like 7   | 3.2         |
|     | 129453 AW9742                    | 65 HS.11103                  | 2 LSNS protein   | 6.7         |
|     | 129482 AA18818<br>129482 AA18818 | 05 FIS.20304                 | S spirout  | 3.6         |
|     | 120513 AWR436                    | 33 Hs 30616                  | hypothetical protein AL110115  | 7.1         |
| 40  | 129515 AF25530                   | 03 Hs.11222                  | membrane-associated nucleic acid binding protein   | 2.5         |
| 70  | 129527 AA7692                    | 21 Hs.27084                  | 7 delta-tubulin  | 3.2         |
|     | 129559 W01296                    | Hs.11360                     | hypothetical protein FLJ14784  | 7.5<br>6.8  |
|     | 129560 AA3178                    | 41 Hs.7845                   | hypothetical protein MGC2752   | 2.0         |
|     | 129570 Al92309                   | 7 Hs.11441                   | chromosome 1 open reading frame 8  | 1.6         |
| 45  | 129575 F08282                    |                              | 8 progestin induced protein  | 6.8         |
|     | 129587 H14718                    | Hs.11506                     | Human clone 23589 mRNA sequence  | 1.4         |
|     | 129588 BE4083                    | 00 Hs.30186                  | 2 postmeiotic segregation increased 2-like 9   | 7.3         |
|     | 129591 N57423                    | HS.17989                     | 8 HSPC055 protein coagulation factor VII (serum prothrombin conversion accelerator)        | 9.0         |
| 50  | 129594 AW403                     | 724 MS.30909                 | 1 REV3 (yeast homolog)-like, catalytic subunit of DNA polymerase zeta                      | 1.6         |
| 50  | 129590 AF0353<br>129628 U38945   | Hs.1174                      | cyclin-dependent kinase inhibitor 2A (melanoma, p16, inhibits CDK4)                        | 2.2         |
|     | 129628 U38945                    | Hs.1174                      | cyclin-dependent kinase inhibitor 2A (me   | 1.4         |
|     | 129629 AK0003                    | 98 Hs.11747                  |  | 3.8         |
|     | 129649 AD0000                    | 92 Hs.16488                  | calreticulin   | 3.3<br>13.4 |
| 55  | 129675 NM_01                     | 5556Hs.17218                 | n KIAAAAA nmtein   | 14.         |
| -   | 129680 U03749                    | )                            | gb:Human chromogranin A (CHGA) gene, promoter an   | 2.6         |
|     | 129689 AW748                     | 482 Hs.77873                 | L B7 homolog 3   | 7.4         |
|     | 129702 Al3049                    | 66 Hs.12035                  | ESTs, Weakly similar to 138022 hypothetical protein [H.sapiens]                            | 2.0         |
|     | 400700 444661                    | 71/ Ne 1715                  | APMCE1 ntoten  | 1.7         |
| 60  | 129721 NM_00                     | 1415Hs.21153                 | 99 eukaryotic translation initiation factor 2, subunit 3 (gamma, 52kD)                     | 8.3         |
|     | 129726 H15474                    | HS.1328                      | 88 fatty acid desaturase 1<br>7 hypothetical protein FLJ10814                              | 1.8         |
|     | 129778 AK0016<br>129779 AA3946   | 010 NS.12431<br>NGN He19/161 | Homo sapiens clone 23870 mRNA sequence   | 5.4         |
|     | 129800 AF052                     | 112 He 1254                  |  | 1.7         |
| 65  | 129806 AB023                     | 148 Hs.1733                  | 73 KIAA0931 protein  | 1.2         |
| UJ. | 129815 BE565                     | 817 Hs.2649                  | 3 hypothetical protein FLJ21657  | 3.1<br>1.8  |
|     | 129840 NM 00                     | 6590Hs.1282                  | O SnRNP assembly defective 1 homolog   | 1.0         |

|            | 129861 | AL049999 | Hs.85963     | DKFZP564M182 protein  | 2.2        |
|------------|--------|----------|--------------|---|------------|
|            | 129864 | Al393237 | Hs.129914    | runt-related transcription factor 1 (acute myeloid leukemia 1; aml1 oncogene)   | 1.7        |
|            | 129869 | AI222069 | Hs.13015     | hypothetical protein similar to mouse Dnall1                                    | 2.7        |
| _          | 129922 | AF042379 | Hs.13386     | gamma-tubulin complex protein 2   | 4.5        |
| 5          |        |          |              | PAI-1 mRNA-binding protein  | 1.8        |
|            |        | AA412195 |              |   | 2.5        |
|            |        |          |              |   | 1.8        |
|            |        | U09848   |              | zinc finger protein 36 (KOX 18)   | 1.3        |
| 10         |        |          |              |   | 4.0        |
| 10         |        |          |              |   | 1.6        |
|            |        | AA287325 |              |   | 4.0        |
|            |        | S73265   | Hs.1473      | gastrin-releasing peptide   | 1.8        |
|            |        | AL046962 |              |   | 2.8        |
| 1 6        |        | AL135561 |              |   | 2.3        |
| 15         |        | X53002   |              |   | 2.3        |
|            |        |          |              |   | 3.0        |
|            |        |          |              |   | 2.1        |
|            |        | L76937   |              |   | 1.8        |
| 20         |        |          |              |   | 6.1        |
| 20         |        |          |              | ESTs, Moderately similar to CEGT_HUMAN CERAMIDE GLUCOSYLTRANSFERASE [H.sapiens] |            |
|            |        | D80001   |              |   | 1.3<br>2.0 |
|            |        | R85367   |              |   |            |
|            |        |          |              |   | 3.2<br>5.4 |
| 25         |        | X79201   |              |   | 4.8        |
| 25         |        | D81983   |              |   | 1.4        |
|            |        |          |              |   | 2.6        |
| ,          |        |          |              |   | 6.3        |
|            |        | Z19084   |              |   | 6.2        |
| 30         |        |          |              |   | 2.4        |
| 50         |        |          |              |   | 3.4        |
|            |        |          |              |   | 8.5        |
|            |        | AL135301 |              |   | 1.4        |
|            |        | Al077464 |              |   | 3.3        |
| 35         |        | N89487   |              |   | 1.8        |
| ,,,        |        |          |              |   | 3.4        |
|            |        |          |              |   | 2.3        |
|            |        |          |              |   | 2.7        |
|            |        |          |              |   | 1.8        |
| 40         |        | U63630   |              |   | 2.3        |
|            |        |          |              |   | 3.9        |
|            |        | D90041   |              |   | 33.6       |
|            |        | D90041   |              | N-acetyttransferase 1 (arylamine N-acety  | 4.6        |
|            |        |          |              |   | 2.7        |
| 45         |        |          |              |   | 5.0        |
|            | 130487 | U49844   | Hs.77613     | ataxia telangiectasia and Rad3 related  | 4.3        |
|            | 130498 | L38951   | Hs.180446    |   | 1.6        |
|            | 130503 | BE208491 | Hs.295112    |   | 16.1       |
|            | 130511 | L32137   | Hs.1584      |   | 6.1        |
| 50         | 130511 | L32137   | Hs.1584      |   | 5.3        |
|            |        | AW876523 |              |   | 2.1        |
|            |        | U64675   |              |   | 7.8        |
|            |        | AA321238 |              |   | 1.5        |
|            |        |          |              |   | 14.4       |
| 55         | 130556 | AI907018 | Hs.15977     |   | 4.7        |
|            | 130567 | AA383092 | Hs.1608      | replication protein A3 (14kD)   | 7.9        |
|            |        | AA232119 |              |   | 3.3        |
|            |        | AF083208 |              |   | 1.2        |
| <b>C</b> O |        | AB007891 |              |   | 5.6        |
| 50         |        | AL042210 |              |   | 1.4        |
|            |        | AA609738 |              |   | 1.5        |
|            |        | AI354355 |              |   | 1.3        |
|            |        | M90516   | Hs.1674      |   | 12.1       |
| ce         |        | M90516   | Hs.1674      |   | 2.4        |
| 65         |        | AA383439 |              |   | 15.9       |
|            |        | BE246961 |              |   | 13.9       |
|            | 1306/4 | AL048842 | ris. 1940 19 | amarm)  | 1.5        |

### WO 02/059377

|           | 130675 | AA442233               | Hs.17731    | hypothetical protein FLJ12892   | 5.4<br>5.0  |
|-----------|--------|------------------------|-------------|---|-------------|
|           |        | AA652501               | Hs.13561    | hypothetical protein MGC4692  | 2.0         |
|           | 130693 | R68537                 | Hs.17962    | ESTs  | 1.8         |
| _         |        |                        | Hs.279762   | bromodomain-containing 7  | 2.0         |
| 5         |        | Al348274               |             | DNA segment on chromosome X (unique) 9879 expressed sequence                                | 3.7         |
|           |        | AB007920               | Hs.18747    | KIAA0451 gene product POP7 (processing of precursor, S. cerevisiae) homolog                 | 3.1         |
|           |        | H59696<br>AF052105     |             | chromosome 12 open reading frame  | 1.4         |
|           |        | AL036067               |             | protein x 0001  | 5.7         |
| 10        | 130768 | AF258627               | Hs.211562   | ATP-hinding cassette, sub-family A (ABC1), member 1   | 5.1         |
| •         | 130789 | AK000355               | Hs.8899     | sirtuin (silent mating type information regulation 2, S. cerevisiae, nomolog) 5             | 5.2         |
|           |        | AB018298               |             | SEC24 (S. cerevisiae) related gene family, member D   | 1.5<br>15.7 |
|           | 130836 | 105068                 | Hs.2012     | transcobalamin I (vitamin B12 binding protein, R binder family)                             | 2.8         |
|           | 130841 | AL157468               | Hs.325825   | Homo sapiens cDNA FLJ20848 fis, done ADKA01732  | 1.5         |
| 15        |        | AA447492               |             | ESTs, Weakly similar to AF164793 1 protein x 013 [H.sapiens]                                | 3.4         |
|           | 130844 | U76248                 | Hs.20191    | seven in absentia (Drosophila) homolog 2  | 1.7         |
|           |        |                        |             | putative DNA/chromatin binding motif<br>HBV pX associated protein-8                         | 1.9         |
|           |        | NM_016578              |             | zinc finger protein 7 (KOX 4, clone HF.16)  | 1.4         |
| 20        |        | NM_003410<br>BE514434  |             | kinesin-like 2  | 2.1         |
| 20        |        | AL120837               |             | high-glucose-regulated protein 8  | 2.4         |
|           | 130898 | AB033078               | Hs.186613   | sohingosine-1-phosphate lyase 1   | 1.7         |
|           | 130911 | BE409769               | Hs.21189    | Dna.l (Hsp40) homolog, subtamily A, member 2  | 1.8<br>2.3  |
|           |        | N79110                 | Hs.21276    | collagen, type IV, alpha 3 (Goodpasture antigen) binding protein                            | 5.4         |
| 25        | 130944 | BE382657               |             | signal transducer and activator of transcription 1, 91kD                                    | 2.2         |
|           |        | N39842                 |             | KIAA1673  | 1.8         |
|           |        | BE398091               |             | desmoplakin (DPI, DPII)   | 1.6         |
|           |        | T97401                 | Hs.21929    | ESTs thyrold hormone receptor interactor 3  | 1.6         |
| 30        | 131003 | AV658308<br>AI879165   | He 2227     | CCAAT/enhancer binding protein (C/EBP), gamma   | 1.2         |
| 30        |        | AI826288               | Hs. 171637  | hypothetical protein MGC2628  | 1.6         |
|           |        | AA321649               |             | small inducible cytokine subfamily B (Cys-X-Cys), member 10                                 | 7.4         |
|           | 131046 | AA321649               | Hs.2248     | emall inducible cytokine subfamily B (CV  | 3.0<br>1.7  |
|           | 131047 | H23230                 | Hs.22481    | ESTs, Moderately similar to A46010 X-linked retinopathy protein [H.saplens]                 | 5.1         |
| 35        | 131060 | AA194422               | Hs.22564    | myosin VI   | 2.5         |
|           |        | AA194422               |             | myosin VI   | 7.1         |
|           |        | N53344                 | Hs.22607    | ESTs dolichyl-phosphate (UDP-N-acetylglucosamine) N-acetylglucosaminephosphotransferase 1 ( | 2.0         |
|           |        | AA749230               |             | dolichyl-phosphate (UDP-N-acetylglucosam  | 1.9         |
| 40        | 1310/6 | AA749230               | He 226581   | COX15 (yeast) homolog, cytochrome c oxidase assembly protein                                | 7.0         |
| 40        | 131095 | NM_00654               | 10Hs 29131  | nuclear receptor coactivator 2  | 1.9         |
|           | 13118  | BE280074               | Hs.23960    | cyclin B1   | 5.8         |
|           |        | AW13883                |             | ESTs  | 2.0         |
|           |        | AA885699               |             | CGI-26 protein  | 7.0<br>7.5  |
| 45        |        | H62087                 | Hs.31659    | thyroid hormone receptor-associated protein, 95-KU Subunit                                  | 2.9         |
|           |        | N47468                 | Hs.59757    | zinc finger protein 281   | 3.5         |
|           | 13123  | D89053                 | Hs.26801    | 2 fatty-acid-Coenzyme A ligase, long-chain 3  | 2.8         |
|           | 13124  | AW38325                | 6 Hs.24/52  | spectrin SH3 domain binding protein 1   | 2.8         |
| 50        | 13124  | AL080080               | HS.24700    | thioredoxin domain-containing 0 fatty acid amide hydrolase                                  | 5.6         |
| 50        | 13124  | 1 AA251716             | He 25227    | FSTs  | 5.7         |
|           |        | 3 X80038               | Hs.33971    | 3 Homo sapiens clone F19374 APO E-C2 gene cluster   | 1.3         |
|           | 13120  | 5 AV656017             | 7 Hs.18432  | 5 CGI-76 protein  | 5.0         |
|           | 13132  | 0 AA505691             | 1 Hs.14569  | 6 splicing factor (CC1.3)   | 1.8<br>2.6  |
| 55        | 12123  | 9 AF058698             | 6 Hs.25812  | Nijmegen breakage syndrome 1 (nibrin)   | 2.6         |
| •         | 13133  | 9 AF058698             | 3 Hs.25812  | Nijmegen breakage syndrome 1 (nibrin)   | 5.4         |
|           | 12127  | 5 AW29316              | i5 HS.14313 | 4 ESIS  | 5.3         |
|           | 13139  | 0 BE26938              | B Hs.18269  | 8 mitochondrial ribosomal protein L20   | 2.2         |
| <b>CO</b> | 13141  | 0 BE25911              | U HS.27983  | 6 HSPC166 protein 7 SELENOPHOSPHATE SYNTHETASE; Human selenium donor protein                | 2.0         |
| 60        | 13141  | 2 NM_0122<br>9 AL04630 | 9 Hs 26750  | hypothetical protein FLJ21908   | 1.4         |
|           | 13142  | 8 BE29756              | 7 Hs 27047  | hypothetical protein FLJ20392   | 1.7         |
|           | 13143  | 5 AA99284              | 1 Hs.27263  | KIAA1458 protein  | 2.0         |
|           | 13150  | 1 AV66195              | 8 Hs.8207   | GK001 protein   | 2.6         |
| 65        | 13150  | 1 AV66195              | 8 Hs.8207   | GK001 protein   | 1.6<br>2.0  |
| Ų         | 13151  | 1 AA73215              | 3 Hs.2786   | Homo sapiens cDNA: FLJ21333 fis, clone COL02535   | 1.6         |
|           | 13152  | 8 AU07640              | 8 Hs.28309  | UDP-glucose dehydrogenase   |             |

|    | 131532 | BE268278   | Hs.28393   | hypothetical protein MGC2592   | 7.4        |
|----|--------|------------|------------|--|------------|
|    |        | AW966881   |            | programmed cell death 2  | 2.2        |
|    |        | AL355715   |            | programmed cell death 9 (PDCD9)  | 2.1        |
|    |        |            | 2Hs.28777  |  | 1.7        |
| 5  |        | T93500     |            | Homo sapiens cDNA FLJ11041 fis, clone PLACE 1004405  | 5.1        |
| -  |        | T93500     | Hs.28792   |  | 1.8        |
|    |        |            |            | nucleoporin 50kD   | 5.0        |
|    |        |            | Hs.29645   |  | 1.8        |
|    |        | R78195     | Hs.29692   | Homo sapiens cDNA FLJ11436 fis, clone HEMBA1001213   | 1.3        |
| 10 |        | AB037791   |            | hypothetical protein FLJ10980  | 2.2        |
|    |        | AB037791   |            | hypothetical protein FLJ10980  | 1.9        |
|    |        | AW410601   |            | HSPC182 protein  | 2.9        |
|    |        | AW960597   |            | ESTs   | 1.3        |
|    |        | Al218918   |            | KIAA0854 protein   | 2.8        |
| 15 |        | X52486     | Hs.3041    | uracil-DNA glycosylase 2   | 2.8        |
| •• |        | BE559681   |            | KIAA0124 protein   | 5.6        |
|    |        | AA642831   |            | putative DNA binding protein   | 2.9        |
|    |        | D13757     | Hs.311     | phosphoribosyl pyrophosphate amidotransferase  | 3.4        |
|    |        | AK001641   |            | inhibitor of kappa light polypeptide gene enhancer in B-cells, kinase complex-associated protein | 3.8        |
| 20 |        | X76732     | Hs.3164    | nucleoblndin 2   | 2.9        |
|    |        | X76732     | Hs.3164    | nucleobladia 2   | 2.8        |
|    |        | AI878932   |            | topoisomerase (DNA) I  | 3.4        |
|    |        |            |            | KIAA0948 protein   | 25.5       |
|    |        |            |            | DKFZP586J0119 protein  | 5.5        |
| 25 |        | D87077     |            | KIAA0240 protein   | 2.4        |
|    |        |            |            | Homo sapiens cDNA FLJ14656 fis, clone NT2RP2002439   | 7.9        |
|    |        |            | Hs.32317   |  | 1.4        |
|    |        | X86098     |            | adenovirus 5 E1A binding protein   | 4.1        |
|    |        | U20536     | Hs.3280    | caspase 6, apoptosis-related cysteine protease   | 4.2        |
| 30 |        | U28838     | Hs.32935   | TATA box binding protein (TBP)-associated factor, RNA polymerase III, GTF3B subunit 2            | 3.5        |
|    |        |            | Hs.33184   |  | 5.1        |
|    |        | AA083764   |            | hypothetical protein MGC3178   | 5.8        |
|    |        | BE502341   |            | ESTs   | 13.7       |
|    |        | BE502341   | Hs.3402    | ESTs   | 2.4        |
| 35 |        | W17064     | Hs.332848  | SWI/SNF related, matrix associated, actin dependent regulator of chromatin, subfamily e, member  | r1 3.2     |
|    |        |            |            | Homo sapiens, done MGC:15961, mRNA, complete cds   | 8.7        |
|    | 131900 | AA099014   | Hs.231029  | Homo sapiens, clone MGC:15961, mRNA, com   | 2.0        |
|    | 131904 | AF078866   | Hs.284296  | Homo sapiens cDNA: FLJ22993 fis, clone KAT11914  | 5.5        |
|    | 131905 | AA179298   | Hs.3439    | stomatin-like 2  | 11.3       |
| 40 | 131913 | AW207440   | Hs.185973  | degenerative spermatocyte (homolog Drosophila; lipid desaturase)                                 | 1.7        |
|    | 131916 | AA025976   | Hs.34569   | ESTs .   | 5.2        |
|    | 131925 | AF151048   | Hs.183180  | anaphase promoting complex subunit 11 (yeast APC11 homolog)                                      | 2.7        |
|    |        | BE541211   |            | Homo saplens cDNA FLJ11472 fis, clone HEMBA1001711   | 5.3        |
|    | 131941 | BE252983   | Hs.35086   | ubiquitin specific protease 1  | 2.3        |
| 45 | 131950 | AA355113   | Hs.35380   | x 001 protein  | 1.5        |
|    | 131962 | AK000046   | Hs.267448  | hypothetical protein FLJ20039  | 2.3        |
|    | 131965 | W79283     | Hs.35962   | ESTs   | 1.4        |
|    | 131971 | BE567100   | Hs.154938  | hypothetical protein MDS025  | 3.5        |
|    | 131977 | U90441     | Hs.3622    | procollagen-profine, 2-oxoglutarate 4-dioxygenase (proline 4-hydroxylase), alpha polypeptide II  | 6.5        |
| 50 | 131985 | AA503020   | Hs.36563   | hypothetical protein FLJ22418  | 2.4        |
|    | 131991 | AF053306   | Hs.36708   | budding uninhibited by benzimidazoles 1 (yeast homolog), beta                                    | 2.1        |
|    | 132019 | H56995     | Hs.37372   |  | 3.2        |
|    | 132031 | AF193844   | Hs.3758    | COP9 complex subunit 7a  | 5.8        |
|    | 132062 | BE266155   | Hs.3832    | clathrin-associated protein AP47   | 1.5        |
| 55 | 132084 | NM_00226   | 7Hs.3886   | karyopherin alpha 3 (importin alpha 4)   | 3.7        |
|    |        | BE171921   |            | ESTs   | 1.4        |
|    | 132105 | AV646076   | Hs.39959   | ESTs   | 5.8        |
|    |        | AW960474   |            | ESTs .   | 1.7        |
|    |        | AA857025   |            | kinesin-like 1   | 3.3        |
| 60 |        | NM_00446   |            | fibroblast activation protein, alpha   | 14.7       |
|    |        | AA206153   |            | mitochondrial ribosomal protein L37  | 5.5        |
|    |        | R42432     | Hs.4212    | ESTs   | 4.4        |
|    |        |            | 2Hs.194714 |  | 2.2        |
|    |        | BE206939   |            | E2F transcription factor 6   | 2.2        |
| 65 |        | AV658411   |            | KIAA1681 protein   | 7.8        |
|    |        |            | Hs.42676   |  | 1.5<br>1.3 |
|    | 437757 | A PANTILIA | MC 141750  | Homo canione cDNA: El 121550 fis close COI 06258   | 1.5        |

|    |        |                        |                       | e et di la come di 140000   | 5.7        |
|----|--------|------------------------|-----------------------|---|------------|
|    |        | AA301228 I             |                       | hypothetical protein FLJ12890   | 4.2        |
|    | 132273 | AA227710 H             |                       | DKFZP586L151 protein<br>hypothetical protein FLJ13089   | 2.1        |
|    |        | N36110                 | He 205971             | solute carrier family 2 (facilitated glucose transporter), member 10  | 1.5        |
| 5  |        | AB023191 I             |                       | KIAA0974 protein  | 10.0       |
| 5  |        | NM_015986              |                       | cytokine receptor-like molecule 9   | 1.9        |
|    |        | AW405882 I             |                       | cortistatin   | 9.2        |
|    | 132325 | N37065                 | Hs.44856              | hypothetical protein FLJ12116   | 2.0<br>6.5 |
|    |        |                        |                       | heterogeneous nuclear ribonucleoprotein D-like  | 3.8        |
| 10 |        | AW572805               |                       | ESTs  | 1.5        |
|    |        | AF155582               |                       | core1 UDP-galactose:N-acetylgalactosamine-alpha-R beta 1,3-galactosyltransferase  | 12.5       |
|    |        | AI279892               |                       | sorting nexin 14<br>HSPCO34 protein   | 28.3       |
|    |        | AA312135  <br>AL135094 |                       | hypothetical protein FLJ14495   | 1.9        |
| 15 |        | AA100012               |                       | hypothetical protein FLJ12085   | 1.9        |
| 13 | 132452 | AW973521               | Hs.247324             | mitochondrial ribosomal protein S14   | 6.1        |
|    |        | AB011084               |                       | KIAA0512 gene product; ALEX2  | 1.7        |
|    |        | AW169847               |                       | KIAA1634 protein  | 8.6<br>5.2 |
|    | 132470 | Al224456               | Hs.4934               | H.sapiens polyA site DNA  | 1.4        |
| 20 |        |                        |                       | RAB4, member RAS oncogene family  | 6.1        |
|    |        | AW885606               |                       | ESTS  | 3.3        |
|    |        |                        | Hs.50758              | SMC4 (structural maintenance of chromosomes 4, yeast)-like 1<br>SEC22, vesicle trafficking protein (S. cerevisiae)-like 1           | 2.0        |
|    |        | AA306105               |                       | mitochondrial ribosomal protein L16   | 2.9        |
| 25 |        | AA454132<br>BE388673   |                       | hypothetical protein MGC10433   | 2.2        |
| 23 |        | BE568452               |                       | protein regulator of cytokinesis 1  | 7.3        |
|    |        | AW674699               |                       | suppressor of G2 allele of SKP1, S. cerevisiae, homolog of  | 1.7        |
|    |        | AW631437               |                       | TH1 drosophila homolog  | 7.1        |
|    |        | AK001484               |                       | CGI-45 protein  | 2.2<br>2.2 |
| 30 | 132611 | AA345547               | Hs.53263              | hypothetical protein FLJ13287   | 6.8        |
|    | 132612 | H12751                 | Hs.5327               | PRO1914 protein   | 14.0       |
|    |        |                        |                       | hypothetical protein PRO1855<br>DNA segment on chromosome X (unique) 9928 expressed sequence  | 11.4       |
|    |        | A1796870               |                       | hypothetical protein MGC1715  | 1.9        |
| 35 |        | U51127<br>AB018319     | Hs.54434              | KIAA0776 protein  | 2.6        |
| 33 | 132000 | V0010313               | Hs 249239             | collagen, type VIII, alpha 2  | 2.0        |
|    |        |                        | Hs.5534               | Homo sanieus cDNA FL112961 fis. cione N12RP2005645  | 1.5        |
|    |        | NM_004600              |                       | Sjogren syndrome antigen A2 (60kD, ribonucleoprotein autoantigen SS-A/Ro)   | 3.0<br>2.4 |
|    | 132724 | AI142265               | Hs.55498              | geranylgeranyl diphosphate synthase 1   | 12.4       |
| 40 | 132731 | Al189075               | Hs.301872             | hypothetical protein MGC4840  | 14.6       |
|    |        | AA010233               |                       | glutamyl-prolyl-tRNA synthetase   | 2.7        |
|    |        | AA125985               |                       |   | 3.0        |
|    | 132771 | Y10275                 | Hs.56407              | phosphoserine phosphatase<br>KIAA0493 protein   | 2.3        |
| 45 | 132//3 | AA409/13               | Hs.290901             | GDP dissociation inhibitor 2  | 1.8        |
| 40 | 132709 |                        | Hs 5716               | KIAA0310 gene product   | 3.7        |
|    |        | U07418                 | Hs.57301              | mutl. (E. coli) homolog 1 (colon cancer, nonpolyposis type 2)   | 1.8        |
|    |        | AB007944               |                       | KIΔΔΩ475 gene product   | 5.9<br>8.7 |
|    | 132813 | BE313625               | Hs.57435              | solute carrier family 11 (proton-coupled divalent metal ion transporters), member 2   | 6.4        |
| 50 |        |                        | Hs.57475              | sex comb on midleg homolog 1  | 3.6        |
|    | 132817 | N27852                 | Hs.57553              | tousled-like kinase 2   | 2.8        |
|    |        |                        |                       | CO44 antigen (horning function and Indian blood group system)<br>eukaryotic translation initiation factor 3, subunit 9 (eta, 116kD) | 14.6       |
|    | 132833 | 3 U78525               | Hs.57783              | Homo sapiens clone PP1596 unknown mRNA  | 1.6        |
| 55 | 132844 | 2 NW_U1015<br>4 F12200 | Hs.5811               | chromosome 21 open reading frame 59   | 2.5        |
| 33 | 13204  | 1 1100716              | He 287912             | lectin, mannose-binding, 1  | 1.4        |
|    | 422000 | 2 DE268048             | He 23649/             | I RAR10 member RAS oncodene iamily  | 4.2        |
|    | 132869 | 9 AW963217             | Hs.20396              | ESTs, Moderately similar to AF116/21 89 PRO2168 [H.Sapiens]   | 2.8        |
|    | 13287  | 3 AW007683             | Hs.58598              | KIAA1266 protein  | 2.0        |
| 60 | 13287  | 5 NM_00485             | 0Hs.58617             | Rho-associated, coiled-coil containing protein kinase 2   | 1.6<br>1.4 |
|    | 13289  | 1 BE267143             | Hs.59271              | U2(RNU2) small nuclear RNA auxillary factor 1 (non-standard symbol)   | 5.4        |
|    | 13289  | 7 AW503667             | Hs.59545              | ring finger protein 15  | 6.1        |
|    | 13290  | 2 Al936442             | HS.59838              | hypothetical protein FLJ10808<br>8 Homo sapiens cDNA FLJ11095 fis, done PLACE1005374  | 7.1        |
| 65 | 13291  | 2 AW/32/60<br>3 W78714 | Hs.167577<br>Hs.60257 |   | 2.8        |
| 65 | 13291  | 0 179136               | Hs. 12724             | 3 Homo sapiens mRNA for KIAA1724 protein, partial cds   | 6.1        |
|    | 12201  | 1 41817165             | Hs 6120               | hypothetical protein FLJ13222   | 10.3       |

|    | 132942 | AA554458           | Hs.197751   | KIAA0666 protein  | 1.8        |
|----|--------|--------------------|-------------|---|------------|
|    |        |                    |             | Homo sapiens mesenchymal stem cell protein DSC96 mRNA, partial cds  | 2.2        |
|    | 132962 | AA576635           | Hs.6153     | CGI-48 protein  | 4.9        |
| _  | 132972 | AA034365           | Hs.288924   | Homo sapiens cDNA FLJ11392 fis, clone HEMBA1000575  | 2.7        |
| 5  |        |                    | Hs.323277   |   | 5.3        |
|    |        |                    |             | RNA binding motif protein 3   | 3.2        |
|    |        |                    | Hs.62016    |   | 1.3        |
|    |        |                    |             | clone HQ0310 PRO0310p1  | 3.0        |
| 10 | 133012 | AA847843           | Hs.62711    | Homo sapiens, clone IMAGE:3351295, mRNA   | 10.3       |
| 10 | 133015 | AJUU2/44           | HS.246315   | UDP-N-acetyl-alpha-D-galactosamine:polypeptide N-acetylgalactosaminy/transferase 7 (GalNAc-                 | 1/) 2      |
|    |        | AI439688           |             | hypothetical protein FLJ20886   | 1.3<br>6.0 |
|    |        | A1065016           |             | Homo sapiens done FLB3344 PRO0845 mRNA, complete cds  | 5.3        |
|    |        | BE247441           | Hs.64056    | PRO0149 protein protein with polyglutamine repeat; calcium (ca2+) homeostasis endoplasmic reticulum protein | 4.9        |
| 15 |        |                    | Hs.64691    | KIAA0483 protein  | 3.5        |
| 13 |        | AA808177           |             | ESTS  | 13.1       |
|    |        |                    | Hs.65648    | RNA binding motif protein 8A  | 1.3        |
|    |        | H94227             | Hs.6592     | Homo sapiens, clone IMAGE:2961368, mRNA, partial cds  | 2.2        |
|    |        | Z11695             |             | mitogen-activated protein kinase 1  | 1.3        |
| 20 |        |                    |             | hypothetical protein MGC2745  | 17.1       |
|    |        |                    | Hs.66666    |   | 1.8        |
|    |        | X97795             | Hs.66718    |   | 4.9        |
|    |        |                    |             | hypothetical protein FLJ20671   | 3.1        |
|    |        | AI801777           |             | ESTs  | 4.4        |
| 25 | 133226 | AW954569           | Hs.296287   | Homo sapiens, Similar to bromodomain-containing 4, clone IMAGE:3542455, mRNA, partial cds                   | 1.7        |
|    | 133228 | AI492924           | Hs.6831     | golgi phosphoprotein 1  | 6.0        |
|    |        |                    |             | ADP-ribosylation factor-liké 1  | 1.5        |
|    |        |                    |             | Homo sapiens, clone IMAGE:3544662, mRNA, partial cds  | 1.4        |
| 20 | 133266 | AI160873           | Hs.69233    | zinc finger protein   | 5.6        |
| 30 |        |                    |             | ESTs, Weakly similar to FXD2_HUMAN FORKHEAD BOX PROTEIN D2 [H.sapiens]                                      | 1.9        |
|    |        | M76477             |             | GM2 ganglioside activator protein   | 4.7        |
|    |        |                    |             | NRAS-related gene   | 5.0<br>2.7 |
|    |        |                    | Hs.70725    |   | 9.3        |
| 35 |        | T79526<br>AL390127 |             | integral type I protein   | 4.4        |
| 33 |        |                    |             | Kruppel-like factor 13  | 1.8        |
|    |        | AI016521           | Hs.71475    | acid cluster protein 33 v-akt murine thymoma viral oncogene homolog 1                                       | 5.5        |
|    |        | AA292811           |             | non-metastatic cells 5, protein expressed in (nucleoside-diphosphate kinase)                                | 2.7        |
|    |        | AF231919           |             | KIAA0539 gene product   | 1.7        |
| 40 |        | AF245505           |             | DKFZP56411922 protein   | 1.8        |
| •• |        | BE313555           |             | KIAA1224 protein  | 1.7        |
|    |        | AI950382           |             | phosphatidylserine receptor   | 1.3        |
|    |        | AW103364           |             | Inhibin, beta A (activin A, activin AB alpha polypeptide)   | 16.1       |
|    |        |                    |             | hypothetical protein HT023  | 12.2       |
| 45 |        | AL031591           |             | phosphotidylinositol transfer protein, beta   | 10.4       |
|    | 133452 | NM_00275           | 9Hs.274382  | protein kinase, interferon-inducible double stranded RNA dependent  | 1.2        |
|    | 133453 | AI659306           | Hs.73826    | protein tyrosine phosphatase, non-receptor type 4 (megakaryocyte)   | 1.7        |
|    | 133500 | AW964804           | Hs.74280    | hypothetical protein FLJ22237   | 11.1       |
|    | 133529 | W45623             | Hs.74571    | ADP-ribosylation factor 1   | 2.8        |
| 50 |        | AL037159           |             | proteasome (prosome, macropain) 26S subunit, non-ATPase, 2  | 2.9        |
|    |        |                    |             | damage-specific DNA binding protein 1 (127kD)   | 2.5        |
|    |        | AU077050           |             | translin  | 1.5        |
|    |        | X75346             | Hs.75074    | milogen-activated protein kinase-activated protein kinase 2   | 2.1        |
|    |        | BE391579           |             | Fas-activated serine/threonine kinase   | 1.3        |
| 55 |        |                    |             | nuclear phosphoprotein similar to S. cerevislae PWP1  | 2.2<br>1.5 |
|    |        | AA393273           |             | transcription factor 6-like 1 (mitochondrial transcription factor 1-like)                                   | 5.7        |
|    | 133599 | NM_00288           | 2115.75131  | RAP1, GTPase activating protein 1   | 25.5       |
|    |        | NM_004893          |             | H2A histone family, member Y glycyl-fRNA synthetase   | 15.8       |
| 60 |        | NM_002041          |             | exostoses (multiple) 2  | 3.3        |
| 00 |        | U25849             | Hs.75393    | acid phosphatase 1, soluble   | 1.6        |
|    |        | AV661185           |             | mitochondrial ribosomal protein L19   | 4.1        |
|    |        | L27841             | Hs.75737    | pericentriolar material 1   | 1.5        |
|    |        |                    |             | matrix Gla protein  | 6.3        |
| 65 | 133751 | AW402048           | . Hs.334787 | Homo sapiens, Similar to likely ortholog of yeast ARV1, clone IMAGE:3506392, mRNA                           | 3.9        |
|    |        | T52946             |             | RAE1 (RNA export 1, S.pombe) homolog  | 1.7        |
|    |        |                    |             | laminin recentor 1 (67kf), ribosomal protein SA)  | 1.8        |

### WO 02/059377

|            | 133765 M62194 Hs.75929                              | cadherin 11, type 2, OB-cadherin (osteoblast)  | 1.5<br>3.5        |
|------------|---|--|-------------------|
|            | 133780 AA557660 Hs.76152                            |  | 6.8               |
|            | 133784 BE622743 Hs.301064                           |  | 2.6               |
| 5          | 133791 M34338 Hs.76244                              | spermidine synthase retinoblastoma-binding protein 2   | 1.4               |
| )          | 133/9/ AL133921 Hs./62/2<br>133822 D50525 Hs.699    | peptidylprolyl isomerase B (cyclophilin B)   | 8.0               |
|            | 133022 U3U323 F15.099                               | putative human HLA class II associated protein I   | 13.5              |
|            | 133845 AA147026 Hs.76704                            | ESTs   | 2.2               |
|            | 133850 W29092 Hs.7678                               | cellular retinoic acid-binding protein 1   | 1.8               |
| 10         | 133859 U86782 Hs.178761                             | 26S proteasome-associated pad1 homolog   | 2.0               |
|            | 133865 AB011155 Hs.170290                           | discs, large (Drosophila) homolog 5  | 2.8               |
|            | 133867 AW340125 Hs.76989                            | KIAA0097 gene product  | 6.7<br>2.5        |
|            | 133868 AB012193 Hs.183874                           | culiin 4A  | 2.5<br>3.0        |
|            | 133881 U30872 Hs.77204                              | centromere protein F (350/400kD, miltosin)   | 1.4               |
| 15         | 133922 U30825 Hs.77608                              |  | 5.4               |
|            | 133924 D86326 Hs.325948                             | vesicle docking protein p115   | 4.9               |
|            |   | SMC1 (structural maintenance of chromosomes 1, yeast)-like 1   | 3.7               |
|            | 133936 L17128 Hs.77719                              | gamma-glutamyl carboxylase   | 12.1              |
| 20         |   | adaptor-related protein complex 3, mu 2 subunit splicing factor 3a, subunit 3, 60kD  | 9.7               |
| 20         | 133959 X81789 Hs.77897                              | GATA-binding protein 3 (T-cell receptor gene activator)  | 3.1               |
|            | 133989 AL040328 Hs.78202                            |  | 1.3               |
|            | 133997 Al824113 Hs.78281                            |  | 9.7               |
|            | 134010 AB016092 Hs.197114                           | RNA binding protein; AT-rich element binding factor  | 2.4               |
| 25         | 134015 D31764 Hs.278569                             | sorting nexin 17   | 2.5               |
|            | 134070 NM_003590Hs.78946                            |  | 1.3               |
|            | 134110 U41060 Hs.79136                              |  | 4.2<br>2.2        |
|            | 134129 NM_014742Hs.79305                            | KIAA0255 gene product  | 5.0               |
|            | 134134 H86504 Hs.173328                             | protein phosphatase 2, regulatory subunit B (B56), epsilon isoform   | 3.2               |
| 30         | 134200 BE559598 Hs.197803                           |  | 2.5               |
|            | 134206 AF107463 Hs.79968                            | splicing factor 30, survival of motor neuron-related   | 2.1               |
|            | 134208 NM_000288Hs.79993                            |  | 9.1               |
|            | 134219 NM_000402Hs.80206                            | The second secon | 2.8               |
| 35         | 134234 BE300078 Hs.80449<br>134275 Al878910 Hs.3688 | cisplatin resistance-associated overexpressed protein  | 1.8               |
| 33         | 134292 Al906291 Hs.81234                            | immunoglobulin superfamily, member 3   | 2.0               |
|            | 134301 AW502505 Hs.81360                            |  | 2.5               |
|            | 134305 U61397 Hs.81424                              |  | 2.8               |
|            | 134324 AB029023 Hs.17994                            | 6 KIAA1100 protein   | 10.4<br>1.9       |
| 40         | 134326 AW903838 Hs.81800                            | chondroitin sulfate proteoglycan 2 (versican)  | 2.6               |
|            | 134329 N92036 Hs.81848                              |  | 2.3               |
|            | 134337 NM_004922Hs.81964                            | SEC24 (S. cerevisiae) related gene family, member C  | 13.0              |
|            | 134348 AW291946 Hs.82065                            |  | 8.8               |
| 4.5        | 134367 AA339449 Hs.82285                            |  | 1.5               |
| 45         | 134376 X06560 Hs.82396                              | 2 humothatiaal pentain MCC3222   | 8.1               |
|            | 134379 AW362124 Hs.32519<br>134384 AI589941 Hs.8254 | Homo sapiens, Similar to tumor differentially expressed 1, clone IMAGE:3639252, mRNA   | , partial cds 2.6 |
|            | 134391 AA417383 Hs.82582                            |  | 4.1               |
|            | 134395 AA456539 Hs.8262                             | lysosomal  | 1.7               |
| 50         | 134403 AA334551 Hs.82767                            |  | 2.6               |
| <b>J</b> 0 | 134405 AW067903 Hs.82772                            | collagen, type XI, alpha 1   | 1.3               |
|            | 134411 BE272095 Hs.16779                            | 1 reticulocalbin 1, EF-hand calcium binding domain   | 3.2<br>1.9        |
|            | 134415 Al750762 Hs.82911                            | protein tyrosine phosphatase type IVA, member 2  | 10.3              |
|            | 134421 AU077196 Hs.82985                            | collagen, type V, alpha 2  | 2.4               |
| 55         | 134424 Z44190 Hs.83023                              | peroxisomal biogenesis factor 118  | 1.2               |
|            | 134446 AA112036 Hs.83419                            | KIAA0252 protein nuclear factor of kappa light polypeptide gene enhancer in B-cells 1 (p105)   | 1.6               |
|            | 134447 M58603 Hs.83428                              |  | 2.1               |
|            | 134470 X54942 Hs.83758                              |  | 5.3               |
| <b>6</b> 0 | 134480 NM_005000Hs.83916<br>134485 X82153 Hs.83942  |  | 2.5               |
| 60         | 134485 X82153 Hs.83942<br>134498 AW246273 Hs.8413   |  | 2.1               |
|            | 134513 AAA25473 Hs.84425                            | KIAA09/1 protein   | 3.8               |
|            | 134516 AK001571 Hs.27335                            | 7 hypothetical protein FLJ10/09  | 2.4               |
|            | 134520 BE091005 Hs.74861                            | activated RNA polymerase II transcription colactor 4   | 6.7               |
| 65         | 134529 AW411479 Hs.848                              | FK506-binding protein 4 (59kD)   | 2.3               |
| 55         | 134577 BE244323 Hs.8595                             | exportin, tRNA (nuclear export receptor for tRNAs)   | 5.5<br>5.8        |
|            | 404C00 AA007177 He 8604                             | 1 CGG triplet repeat bloding protein 1   | 0.0               |

|            |   |                      |                     | ublquitin C-terminal hydrotase UCH37   | 2.2          |
|------------|---|----------------------|---------------------|--|--------------|
|            |   | AF035119             |                     | deleted in liver cancer 1  | 2.0          |
|            |   | X78520               |                     | chloride channel 3   | 2.3<br>1.4   |
| 5          |   | AK001741<br>AA256106 |                     | hypothetical protein FLJ10879 ESTs ·   | 72.9         |
| ,          |   | BE391929             |                     | transmembrane protein 4  | 8.5          |
|            |   | U62317               | Hs.88251            | arylsulfatase A  | 6.0          |
|            |   | NM_003474            |                     | a disintegrin and metalloproteinase domain 12 (meltrin alpha)                                      | 4.3          |
|            |   | BE161887             |                     | anaphase-promoting complex subunit 10  | 2.3          |
| 10         | 134714                                  | Y14768               | Hs.890              | lysosomal  | 6.7          |
|            | 134719                                  | AA852985             | Hs.89232            | chromobox homolog 5 (Drosophila HP1 alpha)   | 2.3          |
|            |   |                      |                     | F-box only protein 6   | 2.9          |
|            |   |                      |                     | ring finger protein 22   | 6.6<br>· 2.3 |
| 1 5        |   | X07871               | Hs.89476            |  | 6.2          |
| 15         |   | AW630803             |                     | lamin 81 integral membrane protein 1   | 1.9          |
|            |   | AD001528             |                     | spermine synthase  | 1.8          |
|            |   | AW451370             |                     | adaptor-related protein complex 1, gamma 2 subunit   | 1.4          |
|            |   | AI701162             |                     | hypothetical protein MGC11138  | 1.4          |
| 20         |   | BE268326             |                     | 5-aminoimidazole-4-carboxamide ribonucleotide formyltransferase/IMP cyclohydrolase                 | 5.6          |
|            |   | D26488               | Hs.90315            |  | 2.8          |
|            | 134880                                  | A1879195             | Hs.90606            | 15 kDa selenoprotein   | 1.7          |
|            |   | AA532963             |                     | Homo sapiens cDNA FLJ13100 fis, clone NT2RP3002255   | 1.7          |
| 25         |   | AW885909             |                     | PRO1073 protein  | 2.1          |
| 25         |   |                      | Hs.91773            |  | 1.3<br>2.1   |
|            |   |                      |                     | phosphoserine aminotransferase   | 2.1          |
|            |   | R50333               | Hs.92186            | Leman coiled-coil protein KIAA1414 protein   | 1.6          |
|            |   | AB037835<br>NM 00040 |                     | glycerol-3-phosphate dehydrogenase 2 (mitochondrial)   | 3.9          |
| 30         |   |                      |                     | hypothetical protein FLJ12619  | 6.2          |
| -          |   | AW503733             |                     | KIAA1488 protein   | 2.0          |
|            |   |                      | Hs.94262            |  | 1.3          |
| •          |   | AF027219             |                     | zinc finger protein 202  | 7.1          |
|            |   |                      |                     | zinc finger protein 36 (KOX 18)  | 3.2          |
| 35         |   |                      | Hs.95420            |  | 2.5          |
|            |   |                      |                     | px19-like protein  | 1.4<br>5.0   |
|            |   |                      |                     | translin-associated factor X   | 6.1          |
|            |   | N26427<br>T78802     | Hs.9634<br>Hs.96560 | ESTs, Highly similar to C10_HUMAN PUTATIVE C10 PROTEIN [H.sapiens] hypothetical protein FLJ11656   | 4.6          |
| 40         |   |                      | Hs.97101            |  | 5.6          |
| 40         |   |                      | Hs.262603           |  | 3.5          |
|            |   |                      |                     | ESTs, Weakly similar to A46010 X-linked retinopathy protein [H.sapiens]                            | 1.2          |
|            |   | Al088775             |                     |  | 2.6          |
|            |   |                      | Hs.112017           |  | 5.3          |
| 45         | 135294                                  | AA150320             | Hs.9800             | protein kinase Njmu-R1   | 9.1          |
|            |   | A1090838             |                     | ESTs   | 2.4          |
|            |   | AI743770             |                     | ESTs, Weakly similar to KIAA0822 protein [H.sapiens]   | 13.3<br>2.6  |
|            |   |                      | Hs.98614            |  | 8.3          |
| 50         |   |                      |                     | celi division cycle 2-like 1 (PITSLRE proteins) Homo sapiens cDNA FLJ10174 fis, clone HEMBA1003959 | 1.5          |
| <b>J</b> U |   | U05237               |                     | fetal Alzheimer antigen  | 4.9          |
|            |   | X78592               | Hs 99915            | androgen receptor (dihydrotestosterone receptor, testicular feminization; spinal and bulbar        | 2.0          |
|            |   | R50333               |                     | Leman colled-coil protein  | 2.6          |
|            |   |                      |                     | KIAA1414 protein   | 1.4          |
| 55         |   |                      |                     | glycerol-3-phosphate dehydrogenase 2 (mi   | 1.6          |
|            | 135032                                  | AW301984             | Hs.173685           | hypothetical protein FLJ12619  | 1.4          |
|            |   | AW503733             |                     | KIAA1488 protein   | 1.8          |
|            |   | AB036063             |                     | p53-Inducible ribonucleotide reductase s   | 2.5          |
| <b>~</b> ^ | ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,, | AF027219             |                     | zinc finger protein 202  | 1.5          |
| 60         |   |                      |                     | zinc finger protein 36 (KOX 18)  | 2.1<br>4.4   |
|            |   | Al093155             |                     | JM27 protein<br>px19-like protein  | 14.9         |
|            |   | AA477514             |                     | px 19-like protein<br>transfin-associated factor X   | 1.3          |
|            |   | N26427               | Hs.9634             | ESTs, Highly similar to C10_HUMAN PUTATI   | 1.7          |
| 65         |   | T78802               | Hs.96560            | hypothetical protein FLJ11656  | 6.1          |
|            |   | BE463721             |                     | putative G protein-coupled receptor  | 2.7          |
|            | 135245                                  | AI028767             | Hs.262603           |  | 12.2         |

|     |                   |                      |                          |  | 7.0        |
|-----|-------------------|----------------------|--------------------------|--|------------|
|     | 135257            | AW291023             | Hs.97255                 | EQ15, Medity shiller to M-1010 Market    | 7.6        |
|     |                   | A1088775             | Hs.55498                 | UHISHIYICHIANYI CILIICSCHARC SYNUCSC I   | 1.8        |
|     | 135274            | AA448460             |                          | GF36 gene                                | 4.1        |
|     | 135294            | AA150320             | Hs.9800                  |  | 1.2        |
| 5   | 135295            | A1090838             | Hs.98006                 | E318                                     | 4.8        |
|     | 135307            | A1743770             | Hs.98368                 | ESTS, Weakly Stitulat to MANOOZZ protein | 5.8        |
|     | 135321            | AI652069             | Hs.98614                 | ribosome blading protein 1 (dag 180kD ha | 12.3       |
|     | 135354            | AA456454             | Hs.183418                | cell division cycle 2-like 1 (PITSLRE pr | 5.7        |
|     | 135361            | AA373452             | Hs.167700                |  | 7.9        |
| 10  | 135389            | U05237               | Hs.99872                 | fetal Alzheimer antigen                  | 1.9        |
|     | 135400            | X78592               | Hs.99915                 | androgen receptor (dihydrotestosterone r | 13.9       |
|     | 302256            | AA857131             | Hs.171595                | HIV TAT specific factor 1                | 5.3<br>2.2 |
|     | 302276            | AW057736             | Hs.323910                | HER2 receptor tyrosine kinase (c-erb-b2, | 1.4        |
|     | 303135            | AW592789             | Hs.279474                | HSPC070 protein                          | 5.2        |
| 15  | 303686            | AK000714             | Hs.109441                | MSTP033 protein                          | 2.3        |
|     | 310085            | R43191               | Hs.101248                | Homo saplens clone IMAGE:32553, mRNA seq | 2.8        |
|     |                   | AA808229             |                          |  | 2.0        |
|     | 317781            | NM_007057            | Hs.42650                 | ZW10 Interactor                          | 5.5        |
|     | 320836            | AI268997             | Hs.197289                | rab3 GTPase-activating protein, non-cata | 1.4        |
| 20  | 321114            | AA902256             | Hs.78979                 | Golgi apparatus protein 1                | 1.3        |
|     |                   |                      |                          | nucleosome assembly protein 1-like 1     | 2.9        |
|     | 322474            | AF118083             | Hs.29494                 | PRO1912 protein                          | 1.6        |
|     | 322556            | BE041451             | Hs.177507                | hypothetical protein                     | 1.8        |
|     | 323541            | AF292100             | Hs.104613                | RP42 homolog                             | 1.6        |
| 25  |                   |                      |                          | BUB3 (budding uninhibited by benzimidazo | 6.1        |
|     | 408196            | AL034548             |                          | SRY (sex determining region Y)-box 22    | 5.6        |
|     |                   |                      | Hs.48295                 | RNA helicase family                      | 2.6        |
|     | 409176            | R73727               | Hs.101617                | ESTs, Weakly similar to T32527 hypotheti | 2.4        |
| • • | 413670            | AB000115             | Hs.75470                 | hypothetical protein, expressed in osteo | 1.5        |
| 30  |                   | AI267592             |                          | SFRS protein kinase 1                    | 4.2        |
|     |                   |                      |                          | UBX domain-containing 1                  | 23.6       |
|     |                   | AA381133             | Hs.80684                 | high-mobility group (nonhistone chromoso | 5.8        |
|     |                   | R57256               |                          | TATA box binding protein (TBP)-associate | 1.3        |
| ~ ~ | 418283            | S79895               | Hs.83942                 |  | 1.6        |
| 35  |                   | NM_006910            | OHs.85273                | retinoblastoma-binding protein 6         | 2.3        |
|     |                   | U72937               | Hs.96264                 | alpha thalassemia/mental retardation syn | 1.6        |
|     | 420802            | U22376               | Hs.1334                  | v-myb avian myeloblastosis viral oncogen | 3.5        |
|     | 421225            | AA463798             | HS.102696                | MCT-1 protein                            | 4.9        |
| 40  | 421642            | AF172066             | HS.105346                | retinoic acid repressible protein        | 3.1        |
| 40  | 421828            | AW891965             | HS.2/9/89                | histone deacetylase 3                    | 1.9        |
|     | 421983            | A1252640             | HS.11U304                | peptidylprolyl isomerase C (cyclophilin  | 2.4        |
|     | 422052            | AA302744             | HS.7U4518                | ESIS                                     | 4.1        |
|     | 422055            | NM_U1432             | UHS.111U29               | putative heme-binding protein            | 7.0        |
| 15  |                   | AF165883             | MS.298229                | paternally expressed 10 (PEG10; KIAA105  | 4.9        |
| 45  | 424001            | W67883               | MS. 13/4/0               | zinc finger protein 217                  | 3.4        |
|     | 420102            | AF44550              | NS, 100040               | NS1-associated protein 1                 | 2.1        |
|     | 420204            | AF 100000            | Un 160521                | DEAD/H (Asp-Glu-Ala-Asp/His) box polypep | 7.5        |
|     | 420312            | BE304000             | 115.103331<br>Lin 402220 | GW128 protein                            | 1.7        |
| 50  |                   |                      |                          | splicing factor, arginine/serine-rich 11 | 2.4        |
| 50  |                   | AW500533<br>AB001636 |                          | DEAD/H (Asp-Glu-Ala-Asp/His) box polypep | 3.8        |
|     |                   |                      |                          | Homo sapiens hepatocellular carcinoma-as | 5.6        |
|     |                   | AK001333             | Hs.7888                  | Homo sapiens clone 23736 mRNA sequence   | 2.0        |
|     |                   | F13386<br>AF167572   |                          | skb1 (S. pombe) homolog                  | 7.5        |
| 55  | 440000            | AF 101312            | He 33/832                | hypothetical protein MGC4485             | 2.2        |
| 33  | 440999            | AI017574             | Hr 17/100                | cysteine-rich protein 1 (intestinal)     | 2.8        |
|     |                   | BE620592             |                          | ESTs, Weakly similar to S16506 hypotheti | 1.7        |
|     | 44/110            | NM_00367             | 70307                    | density-regulated protein                | 5.9        |
|     |                   |                      | He 331328                | Intermediate filament protein syncoilin  | 5.6        |
| 60  | 450701            | W68520<br>H39960     | Hs 288467                | Homo sapiens cDNA FLJ12280 fis, clone MA | 1.4        |
| JU  | 450701            | ΔΔ011202             | Hs 184771                | nuclear factor I/C (CCAAT-binding transc | 4.7        |
|     | 452461            | N78223               | Hs 108106                | transcription factor                     | 2.9        |
|     | 452511            | RF408178             | Hs 285165                | Homo sapiens cDNA FLJ20845 fis, clone AD | 12.1       |
|     | 4525157<br>452157 | AF077036             | Hs.31989                 | DKFZP586G1722 protein                    | 4.7        |
| 65  | 463658            | RF541906             | Hs 87819                 | Homo sapiens, clone MGC:2492, mRNA, comp | 1.3        |
| 05  | 100833            | AF135168             | Hs.108802                | N-ethylmaleimide-sensitive factor        | 3.2        |
|     | 102481            | U50360               |                          | gb:Human calcium, calmodulin-dependent p | 6.2        |
|     | 105-10            |                      |                          | ·  |            |

|    | 102827 | BE244588   | Hs.6456    | chaperonin containing TCP1, subunit 2 (b  | 7.9 |
|----|--------|------------|------------|---|-----|
|    | 103549 | BE270465   | Hs.78793   | protein kinase C. zeta                    | 2.0 |
|    |        |            |            | cdk Inhibitor p21 binding protein         | 5.3 |
|    | 110018 | AW579842   | Hs.104557  | hypothetical protein FLJ10697             | 2.0 |
| 5  |        |            | Hs.87889   | helicase-moi                              | 5.7 |
| •  |        | M10905     |            | fibronectin 1                             | 1.3 |
|    |        |            | Hs.75875   | ublquitin-conjugating enzyme E2 variant   | 2.9 |
|    | 125006 | BE065136   | Hs.145696  | splicing factor (CC1.3)                   | 1.7 |
|    | 127609 | X80031     | Hs.530     | collagen, type IV, atpha 3 (Goodpasture   | 2.4 |
| 10 | 129209 | R62676     | Hs.17820   | Rho-associated, coiled-coil containing p  | 5.2 |
|    | 129917 | M30773     | Hs.278540  | protein phosphatase 3 (formerly 2B), reg  | 4.5 |
|    | 130182 | BE267033   |            | ubiquitin-conjugating enzyme E2G 2 (homo  | 11. |
|    | 130365 | W56119     |            | eukaryotic translation initiation factor  | 3.3 |
|    | 131135 | NM_016569  | 9Hs.267182 | TBX3-iso protein                          | 1.3 |
| 15 | 131853 | AI681917   | Hs.3321    | ESTs, Highly similar to IRX1_HUMAN IROQU  | 3.2 |
|    | 131881 | AW361018   | Hs.3383    | upstream regulatory element binding prot  | 14. |
|    | 132726 | N52298     | Hs.55608   | hypothetical protein MGC955               | 3.0 |
|    | 135193 | X95525     | Hs.96103   | TATA box binding protein (TBP)-associate  | 2.7 |
|    | 409487 | H19886     |            | gb:yn57a05.r1 Soares adult brain N2b5H    | 2.3 |
| 20 | 416040 | A1A/Q10159 | He 280044  | Homo canions cDNA FL 112048 fis. clone HF | 7.4 |

### **TABLE 4A**

10

Table 4A shows the accession numbers for those pkeys lacking unigeneID's for Table 4. For each probeset, we have listed the gene cluster number from which the oligonucleotides were designed. Gene clusters were compiled using sequences derived from Genbank ESTs and mRNAs. These sequences were clustered based on sequence similarity using Clustering and Alignment Tools (DoubleTwist, Oakland California). The Genbank accession numbers for sequences comprising each cluster are listed in the "Accession" column.

| 10 | Pkey:<br>CAT number:<br>Accession:   |  | Unique Eos probeset identifier number er: Gene cluster number Genbank accession numbers   |                      |  |  |  |  |
|----|--------------------------------------|--|---|----------------------|--|--|--|--|
| 15 | Pkey                                 | CAT num  | mber Accessions   |                      |  |  |  |  |
| 20 | 123619<br>101445<br>124385<br>124417 | 3068619<br>371681_1<br>16505<br>656394_1<br>1642364_ | 1 AA602964 AA609200<br>M21259<br>1 AI267847 N27351<br>4_1 N34059 N46979   |                      |  |  |  |  |
| 25 | 102481<br>103349                     | 1657509_<br>312812i<br>110522<br>19346_14            | 28 U50360<br>2 X89059   | 2                    |  |  |  |  |
| 30 | 113248                               | 160212_1<br>328626_1<br>44573_2                      | 1 AA190577 AA161657 1 T63857 AW971220 AA493469 T63699 2 AJ950087 N70208 R97040 N36809 Al308119 AW967677 N35320 AJ251473 H59397 AW971573 R97278 W01059 AW96767 AA908598 AA251875 AI820501 AI820532 W87891 T85904 U71456 T82391 BE328571 T75102 R34725 AA884922 BE3285 AJ10788 AA88444 N97578 F13493 AA977794 AJ560251 AW874068 AL134043 AW235363 AA663345 AW008282 AA488   | 964                  |  |  |  |  |
| 35 |                                      |  | AA283144 AI890387 AI950344 AI741346 AI689062 AA282915 AW102898 AI872193 AI763273 AW173586 AW150329 AI65<br>AI762688 AA988777 AA488892 AI356394 AW103813 AI539642 AA642789 AA856975 AW505512 AI961530 AW629970<br>BE612881 AW276997 AW513601 AW512843 AA044209 AW856538 AA180009 AA37499 AW961101 AA251669 AA25187<br>AI819225 AW205862 AI683338 AI858509 AW276905 AI633006 AA972584 AA908741 AW072629 AW513996 AA293273<br>AA969759 N75628 N22388 H84729 H60052 T92487 AI022058 AA780419 AA551005 W80701 AW613456 AI373032 AI5642<br>F00531 H83488 W37181 W78802 R66056 AI002839 R67840 AA300207 AW959581 T63226 F04005 | 3832                 |  |  |  |  |
| 40 | 129019                               | 44573_2  | 2 AI950087 N70208 R97040 N36809 AI308119 AW967677 N35320 AI251473 H59397 AW971573 R97278 W01059 AW9676.<br>AA908598 AA251875 AI820501 AI820532 W87891 T85904 U71456 T82391 BE328571 T75102 R34725 AA884922 BE3285<br>AI219788 AA884444 N92578 F13493 AA927794 AI550251 AW874068 AL134043 AW235363 AA663345 AW008282 AA488<br>AA283144 AI890387 AI950344 AI741346 AI669062 AA282915 AW102898 AI872193 AI763273 AW173586 AW150329 AI65<br>AI752688 AA988777 AA488892 AI356394 AW103813 AI539642 AA642789 AA856975 AW505512 AI961530 AW629970  | 517<br>1964<br>53832 |  |  |  |  |
| 45 |                                      |  | BE612881 AW276997 AW513601 AW512843 AA044209 AW856538 AA180009 AA337499 AW961101 AA251669 AA25187<br>AI819225 AW205862 AI683338 AI858509 AW276905 AI633006 AA972584 AA908741 AW072629 AW513996 AA293273<br>AA969759 N75628 N22388 H84729 H60052 T92487 AI022058 AA780419 AA551005 W80701 AW613456 AI373032 AI5642<br>F00531 H83488 W37181 W78802 R66056 AI002839 R67840 AA300207 AW959581 T63226 F0400  | 269                  |  |  |  |  |
| 50 | 122188<br>121581<br>122618           | 9683_3<br>275673_1<br>283769_1<br>305217_1           | AA970201 Al633384 AA425910 Al017004 Al241295 AA402816 AA291468<br>1 AA398838 AA435847<br>1 AA416568 AA442889 AA417233 AA442223<br>1 AA453641 AA454061   | 022.0                |  |  |  |  |
| 55 | 123658<br>123811<br>125115           | genbank_<br>genbank_                                 | K_AA609364 AA609364<br>k_AA620586 AA620586  |                      |  |  |  |  |
| 60 | 120274<br>113196<br>120504           | genbank<br>genbank                                   | _1  |                      |  |  |  |  |
|    |                                      |  |   |                      |  |  |  |  |

| 113702 | genbank_T973   | 07<br>U03749 NM   | AA346495<br>T97307<br>L_001275 J03483 J03915 AI214509 AW245744 AL046455 AA318960 AI741505 AA843875 AI829382 AI560122<br>I55958 AI684005 D53170 AA854091 AI025609 D53119 D54729 D55504 D55377 D55313 AW512244 AA846441  |
|--------|--|---|--|
|        |  | AW043898 .<br>Al038109 A  | AI969102 AA405741 AI091983 AA788784 AA706586 AA854361 AW470949 AA843095 AA772028 AI148432<br>A782478 AA910064 AI220384 AA781296 AA843881 AA854064 AA843125 AA843419 AA319036 AA319054<br>V32275 AI584185 C05724 AA789023 AI686818 D54392 AI022485 AA431410 AA854232 W39212 W15214 AA894441   |
|        |  | Al803081 A  | J167381 AW245389 AA319430 AA335156 AI042646 AA327030 AA725170 T27943 AA889304 AA976699 AI687001<br>J865540 AA772107 C06286 AA319661 AA405992   |
| 101045 | entrez_J05614  |   | 1003340 AA772107 C00200 AA313001 AA403332  |
|        |  | N21032  |  |
|        | •  |   |  |
| 103392 | entrez_X94563  | 3X94563   |  |
| 105032 | genbank  | AA127818  |  |
| 119513 | NOT_FOUND.   | _entrez   | W37933   |
| 105445 | genbank  | AA252395  |  |
| 121514 | genbank  | AA412112  |  |
| 121558 | genbank  | AA412497  |  |
| 121911 | genbank  | AA427950  |  |
| 123315 | 714071_1   | AA496369 A  | AA496646   |
| 114911 | genbank  | AA236672  |  |
| 409487 | 1134778_1  | H19886 AW   | /402806 T10231   |
|        | 101045<br>117247<br>110501<br>103392<br>105032<br>119513<br>105445<br>121514<br>121558<br>121911<br>123315<br>114911 | 113702 genbank_T973<br>129680 23162_1<br>101045 entrez_J05614<br>117247 genbank<br>103392 entrez_V94563<br>105032 genbank | AI858999 C AW043898 AW043898 AI038109 A AI2738314 AI803081 A AI621107 A 101045 entrez_J05614 J05614 117247 genbank N21032 110501 genbank H55748 103392 entrez_X94563 X94563 105032 genbank AA127818 119513 NOT_FOUND_entrez 105445 genbank AA252395 121514 genbank AA412112 121558 genbank AA412497 121911 genbank AA427950 123315 714071_1 AA963692 114911 genbank AA236672 |

PCT/US02/02242

# TABLE 5: Figure 5 from BRCA 001 US

Table 5 shows genes upregulated in tumor tissue compared to normal breast tissue.

| 5  |   |        |  |                        |  |  |  |
|----|---|--------|--|------------------------|--|--|--|
| 10 | Pkey:<br>ExAcon:<br>UnigeneID:<br>Unigene Title:<br>R1: |        | Unique Eos probeset identifier number<br>Exemplar Accession number, Genbank accession number<br>Unigene number<br>Unigene gene title<br>Ratio of tumor to normal breast tissue |                        |  |  |  |
| 15 | Pkey  | ExAccn | UnigenelD  | UnigeneTitle           |  |  |  |
| 13 | 400444  | Vannaa | U- 000C0   | thumidulate aunthotoca |  |  |  |

| 15 | Pkey   | ExAccn     | UnigenelD   | UnigeneTitle                             | Rí   |
|----|--------|------------|-------------|--|------|
|    | 100114 | X02308     | Hs.82962    | thymidylate synthetase                   | 2.9  |
|    | 100147 |            | Hs.136348   | osteoblast specific factor 2 (fasciclin  | 7.5  |
|    |        | H60720     | Hs.81892    | KIAA0101 gene product                    | 9.2  |
|    |        | AW247529   |             | platelet-activating factor acetylhydrola | 2.7  |
| 20 |        | L05424     | Hs.169610   | CD44 antigen (homing function and Indian | 5.7  |
| 20 |        | L05424     | Hs.169610   | CD44 antigen (homing function and Indian | 9    |
|    |        | L05424     | Hs.169610   | CD44 antigen (homing function and Indian | 7.6  |
|    |        | AW502935   |             | PTK2 protein tyrosine kinase 2           | 53.2 |
|    |        | AK000405   |             | ubiquitin-like 4                         | 11.4 |
| 25 |        | J05070     | Hs.151738   | matrix metalloproteinase 9 (gelatinase 8 | 8.2  |
| 23 |        | J05614     |             | gb:Human proliferating cell nuclear anti | 5    |
|    |        | J04088     | Hs.156346   | topoisomerase (DNA) II alpha (170kD)     | 3.4  |
|    |        | A1494299   | Hs.16297    | COX17 (yeast) homolog, cytochrome c oxid | 6.3  |
|    |        | NM_01215   |             | coagulation factor VIII-associated (intr | 5.7  |
| 30 |        | AF064853   |             | quanine nucleotide binding protein (     | 5.6  |
| 20 |        | M81057     | Hs.180884   | carboxypeptidase B1 (tissue)             | 14.4 |
|    |        |            | Hs.112408   | S100 calcium-binding protein A7 (psorias | 8.9  |
|    |        |            | 8Hs.180612  | peroxisomal membrane protein 3 (35kD, Ze | 3.2  |
|    |        | AI904232   | Hs.75323    | prohibitin                               | 8.4  |
| 35 |        |            | Hs.182366   | heat shock protein 75                    | 1.4  |
| 55 |        |            | Hs.159627   | death associated protein 3               | 4.6  |
|    |        | AW950852   |             | polymerase (DNA directed), delta 2, regu | 4.3  |
|    |        |            | Hs.301613   | JTV1 gene                                | 6.7  |
|    |        | U24389     | Hs.65436    | lysosomal                                | 4.3  |
| 40 |        | AA306342   |             | protein kinase C-like 2                  | 2.7  |
|    |        | U37519     | Hs.87539    | aldehyde dehydrogenase 3 family, member  | 2    |
|    |        | U33635     | Hs.90572    | PTK7 protein tyrosine kinase 7           | 6.2  |
|    |        | U48705     | Hs.75562    | discoldin domain receptor family, member | 6.9  |
|    |        | W81489     | Hs.223025   | RAB31, member RAS oncogene family        | 5.3  |
| 45 |        | AL037672   |             | extracellular matrix protein 1           | 5.8  |
|    |        | NM_00701   |             | ubiquitin carrier protein E2-C           | 4.3  |
|    |        | U96132     | Hs.171280   | hydroxyacyl-Coenzyme A dehydrogenase, ty | 6    |
|    |        | AU077058   | Hs.54089    | BRCA1 associated RING domain 1           | 1.9  |
|    |        | T97490     | Hs.50002    | small inducible cytokine subfamily A (Cy | 2.3  |
| 50 |        | BE252241   | Hs.38041    | pyridoxal (pyridoxine, vitamin B6) kinas | 6.4  |
| -  |        | BE244588   |             | chaperonin containing TCP1, subunit 2 (b | 5.6  |
|    | 103060 | NM 00594   | 10Hs.155324 | matrix metalloproteinase 11 (MMP11; stro | 4.5  |
|    |        | AU077231   |             | cyclin D1 (PRAD1: parathyroid adenomatos | 3.1  |
|    | 103178 | AA205475   | Hs.275865   | ribosomal protein S18                    | 9.9  |
| 55 |        | X72755     | Hs.77367    | monokine induced by gamma interferon     | 8.8  |
| -  |        | Al369285   | Hs.75189    | death-associated protein                 | 5.6  |
|    | 103547 | Al376722   | Hs.180062   | proteasome (prosome, macropain) subunit, | 9.7  |
|    |        | BE270465   | Hs.78793    | protein kinase C, zeta                   | 7.9  |
|    | 103886 | AK001278   | Hs.105737   | hypothetical protein FLJ10416 similar to | 6.5  |
| 60 | 104325 | 5 BE379766 | Hs.150675   | polymerase (RNA) II (DNA directed) polyp | 6.3  |
|    | 104827 | AW05200    | 6 Hs.8551   | PRP4/STK/WD splicing factor              | 10.  |
|    | 104846 | A1250789   | Hs.32478    | ESTs                                     | 5.6  |
|    | 104854 | 4 AA041276 | Hs.154729   | 3-phospholnositide dependent protein kin | 12.  |
|    | 10486  | 7 AA278898 | 3 Hs.225979 | hypothetical protein similar to small G  | 2    |

|    | 104896 | AW015318             | Hs.23165              | ESTs   | 17.7        |
|----|--------|----------------------|-----------------------|--|-------------|
|    | 104909 | AW408164             | Hs.249184             | transcription factor 19 (SC1)  | 5           |
|    | 104916 | AW958157             | Hs.155489             | NS1-associated protein 1   | 1.7         |
|    | 104919 | AA026880             | Hs.25252              | prolactin receptor   | 1.4         |
| 5  | 104974 | Y12059               | Hs.278675             | bromodomain-containing 4   | 1.4         |
|    | 104978 | Al199268             | Hs.19322              | Tiblico depresso, commercial in the contract of the contract o | 7.2         |
|    |        | AF098158             |                       | chromosome 20 open reading frame 1   | 3.3         |
|    |        | AA907305             |                       | ESTs   | 2.5         |
|    |        | AA151342             |                       |  | 9.5         |
| 10 |        | H58589               | Hs.35156              | Homo sapiens cDNA FLJ11027 fis, clone PL   | 2.2<br>5.4  |
|    |        | AF167570             |                       | interleukin enhancer binding factor 3, 9   | 9.3         |
|    |        | AA262640             |                       | unknown<br>hypothetical protein FLJ14299   | 1.4         |
|    |        | BE616694             |                       | hypothetical protein FLJ20059  | 9.4         |
| 15 |        | AA985190             |                       | hypothetical protein FLJ20739  | 1.5         |
| 15 |        | AW151952<br>AF151066 |                       | hypothetical protein   | 2.9         |
|    |        | AF016371             |                       | peptidyl prolyl Isomerase H (cyclophilin   | 5.2         |
|    |        | AA533491             |                       | hypothetical protein FLJ14681  | 6.8         |
|    |        | AK001404             |                       | cyclin B2  | 5.7         |
| 20 |        | AW390282             |                       | transmembrane 7 superfamily member 2   | 6.3         |
|    |        | AA458882             |                       | fibulin 1  | 7.9         |
|    |        | NM_00359             |                       | tyrosylprotein sulfotransferase 2  | 7.7         |
|    |        | BE614802             |                       | hypothetical protein FLJ12549  | 4.5         |
|    | 106829 | AW959893             | Hs.27099              | hypothetical protein FLJ23293 similar to   | 16.2        |
| 25 | 106846 | AB037744             | Hs.34892              | KIAA1323 protein   | 2.2         |
|    |        | N49809               | Hs.11197              | Homo sapiens, clone IMAGE:3343149, mRNA  | 16.8        |
|    |        | BE156256             |                       | hypothetical protein   | 6.6         |
|    |        | AF264750             |                       | myeloid/lymphoid or mixed-lineage leukem   | 1.8         |
| 20 |        | W15477               | Hs.64639              | glioma pathogenesis-related protein  | 6.1<br>8.4  |
| 30 |        | AW732573             |                       | potassium voltage-gated channel, delayed   | 2.5         |
|    |        | L42612               | Hs.335952             | keratin 68<br>Ig superfamily receptor LNIR   | 2.2         |
|    |        | BE153855             |                       | pyruvate dehydrogenase kinase, isoenzyme   | 6.7         |
|    |        | AW956103             | Hs.272027             | F-box only protein 5   | 7.1         |
| 35 |        | BE546947             |                       | homeo box C10  | 9.8         |
| 55 |        | AB029000             |                       | KIAA1077 protein   | 7.2         |
|    |        | AK001431             |                       | hypothetical protein FLJ10569  | 4           |
|    |        | AA156542             |                       | ESTs   | 1.4         |
|    |        | AA164293             |                       | ESTs   | 2.9         |
| 40 | 109273 | AA375752             | Hs.82719              | Homo sapiens mRNA; cDNA DKFZp586F182   | 2 (f 2.9    |
|    | 109468 | NM_01531             | 0Hs.6763              | KIAA0942 protein   | 3.2         |
|    | 110240 | AI668594             | Hs.176588             | ESTs, Weakly similar to CP4Y_HUMAN CYT   | OC 4.2      |
|    |        | AI288666             | Hs.16621              | DKFZP4341116 protein   | 6.2         |
|    |        | H55748               |                       | gb:yq94a01.s1 Soares fetal liver spleen  | 6.1         |
| 45 |        | AW190338             |                       | hypothetical protein MGC11256  | 7.6<br>9.3  |
|    |        | BE044245             |                       | hypothetical protein MGC2963<br>gb:ot37g06.s1 Soares_testis_NHT Homo sap   |             |
|    |        | AA992380             |                       | signal transduction protein (SH3 contain   | 6.7         |
|    |        | NM_00586<br>N63823   | Hs.269115             | ESTs, Moderately similar to Z195_HUMAN Z   |             |
| 50 |        | AK000136             |                       | asporin (LRR class 1)  | 7.1         |
| 30 |        | N90956               | Hs.17230              | hypothetical protein FLJ22087  | 7.9         |
|    | 111235 | AA778711             |                       | eukaryotic translation initiation factor   | 6.9         |
|    |        | W46342               | Hs.325081             | Homo sapiens, clone IMAGE:3659680, mRN   | A, 8.4      |
|    | 111937 | BE298665             |                       | Homo sapiens mRNA; cDNA DKFZp564D016   | 6 (fr 10.6  |
| 55 | 112244 | AB029000             | Hs.70823              | KIAA1077 protein   | 14.6        |
|    | 112995 | AA737033             | Hs.7155               | ESTs, Moderately similar to 2115357A TYK   | 5.6         |
|    | 113777 | BE266947             | Hs.10590              | zinc finger protein 313  | 13.4        |
|    | 113791 | Al269096             | Hs.135578             | chitobiase, di-N-acetyl-   | 1.3         |
|    | 113811 | BE207480             |                       | Homo sapiens cDNA: FLJ22044 fis, done H  | 3.1         |
| 60 | 113834 | T26483               | Hs.6059               | EGF-containing fibulin-like extracellula   | 11.3<br>2.7 |
|    | 113868 | W57902               | Hs.90744              | proteasome (prosome, macropain) 26S subu<br>hypothetical protein, similar to (U06944   | 6.1         |
|    | 113870 | AL079314             | ⊓5.1033/<br>I ಟe 3840 | hypothetical protein, strillar to (000344<br>hypothetical protein FLJ22041 similar to  | 1.9         |
|    | 113923 | AW953484             | 3 Hs.306117           | KIAA0306 protein   | 15.8        |
| 65 | 1142/3 | AA236177             | Hs.76591              | KIAA0887 protein   | 7.1         |
| O) | 114093 | AI733881             | Hs.72472              | BMP-R1B  | 2.3         |
|    |        | AI751438             |                       | Homo saplens mRNA full length insert cDN   | 11.8        |

|    |   | 004704                | to an attention to 144204  | 1.5       |
|----|---|-----------------------|--|-----------|
|    | 115278 AK002163 Hs.                     |                       | ii) poolousuu protonii   |           |
|    | 115291 BE545072 Hs.                     | .122579               |  | 6.2       |
|    |   | .38178                |  | 10.6      |
|    | 115693 AF231023 Hs                      | 55173                 | cadherin, EGF LAG seven-pass G-type rece   | 6.8       |
| 6  |   | .46679                | hypothetical protein FLJ20739  | 5.5       |
| 5  |   |                       | til bontonom brotoni i mana i a  | 9.8       |
|    | 115968 AB037753 Hs                      | .62/6/                |  | 2.4       |
|    |   |                       | 1 totto suprato tra a a também de la companya de la |           |
|    | 116417 AW499664 Hs                      | .12484                |  | 7.4       |
|    |   | .83484                | SRY (sex determining region Y)-box 4   | 2.1       |
| 10 |   | .92033                | Integrin-linked kinase-associated serine   | 2.7       |
| 10 |   |                       |  | 5.2       |
|    | ,,,,, <b>,,,</b>                        | .42315                | p10-binding protein  | 5.7       |
|    | 117881 AF161470 Hs                      | .260622               | butyrate-induced transcript 1  |           |
|    | 118528 Al949952 Hs                      | .49397                | ESTs   | 7.4       |
|    |   | .287820               | fibronectin 1  | 5.7       |
| 15 |   | .285363               | ESTs   | 1.4       |
| 15 |   |                       |  | 8.4       |
|    | ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,, | .163561               | ESTs   | 6.7       |
|    |   | s.119908              | nucleolar protein NOP5/NOP58   |           |
|    | 119789 BE393948 Hs                      | 3.50915               | kallikrein 5 (KLK5; KLK-L2; stratum com  | 9.2       |
|    |   | 3.91668               | Homo sapiens clone PP1498 unknown mRNA   | 45./      |
| 20 | 120253 AA131376 Hs                      |                       | fibroblast growth factor 12B   | 38.9      |
| 20 | 120233 AA131370 11s                     | 404077                | ESTs, Weakly similar to Z195_HUMAN ZINC  | 15.2      |
|    | 120297 AA191384 Hs                      | 5.104072              |  | 6.4       |
|    | 120325 AA195651 Hs                      | s.104106              | ESTs   | 16.1      |
|    | 120327 AK000292 Hs                      | s.278732              | hypothetical protein FLJ20285  |           |
|    | 120349 AW969481 Hs                      | s.55189               | hypothetical protein   | 16.8      |
| 25 | 120356 AF000545 Hs                      | s 296433              | putative purinergic receptor   | 28.1      |
| 23 | 120371 AA219305 H                       |                       | EST  | 12.4      |
|    |   |                       | FSH primary response (LRPR1, rat) homolo   | 9.7       |
|    |   | s.123122              | turnethettest emisis DVE7n/3/D0127   | 32.6      |
|    | 120386 AW969665 H                       | 5.154848              | hypothetical protein DKFZp434D0127   |           |
|    | 120389 AW967985 H                       | s.325572              | ESTs, Moderately similar to ALU7_HUMAN A   | 40.5      |
| 30 | 120396 AA134006 H                       | s.79306               | eukaryotic translation initiation factor   | 12.5      |
|    | 120418 AW966893 H                       | s.26613               | Homo sapiens mRNA; cDNA DKFZp586F132   | 3 (111.4  |
|    | 120472 Al950087                         |                       | gb:wq05c02.x1 NCI_CGAP_Kid12 Homo sap  | ien 19.4  |
|    | 120484 AA253170 H                       | s 96473               | FST  | 10.4      |
|    | 120570 AA280679 H                       | c 271///5             | ESTs, Weakly similar to ALU1_HUMAN ALU   | S 14.4    |
| 25 | 1205/U AA200079 II                      | 3.21 1770<br>- 204220 | ZNF135-like protein  | 10.2      |
| 35 | 120582 BE244830 H                       |                       | N-acetylglucosamine-phosphate mutase   | 7.5       |
|    | 120596 AA282074 H                       |                       | N-acetygucosamile-prospirate motose  | 52        |
|    | 120624 AW407987 H                       | ls.173518             | M-phase phosphoprotein homolog   |           |
| •  | 120695 AA976503                         |                       | gb:oq30a04.s1 NCI_CGAP_GC4 Homo sapid  | 3115 40.0 |
|    | 120713 AW449855 H                       | s.96557               | Homo sapiens cDNA FLJ12727 fis, clone NT   | 5.9       |
| 40 |   | ls.96693              | ESTs, Moderately similar to 2109260A B c   | 7         |
| 40 |   | ls.193985             | FSTs   | 7.8       |
|    |   |                       | SH3-containing protein SH3GLB2; KIAA1848   | 6.8       |
|    |   | 13.30002              | gb:EST52657 Fetal heart II Homo sapiens  | 4.4       |
|    | 120809 AA346495                         | . 00050               |  | 5.6       |
|    |   | ls.99052              | ESTs   | 5.4       |
| 45 |   | ls.186749             | ESTs, Highly similar to 137550 mismatch  |           |
|    |   | ts.98019              | EST  | 6         |
|    | 121505 AA494172 H                       | ls.194417             | ESTs   | 13.1      |
|    | 121508 AA402515 H                       | ls.97887              | ESTs   | 28        |
|    |   | ls.181510             | ESTs   | 6.2       |
| co |   |                       | EST  | 7.4       |
| 50 |   | łs.98142              | gb:zt95g12.s1 Soares_testis_NHT Homo sa  |           |
|    | 121558 AA412497                         |                       | gp:zwog (2.51 50ales_lesus_N111 110110 50  | 22 15 7 8 |
|    |   | ls.178072             | Homo sapiens mRNA; cDNA DKFZp434B10  | 74        |
|    | 121744 AA398784 H                       | ls.97514              | ESTs   | 7.1       |
|    |   | ls.234545             | hypothetical protein NUF2R   | 19.5      |
| 55 | 121773 AB033022 H                       | 4s.158654             | KIAA1196 protein   | 7.9       |
| 55 | 121832 AW340797 H                       | ds 98434              | ESTs   | 5.8       |
|    | 121839 AA425691 h                       | de 191606             | ESTs, Highly similar to KIAA1048 protein   | 5         |
|    | 121882 AA426376 H                       | 15.151600<br>1c 08160 | ESTs   | 5         |
|    | 121882 AA420370 T                       | 15.50405              | gb:zw50f02.s1 Soares_total_fetus_Nb2HF8  | 7.2       |
|    | 121911 AA427950                         | 1- 00000              |  | 6.4       |
| 60 | 121999 AA430211 H                       | Hs.98668              | EST  | 6.5       |
|    | 122013 AA431085 I                       | Hs.98706              | ESTs   |           |
|    | 122036 W92142 I                         | Hs.271963             | ESTs, Weakly similar to ALU5_HUMAN ALL   | , O. 10.  |
|    | 122356 AA443794 I                       | Hs.98390              | ESTs   | 7.3       |
|    | 122371 AA868555 I                       | Hs.178222             | ESTs   | 5         |
| 65 | 122372 AA446008 I                       | Hs.336677             | EST  | 7.6       |
| O) | 122460 AW418788                         | Hs 99148              | ESTs, Weakly similar to S43569 R01H10.6  | 9.7       |
|    | 122490 AA448349                         | He 238151             | EST  | 6.1       |
|    | 12249U MM440349                         | + 13.200 13 1         | LVI  |           |

|  | 122492 | AA448417  | Hs.104990     | ESTs                                     | 5.4   |
|--|--------|-----------|---------------|--|-------|
|  |        | AA449232  | Hs.99195      | ESTs                                     | 11.2  |
|  |        | AW959741  | 1.1           | adaptor-related protein complex 1, sigma | 10.1  |
|  |        | AA452601  | Hs.99287      | EST                                      | 11    |
| 5  |        |           |               | ESTs                                     | 61.5  |
| 9  |        |           |               |  | 10.7  |
|  |        |           |               |  | 107.3 |
|  |        |           | F15. 10 10/ 3 |  |       |
|  |        |           | LI= 444000    | T  |       |
| 10   |        |           |               |  | 5.6   |
| 10   |        |           |               |  | 8.5   |
|  |        |           |               |  | 81.8  |
|  |        |           |               |  | 75.3  |
|  |        |           |               | · · · · · · · · · · · · · · · · · · ·    | 5.8   |
|  | 122868 | AF005216  | Hs.115541     | Janus kinase 2 (a protein tyrosine kinas | 5.3   |
| 15   | 122907 | AA470074  | Hs.169896     | ESTs                                     | 11.5  |
|  | 123016 | AW338067  | Hs.323231     | Homo sapiens cDNA FLJ11946 fis, done HE  | 2.8   |
|  | 123034 | AL359571  | Hs.44054      | nineln (GSK3B Interacting protein)       | 8.7   |
|  | 123136 | AW451999  | Hs.194024     | ESTs                                     | 5.1   |
|  | 123152 | AW601773  | Hs.270259     | ESTs                                     | 5.2   |
| 20   |        |           |               |  | 3.6   |
|  |        |           |               |  | 7.4   |
|  |        |           |               |  | 2.4   |
|  |        |           | 113.001002    |  |       |
|  |        |           | IL- 05224     |  | 10    |
| 25   |        |           |               |  | 30.6  |
| 23   |        |           |               |  |       |
|  |        |           | MS.270016     |  | 8.1   |
|  |        |           | 11 100010     |  | 57.1  |
|  |        |           |               |  |       |
| 20   |        |           |               | ESIS                                     | 8.3   |
| 30   |        |           |               | ESTs, Weakly similar to M3K9_HUMAN MITO  | G 7.9 |
|  | 124735 | R22952    | Hs.268685     | ESTs                                     | 11.3  |
|  | 124761 | AA374756  | Hs.93560      | Homo sapiens mRNA for KIAA1771 protein,  | 9     |
|  | 124768 | AW368528  | Hs.100855     | ESTs                                     | 8.1   |
|  | 124788 | R43543    | Hs.100912     | Homo sapiens cDNA: FLJ22726 fis, clone H | 5.1   |
| 35   | 124811 | R46068    | Hs.288912     | hypothetical protein FLJ22604            | 14.2  |
|  | 124812 | R47948    | Hs.188732     | ESTs                                     | 7.9   |
|  | 124822 | AA418160  | Hs.86043      | Homo sapiens cDNA FLJ13558 fis, clone PL | 6.6   |
|  |        |           |               |  | 23.9  |
|  |        |           |               |  | 32.4  |
| 40   |        |           |               |  | 22.8  |
|  |        |           |               |  | 6.1   |
|  |        |           |               |  | 135.3 |
|  |        |           |               |  | 5.4   |
|  |        |           |               |  | 5.6   |
| 15   |        |           | F15.200230    |  | 9.6   |
| 43   |        |           | U= 400022     | <u> </u>                                 | 8     |
|  | 122614 |           |               |  |       |
|  |        |           |               |  | 12.8  |
|  |        |           |               |  | 2.8   |
| ~^   |        |           |               |  | 7.1   |
| <b>5</b> 0   |        |           |               |  | 7.7   |
|  | 128772 | BE302796  |               |  | 5.3   |
|  | 128781 |           |               |  | 53.9  |
|  | 128797 | NM_002975 | 5Hs.105927    |  | 13.3  |
|  | 128868 | AA419008  | Hs.106730     | chromosome 22 open reading frame 3       | 3     |
| 55   | 128891 | F34856    | Hs.292457     | Homo sapiens, done MGC:16362, mRNA, cor  | m 13. |
|  | 128946 | Y13153    | Hs.107318     | kynurenine 3-monooxygenase (kynurenine 3 | 7.2   |
|  |        |           | Hs.284233     | NICE-5 protein                           | 14    |
|  |        |           |               |  | 1.9   |
|  |        |           |               |  |       |
| 60   |        |           | Hs 326234     |  | 5     |
| 00   |        |           |               |  | 17.1  |
|  |        |           |               |  | 20.9  |
|  |        |           |               |  | 5.8   |
|  |        |           |               |  | 7.6   |
| 65   |        |           |               |  | 6.7   |
| UJ   |        |           |               |  | 2     |
|  |        |           |               |  | 5     |
| 127274 AW966158 Hs.58582 128528 R39234 Hs.251699 128670 AA975486 Hs.103441 128670 A2975486 Hs.103441 128781 N71826 Hs.105937 128781 N71826 Hs.105957 128781 N71826 Hs.105957 128781 N71826 Hs.105977 128868 AA419008 Hs.105977 128868 AA419008 Hs.106737 128946 Y13153 Hs.107318 128975 BE560779 Hs.284233 128995 Al816224 Hs.107747 129019 Al950087 60 129076 AW296806 Hs.326234 129088 AA744610 Hs.194431 129096 AA463189 Hs.288906 12918 N57532 Hs.109315 129347 BE614192 Hs.279869 65 129362 U30246 Hs.110736 129372 NM_016039Hs.110803 Hs.108344 Hs.10736 129372 NM_016039Hs.110803 Homo saplens cDNA FLJ12789 fis, clone ESTS, weakly similar to IDN4-GSTR14 homo saplens, similar to IDN4-GSTR14 homo saplens, done MGC.5576 thymidine kinase 1, soluble small nuclear ribonucleoprotein polypep stem cell growth factor; lymphocyte sec chromosome 22 open reading frame 3 homo saplens, done MGC.16362, mRN kynurenine 3-monooxygenase (kynuren INCFZP566C243 protein gb.wq05c02.x1 NCI_CGAP_Kid12 Hom ESTS, Highly similar to T46422 hypothe palladin wW Domain-Containing Gene KIAA1415 protein melanoma-associated antigen recognis solute carrier family 12 (sodium/potassi | EGIS   | J         |               |  |       |

PCT/US02/02242

### WO 02/059377

|     | 129482 | AA188185  | Hs.289043   | spindlin                                 | 6.7  |
|-----|--------|-----------|-------------|--|------|
|     |        | W01296    | Hs.11360    |  | 7.5  |
|     |        | H14718    | Hs.11506    |  | 6.8  |
|     |        | AK000398  |             |  | 3.8  |
| 5   |        | AD000092  |             |  | 3.3  |
| ,   |        | U03749    | 113.10100   | gb:Human chromogranin A (CHGA) gene, pro | 14.1 |
|     |        | AW748482  | He 77873    | B7 homolog 3                             | 2.6  |
|     |        |           |             | ESTs, Weakly similar to I38022 hypotheti | 7.4  |
|     |        | A1304966  | Hs.12035    | APMCF1 protein                           | 2    |
| 10  |        | AA156214  |             |  | 1.6  |
| 10  |        | AA301116  |             | nucleolar phosphoprotein Nopp34          | 2.8  |
|     |        | AL046962  | Hs.14845    | forkhead box O3A                         |      |
|     |        | AA311426  |             | tubulin, gamma 1                         | 6.1  |
|     |        | NM_00335  |             | ESTs, Moderately similar to CEGT_HUMAN C | 0.1  |
|     | 130242 | X79201    | Hs.153221   | synovial sarcoma, translocated to X chro | 5.4  |
| 15  | 130359 | NM_01344  | 9Hs.277401  | bromodomain adjacent to zinc finger doma | 8.5  |
|     | 130365 | W56119    | Hs.155103   | eukaryotic translation initiation factor | 11   |
|     | 130448 | BE513202  | Hs.15589    | PPAR binding protein                     | 3.9  |
|     | 130455 | D90041    | Hs.155956   | N-acetyltransferase 1 (arylamine N-acety | 33.6 |
|     | 130471 | AL121438  | Hs.183706   | adducin 1 (alpha)                        | 2.7  |
| 20  |        | BE208491  |             | KIAA0618 gene product                    | 16.1 |
| 20  |        | L32137    | Hs.1584     | cartilage oligomeric matrix protein (pse | 6.1  |
|     |        | U64675    | Hs.179825   | RAN binding protein 2-like 1             | 7.8  |
|     |        | AF062649  |             | pituitary tumor-transforming 1           | 14.4 |
|     |        |           | Hs.15977    | Empirically selected from AFFX single pr | 4.7  |
| 25  |        | AI907018  |             | replication protein A3 (14kD)            | 7.9  |
| 25  |        | AA383092  |             | apoptosis antagonizing transcription fac | 1.2  |
|     |        | AF083208  |             |  | 12.1 |
|     |        | M90516    | Hs.1674     | glutamine-fructose-6-phosphate transamin | 13.9 |
|     |        | BE246961  |             | Homo saplens ubiquitin protein ligase (U | 2    |
| 20  |        | R68537    | Hs.17962    | ESTs                                     | 3.1  |
| 30  |        | H59696    | Hs.18747    | POP7 (processing of precursor, S. cerevi |      |
|     |        | AL036067  |             | protein x 0001                           | 5.7  |
|     |        | BE514434  |             | kinesin-like 2                           | 2.1  |
|     |        | BE382657  |             | signal transducer and activator of trans | 5.4  |
|     | 131046 | AA321649  | Hs.2248     | small inducible cytokine subfamily B (Cy | 7.4  |
| 35  | 131060 | AA194422  | Hs.22564    | myosin VI                                | 5.1  |
|     | 131099 | AL133353  | Hs.226581   | COX15 (yeast) homolog, cytochrome c oxid | 7    |
|     | 131135 | NM_01656  | 9Hs.267182  | TBX3-iso protein                         | 3.3  |
|     |        | BE280074  |             | cyclin B1                                | 5.8  |
|     |        | H62087    | Hs.31659    | thyroid hormone receptor-associated prot | 7.5  |
| 40  |        | AL080080  |             | thioredoxin domain-containing            | 2.8  |
|     |        | X80038    | Hs.339713   | Homo sapiens clone F19374 APO E-C2 gene  | 1.3  |
|     |        | AL389951  |             | nucleoporin 50kD                         | 5    |
|     |        | AW410601  |             | HSPC182 protein                          | 2.9  |
|     |        | AA642831  |             | putative DNA binding protein             | 2.9  |
| 45  |        | D13757    | Hs.311      | phosphoribosyl pyrophosphate amidotransf | 3.4  |
| 43  |        | X76732    | Hs.3164     | nucleobindin 2                           | 2.9  |
|     |        | AW966127  |             | Homo sapiens cDNA FLJ14656 fis, clone NT |      |
|     |        |           |             | ESTs                                     | 13.7 |
|     | 131885 |           |             | Homo sapiens, done MGC:15961, mRNA, co   |      |
| 50  |        |           | Hs.231029   |  | 11.3 |
| 50  |        | AA179298  |             | stomatin-like 2                          | 2.3  |
|     |        | BE252983  |             | ubiquitin specific protease 1            |      |
|     | 131971 |           | Hs.154938   | hypothetical protein MDS025              | 3.5  |
|     | 132180 |           |             | fibroblast activation protein, alpha     | 14.7 |
|     | 132203 | NM_00478  | 32Hs.194714 | synaptosomal-associated protein, 29kD    | 7.8  |
| 55  | 132273 | AA227710  | Hs.43658    | DKFZP586L151 protein                     | 10   |
|     | 132288 | N36110    | Hs.305971   | solute carrier family 2 (facilitated glu | 9.2  |
|     | 132294 | AB023191  | Hs.44131    | KIAA0974 protein                         | 2    |
|     | 132348 | AW06770   | 8 Hs.170311 | heterogeneous nuclear ribonucleoprotein  | 12.5 |
|     |        | AW57280   |             | ESTs                                     | 28.3 |
| 60  |        | AA312135  |             | HSPCO34 protein                          | 6.1  |
| UU  | 132450 | AA100012  | Hs.48827    | hypothetical protein FLJ12085            | 8.6  |
|     | 122430 | AW16984   | 7 Hs 49169  | KIAA1634 protein                         | 6.1  |
|     |        | AA454132  |             | mitochondrial ribosomal protein L16      | 7.1  |
|     |        | AW63143   |             | TH1 drosophila homolog                   | 14   |
| 65  |        | A1796870  |             | DNA segment on chromosome X (unique) 99  |      |
| U.S |        | 3 NM_0046 |             | Sjogren syndrome antigen A2 (60kD, ribon | 3.7  |
|     |        | N52298    |             | hypothetical protein MGC955              | 14.3 |
|     | 132/40 | 11102230  | Hs.55608    | whenced bioken wood                      | ,7.0 |

|            | 132731 | Al189075  | Hs.301872 | hypothetical protein MGC4840             | 5.9   |
|------------|--------|-----------|-----------|--|-------|
|            |        | AA010233  |           |  | 6.4   |
|            |        |           |           |  | 14.6  |
|            |        | AA459713  |           | KIAA0493 protein                         |       |
| _          |        | AI026701  | Hs.5716   |  | 2.5   |
| 5          | 132810 | AB007944  | Hs.5737   |  | 4.2   |
|            | 132833 | U78525    | Hs.57783  | eukaryotic translation initiation factor | 6.1   |
|            | 132842 | NM_016154 | Hs.279771 | Homo sapiens done PP1596 unknown mRNA    | 7.1   |
|            |        | U09716    | Hs.287912 |  | 6.1   |
|            |        | BE267143  |           |  | 2.7   |
| 10         |        | Al817165  | Hs.6120   |  | 2.1   |
| 10         |        |           |           |  |       |
|            |        | AA034365  |           | Homo sapiens cDNA FLJ11392 fis, clone HE |       |
|            |        | AA040696  |           | ESTs                                     | 1.3   |
|            | 132994 | AA112748  | Hs.279905 | clone HQ0310 PRO0310p1                   | 17.1  |
|            | 133016 | A1439688  | Hs.6289   | hypothetical protein FLJ20886            | 4.4   |
| 15         | 133177 | X97795    | Hs.66718  | RAD54 (S.cerevisiae)-like                | 4.4   |
|            |        | AI801777  | Hs.6774   |  | 5.5   |
|            |        | Al567421  | Hs.273330 | Homo saciens, clone IMAGE:3544662, mRNA  |       |
|            |        | Al160873  |           |  | 16.1  |
|            |        |           | Hs.69233  | zinc finger protein                      |       |
|            |        | AW956781  |           | ESTs, Weakly similar to FXD2_HUMAN FORK  |       |
| 20         |        | M76477    | Hs.289082 | GM2 ganglioside activator protein        | 10.4  |
|            | 133390 | Al950382  | Hs.72660  | phosphatidylserine receptor              | 5.7   |
|            | 133391 | AW103364  | Hs.727    |  | 25.5  |
|            |        | AL037159  |           | proteasome (prosome, macropain) 26S subu | 1.7   |
|            |        | AW160781  |           | nuclear phosphoprotein similar to S. cer | 2.6   |
| 25         |        | NM_004893 |           | H2A histone family, member Y             | 13.5  |
| 2,5        |        |           |           |  | 6.7   |
|            |        | L27841    | Hs.75737  | · ·                                      |       |
|            |        | BE271766  |           |  | 5.4   |
|            |        | BE622743  |           | arfaptin 1                               | 12.1  |
|            | 133791 | M34338    | Hs.76244  | spermidine synthase                      | 9.7   |
| 30         | 133797 | AL133921  | Hs.76272  | retinoblastoma-binding protein 2         | 1.3   |
|            | 133822 | D50525    | Hs.699    | peptidylprolyl isomerase B (cyclophilin  | 9.7   |
|            |        | W29092    | Hs.7678   |  | 4.2   |
|            |        | AB011155  |           | •••••••••••••••••••••••••••••••••••••••  | 5     |
|            |        |           |           |  | 9.1   |
| 25         |        | U30872    | Hs.77204  |  |       |
| 35         |        | D86326    | Hs.325948 | vesicle docking protein p115             | 1.8   |
|            |        | X81789    | Hs.77897  | splicing factor 3a, subunit 3, 60kD      | 10.4  |
|            | 133989 | AL040328  | Hs.78202  | SWI/SNF related, matrix associated, acti | 2.6   |
|            | 133997 | AI824113  | Hs.78281  | regulator of G-protein signalling 12     | 13    |
|            | 134234 | BE300078  | Hs.80449  | Homo sapiens, clone IMAGE:3535294, mRNA  | , 10. |
| 40         |        | AW291946  |           |  | 6.7   |
|            |        | X06560    | Hs.82396  |  | 5.5   |
|            |        | AW362124  |           |  | 5.8   |
|            |        |           |           | .,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,  |       |
|            |        | AW067903  |           | 3-11-11-11-11-11-11-11-11-11-11-11-11-11 | 72.9  |
|            |        | AU077196  |           |  | 6.7   |
| 45         | 134480 | NM_005000 | )Hs.83916 | Empirically selected from AFFX single pr | 6.2   |
|            | 134516 | AK001571  | Hs.273357 | hypothetical protein FLJ10709            | 1.4   |
|            | 134529 | AW411479  | Hs.848    | FK506-binding protein 4 (59kD)           | 2.8   |
|            |        | AW630803  |           |  | 6.1   |
|            |        | BE002798  |           | integral membrane protein 1              | 1.2   |
| 50         |        | AD001528  |           |  | 2.6   |
| <b>J</b> U |        |           |           |  | 9.1   |
|            |        | Al701162  | Hs.90207  | ***************************************  |       |
|            |        | D26488    | Hs.90315  | KIAA0007 protein                         | 13.3  |
|            | 134971 | Al097346  | Hs.286049 | phosphoserine aminotransferase           | 2     |
|            | 135181 | BE250865  | Hs.279529 | px19-like protein                        | 14.9  |
| 55         | 135207 | N26427    | Hs.9634   | ESTs, Highly similar to C10_HUMAN PUTATI | 1.7   |
|            | 135245 | AI028767  | Hs.262603 | ESTs                                     | 12.2  |
|            |        | AW291023  |           | ESTs, Weakly similar to A46010 X-linked  | 7.6   |
|            |        |           | Hs.98368  | ESTs, Weakly similar to KIAA0822 protein | 5.8   |
|            |        | A1743770  |           | chasens hinding emissis 1 /deg 190kD ha  |       |
| <b>CO</b>  |        | A1652069  | Hs.98614  | ribosome binding protein 1 (dog 180kD ho | 12.3  |
| 60         |        | AA456454  |           | cell division cycle 2-like 1 (PITSLRE pr | 5.7   |
|            |        | X78592    | Hs.99915  | androgen receptor (dihydrotestosterone r | 13.9  |
|            | 302276 | AW057736  | Hs.323910 | HER2 receptor tyrosine kinase (c         | 5.3   |
|            | 317781 | NM_007057 | 7Hs.42650 | ZW10 Interactor                          | 2.8   |
|            | 321114 | AA902256  | Hs.78979  | Golgi apparatus protein 1                | 5.5   |
| 65         | 322555 | BE041451  | Hs.177507 | hypothetical protein                     | 2.9   |
| 55         |        | U22376    | Hs.1334   | v-myb avian myeloblastosis viral oncogen | 2.3   |
|            |        |           |           |  | 7     |
|            | 424001 | W67883    | Hs.137476 | paternally expressed 10 (PEG10; KIAA105  | •     |

|   |                    | Hs.155040<br>Hs.334822 | zinc finger protein 217<br>hypothetical protein MGC4485 | 2.3<br>7.5 |
|---|--------------------|------------------------|---|------------|
|   |                    | Hs.288467              | Homo sapiens cDNA FLJ12280 fis, clone MA                | 5.6        |
| 5 | N78223<br>AF077036 | Hs.108106              | transcription factor DKFZP586G1722 protein              | 4.7<br>12. |

### TABLE 5A

Table 5A shows the accession numbers for those pkeys lacking unigeneID's for Table 5. For each probeset, we have listed the gene cluster number from which the oligonucleotides were designed. Gene clusters were compiled using sequences derived from Genbank ESTs and mRNAs. These sequences were clustered based on sequence similarity using Clustering and Alignment Tools (DoubleTwist, Oakland California). The Genbank accession numbers for sequences comprising each cluster are listed in the "Accession" column.

| 10 | Pkey:       | Unique Eos probeset identifier number |
|----|-------------|---------------------------------------|
|    | CAT number: | Gene cluster number                   |
|    | Accession:  | Genbank accession numbers             |

| 123615   3068615   |    |                  |                      |  |
|--|----|------------------|----------------------|--|
| 124385   110856   13346_14   AA992300 N33063 N21418 H79958 R21911 H79957   AA908396 N3251875 N820501 AB20532 W87891 T85904 U71456 T82391 BE328571 T75102 R34725 AA884922 BE328517 A219788 AA88444 N262578 F13493 AA927749 AL860521 AW871068 AL134043 AW235363 AA663345 AW006282 AA488964 AA283144 AL890387 AN950744 AL960521 AW871068 AL134043 AW235363 AA663345 AW006282 AA488964 AA283144 AL890387 AN95074 AA488962 AA282915 AW102898 AL872193 A1763273 AW173586 AW110329 AL853832 AL762688 AA988777 AA488892 AL956394 AW103813 AL359642 AA642769 AA656975 AW905512 AW9151395 AA292373 AA969579 N75628 N22388 H84729 H60052 T92487 A022058 AA780419 AA551005 W80701 AW513456 AJ373032 AL564289 F00531 H83488 W37181 W78802 R66056 AL002893 R67840 AA300207 AW959581 T63226 F04005 AA988494 AA98144 AW9578 F13493 AA93749 AW957677 N35320 AL251473 H59397 AW971573 R97278 W01059 AW967671 AA908598 AA251875 AB20501 AB20532 W87891 T85904 U71456 T82391 BE328571 T75102 R34725 AA884922 BE328517 A219788 AA88444 N92578 F13493 AA937749 AL860251 AW874066 AL134043 AW235363 AA663345 AW006282 AA488964 AA283144 AB99387 AB950344 AL714736 AL899062 AA28548 AW103939 AL850393 AW755366 AW150329 AL853332 AL762688 AA988747 AA88982 AL3565394 AW103813 AL539642 AA642789 AA856975 AW505512 AM965393 AW150399 AW513996 AA293273 AA969759 N75628 N22338 H84729 H60052 T92487 AL022058 AA780419 AA551005 W80701 AA251668 AA25144 AL892378 H00524 AW91364 AA45046 AA300444 AA908593 AA965034 AW06282 AA856408 AA983144 AW57682 AW85564 AA404613 AA4428771 BE280542 AW194691 AA350007 AW959581 T63226 F04005 120889 R67540 AA30007 AW959581 T63226 F04005 120889 R67540 AA30007 AW959581 T63226 F04005 120889 R67540 AA30007 AW959581 T63226 F04005 120889 R67540 AA3044895 AA364695 AA364641 AW072629 AW5566508 AA35144 AB464061 120899 S6683 A A4864061 AA964641 AW07388 AL89009 AA985441 AL803081 AL976509 AL976509 AL976509 AL976509 AL976509 AL976509 AL976509 AL976509 AL976509 AL97 | 15 | Pkey             | CAT number           | Accessions   |
| 25   | 20 | 124385<br>110856 | 656394_1<br>19346_14 | Al267847 N27351 AA992380 N33063 N21418 H79958 R21911 H79957 AI950087 N70208 R97040 N36809 Al308119 AW967677 N35320 Al251473 H59397 AW971573 R97278 W01059 AW967671 AA908598 AA251875 Al820501 Al820532 W87891 T85904 U71456 T82391 BE328571 T75102 R34725 AA884922 BE328517                                    |
| A251669 AA251874 Äl819225 AW205862 AI683338 Al858509 AW276905 AI633006 AA972584 AA908741 AW072629 AW513956 A4293273 AA969759 NT5628 N22388 H84729 H60052 T92487 AI022058 AA780419 AA551005 W80701 AW613456 AI373032 AI564269 F00531 H83488 W37181 W78802 R66056 AI002839 R67840 AA300207 AW959581 T63226 F04005 A1950087 N70208 R97040 N36809 AI308119 AW967677 N35320 AI251473 H59397 AW971573 R97278 W01059 AW967671 AA908598 AA251875 AI820501 AI820532 W87891 T85904 U71456 T82391 BE328571 T75102 R34725 AA884922 BE328517 AI219788 AA88444 N92578 F13493 AA927794 AI560251 AW874068 AL 134043 AW235363 AA663345 AW008282 AA488964 AA283144 AI890387 AI990344 AI741346 AI689062 AA282915 AW102898 AI872193 AI763273 AW173586 AW150329 AI653832 AI766288 AA988777 AA488892 AI356394 AW103813 AI539642 AA642789 AA856975 AW505512 A1961530 AW629970 BE612881 AW276997 AW513601 AW512843 AA044209 AW856538 AA180009 AA337499 AW961101 AA251689 AA251674 AI819225 AW205862 AI683338 AI858509 AW276905 AI633006 AA972584 AA908741 AW072629 AW513956 AA293273 AA969759 N75628 N22388 H84729 H60052 T92487 AI022058 AA780419 AA551005 W80701 AW613456 AI373032 AI5564269 F00531 H83488 W37181 W78802 R66056 AI002839 R67840 AA300207 AW959581 T63226 F04005 120695 9883,3 AA976503 AI917802 AA953364 AA404613 AA428771 BE280542 AW194691 AI927301 AI740458 AI796100 AI835603 AW052210 AA970201 AI6333384 AA425910 AI017004 AI241295 AA402816 AA291468 122618 125115 120809 23162_1 1003749 NM_001275 J03483 J03915 AI214509 AW245744 AL046455 AA318960 AI741505 AA843875 AI829382 AI560122 AI85899 D55958 AI684005 D53170 AA854091 AI025609 D53190 D54729 D55504 D55377 D55313 AW512244 AA846441 AW043388 AI9899102 AA405741 AI091893 AA788784 AA706538 AA854361 AW470949 AA843095 AA179028 AI148432 AI038109 AA782478 AA910064 AI220384 AA781256 AA843881 AA845361 AW470949 AA843095 AA719056 AA894441 AI803081 AI167381 AW7245389 AA319430 AA331566 AA84381 AA854232 W39212 W15214 AA894441 AI803081 AI167381 AW7245389 AA319430 AA331566 AA319661 AA405992  101045 entreJ05614 J05614   | 25 |                  |                      | AA488964 AA283144 AI890387 AI950344 AI741346 AI689062 AA282915 AW102898 AI872193 AI763273 AW173586<br>AW150329 AI653832 AI762688 AA988777 AA488892 AI356394 AW103813 AI539642 AA642789 AA856975 AW505512   |
| 129019   | 23 |                  |                      | AA251669 AA251874 AI819225 AW205862 AI683338 AI858509 AW276905 AI633006 AA972584 AA908741 AW072629 AW513996 AA293273 AA969759 N75628 N22388 H84729 H60052 T92487 AI022058 AA780419 AA551005 W80701 AW613456 AI373032 AI564269 F00531 H83488 W37181 W78802 R66056 AI002839 R67840 AA300207 AW959581 T63226      |
| AW150329 Al653832 Al762688 AA988777 AA488892 Al356394 AW103813 Al539642 AA642789 AA856975 AW505512 Al961530 AW629970 BE612881 AW276997 AW513601 AW512843 AA044209 AW856538 AA180009 AA337499 AW961101 AA251669 AA251874 Al819225 AW205862 Al683333 Al858509 AW276905 Al633006 AA972584 AA908741 AW072629 AW513996 AA293273 AA969759 N75628 N22388 H84729 H60052 T92487 Al022058 AA780419 AA551005 W80701 AW613456 Al373032 Al564269 F00531 H83488 W37181 W78802 R66056 Al002839 R67840 AA300207 AW959581 T63226 F04005 120695 9683_3 AA976503 Al917802 AA953664 AA404613 AA428771 BE280542 AW194691 Al927301 Al740458 Al796100 Al935603 AW052210 AA970201 Al633384 AA425910 Al017004 Al241295 AA402816 AA291468 125115 genbank_T97341 T97341 120809 45 129680 23162_1 U03749 NM_001275 J03483 J03915 Al214509 AW245744 AL046455 AA318960 Al741505 AA843875 Al829382 Al560122 Al858999 D55958 Al684005 D53170 AA854091 Al025609 D53119 D54729 D55504 D55377 D55313 AW512244 AA846441 AW043898 Al969102 AA405741 Al091983 AA788784 AA706586 AA854361 AW470949 AA843095 AA772028 Al148432 Al038109 AA782478 AA910064 Al220384 AA781296 AA843881 AA854064 AA843125 AA843419 AA319036 AA319054 AL273831 W32275 Al584185 C05724 AA789023 Al686818 D54392 Al022465 AA331410 AA854232 W39212 W15214 AA976699 Al687001 Al667381 AW245389 AA319430 AA331556 Al042646 AA327030 AA725170 T27943 AA889304 AA976699 Al687001 Al667381 AW245389 AA319430 AA3315661 AA405992 101045 entrez_J05614 J05614   | 30 | 129019           | 44573_2              | Al950087 N70208 R97040 N36809 Al308119 AW967677 N35320 Al251473 H59397 AW971573 R97278 W01059 AW967671 AA908598 AA251875 Al820501 Al820532 W87891 T85904 U71456 T82391 BE328571 T75102 R34725 AA884922 BE328517 Al219788 AA884444 N92578 F13493 AA927794 Al560251 AW874068 AL134043 AW235363 AA663345 AW008282 |
| 40   | 35 |                  |                      | AW150329 Al653832 Al762688 AA988777 AA488892 Al356394 AW103813 Al539642 AA642789 AA856975 AW505512 Al961530 AW629970 BE612881 AW276997 AW513601 AW512843 AA044209 AW856538 AA180009 AA337499 AW961101 AA251669 AA251874 Al819225 AW205862 Al683338 Al858509 AW276905 Al633006 AA972584 AA908741 AW072629       |
| A1796100 A1835603 AW052210 AA970201 A1633384 AA425910 A1017004 A1241295 AA402816 AA291468  122618 305217_1 AA453641 AA454061 genbank_197341 197341 120809 genbank_AA346495 AA346495 23162_1 U03749 NM_001275 J03483 J03915 A1214509 AW245744 AL046455 AA318960 A1741505 AA843875 A1829382 A1560122 A1858999 D55958 A1684005 D53170 AA854091 A1025609 D53119 D54729 D55504 D55377 D55313 AW512244 AA846441 AW043898 A1969102 AA405741 A1091983 AA788784 AA706586 AA854361 AW470949 AA843095 AA772028 A1148432 A1038109 AA782478 AA910064 A1220384 AA781296 AA84381 AA854064 AA843125 AA843419 AA319036 AA319054 A1273831 W32275 A1584185 C05724 AA789023 A1686818 D54392 A1022485 AA431410 AA854232 W39212 W15214 AA894441 A1803081 A1167381 AW245389 AA319430 AA335156 A1042646 AA327030 AA725170 T27943 AA889304 AA976699 A1687001 A16621107 A1865540 AA772107 C06286 AA319661 AA405992   | 40 |                  |                      | AW613456 Al373032 Al564269 F00531 H83488 W37181 W78802 R66056 Al002839 R67840 AA300207 AW959581 T63226 F04005  |
| 120809 genbank_AA346495 AA346495 45 129680 23162_1 U03749 NM_001275 J03483 J03915 AI214509 AW245744 AL046455 AA318960 AI741505 AA843875 AI829382 AI560122 AI858999 D55958 AI684005 D53170 AA854091 AI025609 D53119 D54729 D55504 D55377 D55313 AW512244 AA846441 AW043898 AI969102 AA405741 AI091983 AA788784 AA706586 AA854361 AW70949 AA843095 AA772028 AI148432 AI038109 AA782478 AA910064 AI220384 AA781296 AA843881 AA854064 AA8431125 AA8443419 AA319036 AA319054 AI273831 W32275 AI584185 C05724 AA789023 AI668618 D54392 AI022485 AA431410 AA854232 W39212 W15214 AA976699 AI687011 AI863081 AI167381 AW245369 AA319430 AA335156 AI042646 AA327030 AA725170 T27943 AA889304 AA976699 AI687001 AI6621107 AI865540 AA772107 C06286 AA319661 AA405992 101045 entrez_J05614 J05614   | 40 |                  |                      | A1796100 A1935603 AW052210 AA970201 A1633384 AA425910 A1017004 A1241295 AA402816 AA291468<br>AA453641 AA454061   |
| A1038109 AA782478 AA910064 A1220384 AA781296 AA843881 AA854064 AA843125 AA843419 AA319036 AA319054 A1273831 W32275 A1584185 C05724 AA789023 A1886818 D54392 A1022485 AA431410 AA854232 W39212 W15214 AA894441 A1803081 A1167381 AW245389 AA319430 AA335156 A1042646 AA327030 AA725170 T27943 AA889304 AA976699 A1687001 A1621107 A1865540 AA772107 C06286 AA319661 AA405992 101045 entrez_J05614 J05614  | 45 | 120809           | genbank_AA3          | 46495 A346495<br>U03749 NM_001275 J03483 J03915 A1214509 AW245744 AL046455 AA318960 A1741505 AA843875 A1829382 A1560122<br>A1858999 D55958 A1684005 D53170 AA854091 A1025609 D53119 D54729 D55504 D55377 D55313 AW512244 AA846441  |
| AA976699 Al687001 Al621107 Al865540 AA772107 C06286 AA319661 AA405992<br>101045 entrez_J05614 J05614   | 50 |                  |                      | A1038109 AA782478 AA910064 A1220384 AA781296 AA843881 AA854064 AA843125 AA843419 AA319036 AA319054 A1273831 W32275 A1584185 C05724 AA789023 A1686818 D54392 A1022485 AA431410 AA854232 W39212 W15214   |
|  | 30 |                  |                      | AA976699 Al687001 Al621107 Al865540 AA772107 C06286 AA319661 AA405992<br>I J05614  |
| 110501 genbank_H55748 H55748   | _  |                  |                      |  |
| 121558 genbank_AA412497 AA412497<br>55 121911 genbank_AA427950 AA427950  | 55 |                  |                      |  |

## TABLE 6: Figure 6 from BRCA 001 US

Table 6 shows genes upregulated in tumor tissue compared to normal breast tissue.

5

10

Pkey: Unique Eos probeset identifier number
ExAccn: Exemplar Accession number, Genbank accession number
UnigenelD: Unigene number
Unigene Title: Unigene gene title
R1: Ratio of tumor to normal breast tissue

| 15 | Pkey   | ExAccn    | UnigenelD  | UnigeneTitle   | R1           |
|----|--------|-----------|------------|--|--------------|
|    | 100147 | D13666    | Hs.136348  | osteoblast specific factor 2 (fasciclin                              | 7.5          |
|    | 100678 | AW502935  | Hs.740     | PTK2 protein tyrosine kinase 2                                       | 53.2         |
|    | 101806 | AA586894  | Hs.112408  | S100 calcium-binding protein A7 (psorias                             | 8.9          |
|    | 102455 | U48705    | Hs.75562   | discoidin domain receptor family, member                             | 6.9          |
| 20 |        | X72755    | Hs.77367   | monokine induced by gamma interferon                                 | 8.8          |
|    |        | BE246502  |            | sema domain, immunoglobulin domain (Ig),                             | 2.6          |
|    |        | AW151952  |            | hypothetical protein FLJ20739  | 1.5<br>1.8   |
|    |        | AW503807  | Hs.21907   | histone acetyltransferase  |              |
| 25 | 110240 | A1668594  | HS.1/6566  | ESTs, Weakly similar to CP4Y_HUMAN CYTOC                             | 3.2          |
| 25 |        |           | Hs.91668   | coat protein gamma-cop<br>Homo sapiens clone PP1498 unknown mRNA     | 45.7         |
|    |        | H26735    | Hs.326401  |  | 38.9         |
|    | 120203 | AA10138A  | He 10/072  | ESTs, Weakly similar to Z195_HUMAN ZINC                              | 15.2         |
|    | 120231 | AMAMOTORY | Hs.173518  | M-phase phosphoprotein homolog                                       | 52           |
| 30 |        | AA976503  | 113.110010 | gb:oq30a04.s1 NCI_CGAP_GC4 Homo sapiens                              | 46.8         |
| 50 |        | AA346385  | Hs.30002   | SH3-containing protein SH3GLB2; KIAA1848                             | 6.8          |
|    |        | AA402515  |            | ESTs   | 28           |
|    |        | AA453518  |            | ESTs   | 61.5         |
|    |        |           | Hs.161873  | ESTs   | 107.3        |
| 35 |        | AA453641  |            | gb:zx48e06.s1 Soares_testis_NHT Homo sap                             | 31.1         |
|    |        | AW204530  |            | <b>ESTs</b>  | 81.8         |
|    | 122838 | AA460584  | Hs.334386  | ESTs   | 75.3         |
|    |        |           | Hs.234961  | Huntingtin interacting protein E                                     | 30.6         |
| 40 |        | A1267847  |            | gb:aq49a10.x1 Stanley Frontal NB pool 2                              | 57.1<br>23.9 |
| 40 |        | R65763    | Hs.101477  | EST Weekly similar to ALLID MIMAN UII                                | 22.8         |
|    |        | AI076343  |            | ESTs, Weakly similar to ALUB_HUMAN !!!!                              | 135.3        |
|    |        | T79956    | Hs.100588  | small nuclear ribonucleoprotein polypept                             | 53.9         |
|    | 128781 | N71826    |            | WW Domain-Containing Gene  | 20.9         |
| 45 | 129090 | DEE44102  | He 270860  | melanoma-associated antigen recognised b                             | 7.6          |
| 43 | 129347 | AW748482  | Hs 77873   | B7 homolog 3   | 2.6          |
|    | 129009 | RF208491  | Hs 295112  | KIAA0618 gene product  | 16.1         |
|    |        | L32137    | Hs.1584    | cartilage oligomeric matrix protein (pse                             | 6.1          |
|    |        | AA321649  |            | small inducible cytokine subfamily B (Cy                             | 7.4          |
| 50 | 131643 | AW410601  | Hs.30026   | HSPC182 protein  | 2.9          |
| •  | 131925 | AF151048  | Hs.183180  | anaphase promoting complex subunit 11 (y                             | 2.7          |
|    | 132180 | NM_00446  | 0Hs.418    | fibroblast activation protein, alpha                                 | 14.7         |
|    | 132370 | AW572805  | Hs.46645   | ESTs   | 28.3         |
|    |        |           |            | clone HQ0310 PRO0310p1   | 17.1         |
| 55 |        | AJ439688  | Hs.6289    | hypothetical protein FLJ20886  | 4.4<br>16.1  |
|    |        | Al160873  | Hs.69233   | zinc finger protein  | 25.5         |
|    | 133391 | AW103364  | HS./2/     | inhibin, beta A (activin A, activin AB a<br>' transducer of ERBB2, 1 | 1.2          |
|    | 134169 | NM_00040  | Hs.178137  | glucose-6-phosphate dehydrogenase                                    | 1.9          |
| 60 | 134219 | AW067903  | Hs 82772   | collagen, type XI, alpha 1   | 72.9         |
| OU | 124570 | AW411479  | Hs.848     | FK506-binding protein 4 (59kD)                                       | 2.8          |
|    |        | R50333    | Hs.92186   | Leman colled-coil protein  | 2.6          |
|    | 135181 |           | Hs.279529  | ·  | 14.9         |
|    |        |           | Hs.177507  |  | 2.9          |
|    |        |           |            | •  |              |

### TABLE 6A

Table 6A shows the accession numbers for those pkeys lacking unigeneID's for Table 6. For each probeset, we have listed the gene cluster number from which the oligonucleotides were designed. Gene clusters were compiled using sequences derived from Genbank ESTs and mRNAs. These sequences were clustered based on sequence similarity using Clustering and Alignment Tools (Double Twist, Oakland California). The Genbank accession numbers for sequences comprising each cluster are listed in the "Accession" column.

5

Unique Eos probeset Identifier number

Pkey: CAT number: Accession:

Gene duster number Genbank accession numbers

15

20

| ~    |            |            |
|------|------------|------------|
| Pkev | CAT number | Accessions |

124385 656394\_1

120695 9683\_3

AI267847 N27351 AA976503 AI917802 AA953664 AA404613 AA428771 BE280542 AW194691 AI927301 AI740458 AI796100 AI935603 AW052210 AA970201 AI633384 AA425910 AI017004 AI241295 AA402816 AA291468 AA453641 AA454061

122618 305217\_1

# TABLE 7: Figure 7 from BRCA 001-1 US

Table 7 shows genes upregulated in tumor tissue compared to normal breast tissue. Open reading frames in the sequences have been characterized as having a signal sequence (SS), a transmembrane domain (TM) or other.

| 10<br>15 | ExAcon: Ex<br>UnigeneID: Unigene Title: | cemplar Accession<br>nigene number<br>nigene gene title | et identifier number<br>n number, Genbank accession number<br>ormal breast tissue<br>ization of open reading frame for the sequence of | те депе    |                 |
|----------|---|---|--|------------|-----------------|
|          | Pkey ExAcon   | UnigenelD   | UnigeneTitle   | R1         | ORF struct info |
|          | 400440 3114 00400   | 9 Hs.84746  | chromosome condensation 1  | 2.3        | TM              |
| 20       | 100113 NM_00126<br>100114 X02308  | Hs.82962  | fhymidylate synthetase   | 2.9        | other           |
| 20       | 100114 X02300<br>100131 D12485  | Hs.11951  | ectonucleotide pyrophosphatase/phosphodi   | 1.9        | other           |
|          | 100131 D12403   | Hs.2471   | KIAA0020 gene product  | 1.9        | TM              |
|          | 100147 D13666   | Hs.136348   | osteoblast specific factor 2 (fasciclin  | 7.6        | other           |
|          | 100154 H60720   | Hs.81892  | KIAA0101 gene product  | 9.2        | other           |
| 25       | 100163 W44671   | Hs.124  | gene predicted from cDNA with a complete   | 1.6        | other           |
| 23       | 100220 AW015534   |   | annexin A2   | 2          | other           |
|          | 100265 D38521   | Hs.112396   | KIAA0077 protein   | 1.5        | other           |
|          | 100271 BE160081   |   | S100 calcium-binding protein A11 (calgiz   | 13.5       | other           |
|          | 100275 BE242802   |   | KIAA0090 protein   | 5.1        | other           |
| 30       | 100323 D50920   | Hs.23106  | KIAA0130 gene product  | 1.9        | TM              |
| 20       | 100335 AW24752  |   | platelet-activating factor acetythydrola   | 2.7        | other           |
|          | 100364 NM_00434   |   | carbamoyl-phosphate synthetase 2, aspart   | 2          | other           |
|          | 100372 NM 01479   |   | KIAA0175 gene product  | 2.6        | other           |
|          | 100393 D84145   | Hs.39913  | novel RGD-containing protein   | 3.2        | other           |
| 35       | 100400 AW95432  | 4 Hs.75790  | phosphatidylinositol glycan, class C   | 1.5        | other<br>other  |
|          | 100418 D86978   | Hs.84790  | KIAA0225 protein   | 2          | other           |
|          | 100482 M65028   | Hs.81361  | heterogeneous nuclear ribonucleoprotein  | 2.9<br>1.9 | other           |
|          | 100518 NM_0044  | 15 Hs.74316   | desmoplakin (DPI, DPII)  | 5.7        | other           |
|          | 100666 L05424   | Hs.169610   | CD44 antigen (homing function and Indian   | 9          | ?               |
| 40       | 100667 L05424   | Hs.169610   | CD44 antigen (homing function and Indian   | 7.7        | other           |
|          | 100668 L05424   | Hs.169610   | CD44 antigen (homing function and Indian   | 53.2       | other           |
|          | 100678 AW50293  |   | PTK2 protein tyrosine kinase 2   | 6          | other           |
|          | 100783 AF078847   |   | general transcription factor IIH, polype   | 1.7        | ?               |
|          | 100892 BE24529  |   | S164 protein   | 1.5        | other           |
| 45       | 100945 AF00222  |   | ubiquitin protein ligase E3A (human papi   | 6.3        | other           |
|          | 100969 AA15763  |   | solute carrier family 25 (mitochondrial  | 11.4       | ?               |
|          | 100988 AK00040  |   | ubiquitin-like 4<br>diaphorase (NADH/NADPH) (cytochrome b-5  | 1.6        | other           |
|          | 100999 H38765   | Hs.80706  | matrix metalloproteinase 9 (gelatinase B   | 8.4        | other           |
| ۲0       | 101031 J05070   | Hs.151738   | gb:Human proliferating cell nuclear anti   | 5          | ?               |
| 50       | 101045 J05614   | Hs.75227  | Empirically selected from AFFX single pr   | 2.6        | other           |
|          | 101077 N99692   | Hs.75093  | procollagen-lysine, 2-oxoglutarate 5-dio   | 1.4        | ?               |
|          | 101093 L06419<br>101186 AA02095   |   | core-binding factor, beta subunit  | 2          | TM              |
|          | 101166 AA28416  |   | cyclin-dependent kinase inhibitor 3 (CDK   | 1.8        | other           |
| 55       | 101228 AA33338  |   | chaneronin containing TCP1, subunit 6A (   | 1.7        | TM              |
| 55       | 101247 AA13266  | 6 Hs.78802  | glycogen synthase kinase 3 beta  | 1.9        | other           |
|          | 101249 L18964   | Hs.1904   | protein kinase C. iola   | 1.5        | other           |
|          | 101332 J04088   | Hs.156346   | tonoisomerase (DNA) II alpha (170kD)   | 5.3        | other           |
|          | 101352 AJ49429  |   | COX17 (yeast) homolog, cytochrome c oxid   | 4.2        | other           |
| 60       | 101396 BE26793  |   | omliferation cell nuclear antigen  | 1.9        | TM              |
| O        | 101445 M21259   |   | oh Human Alu repeats in the region 5 to  | 1.6        | TM              |
|          | 101470 NM_000   | 546 Hs.1846   | tumor protein p53 (Li-Fraumeni syndrome)   | 2.5        | other           |
|          | 101478 NM_002   | 890 Hs.758  | RAS p21 protein activator (GTPase activa   | 5.5        | other           |

|           | 101483 M24486    | Hs.76768  | procollagen-proline, 2-oxoglutarate 4-di   | 2.1  | other |
|-----------|------------------|-----------|--|------|-------|
|           | 101540 J04977    | Hs.84981  | X-ray repair complementing defective rep   | 1.6  | other |
|           | 101573 AW248421  | Hs.250758 |  | 5.7  | other |
|           |                  |           | proleasome (prosome, macropain) 26S subu   |      |       |
| _         | 101580 NM_012151 | Hs.83363  | coagulation factor VIII-associated (intr   | 1.8  | other |
| 5         | 101592 AF064853  | Hs.91299  | guanine nucleotide binding protein (G pr   | 5.6  | ?     |
|           | 101621 BE391804  | Hs.62661  | guanylate binding protein 1, Interferon-   | 2.4  | other |
|           | 101702 AW504089  | Hs.179574 | protein phosphatase 2 (formerly 2A), reg   | 1.3  | other |
|           | 101734 M74099    | Hs.147049 | cut (Drosophila)-like 1 (CCAAT displacem   | 2.1  | ?     |
|           | 101759 M80244    | Hs.184601 | solute carrier family 7 (cationic amino  | 5    | TM    |
| 10        |                  |           |  |      |       |
| 10        | 101767 M81057    | Hs.180884 | carboxypeptidase B1 (tissue)   | 14.4 | SS.   |
|           | 101782 AA306495  | Hs.1869   | phosphoglucomutase 1   | 5.2  | other |
|           | 101805 AW409747  | Hs.75612  | stress-induced-phosphoprotein 1 (Hsp70/H   | 8.6  | other |
|           | 101806 AA586894  | Hs.112408 | S100 calcium-binding protein A7 (psortas   | 8.9  | SS,TM |
|           | 101810 NM 000318 | Hs.180612 | peroxisomal membrane protein 3 (35kD, Ze   | 3.2  | TM    |
| 15        | 101879 AA176374  | Hs.243886 | nuclear autoantigenic sperm protein (his   | 1.6  | other |
| 13        |                  |           |  |      | ?     |
|           | 101911 AA441787  | Hs.119689 | glycoprotein hormones, alpha polypeptide   | 31.3 |       |
|           | 101920 AF182645  | Hs.8024   | IK cytokine, down-regulator of HLA II  | 1.8  | other |
|           | 101973 U41514    | Hs.80120  | UDP-N-acetyl-alpha-D-galactosamine:polyp   | 2.4  | other |
|           | 102009 BE245149  | Hs.82643  | protein tyrosine kinase 9  | 1.3  | other |
| 20        | 102036 BE250127  | Hs.82906  | CDC20 (cell division cycle 20, S. cerevl   | 2    | ?     |
| ~0        | 102083 T35901    | Hs.75117  | Interleukin enhancer binding factor 2, 4   | 1.6  | other |
|           |                  |           |  | 1.4  |       |
|           | 102107 BE258602  | Hs.182366 | heat shock protein 75  |      | other |
|           | 102123 NM_001809 | Hs.1594   | centromere protein A (17kD)  | 1.8  | other |
|           | 102165 BE313280  | Hs.159627 | death associated protein 3   | 4.6  | 7     |
| 25        | 102198 AW950852  | Hs.74598  | polymerase (DNA directed), delta 2, regu   | 4.4  | ?     |
|           | 102217 AA829978  | Hs.301613 | JTV1 gene  | 6.7  | other |
|           | 102220 U24389    | Hs.65436  | lysosomal  | 4.4  | TM    |
|           |                  | Hs.278554 | heterochromatin-like protein 1   | 1.9  | TM    |
|           | 102234 AW163390  |           | the contract of the contract o |      |       |
| 20        | 102260 AL039104  | Hs.159557 | karyopherin alpha 2 (RAG cohort 1, impor   | 4.4  | other |
| 30        | 102302 AA306342  | Hs.69171  | protein kinase C-like 2  | 2.7  | ?     |
|           | 102330 BE298063  | Hs.77254  | chromobox homolog 1 (Drosophila HP1 beta   | 1.5  | other |
|           | 102339 BE378432  | Hs.95577  | cyclin-dependent kinase 4  | 2.3  | TM    |
|           | 102348 U37519    | Hs.87539  | aldehyde dehydrogenase 3 family, member  | 2    | TM    |
|           | 102349 AU077055  | Hs.289107 |  | 3.2  | other |
| 25        |                  |           | baculoviral IAP repeat-containing 2  |      |       |
| 35        | 102369 U39840    | Hs.299867 | hepalocyte nuclear factor 3, alpha   | 2    | other |
|           | 102374 U33635    | Hs.90572  | PTK7 protein tyrosine kinase 7   | 6.2  | other |
|           | 102391 AA296874  | Hs.77494  | deoxyguanosine kinase  | 1.5  | TM    |
|           | 102455 U48705    | Hs.75562  | discoldin domain receptor family, member   | 7    | other |
|           | 102465 NM_001359 | Hs.81548  | 2,4-dienoyl CoA reductase 1, mitochondri   | 1.8  | SS,   |
| 40        |                  |           | amyloid beta precursor protein-binding p   | 1.5  | 7     |
| 40        | 102488 U50939    | Hs.61828  |  |      |       |
|           | 102489 AL080116  | Hs.74420  | origin recognition complex, subunit 3 (y   | 3.3  | other |
|           | 102494 Al188137  | Hs.75193  | COP9 homolog   | 2.1  | other |
|           | 102501 AF217197  | Hs.74562  | siah binding protein 1; FBP interacting  | 3.2  | other |
|           | 102522 BE250944  | Hs.183556 | solute carrier family 1 (neutral amino a   | 2.8  | 7     |
| 45        | 102532 AF040253  | Hs.70186  | suppressor of Ty (S.cerevisiae) 5 homolo   | 5.7  | 7     |
| 73        |                  |           | MAD (mothers against decapentaplegic, Dr   | 2.3  | other |
|           | 102564 U59423    | Hs.79067  |  |      |       |
| -         | 102568 W81489    | Hs.223025 | RAB31, member RAS oncogene family  | 5.3  | other |
|           | 102580 U60808    | Hs.152981 | CDP-diacylglycerol synthase (phosphatida   | 2.1  | other |
|           | 102581 AU077228  | Hs.77256  | enhancer of zeste (Drosophila) homolog 2   | 1.6  | ?     |
| 50        | 102582 U61232    | Hs.32675  | tubulin-specific chaperone e   | 2.1  | other |
|           | 102617 AW161453  | Hs.198767 | COP9 (constitutive photomorphogenic, Ara   | 1.8  | other |
|           |                  | Hs.81071  | extracellular matrix protein 1   | 5.8  | other |
|           | 102618 AL037672  |           |  |      |       |
|           | 102627 AL021918  | Hs.158174 | zinc finger protein 184 (Kruppel-like)   | 1.3  | other |
|           | 102663 NM_002270 | Hs.168075 | karyopherin (importin) beta 2  | 1.8  | TM    |
| 55        | 102676 BE262989  | Hs.12045  | putative protein   | 2.3  | other |
|           | 102687 NM_007019 | Hs.93002  | ubiquitin carrier protein E2-C   | 4.4  | ?     |
|           | 102689 U96132    | Hs.171280 | hydroxyacyl-Coenzyme A dehydrogenase, ty   | 6    | ?     |
|           | 102696 BE540274  |           | forkhead box M1  | 4.2  | other |
|           |                  | Hs.239    | BRCA1 associated RING domain 1   | 1.9  |       |
| <b>CO</b> | 102704 AU077058  | Hs.54089  |  |      | other |
| 60        | 102705 T97490    | Hs.50002  | small inducible cytokine subfamily A (Cy   | 2.3  | SS,TM |
|           | 102750 AB014460  | Hs.66196  | nth (E.coli endonuclease III)-like 1   | 1.2  | TM    |
|           | 102801 BE252241  | Hs.38041  | pyridoxal (pyridoxine, vitamin B6) kinas   | 6.5  | other |
|           | 102812 U90549    | Hs.236774 | high-mobility group (nonhistone chromoso   | 1.6  | other |
|           | 102827 BE244588  | Hs.6456   | chaperonin containing TCP1, subunit 2 (b   | 5.6  | TM    |
| 65        | 102844 AV653790  | Hs.324275 | WW domain-containing protein 1   | 1.3  | TM    |
| 65        |                  |           |  |      |       |
|           | 102868 X02419    | Hs.77274  | plasminogen activator, urokinase   | 4.4  | other |
|           | 102925 BE440142  | Hs.2943   | signal recognition particle 19kD   | 1.9  | other |

|     |                                     |                        |  | •           | 7              |
|-----|-------------------------------------|------------------------|--|-------------|----------------|
|     | 102935 BE561850                     | Hs.80506               | small nuclear ribonucleoprotein polypept   | 2.4<br>2.7  | other          |
|     | 102968 AU076611                     | Hs.154672              | methylene tetrahydrofolate dehydrogenase<br>non-metastatic cells 1, protein (NM23A)  | 3.1         | other          |
|     | 102983 BE387202                     | Hs.118638<br>Hs.2707   | G1 to S phase transition 1   | 5.2         | ?              |
| 5   | 102985 U95742<br>103023 AW500470    | Hs.117950              | multifunctional polypeptide similar to S   | 1.6         | other          |
| ,   | 103038 AA926960                     | Hs.334883              | CDC28 protein kinase 1   | 2.5         | TM             |
|     | 103060 NM_005940                    | Hs.155324              | matrix metalloproteinase 11 (MMP11; stro   | 4.5         | other          |
|     | 103080 AU077231                     | Hs.82932               | cyclin D1 (PRAD1: parathyroid adenomatos   | 3.1         | other          |
|     | 103089 D31152                       | Hs.179729              | collagen, type X, alpha 1 (Schmid metaph   | 2.4         | other<br>other |
| 10  | 103177 BE244377                     | Hs.48876               | famesyl-diphosphate famesyltransferase   | 3.5<br>9.9  | ?              |
|     | 103178 AA205475                     | Hs.275865              | ribosomal protein S18  | 1.3         | other          |
|     | 103179 NM_001777                    | Hs.82685               | CD47 antigen (Rh-related antigen, integr<br>Homo saplens, done IMAGE:3448306, mRNA,  | 2           | other          |
|     | 103181 X69636                       | Hs.334731<br>Hs.74368  | transmembrane protein (63kD), endoplasmi   | 1.6         | other          |
| 15  | 103185 NM_006825<br>103191 AA401039 | Hs.2903                | protein phosphatase 4 (formerly X), cata   | 2.5         | other          |
| 13  | 103193 NM_004766                    | Hs.75724               | coatomer protein complex, subunit beta 2   | 2.2         | TM             |
|     | 103194 NM_004939                    | Hs.78580               | DEAD/H (Asp-Glu-Ala-Asp/His) box polypep   | 6.3         | TM             |
|     | 103206 X72755                       | Hs.77367               | monokine induced by gamma interferon   | 8.8         | TM             |
|     | 103223 BE275607                     | Hs.1708                | chaperonin containing TCP1, subunit 3 (g   | 3           | other          |
| 20  | 103232 X75962                       | Hs.129780              | tumor necrosis factor receptor superfami   | 1.8         | other<br>TM    |
|     | 103238 Al369285                     | Hs.75189               | death-associated protein   | 5.6<br>1.9  | ?              |
|     | 103297 NM_001545                    | Hs.9078                | immature colon carcinoma transcript 1  | 2.5         | other          |
|     | 103330 AI803447                     | Hs.77496               | small nuclear ribonucleoprotein polypept<br>qb:H.sapiens mRNA for unknown protein ex | 1.6         | other '        |
| 25  | 103349 X89059                       | Hs.323378              | coated vesicle membrane protein  | 1.8         | other          |
| 25  | 103376 AL036166<br>103391 X94453    | Hs.114366              | pyrroline-5-carboxylate synthetase (glut   | 2.3         | other          |
|     | 103391 X34456<br>103392 X94563      | 110.111000             | qb:H.saplens dbi/acbp gene exon 1 & 2.   | 4           | TM             |
|     | 103430 BE564090                     | Hs.20716               | translocase of inner mitochondrial membr   | 1.3         | other          |
|     | 103491 AF264750                     | Hs.288971              | myeloid/tymphoid or mixed-lineage leukem   | 5.7         | ?<br>nthor     |
| 30  | 103505 AL031224                     | Hs.33102               | transcription factor AP-2 bela (activati   | 5.1         | other<br>?     |
|     | 103547 Al376722                     | Hs.180062              | proteasome (prosome, macropain) subunit,   | 9.7<br>2    | other          |
|     | 103588 NM_006218                    | Hs.85701               | phosphoinositide-3-kinase, catalytic, al<br>SRY (sex determining region Y)-box 9 (ca | 1.3         | ?              |
|     | 103613 NM_000346                    | Hs.2316                | polymerase (RNA) II (DNA directed) polyp   | 2           | other          |
| 25  | 103621 BE379766                     | Hs.150675<br>Hs.278672 | membrane component, chromosome 11, surfa   | 2.3         | TM             |
| 35  | 103622 AA609685<br>103727 AI878883  | Hs.296381              | growth factor receptor-bound protein 2   | 1.3         | other          |
|     | 103754 Al015709                     | Hs.172089              | Homo sapiens mRNA; cDNA DKFZp586l2022 (f   | 1.3         | other          |
|     | 103780 AA094752                     | Hs.169992              | hypothetical 43.2 Kd protein   | 7.6         | ?              |
|     | 103795 H26531                       | Hs.7367                | Homo sapiens BTB domain protein (BDPL) m   | 1.3<br>1.6  | SS,TM<br>other |
| 40  | 103797 AA080912                     |                        | gb:zn04d03.r1 Stratagene hNT neuron (937   | 1.6         | other          |
|     | 103813 AI042582                     | Hs.181271              | CGI-120 protein  | 1.6         | other          |
|     | 103855 W02363                       | Hs.302267              | hypothetical protein FLJ10330<br>hypothetical protein FLJ10416 similar to            | 6.6         | TM             |
|     | 103886 AK001278                     | Hs.105737<br>Hs.97644  | mammaglobin 2  | 2.9         | other          |
| 45  | 104052 NM_002407<br>104079 AA251242 | Hs.103238              | ESTs   | 1.4         | other          |
| 45  | 104174 AA478984                     | Hs.6451                | PRO0659 protein  | 5.6         | TM             |
|     | 104227 AB002343                     | Hs.98938               | protocadherin alpha 9  | 1.6         | other          |
|     | 104275 AI751970                     | Hs.101067              | GCN5 (general control of amino-acid synt   | 5.4         | other<br>other |
|     | 104325 BE379766                     | Hs.150675              | polymerase (RNA) II (DNA directed) polyp   | 6.4<br>1.6  | other          |
| 50  | 104370 AA324597                     | Hs.21851               | Homo sapiens cDNA FLJ12900 fis, clone NT   | 5.2         | other          |
|     | 104423 R83113                       | Hs.1432                | protein kinase C substrate 80K-H<br>myelin gene expression factor 2                  | 1.2         | other          |
|     | 104482 AB037762                     | Hs.44268<br>Hs.30098   | ESTs   | 1.4         | other          |
|     | 104667 Al239923<br>104757 Al694413  | Hs.332649              | olfactory receptor, family 2, subfamily  | 2.4         | other          |
| 55  | 104804 Al858702                     | Hs.31803               | ESTs, Weakly similar to N-WASP [H.sapien   | 1.4         | other          |
| 33  | 104806 AB023175                     | Hs.22982               | KIAA0958 protein   | 2.4         | other          |
|     | 104827 AW052006                     | Hs.8551                | PRP4/STK/WD splicing factor  | 10.9        | other          |
|     | 104846 Al250789                     | Hs.32478               | ESTs   | 5.7         | other<br>?     |
|     | 104854 AA041276                     | Hs.154729              | 3-phosphoinositide dependent protein kin<br>hypothetical protein similar to small G  | 12.3<br>2.1 | other          |
| 60  | 104867 AA278898                     | Hs.225979              | hypothetical protein similar to small G<br>Homo saplens mRNA; cDNA DKFZp564O2364 (f  |             | other          |
|     | 104871 T78044                       | Hs.28893               | ESTs   | 17.7        | other          |
|     | 104896 AW015318<br>104909 AW408164  | Hs.23165<br>Hs.249184  | transcription factor 19 (SC1)  | 5.1         | TM             |
|     | 104916 AW958157                     | Hs.155489              | NS1-associated protein 1   | 1.8         | other          |
| 65  | 104919 AA026880                     | Hs.25252               | prolactin receptor   | 1.5         | other          |
| 0,5 | 104930 AF043467                     | Hs.32893               | neurexophilin 2  | 2.3         | other          |
|     | 104973 NM_015310                    | ) Hs.6763              | KIAA0942 protein   | 5.1         | other          |
|     |                                     |                        | 1.50   |             |                |

|     | 104974 | Y12059    | Hs.278675 | bromodomain-containing 4                 | 1.5  | other |
|-----|--------|-----------|-----------|--|------|-------|
|     | 104975 | AL136877  | Hs.50758  | SMC4 (structural maintenance of chromoso | 2.4  | other |
|     | 104978 | A1199268  | Hs.19322  | Homo saplens, Similar to RIKEN cDNA 2010 | 7.3  | other |
|     | 104979 | AA937934  | Hs.321062 | ESTs                                     | 1.3  | other |
| 5   | 104994 | Al499930  | Hs.334885 | mitochondrial GTP binding protein        | 3.6  | ?     |
|     | 105009 | BE379584  | Hs.34789  | dolichyt-diphosphooligosaccharide-protei | 5.6  | other |
|     |        | AF098158  | Hs.9329   | chromosome 20 open reading frame 1       | 3.4  | other |
|     | 105028 | AI050715  | Hs.2331   | E2F transcription factor 5, p130-binding | 2.2  | other |
|     |        | AB037716  | Hs.26204  | KIAA1295 protein                         | 2.2  | other |
| 10  | -      | BE242899  | Hs.129951 | speckle-type POZ protein                 | 3.9  | 7     |
| 10  | _      | AA151342  | Hs.12677  | CGI-147 protein                          | 9.5  | TM    |
|     |        |           |           | Homo sapiens cDNA FLJ14388 fis, clone HE | 5.7  | other |
|     |        | AA147884  | Hs.9812   |  | 2.2  | other |
|     |        | H58589    | Hs.35156  | Homo sapiens cDNA FLJ11027 fis, clone PL |      |       |
| 1.5 | -      | Z78407    | Hs.27023  | vesicle transport-related protein        | 2.2  | other |
| 15  |        | BE387350  | Hs.33122  | KIAA1160 protein                         | 1.6  | other |
|     |        | AW975433  | Hs.36288  | ESTs                                     | 6.4  | ?     |
|     |        | AA045648  | Hs.301957 | nudix (nucleoside diphosphate linked moi | 2.2  | other |
|     | 105141 | AA164687  | Hs.177576 | mannosyl (alpha-1,3-)-glycoprotein beta- | 2.8  | other |
|     | 105158 | AW976357  | Hs.234545 | hypothetical protein NUF2R               | 2    | other |
| 20  | 105169 | BE245294  | Hs.180789 | S164 protein                             | 1.7  | other |
|     | 105186 | AA191512  | Hs.28005  | Homo sapiens cDNA FLJ11309 fis, clone PL | 4.9  | SS,TM |
|     |        | AA071276  | Hs.19469  | KIAA0859 protein                         | 2    | TM    |
|     |        | AA263143  | Hs.24596  | RAD51-interacting protein                | 2.9  | ?     |
|     |        | N99673    | Hs.3585   | ESTs, Weakly similar to AF126743 1 DNAJ  | 1.9  | TM    |
| 25  |        | AA700122  | Hs.3355   | sentrin-specific protease                | 8.2  | ?     |
| 23  |        | AW270037  | Hs.179507 | KIAA0779 protein                         | 1.8  | SS.   |
|     |        |           |           |  | 8.4  | other |
|     |        | NM_016015 | Hs.8054   | CGI-68 protein                           |      |       |
|     |        | BE264645  | Hs.282093 | hypothetical protein FLJ21918            | 5.1  | other |
| 20  |        | AW887701  | Hs.32356  | hypothetical protein FLJ20628            | 2.6  | other |
| 30  |        | BE242803  | Hs.262823 | hypothetical protein FLJ10326            | 2.2  | TM    |
|     |        | AW592146  | Hs.108636 | membrane protein CH1                     | 2.3  | SS,TM |
|     | 105393 | AF167570  | Hs.256583 | Interleukin enhancer binding factor 3, 9 | 5.5  | SS,   |
|     | 105399 | BE386877  | Hs.334811 | Npw38-binding protein NpwBP              | 1.6  | other |
|     | 105400 | AF198620  | Hs.65648  | RNA binding motif protein 8A             | 1.6  | other |
| 35  |        | AA252395  |           | gb:zs12g10.s1 NCI_CGAP_GCB1 Homo sapiens | 5.1  | ?     |
|     |        | BE268348  | Hs.226318 | CCR4-NOT transcription complex, subunit  | 1.6  | other |
|     |        | AA113449  | Hs.32471  | hypothetical protein FLJ20364            | 1.3  | other |
|     |        | AB023179  | Hs.9059   | KIAA0962 protein                         | 3.5  | other |
|     |        | AA262640  | Hs.27445  | unknown                                  | 9.3  | other |
| 40  |        | BE616694  | Hs.288042 | hypothetical protein FLJ14299            | 1.4  | other |
| 40  |        |           |           |  | 10.9 | TM    |
|     |        | AA579535  | Hs.18490  | hypothetical protein FLJ20452            |      | TM    |
|     |        | AF054284  | Hs.334826 | splicing factor 3b, subunit 1, 155kD     | 2.9  | 7     |
|     |        | AI808201  | Hs.287863 | hypothetical protein FLJ12475            | 1.7  |       |
| 4.0 |        | AA280072  | Hs.99872  | fetal Alzheimer antigen                  | 1.4  | other |
| 45  |        | AK000892  | Hs.4069   | glucocorticold modulatory element bindin | 1.7  | TM    |
|     | 105620 | AW302245  | Hs.181390 | casein kinase 1, gamma 2                 | 5.6  | other |
|     | 105658 | AA985190  | Hs.246875 | hypothetical protein FLJ20059            | 9.4  | other |
|     | 105697 | AW499988  | Hs.27801  | zinc finger protein 278                  | 2    | TM    |
|     | 105708 | R26944    | Hs.180777 | Homo sapiens mRNA; cDNA DKFZp564M0264 (f | 1.7  | other |
| 50  | 105743 | BE246502  | Hs.9598   | sema domain, immunoglobulin domain (lg), | 2.7  | other |
|     |        | AW151952  | Hs.46679  | hypothetical protein FLJ20739            | 1.5  | ?     |
|     |        | Al123118  | Hs.15159  | chemokine-like factor, alternatively spl | 1.3  | other |
|     |        | AI267720  | Hs.153221 | synovial sarcoma, translocated to X chro | 1.6  | other |
|     |        | AA741336  | Hs.152108 | transcriptional unit N143                | 2.2  | other |
| 55  |        | AA478756  | Hs.194477 | E3 ubiquitin ligase SMURF2               | 1.3  | other |
| JJ  |        |           |           | ESTs                                     | 2.4  | other |
|     |        | Al262106  | Hs.12653  |  |      | other |
|     |        | AF151066  | Hs.281428 | hypothetical protein                     | 2.9  |       |
|     |        | AK001708  | Hs.32271  | hypothetical protein FLJ10846            | 1.4  | other |
|     |        | AF016371  | Hs.9880   | peptidyl prolyl isomerase H (cyclophilin | 5.3  | other |
| 60  | 106000 | AW194426  | Hs.20726  | ESTs                                     | 1.7  | other |
|     | 106011 | AW081202  | Hs.12284  | Homo sapiens, done IMAGE:2989556, mRNA,  | 2.8  | other |
|     | 106017 | AA477956  | Hs.26268  | ESTs                                     | 1.4  | other |
|     |        | AL157441  | Hs.17834  | downstream neighbor of SON               | 1.4  | other |
|     |        | AA130158  | Hs.19977  | ESTs, Moderately similar to ALU8_HUMAN A | 1.6  | ?     |
| 65  |        | AA533491  | Hs.23317  | hypothetical protein FLJ14681            | 6.9  | other |
|     |        | AB006624  | Hs.14912  | KIAA0286 protein                         | 1.6  | other |
|     |        | AA251393  | Hs.289052 | Homo sapiens, Similar to RIKEN cONA 5430 | 10.8 | 7     |
|     | ,0027  |           |           |  | •    |       |

|     | 106288 AB037742                    | Hs.24336              | KIAA1321 protein   | 1.3         | other          |
|-----|------------------------------------|-----------------------|--|-------------|----------------|
|     | 106300 Y10043                      | Hs.19114              | high-mobility group (nonhistone chromoso   | 3.7         | other          |
|     | 106333 AL043114                    | Hs.22410              | ESTs, Weakly similar to A54849 collagen  | 5.5         | SS,            |
|     | 106350 AK001404                    | Hs.194698             | cyclin B2  | 5.8         | other          |
| 5   | 106359 AW390282                    | Hs.31130              | transmembrane 7 superfamily member 2   | 6.4         | other          |
|     | 106381 AB040916                    | Hs.24106              | KIAA1483 protein   | 6.6         | other          |
|     | 106389 AW748420                    | Hs.6236               | Homo sapiens cDNA: FLJ21487 fis, clone C   | 2.2         | TM             |
|     | 106457 AF119256                    | Hs.27801              | zinc finger protein 278  | 2.7<br>2.3  | other<br>other |
|     | 106470 D63078                      | Hs.186180             | Homo sapiens cDNA: FLJ23038 fis, clone L   |             | other          |
| 10  | 106586 AA243837                    | Hs.57787              | ESTS   | 1.6<br>2.4  | ?              |
|     | 106589 AK000933                    | Hs.28661              | Homo sapiens cDNA FLJ10071 fis, done HE  | 8           | SS,            |
|     | 106610 AA458882                    | Hs.79732              | fibulin 1  | 7.8         | other          |
|     | 106624 NM_003595                   | Hs.26350              | tyrosylprotein sulfotransferase 2  | 1.8         | other          |
| 1.0 | 106650 AL049951                    | Hs.22370              | Homo sapiens mRNA; cDNA DKFZp56400122 (f<br>ESTs, Moderately similar to S65657 alpha | 1.3         | TM             |
| 15  | 106669 AV657117                    | Hs.184164             | hypothetical protein FLJ12549  | 4.6         | other          |
|     | 106713 BE614802                    | Hs.184352             | TIA4 extensio granulo associated BNA-hi  | 1.3         | other          |
|     | 106717 AA600357                    | Hs.239489             | TIA1 cytotoxic granule-associated RNA-bi   | 1.6         | SS,            |
|     | 106723 BE388094                    | Hs.21857              | ESTs<br>Bcl-2-related ovarian killer protein-lik                                     | 5.7         | other          |
| 20  | 106795 AF174487                    | Hs.293753<br>Hs.27099 | hypothetical protein FLJ23293 similar to   | 16.2        | TM             |
| 20  | 106829 AW959893                    | Hs.29463              | centrin, EF-hand protein, 3 (CDC31 yeast   | 1.5         | other          |
|     | 106831 BE564871                    | Hs.34892              | KIAA1323 protein   | 2.2         | other          |
|     | 106846 AB037744                    | Hs.300631             | hypothetical protein   | 1.3         | ather          |
|     | 106852 AF151031<br>106873 N49809   | Hs.11197              | Homo sapiens, clone IMAGE:3343149, mRNA,   | 16.8        | other          |
| 25  | 106886 W79171                      | Hs.9567               | GL002 protein  | 1.5         | TM             |
| 23  | 106906 AA861271                    | Hs.222024             | transcription factor BMAL2   | 2.2         | other          |
|     | 106920 AK001838                    | Hs.296323             | serum/glucocorticold regulated kinase  | 3.4         | other          |
|     | 106945 AK000511                    | Hs.6294               | hypothetical protein DKFZp434L1435 simil   | 6.8         | ?              |
|     | 106973 BE156256                    | Hs.11923              | hypothetical protein   | 6.7         | other          |
| 30  | 106978 AW631480                    | Hs.8688               | ESTs   | 6.1         | SS,            |
| -   | 107004 AA146872                    | Hs.300700             | hypothetical protein FLJ20727  | 1.3         | other          |
|     | 107029 AF264750                    | Hs.288971             | myeloid/lymphoid or mixed-lineage leukem   | 1.8         | other          |
|     | 107071 AW385224                    | Hs.35198              | ectonucleotide pyrophosphatase/phosphodi   | 1.7         | other          |
|     | 107113 AK000733                    | Hs.23900              | GTPase activating protein  | 2.5         | other          |
| 35  | 107125 AK000512                    | Hs.69388              | hypothetical protein FLJ20505  | 1.7         | other          |
|     | 107136 AV661958                    | Hs.8207               | GK001 protein  | 4.7         | other          |
|     | 107146 AK001455                    | Hs.5198               | Down syndrome critical region gene 2   | 2           | other          |
|     | 107151 AW378065                    | Hs.8687               | ESTS   | 6.4         | TM<br>other    |
|     | 107155 AW391927                    | Hs.7946               | KIAA1288 protein   | 33.5<br>5.2 | ?              |
| 40  | 107174 BE122762                    | Hs.25338              | ESTs   | 6.1         | other          |
|     | 107197 W15477                      | Hs.64639              | glioma pathogenesis-related protein  | 17.4        | other          |
|     | 107221 AW888411                    | Hs.81915              | leukemia-associated phosphoprotein p18 (   | 7.4         | ?              |
|     | 107243 BE219716                    | Hs.34727              | ESTs, Moderately similar to 138759 zinc  | 1.8         | other          |
| 4.5 | 107248 AW263124                    | Hs.315111             | nuclear receptor co-repressor/HDAC3 comp<br>translocase of outer mitochondrial membr | 6.7         | other          |
| 45  | 107263 D60341                      | Hs.21198              | ESTs, Moderately similar to ALU7_HUMAN A   | 2,5         | other          |
|     | 107265 BE379594                    | Hs.49136              | hypothetical protein MGC4606   | 3.2         | TM             |
|     | 107299 BE277457                    | Hs.30661<br>Hs.193700 | Homo sapiens mRNA; cDNA DKFZp586I0324 (f   | 2           | TM             |
|     | 107316 T63174                      | Hs.96448              | zinc finger protein 193  | 5           | ?              |
| 50  | 107354 NM_006299                   | Hs.267632             | TATA element modulatory factor 1   | 1.2         | other          |
| 50  | 107392 AW299900<br>107481 AA307703 | Hs.279766             | kinesin family member 4A   | 1.6         | other          |
|     | 107529 BE515065                    | Hs.296585             | nucleolar protein (KKE/D repeat)   | 3           | TM             |
|     | 107554 AA001386                    | Hs.59844              | ESTs   | 1.4         | other          |
|     | 107681 BE379594                    | Hs.49136              | ESTs, Moderately similar to ALU7_HUMAN A   | 2.3         | SS,TM          |
| 55  | 107772 AA018587                    | Hs.303055             | ESTs, Weakly similar to ALU1_HUMAN ALU S   | 2.2         | ?              |
| 55  | 107859 AW732573                    | Hs.47584              | potassium voltage-gated channel, delayed   | 8.4         | TM             |
|     | 107901 L42612                      | Hs.335952             | keralin 6B   | 2,5         | other          |
|     | 107922 BE153855                    | Hs.61460              | la superfamily receptor LNIR   | 2.3         | other          |
|     | 107974 AW956103                    | Hs.61712              | pyruvate dehydrogenase kinase, isoenzyme   | 6.8         | other          |
| 60  | 108040 AL121031                    | Hs.159971             | SWI/SNF related, matrix associated, acti   | 1.6         | other          |
| ~ • | 108230 AA054224                    | Hs.59847              | ESTs   | 1.3         | other          |
|     | 108274 AF129535                    | Hs.272027             | F-box only protein 5   | 7.2         | ?<br>ofbor     |
|     | 108296 N31256                      | Hs.161623             | ESTs   | 2.6         | other          |
|     | 108496 AA083069                    | Hs.339659             | ESTS   | 3.6         | other<br>other |
| 65  | 108607 BE300380                    | Hs.69476              | Homo sapiens cDNA FLJ12758 fis, clone NT   | 3.5<br>1.7  | other          |
|     | 108621 AA101809                    | Hs.182685             | ESTs   | 1.8         | SS,TM          |
|     | 108634 AW022410                    | Hs.69507              | ESTs   | 1.0         | 20,114         |
|     |                                    |                       |  |             |                |

|         |        | BE546947  | Hs.44276  | homeo box C10                            | 9.8   | other      |
|---------|--------|-----------|-----------|--|-------|------------|
|         |        | AB029000  | Hs.70823  | KIAA1077 protein                         | 7.3   | other      |
|         | 108740 | AI089575  | Hs.9071   | progesterone membrane binding protein    | 2.8   | ?          |
| _       | 108828 | AK001693  | Hs.273344 | DKFZP564O0463 protein                    | 1.9   | other      |
| 5       | 108859 | AL121500  | Hs.178904 | ESTs                                     | 1.6   | TM         |
|         | 108872 | H06720    | Hs.111680 | endosulfine alpha                        | 2.2   | other      |
|         | 108891 | AI801235  | Hs.48480  | ESTs                                     | 5.4   | other      |
|         |        | AK001431  | Hs.5105   | hypothetical protein FLJ10569            | 4.1   | TM         |
|         |        | AA149754  | Hs.195155 | Homo saplens amino acid transport system | 5.7   | ?          |
| 10      |        | AA151708  | Hs.171980 | homeo box (expressed in ES cells) 1      | 1.7   | other      |
| 10      |        | AA152178  | Hs.23467  | hypothetical protein FLJ10633            | 8.3   | other      |
|         |        | AB028987  | Hs.72134  | KIAA1064 protein                         | 1.7   | other      |
|         |        | AA156542  |           |  | 1.5   | other      |
|         |        |           | Hs.72127  | ESTS                                     |       |            |
| 15      |        | AA157811  | U- 70646  | gb:zo35d07.s1 Stratagene colon (937204)  | 5.4   | other      |
| 1.5     |        | AA164293  | Hs.72545  | ESTs -                                   | 3     | other      |
|         |        | AW608930  | Hs.52184  | hypothetical protein FLJ20618            | 1.6   | SS,        |
|         |        | AW419196  | Hs.257924 | hypothetical protein FLJ13782            | 3.3   | TM         |
|         |        | AK000684  | Hs.183887 | hypothetical protein FLJ22104            | 1.7   | other      |
| 20      |        | AJ132592  | Hs.59757  | zinc finger protein 281                  | 2.7   | other      |
| 20      |        | AA219691  | Hs.73625  | RAB6 interacting, kinesin-like (rabkines | 3.    | TM         |
|         | 109198 | BE566742  | Hs.58169  | highly expressed in cancer, rich in leuc | 2.1   | other      |
|         | 109213 | NM_016603 | Hs.82035  | potential nuclear protein C5ORF5; GAP-li | 5.4   | other      |
|         | 109220 | AW958181  | Hs.189998 | ESTs                                     | 5.8   | other      |
|         | 109233 | AU077281  | Hs.170285 | nucleoporin 214kD (CAIN)                 | 5.3   | other      |
| 25      | 109270 | N99673    | Hs.3585   | ESTs, Weakly similar to AF126743 1 DNAJ  | 1.4   | other      |
|         | 109273 | AA375752  | Hs.82719  | Homo sapiens mRNA; cDNA DKFZp586F1822 (f | 3     | other      |
|         |        | AF153201  | Hs.86276  | C2H2 (Kruppel-type) zinc finger protein  | 1.3   | other      |
|         |        | AA213506  | Hs.115099 | EST                                      | 3     | ?          |
|         |        | AL096858  | Hs.184245 | KIAA0929 protein Msx2 Interacting nuclea | 1.5   | other      |
| 30      |        | H83603    | Hs.40408  | homeo box C9                             | 2.2   | SS,        |
| 50      |        | N30531    |           | protein phosphatase 1, regulatory subuni | 3.1   | TM         |
|         |        |           | Hs.42215  |  |       |            |
|         |        | A1160029  | Hs.61438  | ESTS                                     | 2     | ?<br>other |
|         |        | AA232103  | Hs.189915 | ESTs                                     | 1.8   |            |
| 25      |        | AB032969  | Hs.173042 | KIAA1143 protein                         | 3.8   | other      |
| 35      |        | NM_015310 | Hs.6763   | KIAA0942 protein                         | 3.3   | other      |
|         |        | AW074143  | Hs.87134  | ESTs                                     | 2     | TM         |
|         |        | L40027    | Hs.118890 | glycogen synthase kinase 3 alpha         | 2.1   | other      |
|         |        | F02614    | Hs.27319  | ESTs                                     | 1.4   | other      |
| 40      |        | R71264    | Hs.16798  | ESTs                                     | 1.3   | other      |
| 40      |        | H11938    | Hs.21907  | histone acetyttransferase                | 2     | other      |
|         | 110056 | AA503041  | Hs.279009 | matrix Gla protein                       | 2.5   | other      |
|         | 110085 | AA603840  | Hs.29956  | KIAA0460 protein                         | 1.7   | other      |
|         | 110110 | T07353    | Hs.7948   | ESTs                                     | 2.9   | other      |
|         | 110129 | R51853    | Hs.226429 | ESTs, Wealty similar to ALU1_HUMAN ALU S | 1.7   | SS.        |
| 45      |        | NM_014521 | Hs.17667  | SH3-domain binding protein 4             | 4.3   | other      |
|         |        | AI668594  | Hs.176588 | ESTs, Weakly similar to CP4Y_HUMAN CYTOC | 4.3   | ?          |
|         |        | N41744    | Hs.19978  | CGI-30 protein                           | 1.3 - | other      |
|         |        | H28428    | Hs.32406  | ESTs, Weakly similar to 138022 hypotheti | 2.2   | other      |
|         |        | BE256986  | Hs.11896  | hypothetical protein FLJ12089            | 2.1   | other      |
| 50      |        | H55748    | 110.11000 | gb:yq94a01.s1 Soares fetal liver spleen  | 6.1   | ?          |
| 50      |        | H55915    | Hs.210859 | hypothetical protein FLJ11016            | 6.1   | TM         |
|         |        |           |           | EST                                      | 6.4   | other      |
|         |        | H57330    | Hs.37430  |  |       |            |
|         |        | AK001160  | Hs.5999   | hypothetical protein FLJ10298            | 1.3   | ?          |
| <i></i> |        | T97586    | Hs.18090  | ESTs                                     | 1.8   | other      |
| 55      |        | AB007902  | Hs.32168  | KIAA0442 protein                         | 1.6   | TM         |
|         |        | AW190338  | Hs.28029  | hypothetical protein MGC11256            | 7.8   | other      |
|         |        | AL138077  | Hs.16157  | hypothetical protein FLJ12707            | 2.5   | other      |
|         |        | BE044245  | Hs.30011  | hypothetical protein MGC2963             | 9.3   | ?          |
|         | 110765 | AK000322  | Hs.18457  | hypothetical protein FLJ20315            | 5.5   | SS,        |
| 60      | 110769 | BE000831  | Hs.23837  | Homo saplens cDNA FLJ11812 fis, clone HE | 2.1   | TM         |
|         | 110799 | A1089660  | Hs.323401 | dpy-30-like protein                      | 1.5   | TM         |
|         | 110805 | T25829    | Hs.24048  | FK506 binding protein precursor          | 6.7   | TM         |
|         |        | AA767373  | Hs.35669  | ESTs, Moderately similar to ALU1_HUMAN A | 5.7   | other      |
|         |        | R33261    | Hs.6614   | ESTs, Weakly similar to A43932 much 2 p  | 3.4   | other      |
| 65      |        | N31598    | Hs.12727  | hypothetical protein FLJ21610            | 1.7   | TM         |
|         |        | AI740792  | Hs.167531 | methylcrotonoyl-Coenzyme A carboxylase 2 | 1.7   | other      |
|         |        | BE612992  | Hs.27931  | hypothetical protein FLJ10607 similar to | 4.7   | other      |
|         |        |           |           | ••                                       |       |            |

|    |                                    |                      |  |            | -4             |
|----|------------------------------------|----------------------|--|------------|----------------|
|    | 110856 AA992380                    |                      | gb:ot37g06.s1 Soares_testis_NHT Homo sap   | 2.3        | other          |
|    | 110885 BE384447                    | Hs.16034             | hypothetical protein MGC13186  | 3.5        | ?              |
|    | 110897 AL117430                    | Hs.6880              | DKFZP434D156 protein   | 2.2        |                |
| _  | 110915 BE092285                    | Hs.29724             | hypothetical protein FLJ13187  | 2.6        | SS,<br>TM      |
| 5  | 110918 H04360                      | Hs.24283             | ESTs, Moderately similar to reduced expr   | 1.9<br>6.7 | other          |
|    | 110958 NM_005864                   | Hs.24587             | signal transduction protein (SH3 contain   | 2          | other          |
|    | 110963 AK002180                    | Hs.11449             | DKFZP564O123 protein   | 1.3        | other          |
|    | 110981 AK001980                    | Hs.24284             | ADP-ribosyltransferase (NAD+; poly(ADP-r   | 1.8        | ?              |
| 10 | 110984 AW613287                    | Hs.80120             | UDP-N-acetyl-alpha-D-galactosamine:polyp<br>ESTs, Moderately similar to Z195_HUMAN Z | 3.7        | other          |
| 10 | 111125 N63823                      | Hs.269115            |  | 2.1        | TM             |
|    | 111132 AB037807                    | Hs.83293             | hypothetical protein<br>Homo sapiens cDNA FLJ13289 fis, clone OV                     | 2.3        | other          |
|    | 111164 N46180                      | Hs.122489            | Homo saplens cDNA FLJ12900 fis, clone NT   | 3.7        | other          |
|    | 111172 R67419                      | Hs.21851<br>Hs.26295 | Homo sapiens mRNA; cDNA DKFZp586D1122 (f   | 7.5        | other          |
| 15 | 111174 AL050166<br>111179 AK000136 | Hs.10760             | asporin (LRR class 1)  | 7.1        | other          |
| 13 | 111184 AIB15486                    | Hs.243901            | Homo saplens cDNA FLJ20738 fis, clone HE   | 6.8        | other          |
|    | 111189 N67603                      | Hs.272130            | ESTs, Weakly similar to S65824 reverse t   | 3.6        | SS,            |
|    | 111216 AW139408                    | Hs.152940            | ESTs   | 1.5        | other          |
|    | 111221 AB037782                    | Hs.15119             | KIAA1361 protein   | 2.6        | other          |
| 20 | 111223 AA852773                    | Hs.334838            | KIAA1866 protein   | 4.7        | other          |
|    | 111239 N90956                      | Hs.17230             | hypothetical protein FLJ22087  | 7.9        | ?              |
|    | 111285 AA778711                    | Hs.4310              | eukaryotic translation initiation factor   | 7          | other          |
|    | 111299 AB033091                    | Hs.74313             | KIAA1265 protein   | 5          | other          |
|    | 111312 Al523913                    | Hs.34504             | ESTs   | 3.8        | other          |
| 25 | 111318 T99755                      | Hs.334728            | ESTs   | 1.2        | TM             |
|    | 111337 AA837396                    | Hs.263925            | LIS1-interacting protein NUDE1, rat homo   | 5.1        | other<br>other |
|    | 111352 H58589                      | Hs.35156             | Homo sapiens cDNA FLJ11027 fis, clone PL   | 2.2<br>2.8 | ?              |
|    | 111370 Al478658                    | Hs.94631             | brefeldin A-Inhibited guanine nucleotide   | 2.2        | other          |
| •• | 111384 N94606                      | Hs.288969            | HSCARG protein   | 2.1        | other          |
| 30 | 111389 AK000987                    | Hs.169111            | oxidation resistance 1   | 2.7        | TM             |
|    | 111452 R02354                      | Hs.15999             | ESTs   | 6.6        | other          |
|    | 111486 Al051194                    | Hs.227978            | EST , Moderately similar to ZRF1_HUMAN Z   | 1.4        | other          |
|    | 111549 W90638                      | Hs.20321             | EST  | 1.6        | ?              |
| 25 | 111585 R10720                      | Hs.20670<br>Hs.21691 | ESTs   | 1.6        | other          |
| 35 | 111627 R52656                      | Hs.18685             | Homo sapiens mRNA for KIAA1413 protein,  | 2.4        | other          |
|    | 111870 AB037834<br>111937 BE298665 | Hs.14846             | Homo sapiens mRNA; cDNA DKFZp564D016 (fr   | 10.6       | other          |
|    | 111944 AW083791                    | Hs.21263             | suppressor of potassium transport defect   | 6.6        | TM             |
|    | 111987 NM_015310                   | Hs.6763              | KIAA0942 protein   | 5.1        | other          |
| 40 | 112134 R41823                      | Hs.7413              | ESTs; calsyntenin-2  | 2.8        | other          |
|    | 112244 AB029000                    | Hs.70823             | KIAA1077 protein   | 14.6       | other          |
|    | 112388 R46071                      | Hs.301693            | Homo sapiens, clone IMAGE:3638994, mRNA,   | 9          | other          |
|    | 112456 NM_016248                   | Hs.232076            | A kinase (PRKA) anchor protein 11  | 1.4        | other          |
|    | 112464 AW007287                    | Hs.28538             | Homo sapiens cDNA: FLJ21086 fis, clone C   | 1.4        | TM<br>other    |
| 45 | 112506 AI742756                    | Hs.26079             | ESTs   | 3.2<br>2   | TM             |
|    | 112513 R68425                      | Hs.13809             | hypothetical protein FLJ10648  | 1.8        | other          |
|    | 112752 AK001635                    | Hs.14838             | hypothetical protein FLJ10773  | 6.6        | other          |
|    | 112884 AK000004                    | Hs.5013              | Homo sapiens mRNA for FLJ00004 protein,  | 1.5        | ?              |
| 50 | 112923 T10258                      | Hs.5037              | EST<br>KIAA1557 protein  | 3.2        | other          |
| 50 | 112936 AW970826                    | Hs.6185<br>Hs.6724   | ESTs   | 6.1        | other          |
|    | 112958 R61388                      | Hs.102548            | glucocorticoid receptor DNA binding fact   | 6.5        | other          |
|    | 112966 Z44718<br>112978 AK000272   | Hs.7099              | hypothetical protein FLJ20265  | 1.2        | other          |
|    | 112995 AA737033                    | Hs.7155              | ESTs, Moderately similar to 2115357A TYK   | 5.6        | other          |
| 55 | 112996 BE276112                    | Hs.7165 -            | zinc finger protein 259  | 2          | other          |
| 33 | 113047 Al571940                    | Hs.7549              | ESTs   | 1.9        | other          |
|    | 113049 AW965190                    | Hs.7560              | Homo sapiens mRNA for KIAA1729 protein,  | 2.4        | TM             |
|    | 113089 T40707                      | Hs.270862            | ESTs   | 1.3        | SS,            |
|    | 113196 T57317                      |                      | gb:yb51a03.s1 Stratagene fetal spleen (9   | 1.7        | other          |
| 60 | 113248 T63857                      |                      | gb:yc16e01.s1 Stratagene lung (937210) H   | 2.8        | other          |
|    | 113254 AK002180                    | Hs.11449             | DKFZP564O123 protein   | 1.3        | other<br>other |
|    | 113277 AW971049                    | Hs.11774             | protein (peptidyl-prolyl cis/trans isome   | 3.2<br>1.2 | other          |
|    | 113429 AA688021                    | Hs.179808            | ESTs   | 6          | other          |
|    | 113499 Al467908                    | Hs.8882              | ESTs   | 2          | SS,            |
| 65 | 113547 H59588                      | Hs.15233             | ESTs<br>Homo sapiens cDNA FLJ12187 fis, clone MA                                     | 1.3        | SS,            |
|    | 113647 AAB13887                    | Hs.188173            | gb:ye53h05.s1 Soares fetal liver spleen  | 4.4        | other          |
|    | 113702 T97307                      |                      | gb.yessilos.s rodaies teas area apison   |            |                |
|    |                                    |                      |  |            |                |

|    |        |            |            | •  |       |                   |       |
|----|--------|------------|------------|--|-------|-------------------|-------|
|    | 113759 | AW499665   | Hs.9456    | SWI/SNF related, matrix associated, acti | 1.2   | other             |       |
|    |        | BE266947   | Hs.10590   | zinc finger protein 313                  | 13.4  | other             | •     |
|    |        | AL359588   | Hs.7041    | hypothetical protein DKFZp762B226        | 1.7   | other             |       |
|    |        | A1269096   | Hs.135578  | chitobiase, di-N-acetyl-                 | 1.3   | other             |       |
| 5  |        | W44735     | Hs.9286    | Homo sapiens cDNA: FLJ21278 fis, clone C | 3.3   | other             |       |
| ,  |        | BE207480   |            | Homo sapiens cDNA: FLJ22044 fis, clone H |       |                   |       |
|    |        |            | Hs.6994    |  | 3.1   | other             |       |
| ٠  | 113817 |            | Hs.332795  | hypothetical protein DKFZp761O17121      | 3.2   | other             |       |
|    |        | AW378212   | Hs.24809   | hypothetical protein FLJ10826            | 2.3   | ?                 |       |
| 10 | 113834 |            | Hs.6059    | EGF-containing fibulin-like extracellula | 11.3  | TM                |       |
| 10 |        | W57902     | Hs.90744   | proteasome (prosome, macropaln) 26S subu | 2.7   | other             |       |
|    | 113870 | AL079314   | Hs.16537   | hypothetical protein, similar to (U06944 | 6.1   | other             |       |
|    | 113885 | AW959486   | Hs.21732   | ESTs                                     | 6.6   | other             |       |
|    | 113923 | AW953484   | Hs.3849    | hypothetical protein FLJ22041 similar to | 1.9   | ?                 |       |
|    | 113989 | W87544     | Hs.268828  | ESTs                                     | 1.2   | other             |       |
| 15 | 114022 | AI539519   | Hs.120969  | Homo saplens cDNA FLJ11562 fis, clone HE | 5.4   | other             |       |
|    |        | AI825386   | Hs.164478  | hypothetical protein FLJ21939 similar to | 9.4   | other             |       |
|    |        | AB029551   | Hs.7910    | RING1 and YY1 binding protein            | 1.8   | other             |       |
|    |        | AF017445   | Hs.150926  | fucose-1-phosphate guanylyltransferase   | 1.5   | other             |       |
|    |        | AB028968   | Hs.7989    | KIAA1045 protein                         | 1.8   | other             |       |
| 20 |        | BE149866   | Hs.14831   | Homo sapiens, Similar to zinc finger pro | 2.3   | other             |       |
| 20 |        |            |            |  | 1.4   | TM                |       |
|    |        | AL117518   | Hs.3686    | KIAA0978 protein                         |       |                   | albor |
|    |        | AW515443.∞ |            | Hs.306117                                |       | 06 protein 15.8 · | other |
|    |        | AI815395   | Hs.184641  | fatty acid desaturase 2                  | 1.9   | TM                |       |
| 25 |        | AA332453   | Hs.20824   | CGI-85 protein                           | 2.4   | other             |       |
| 25 |        | AA249590   | Hs. 100748 | ESTs, Weakly similar to A28996 proline-r | 1.9   | other             |       |
|    | 114407 | BE539976   | Hs.103305  | Homo sapiens mRNA; cDNA DKFZp434B0425 (f | 1.3   | TM                |       |
|    | 114455 | H37908     | Hs.271616  | ESTs, Weakly similar to ALU8_HUMAN ALU S | 5.6 · | other             |       |
|    | 114463 | AL120247   | Hs.40109   | KIAA0872 protein                         | 5.3   | TM                |       |
|    | 114464 | AI091713   | Hs.106597  | Homo sapiens, Similar to RIKEN cDNA 1110 | 1.3   | other             |       |
| 30 | 114471 | AA028074   | Hs.104613  | RP42 homolog                             | 1.9   | ?                 |       |
|    | 114480 | BE066778   | Hs.151678  | UDP-N-acetyl-alpha-D-galactosamine:polyp | 13.4  | other             |       |
|    | 114671 | AA766268   | Hs.266273  | hypothetical protein FLJ13346            | 2     | other             |       |
|    |        | AA476966   | Hs.110857  | polymerase (RNA) III (DNA directed) poly | 3.6   | other             |       |
|    |        | AJ373544   | Hs.331328  | intermediate filament protein syncoilin  | 3.9   | other             |       |
| 35 |        | A1859865   | Hs.154443  | minichromosome maintenance deficient (S. | 1.7   | other             |       |
| 33 |        | AV656017   | Hs.184325  | CGI-76 protein                           | 3.2   | other             |       |
|    |        | AA159181   | Hs.54900   | serologically defined colon cancer antig | 3.6   | other             |       |
|    |        |            |            |  | 4.4   |                   |       |
|    |        | AL157545   | Hs.42179   | bromodomain and PHD finger containing, 3 |       | other             |       |
| 40 |        | AA236177   | Hs.76591   | KIAA0887 protein                         | 7.2   | other             |       |
| 40 |        | BE539101   | Hs.5324    | hypothetical protein                     | 1.3   | other             |       |
|    |        | AA236672   |            | gb:zt29f02.s1 Soares ovary tumor NbHOT H | 1.5   | other             |       |
|    |        | AA237022   | Hs. 188717 | ESTs                                     | 2     | SS,               |       |
|    | 114938 | AA242834   | Hs.58384   | ESTs                                     | 2.9   | other             |       |
|    | 114965 | AI733881   | Hs.72472   | BMP-R1B                                  | 2.3   | ?                 |       |
| 45 | 115023 | AF102546   | Hs.63931   | dachshund (Drosophila) homolog           | 1.3   | other             |       |
|    | 115038 | AA252360   | Hs.87968   | toll-like receptor 9                     | 1.6   | other             |       |
|    | 115061 | AI751438   | Hs.41271   | Homo sapiens mRNA full length insert cDN | 11.8  | other             |       |
|    |        | A1670847   | Hs.5324    | hypothetical protein                     | 1.5   | other             |       |
|    |        | AW183695   | Hs.186572  | ESTs                                     | 2.5   | other             |       |
| 50 |        | AW365434   | Hs.79741   | hypothetical protein FLJ10116            | 1.5   | other             |       |
| -  |        | BE251328   | Hs.73291   | hypothetical protein FLJ10881            | 1.3   | TM                |       |
|    |        | AI368236   | Hs.283732  | ESTs, Moderately similar to ALU1_HUMAN A | 1.4   | other             |       |
|    |        |            | Hs.301724  |  | 1.5   | other             |       |
|    |        | AK002163   |            | hypothetical protein FLJ11301            | 2.4   | other             |       |
| 55 |        | AW972872   | Hs.293736  | ESTs                                     |       |                   |       |
| 55 | 115291 | BE545072   | Hs.122579  | hypothetical protein FLJ10461            | 6.3   | SS,               |       |
|    |        | AI215069   | Hs.89113   | ESIS                                     | 6.7   | 7                 |       |
|    |        | AA314349   | Hs.48499   | tumor antigen SLP-8p                     | 7.5   | ?                 |       |
|    |        | AK001376   | Hs.59346   | hypothetical protein FLJ10514            | 1.4   | TM                |       |
|    | 115479 | AW301608   | Hs.278188  | ESTs, Moderately similar to 154374 gene  | 4.1   | TM                |       |
| 60 | 115496 | AW247593   | Hs.71819   | eukaryotic translation initiation factor | 16.3  | other             |       |
|    | 115500 | Y14443     | Hs.88219   | zinc finger protein 200                  | 5     | other             |       |
|    |        | AJ275986   | Hs.71414   | transcription factor (SMIF gene)         | 2.5   | other             |       |
|    |        | A1540842   | Hs.61082   | ESTs                                     | 6.2   | other             |       |
|    |        | BE081342   | Hs.283037  | HSPC039 protein                          | 2.9   | other             |       |
| 65 |        | AA399477   | Hs.67896   | 7-60 protein                             | 5.3   | TM                |       |
|    | 115646 |            | Hs.305971  | solute carrier family 2 (taclitated glu  | 4.8   | ?                 |       |
|    |        | BE093589   | Hs.38178   | hypothetical protein FLJ23468            | 10.6  | other             |       |
|    | 1.5052 |            |            |  |       |                   |       |

|     | 115655 AL048269                    | Hs.288544              | Homo sapiens, clone MGC:16063, mRNA, com                                  | 12.7       | TM<br>other    |
|-----|------------------------------------|------------------------|---|------------|----------------|
|     | 115663 Al138785                    | Hs.40507               | ESTs  | 2<br>3.1   | other          |
|     | 115676 AA953006                    | Hs.88143               | ESTs  | 1.7        | TM             |
| 5   | 115690 AA625132                    | Hs.44159<br>Hs.55173   | hypothetical protein FLJ21615<br>cadherin, EGF LAG seven-pass G-type rece | 6.9        | other          |
| 5   | 115693 AF231023<br>115715 BE395161 | Hs.1390                | proteasome (prosome, macropain) subunit,                                  | 1.7        | other          |
|     | 115734 AI950339                    | Hs.40782               | ESTs  | 2.7        | TM             |
|     | 115811 NM_015434                   | Hs.48604               | DKFZP434B168 protein  | 2.1        | other          |
|     | 115823 AI732742                    | Hs.87440               | ESTs  | 2.1        | other          |
| 10  | 115837 Al675217                    | Hs.42761               | ESTs  | 1.3        | other          |
|     | 115844 Al373062                    | Hs.332938              | hypothetical protein MGC5370  | 4.4        | other<br>other |
|     | 115866 AW062629                    | Hs.52081               | KIAA0867 protein  | 7.3<br>1.2 | other          |
|     | 115875 N55669                      | Hs.333823              | mitochondrial ribosomal protein L13                                       | 5.5        | other          |
| 16  | 115941 Al867451                    | Hs.46679               | hypothetical protein FLJ20739<br>KIAA1332 protein                         | 9.8        | other          |
| 15  | 115968 AB037753<br>116003 BE275469 | Hs.62767<br>Hs.66493   | Down syndrome critical region gene 5                                      | 1.4        | other          |
|     | 116003 BE275469<br>116011 AL359053 | Hs.57664               | Homo sapiens mRNA full length insert cDN                                  | 2.4        | other          |
|     | 116108 AA770688                    | Hs.28777               | H2A histone family, member L  | 1.8        | other          |
|     | 116134 BE243834                    | Hs.50441               | CGI-04 protein  | 1.4        | other          |
| 20  | 116189 N35719                      | Hs.44749               | ESTs, Moderately similar to T00358 hypot                                  | 1.2        | other          |
|     | 116195 AW821113                    | Hs.72402               | ESTs  | 2.1        | other          |
|     | 116238 AV660717                    | Hs.47144               | DKFZP586N0819 protein   | 1.7        | other<br>other |
|     | 116246 AF265555                    | Hs.250646              | baculoviral tAP repeat-containing 6                                       | 1.7<br>1.8 | ?              |
| 0.5 | 116262 Al936442                    | Hs.59838               | hypothetical protein FLJ10808<br>Homo saplens cDNA FLJ13634 fis, clone PL | 1.9        | other          |
| 25  | 116298 AI955411                    | Hs.94109               | deleted in cancer 1; RNA helicase HDB/DI                                  | 5          | SS,            |
|     | 116318 AF097645<br>116325 AI472106 | Hs.58570<br>Hs.49303   | Homo sapiens cDNA FLJ11663 fis, clone HE                                  | 1.4        | SS,            |
|     | 116336 AL133033                    | Hs.4084                | KIAA1025 protein  | 1.9        | ?              |
|     | 116339 AK000290                    | Hs.44033               | dipeptidyl peptidase 8  | 1.5        | other          |
| 30  | 116350 AA497129                    | Hs.184771              | nuclear factor I/C (CCAAT-binding transc                                  | 1.9        | ?              |
| •   | 116358 AI149586                    | Hs.38125               | interferon-induced protein 75, 52kD                                       | 1.9        | ?              |
|     | 116365 N50174                      | Hs.46765               | ESTs  | 6.1<br>1.6 | other<br>?     |
|     | 116368 N90466                      | Hs.71109               | KIAA1229 protein  | 7.4        | other          |
| 25  | 116417 AW499664                    | Hs.12484               | Human clone 23826 mRNA sequence<br>chromosome 21 open reading frame 57    | 2.1        | other          |
| 35  | 116436 AA161411                    | Hs.58668<br>Hs.236828  | putative helicase RUVBL   | 1.5        | TM             |
|     | 116462 AF218313<br>116470 AI272141 | Hs.83484               | SRY (sex determining region Y)-box 4                                      | 2.1        | TM             |
|     | 116575 AA312572                    | Hs.6241                | phosphoinositide-3-kinase, regulatory su                                  | 1.5        | other          |
|     | 116637 AK001043                    | Hs.92033               | integrin-linked kinase-associated serine                                  | 2.7        | other          |
| 40  | 116640 X89984                      | Hs.211563              | B-cell CLL/lymphoma 7A  | 2.3        | other          |
|     | 116700 Al800202                    | Hs.317589              | hypothetical protein MGC10765   | 1.4<br>3.4 | other<br>other |
|     | 116705 AW074819                    | Hs.12313               | hypothetical protein FLJ14566   | 2.9        | other          |
|     | 116732 AW152225                    | Hs.165909              | ESTs, Weakly similar to I38022 hypotheti                                  | 1.7        | TM             |
| 15  | 116926 H73608                      | Hs.290830<br>Hs.180324 | ESTs<br>YY1-associated factor 2   | 3.4        | TM             |
| 45  | 117034 U72209<br>117132 AI393666   | Hs.42315               | p10-binding protein   | 5.2        | ?              |
|     | 117132 A1333000<br>117247 N21032   | 113.42010              | gb:yx46f06.s1 Soares melanocyte 2NbHM Ho                                  | 5.5        | TM             |
|     | 117276 N71183                      | Hs.121806              | Homo sapiens cDNA FLJ11971 fis, clone HE                                  | 1.5        | TM             |
|     | 117284 AK001701                    | Hs.183779              | Homo sapiens cDNA FLJ10590 fis, clone NT                                  | 2          | other          |
| 50  | 117367 AI041793                    | Hs.42502               | ESTs  | 2          | other          |
|     | 117368 Al878942                    | Hs.90336               | ATPase, H+ transporting, lysosomal (vacu                                  | 2.1<br>2.7 | ?<br>TM        |
|     | 117382 AF150275                    | Hs.40173               | ESTS  | 1.4        | other          |
|     | 117412 N32536                      | Hs.42645               | solute carrier family 16 (monocarboxylic<br>diubiquitin                   | 3.4        | TM             |
| 55  | 117557 AF123050<br>117588 N34895   | Hs.44532<br>Hs.44648   | ESTs  | 3.4        | ?              |
| 55  | 117745 BE294925                    | Hs.46680               | CGI-12 protein  | 3          | SS,            |
|     | 117754 AA121673                    | Hs.59757               | zinc finger protein 281   | 1.9        | other          |
|     | 117879 N54706                      | Hs.303025              | chromosome 11 open reading frame 24                                       | 1.8        | other          |
|     | 117904 BE540675                    | Hs.332938              | hypothetical protein MGC5370  | 6          | ?              |
| 60  | 117911 AL137379                    | Hs.47125               | hypothetical protein FLJ13912   | 1.7<br>1.7 | other          |
|     | 117933 Y10518                      | Hs.116470              | hypothetical protein FLJ20048   | 1.7<br>5.4 | other<br>other |
|     | 117983 AL110246                    | Hs.47367               | KIAA1785 protein  | 5.2        | other          |
|     | 118078 N54321                      | Hs.47790<br>Hs.293264  | EST<br>ESTs   | 2.6        | other          |
| 65  | 118301 AA453902<br>118429 AA243332 | Hs.293204<br>Hs.74649  | cytochrome c oxidase subunit VIc  | 2.5        | TM             |
| U)  | 118472 AL157545                    | Hs.42179               | bromodomain and PHD finger containing, 3                                  | 4.1        | other          |
|     | 118488 AJ277275                    | Hs.50102               | rapa-2 (rapa gene)  | 1.2        | other          |
|     |                                    |                        |   |            |                |

|            | 118509 | N22617                | Hs.43228               | Homo sapiens cDNA FLJ11835 fis, clone HE                              | 1.5         | other          |
|------------|--------|-----------------------|------------------------|---|-------------|----------------|
|            | 118528 | AI949952              | Hs.49397               | ESTs  | 7.4         | ?              |
|            |        | AI458020              | Hs.293287              | ESTs  | 2.5         | other          |
| _          |        | AA332845              | Hs.152618              | ESTs, Moderately similar to ZN91_HUMAN Z                              | 1.2         | TM             |
| 5          |        | AB033113              | Hs.50187               | KIAA1287 protein  | 2.1         | TM             |
|            |        | AA199686              | 11- 000000             | gb:zq75g09.r1 Stratagene hNT neuron (937                              | 5.2         | other          |
|            |        | N92293                | Hs.206832              | ESTs, Moderately similar to ALUS_HUMAN A                              | 1.4         | other          |
|            |        | AI668709              | Hs.240722              | ESTs, Moderately similar to ALUS_HUMAN A                              | 3.6<br>4.9  | olher<br>?     |
| 10         |        | AF148713<br>W24781    | Hs.125830<br>Hs.293798 | bladder cancer overexpressed protein<br>KIAA1710 protein              | 1.7         | TM             |
| 10         |        | AW453069              | Hs.3657                | activity-dependent neuroprotective prote                              | 2.2         | other          |
|            |        | BE539706              | Hs.285363              | ESTs  | 1.4         | ?              |
|            |        | N57568                | Hs.48028               | EST   | 25.1        | other          |
|            |        | NM_001241             | Hs.155478              |   | 1.6         | ?              |
| 15         |        | AI417240              | Hs.320836              | ESTs, Weakly similar to A47582 B-cell gr                              | 1.3         | other          |
|            | 119403 | AL117554              | Hs.119908              | nucleolar protein NOP5/NOP58  | 6.7         | TM             |
|            | 119478 | AI624342              | Hs.170042              | ESTs  | 2.4         | other          |
|            | 119486 | AI796730              | Hs.55513               | ESTs  | 2.1         | other          |
| 00         |        | W37933                |                        | Empirically selected from AFFX single pr                              | 1.9         | other          |
| 20         |        | AK000155              | Hs.91684               | Homo sapiens mRNA; cDNA DKFZp6671103 (fr                              | 3.7         | TM             |
|            |        | AW675298              | Hs.233694              | hypothetical protein FLJ11350   | 3           | other          |
|            |        | AA243837              | Hs.57787               | ESTs  | 1.4         | other          |
|            |        | W61019                | Hs.57811               | ESTs  | 1.2<br>1.8  | ?<br>TM        |
| 25         |        | AB032977<br>NM_016625 | Hs.6298                | KIAA1151 protein  | 3.1         | other          |
| 23         |        | BE393948              | Hs.191381<br>Hs.50915  | hypothetical protein<br>kallikreln 5 (KLK5; KLK-L2; stratum com       | 9.2         | other          |
|            |        | AJ223810              | Hs.43213               | ESTs, Weakly similar to IEFS_HUMAN TRANS                              | 3.6         | TM             |
|            |        | AA130970              | Hs.58382               | hypothetical protein FLJ11101   | 2.5         | ?              |
|            |        | AA081218              | Hs.58608               | Homo sapiens cDNA FLJ14206 fis, clone NT                              | 2.7         | TM             |
| 30         |        | AW449064              | Hs.119571              | collagen, type III, alpha 1 (Ehlers-Dani                              | 2.6         | other          |
|            | 119966 | AA703129              | Hs.58963               | ESTs  | 2.7         | other          |
|            | 120132 | W57554                | Hs.125019              | lymphoid nuclear protein (LAF-4) mRNA                                 | 1.2         | other          |
|            | 120206 | H26735                | Hs.91668               | Homo sapiens done PP1498 unknown mRNA                                 | 45.7        | other          |
| 26         |        | Al924294              | Hs.173259              | uncharacterized bone marrow protein BM03                              | 1.2         | other          |
| 35         |        | AW131940              | Hs.104030              | ESTs  | 9.6         | other          |
|            |        | AA177051              |                        | gb:nc02a02.s1 NCI_CGAP_Pr3 Homo saplens                               | 4.7         | other          |
|            |        | AA190577              | U= 200000              | gb:zp52g02.s1 Stratagene HeLa cell s3 93                              | 2.1<br>1.9  | other<br>TM    |
|            |        | AW995911<br>AA191384  | Hs.299883<br>Hs.104072 | hypothetical protein FLJ23399 ESTs, Weakly similar to Z195_HUMAN ZINC | 15.2        | other          |
| 40         |        | AA195517              | Hs.191643              | ESTs  | 5.6         | 7              |
| 40         |        | AA195651              | Hs.104106              | ESTs  | 6.5         | other          |
|            |        | AK000292              | Hs.278732              | hypothetical protein FLJ20285   | 16.1        | other          |
|            |        | N85785                | Hs.181165              | eukaryotic translation elongation factor                              | 3           | other          |
|            |        | AW450669              | Hs.45068               | hypothetical protein DKFZp434I143                                     | 5.8         | other          |
| 45         |        | AA210722              | Hs.104158              | ESTs  | 4.6         | SS,TM          |
|            | 120349 | AW969481              | Hs.55189               | hypothetical protein  | 16.8        | other          |
|            | 120352 | R06859                | Hs.193172              | ESTs, Weakly similar to 138022 hypotheti -                            | 5.1         | other          |
|            |        | AF000545              | Hs.296433              | putative purinergic receptor  | 28.1        | TM             |
| 50         |        | AA219305              | Hs.104196              | EST   | 12.4        | ?              |
| 50         |        | AA228026              | Hs.38774               | ESTs  | 4.1         | TM             |
|            |        | AL109963              | Hs.123122              | FSH primary response (LRPR1, rat) homoto                              | 9.7         | TM             |
|            |        | AW969665              | Hs.154848              | hypothetical protein DKFZp434D0127                                    | 32.6<br>3.2 | other<br>other |
|            |        | AA232874              | Hs.104245              | ESTs ESTs, Moderately similar to ALU7_HUMAN A                         | 21.7        | other          |
| 55         |        | AW967985<br>AA134006  | Hs.325572<br>Hs.79306  | eukaryotic translation initiation factor                              | 12.5        | other          |
| 55         |        | AB023230              | Hs.96427               | KIAA1013 protein  | 7.3         | other          |
|            |        | AW966893              | Hs.26613               | Homo saplens mRNA; cDNA DKFZp586F1323 (f                              | 11.4        | other          |
|            |        | AA236453              | Hs.18978               | Homo sapiens cDNA: FLJ22822 fis. clone K                              | 1.9         | other          |
|            |        | AI950087              |                        | gb:wq05c02.x1 NCI_CGAP_Kld12 Homo sapien                              | 19.4        | other          |
| 60         |        | AA251973              | Hs.269988              | ESTs  | 5.5         | ?              |
|            | 120484 | AA253170              | Hs.96473               | EST   | 10.4        | ?              |
|            | 120504 | AA256837              |                        | gb:zr84d10.s1 Soares_NhHMPu_S1 Homo sapl                              | 4           | ?              |
|            |        | BE047718              | Hs.96545               | ESTs  | 9.4         | other          |
| <i>(</i> = |        | AA258601              | Hs.161731              | EST   | 2.4         | other          |
| 65         |        | BE350244              | Hs.96547               | ESTS  | 2.5         | ?              |
|            |        | AA279160              | Hs.111407              | Homo sapiens, clone IMAGE:3613029, mRNA,                              | 5.3         | other          |
|            | 120070 | AA280679              | Hs.271445              | ESTs, Weakly similar to ALU1_HUMAN ALU S                              | 14.4        | ?              |

|    | 120582 BE244830                    | Hs.284228              | ZNF135-like protein                               | 10.2         | 7              |
|----|------------------------------------|------------------------|---|--------------|----------------|
|    | 120590 AW372799                    | Hs.125790              | leucine-rich repeat-containing 2                  | 2.2          | ?              |
|    | 120596 AA282074                    | Hs.237323              | N-acetylglucosamine-phosphate mutase              | 7.6          | other          |
|    | 120619 AW965339                    | Hs.111471              | ESTs  | 2.5          | other          |
| 5  | 120624 AW407987                    | Hs.173518              | M-phase phosphoprotein homolog                    | 52           | other          |
|    | 120639 AA286942                    |                        | gb:zs56f05.s1 NCL CGAP_GCB1 Homo sapiens          | 2.4<br>5     | other<br>other |
|    | 120648 AA287095                    | Hs.140309              | Homo sapiens, clone IMAGE:3677194, mRNA,          | 2.2          | other          |
|    | 120653 AW063659                    | Hs.191649              | ESTs  | 2.2          | TM             |
| 10 | 120668 AW969638                    | Hs.112318              | 6.2 kd protein<br>ESTs                            | 1.9          | TM             |
| 10 | 120669 BE536739<br>120695 AA976503 | Hs.109909              | gb:oq30a04.s1 NCI_CGAP_GC4 Homo sapiens           | 46.8         | TM             |
| •  | 120696 Al821539                    | Hs.97249               | ESTs  | 2.5          | other          |
|    | 120713 AW449855                    | Hs.96557               | Homo sapiens cDNA FLJ12727 fis, done NT           | 6            | other          |
|    | 120718 AA292747                    | Hs.97296               | ESTs  | 2.9          | other          |
| 15 | 120750 Al191410                    | Hs.96693               | ESTs, Moderately similar to 2109260A B c          | 7.1          | SS,            |
|    | 120774 Al608909                    | Hs.193985              | ESTS  | 7.9          | other          |
|    | 120807 AA346385                    | Hs.30002               | SH3-containing protein SH3GLB2; KIAA1848          | 7            | TM<br>other    |
|    | 120809 AA346495                    |                        | gb:EST52657 Fetal heart II Homo sapiens           | 4.5<br>4.5   | ?              |
| 20 | 120938 AA386260                    | Hs.104632              | EST<br>ESTs                                       | 4.5          | other          |
| 20 | 120977 AA398155                    | Hs.97600<br>Hs.99052   | ESTS  | 5.6          | other          |
|    | 120984 BE262951<br>120985 Al219896 | Hs.97592               | ESTs  | 1.3          | other          |
|    | 121011 AA398360                    | Hs.97608               | EST   | 3.2          | other          |
|    | 121026 AJ439713                    | Hs. 165295             | ESTs  | 3.6          | other          |
| 25 | 121081 AA398721                    | Hs.186749              | ESTs, Highly similar to 137550 mismatch           | 5.5          | other          |
|    | 121133 AA363307                    | Hs.97032               | ESTs  | 3.8          | other          |
|    | 121176 AL121523                    | Hs.97774               | ESTs  | 1.7          | TM<br>other    |
|    | 121223 Al002110                    | Hs.97169               | ESTs, Weakly similar to dJ667H12.2.1 [H.          | 2.9<br>1.9   | other          |
| 20 | 121320 AA403008                    | Hs.301927              | c6.1A<br>Homo sapiens cDNA FLJ13383 fis, clone PL | 3.5          | other          |
| 30 | 121340 AW956981                    | Hs.97910<br>Hs.98019   | EST   | 6.1          | ?              |
|    | 121408 AA406137<br>121439 AA410190 | Hs.98076               | ESTs, Weakly similar to A47582 B-cell gr          | 7.5          | other          |
|    | 121459 AA416130                    | Hs.105362              | Homo sapiens, clone MGC:18257, mRNA, com          | 7.1          | other          |
|    | 121452 AW971063                    | Hs.292882              | ESTs  | 1.8          | other          |
| 35 | 121455 H58306                      | Hs.15165               | retinoic acid Induced 14                          | 10.5         | other          |
|    | 121457 W07404                      | Hs.144502              | hypothetical protein FLJ22055                     | 3.5          | TM<br>other    |
|    | 121496 AA442224                    | Hs.97900               | ESTs  | 14.4<br>13.1 | other          |
|    | 121505 AA494172                    | Hs.194417              | ESTs  | 28           | other          |
| 40 | 121508 AA402515                    | Hs.97887               | ESTs<br>ESTs                                      | 6.3          | other          |
| 40 | 121513 AA416653<br>121514 AA412112 | Hs.181510              | gb:zt69b02.s1 Soares_testis_NHT Homo sap          | 2.7          | SS,            |
|    | 121549 AA412477                    | Hs.98142               | EST   | 7.5          | ?              |
|    | 121558 AA412497                    | 110.00112              | gb:zt95g12.s1 Soares_testis_NHT Homo sap          | 2.8          | other          |
|    | 121577 AA411970                    | Hs.98096               | EST   | 3.5          | ?              |
| 45 | 121581 AA416568                    |                        | gb:zu05c10.s1 Soares_testis_NHT Homo sap          | 6.2          | TM             |
|    | 121589 AD001528                    | Hs.89718               | spermine synthase                                 | 4            | other<br>other |
|    | 121594 AA626010                    | Hs.98247               | ESTs  | 2.2<br>4.3   | TM             |
|    | 121622 AA416931                    | Hs.126065              | ESTs<br>Homo sapiens mRNA; cDNA DKFZp434B1023 (f  | 7.9          | other          |
| 50 | 121655 AA421537                    | Hs.178072<br>Hs.86043  | Homo sapiens cDNA FLJ13558 fis, done PL           | 2            | other          |
| 50 | 121682 AA418160                    | Hs.110286              | ESTs  | 4.7          | ?              |
|    | 121690 AV660305<br>121706 U55184   | Hs.154145              | hypothetical protein FLJ11585                     | 12.7         | other          |
|    | 121714 AA419225                    | Hs.98269               | Homo saplens cDNA FLJ11953 fis, clone HE          | 8.3          | ?              |
|    | 121729 Al949597                    | Hs.98325               | ESTs  | 1.8          | TM             |
| 55 | 121731 AA421041                    | Hs.180744              | ESTs  | 4.1          | TM             |
|    | 121744 AA398784                    | Hs.97514               | ESTs  | 7.1          | SS,            |
|    | 121748 BE536911                    | Hs.234545              | hypothetical protein NUF2R                        | 19.5<br>8    | other<br>other |
|    | 121773 AB033022                    | Hs.158654              | KIAA1196 protein                                  | 1.7          | other          |
| 60 | 121775 AA421773                    | Hs.161008<br>Hs.125133 | ESTs<br>hypothetical protein FLJ22501             | 6.7          | other          |
| 60 | 121776 AA292579                    | Hs.98376               | ESTs  | 10.5         | other          |
|    | 121786 AI810774<br>121832 AW340797 | Hs.98434               | ESTs  | 5.9          | other          |
|    | 121836 AA328348                    | Hs.218289              | ESTs  | 3.9          | other          |
|    | 121839 AA425691                    | Hs.191606              | ESTs, Highly similar to KIAA1048 protein          | , 5          | other          |
| 65 | 121842 AF027406                    | Hs.104865              | serine/threonine kinase 23                        | 2.7          | ?              |
| -  | 121847 AA446628                    | Hs.2799                | cartilage linking protein 1                       | 2.3          | other<br>TM    |
|    | 121871 AW972668                    | Hs.293044              | ESTs  | 2.9          | i ivi          |

|            |        |                      |                        | ·  |              |                |
|------------|--------|----------------------|------------------------|--|--------------|----------------|
|            | 121882 | AA426376             | Hs.98459               | ESTs   | 5            | . other        |
|            |        | AA427950             |                        | gb:zw50f02.s1 Soares_total_fetus_Nb2HF8_         | 7.3          | TM             |
|            |        | AA428179             | Hs.223405              | ESTs, Moderately similar to A46010 X-lin         | 2.5          | other          |
| _          |        | AA428647             | Hs.98611               | EST  | 2.3          | other -        |
| 5          |        | AA298760             | Hs.180191              | hypothetical protein FLJ14904                    | 3.4          | other          |
|            |        | AI862570             | Hs.299214              | Homo sapiens, done IMAGE:2822295, mRNA,          | 11.4         | other          |
|            |        | AA210863             | Hs.3532                | nemo-like kinase                                 | 3.8          | ?              |
|            |        | AA430211             | Hs.98668               | EST Home contains of NA+EL 120963 fix closes A   | 6.5<br>2.2   | other<br>other |
| 10         |        | AW292763<br>AA431085 | Hs.160822<br>Hs.98706  | Homo saplens cDNA: FLJ20863 fis, clone A<br>ESTs | 6.6          | other          |
| 10         |        | W92142               | Hs.271963              | ESTs, Weakly similar to ALU5_HUMAN ALU S         | 13.1         | other          |
|            |        | AI453076             | Hs.166109              | ELAV (embryonic lethal, abnormal vision,         | 9.1          | other          |
|            |        | AA431738             | Hs.98750               | EST  | 13.1         | ?              |
|            |        | AW161023             | Hs.104921              | ESTs   | 1.5          | other          |
| 15         |        | AA398838             |                        | gb:zt80d01.r1 Soares_testis_NHT Homo sap         | 3.4          | other          |
|            |        | AA435936             | Hs.98842               | EST  | 5.6          | other          |
|            | 122246 | AA329550             | Hs.29417               | HCF-binding transcription factor Zhangfe         | 5.2          | other          |
|            | 122257 | AA436819             | Hs.98899               | ESTs   | 5.6          | other          |
| •          |        | AA441801             | Hs.104947              | ESTs   | 5.8          | other          |
| 20         |        | AW601969             | Hs.99010               | hypothetical protein FLJ22263 similar to         | 2            | other          |
|            |        | AA443794             | Hs.98390               | ESTs   | 7.4          | SS,TM          |
|            |        | AA443985             | Hs.303222              | ESTs   | 12.2         | ?              |
|            |        | AA868555             | Hs.178222              | ESTs   | 5            | ?              |
| 25         |        | AA446008             | Hs.336677              | EST  | 7.8          | ?<br>?         |
| 23         |        | AB032948<br>AA446572 | Hs.21356<br>Hs.303223  | hypothetical protein DKFZp762K2015<br>EST        | 2.5<br>2.8   | ΤŃ             |
|            |        | AA446869             | Hs.119316              | ESTs   | 7.4          | other          |
|            |        | AA446918             | Hs.99088               | EST  | 1.9          | other          |
|            |        | AA446966             | Hs.99090               | ESTs. Moderately similar to similar to K         | 6.9          | 7              |
| 30         |        | AW505139             | Hs.9460                | Homo sapiens mRNA; cDNA DKFZp547C244 (fr         | 2.6          | other          |
| • •        |        | AA447603             | Hs.99123               | EST  | 1.8          | TM             |
|            |        | AA447626             | Hs.99127               | EST  | 3.5          | other          |
|            | 122458 | Al266159             | Hs.104980              | ESTs   | 1.5          | other          |
|            | 122460 | AW418788             | Hs.99148               | ESTs, Weakly similar to S43569 R01H10.6          | 9.7          | other          |
| 35         |        | AA448158             | Hs.99152               | EST  | 4.9          | other          |
|            |        | AA448349             | Hs.238151              | EST  | 6.2          | ?              |
|            |        | AA448417             | Hs.104990              | ESTs   | 5.5          | other          |
|            |        | AA204969             | Hs.234863              | Homo sapiens cDNA FLJ12082 fis, clone HE         | 1.3          | other          |
| 40         |        | AA449232             | Hs.99195<br>Hs.40368   | ESTs   | 11.2<br>10.1 | ?<br>other     |
| 40         |        | AW959741<br>AA779725 | Hs.164589              | adaptor-related protein complex 1, sigma<br>ESTs | 2.5          | SS.            |
|            |        | AA194055             | Hs.293858              | ESTs   | 1.9          | other          |
|            |        | AA452578             | Hs.262907              | ESTs   | 9.5          | other          |
|            |        | AA452601             | Hs.99287               | EST  | 11           | 3              |
| 45         |        | AK001910             | Hs.99303               | Homo sapiens cDNA FLJ11048 fis, clone PL         | 3.4          | other          |
|            |        | AB040893             | Hs.6968                | KIAA1460 protein                                 | 2            | other          |
|            |        | AI028173             | Hs.99329 -             | ESTs   | 4.7          | ?              |
| •          | 122599 | AL355841             | Hs.99330               | hypothetical protein FLJ23588                    | 4.4          | ?              |
|            | 122602 | AA411925             | Hs.301960              | ESTs   | 4.7          | other          |
| 50         |        | AA453518             | Hs.98023               | ESTs   | 61.5         | other          |
|            |        | AA453630             | Hs.99339               | EST  | 10.7         | ?              |
|            |        | AA453638             | Hs.161873              | ESTs   | 107.3        | ?              |
|            |        | Al681535             | Hs.148135              | serine/threonine kinase 33                       | 121.4        | other          |
| <i>E E</i> |        | AA453641             | 11- 444000             | gb:zx48e06.s1 Soares_testis_NHT Homo sap         | 31.1         | SS,            |
| 55         |        | AA453987             | Hs.144802              | ESTs<br>EST-                                     | 5.6<br>8.5   | other<br>SS,   |
|            |        | AA456859<br>Al376875 | Hs.178358<br>Hs.105119 | ESTs<br>EST-                                     | 10.4         | other          |
|            |        | AW204530             | Hs.99500               | ESTs<br>ESTs                                     | 81.8         | ?              |
|            |        | AA461492             | Hs.99545               | Homo saplens cDNA FLJ10658 fis, clone NT         | 3.7          | 'n             |
| 60         |        | AA460581             | Hs.290996              | ESTs   | 4.6          | other          |
| 00         |        | AA461509             | Hs.293565              | ESTs, Weakly similar to putative p150 [H         | 2.7          | TM             |
|            |        | AA460584             | Hs.334386              | ESTs   | 75.3         | other          |
|            |        | AA600235             | Hs.9625                | NIMA (never in mitosis gene a)-related k         | 7.8          | other          |
| _          | 122856 | Al929374             | Hs.75367               | Src-like-adapter                                 | 5.8          | other          |
| 65         |        | AA335721             | Hs.119394              | ESTs   | 1.3          | other          |
|            |        | BE539656             | Hs.283705              | ESTs   | 4.2          | other          |
|            | 122868 | AF005216             | Hs.115541              | Janus kinase 2 (a protein tyrosine kinas         | 5.3          | other          |

PCT/US02/02242

### WO 02/059377

|             |                                     |                        |   |             | •              |
|-------------|-------------------------------------|------------------------|---|-------------|----------------|
|             | 122870 AW576312                     | Hs.318722              | Homo sapiens cDNA: FLJ21766 fls, clone C  | 9.9<br>5.3  | ?<br>other     |
|             | 122872 AW081394                     | Hs.97103               | ESTS  | 13.9        | other          |
|             | 122879 AA769410<br>122907 AA470074  | Hs.128654<br>Hs.169896 | ESTs<br>ESTs  | 11.5        | other          |
| 5           | 122916 AA470140                     | Hs.229170              | EST   | 1.7         | TM             |
| ,           | 122981 AA478951                     | Hs.105629              | ESTs  | 5           | other          |
|             | 123013 AW968324                     | Hs.17384               | ESTs  | 15.4        | other          |
|             | 123016 AW338067                     | Hs.323231              | Homo sapiens cDNA FLJ11946 fis, clone HE  | 2.8         | other<br>other |
| 10          | 123034 AL359571                     | Hs.44054               | ninein (GSK3B interacting protein)  | 8.7<br>8.8  | other          |
| 10          | 123072 Al382600                     | Hs.104308<br>Hs.105661 | ESTs, Weakly similar to KIAA1395 protein<br>ESTs                                    | 4           | ?              |
|             | 123082 AA485360<br>123088 Al343652  | Hs.105667              | ESTs  | 3.8         | other          |
|             | 123110 AA486256                     | Hs.193510              | EST   | 7.4         | other          |
|             | 123114 BE304942                     | Hs.265848              | myomegalin  | 2.8         | ?              |
| 15          | 123131 T52027                       | Hs.271795              | ESTs, Weakly similar to 138022 hypotheti  | 2.4         | other<br>TM    |
|             | 123132 AI061582                     | Hs.324179              | Homo sapiens cDNA FLJ12371 fis, done MA   | 15.6<br>5.2 | other          |
|             | 123136 AW451999                     | Hs.194024              | ESTs .  | 23.8        | TM             |
|             | 123149 A1734179<br>123152 AW601773  | Hs.105676<br>Hs.270259 | ESTS  | 5.2         | other          |
| 20          | 123258 AA490929                     | Hs.105274              | ESTs, Weakly similar to RMS1_HUMAN REGUL  | 9.3         | ?              |
| <i>2</i> -0 | 123315 AA496369                     | 115.10027              | gb:zv37d10.s1 Soares ovary tumor NbHOT H  | 4.2         | TM             |
|             | 123369 AA504757                     | Hs.105738              | ESTs  | 7           | other          |
|             | 123394 AA731404                     | Hs.105510              | ESTs  | 3.7         | other<br>other |
| ~ ~         | 123433 AW450922                     | Hs.112478              | ESTs  | 3.8<br>7.4  | other          |
| 25          | 123466 AA599042                     | Hs.112503              | EST<br>Human DNA sequence from clone RP11-110H4                                     | 3.5         | other          |
|             | 123470 AW303285<br>123471 AB021644  | Hs.303632<br>Hs.197219 | zinc finger protein 14 (KOX 6)  | 5.2         | ?              |
|             | 123471 AB021044<br>123475 BE439553  | Hs.250528              | Homo sapiens, clone IMAGE:4098694, mRNA,  | 1.7         | other          |
|             | 123482 N95059                       | Hs.55098               | ESTs  | 1.6         | other          |
| 30          | 123486 BE019072                     | Hs.334802              | Homo sapiens cDNA FLJ14680 fis, done NT   | 2.4         | other          |
|             | 123508 AW380388                     | Hs.155546              | KIAA1080 protein; Golgi-associated, gamm  | 2.2<br>7.9  | TM<br>other    |
|             | 123615 AA609170                     |                        | gb:af12a12.s1 Soares_testis_NHT Homo sap<br>gb:no97c02.s1 NCI_CGAP_Pr2 Homo sapiens | 2.8         | other          |
|             | 123619 AA602964                     |                        | gb:zu71d09.s1 Soares_testis_NHT Homo sap  | 1.7         | ?              |
| 35          | 123658 AA609364<br>123674 AI269609  | Hs.105187              | kinesin protein 9 gene  | 5.7         | ?              |
| 55          | 123735 NM_013241                    | Hs.95231               | FH1/FH2 domain-containing protein   | 10          | other          |
|             | 123738 AA609891                     | Hs.112777              | EST   | 5.2         | other          |
|             | 123753 AA609955                     | Hs.234961              | Huntingtin interacting protein E  | 30.6<br>2.1 | TM<br>other    |
| 40          | 123804 AA620464                     | Hs.261915              | EST, Weakly similar to S65657 alpha-1C-a  | 2.7         | other          |
| 40          | 123811 AA620586                     | Hs.173043              | gb:ae60g05.s1 Stratagene lung carcinoma<br>metastasis-associated 1-like 1           | 6.3         | ?              |
|             | 123951 AB012922<br>123983 AJ272267  | Hs.146178              | choline dehydrogenase   | 4.4         | other          |
|             | 124001 L42542                       | Hs.75447               | ralA binding protein 1  | 7.1         | ?              |
|             | 124006 AI147155                     | Hs.270016              | ESTs  | 8.3         | SS,            |
| 45          | 124070 Al950314                     | Hs.154762              | HIV-1 rev binding protein 2   | 3.8         | other          |
|             | 124074 H05635                       | Hs.294030              | topoisomerase-related function protein 4  | 1.2<br>3.2  | SS,<br>?       |
|             | 124178 BE463721                     | Hs.97101               | putative G protein-coupled receptor<br>ESTs, Weakly similar to AF161356 1 HSPC0     | 5.7         | other          |
|             | 124203 AA372796<br>124352 AA640891  | Hs.269339<br>Hs.102406 | ESTs  | 3.1         | TM             |
| 50          | 124375 D87454                       | Hs.192966              | KIAA0265 protein  | 3.5         | other          |
| 50          | 124385 Al267847                     |                        | gb:aq49a10.x1 Stanley Frontal NB pool 2   | 57.1        | ?              |
|             | 124390 AA317338                     | Hs.7535                | COBW-like protein   | 2.8         | other          |
|             | 124391 AF155099                     | Hs.279780              | NY-REN-18 antigen   | 7.1<br>3.3  | other<br>other |
|             | 124417 N34059                       | 14- 02202              | gb:yv28h09.s1 Soares fetal liver spleen   | 2.9         | other          |
| 55          | 124428 H13540                       | Hs.82202<br>Hs.129043  | ribosomal protein L17<br>Human DNA sequence from clone 989H11 on                    | 7.9         | other          |
|             | 124440 AA532519<br>124466 R10084    | Hs.113319              | kinesin heavy chain member 2  | 2.6         | TM             |
|             | 124482 N53935                       |                        | gb:yv59d09.s1 Soares fetal liver spleen   | 7.9         | TM             |
|             | 124498 H79433                       | Hs.268997              | ESTs  | 7.8         | other          |
| 60          | 124515 AA669097                     | Hs.109370              | ESTs  | 3.3<br>4.6  | other<br>?     |
|             | 124608 N71076                       | Hs.102800              | ESTs, Weakly similar to neuronal thread   | 4.0<br>3.2  | r<br>olher     |
|             | 124631 NM_014053<br>124634 AI765123 | Hs.270594<br>Hs.143671 | FLVCR protein<br>Homo sapiens cDNA FLJ13533 fis, clone PL                           | 5.8         | other          |
|             | 124637 AA160474                     | Hs.75798               | hypothetical protein  | 9.3         | other          |
| 65          | 124642 AW968856                     | Hs.278569              | sorting nexin 17  | 3.5         | other          |
| 55          | 124649 N92593                       | Hs.313054              | ESTs  | 6.1         | TM             |
|             | 124661 R48170                       | Hs.78436               | EphB1   | 5.6         | other          |

|     |                 |            |  |            | ·     |
|-----|-----------------|------------|--|------------|-------|
|     | 124683 AA381661 | Hs.119878  | ESTs, Weakly similar to M3K9_HUMAN MITOG | 7.9        | TM    |
|     | 124712 R09166   | Hs.191148  | ESTs                                     | 5.7        | other |
|     | 124735 R22952   | Hs.268685  | ESTs                                     | 11.3       | ?     |
| _   | 124761 AA374756 | Hs.93560   | Homo sapiens mRNA for KIAA1771 protein,  | 9          | other |
| 5   | 124768 AW368528 | Hs.100855  | ESTs                                     | 8.3        | other |
|     | 124775 R41772   | Hs.100878  | ESTs                                     | 4.9        | other |
|     | 124777 R41933   | Hs.140237  | ESTs, Weakly similar to ALU1_HUMAN ALU S | 2.8        | other |
|     | 124788 R43543   | Hs.100912  | Homo sapiens cDNA: FLJ22726 fis, clone H | 5.1        | other |
|     | 124809 AL355722 | Hs.106875  | Homo sapiens EST from clone 35214, full  | 4.2        | other |
| 10  | 124811 R46068   | Hs.288912  | hypothetical protein FLJ22604            | 14.2       | other |
|     | 124812 R47948   | Hs.188732  | ESTs                                     | 7.9        | other |
|     | 124822 AA418160 | Hs.86043   | Homo sapiens cDNA FLJ13558 fis, clone PL | 6.6        | other |
|     | 124825 AA501669 | Hs.336693  | ESTs                                     | 2.3        | SS,TM |
|     | 124833 AW975868 | Hs.294100  | ESTs                                     | 2.7        | SS,TM |
| 15  | 124857 R63652   | Hs.137190  | ESTs                                     | 2.3        | other |
| 10  | 124860 R65763   | Hs.101477  | EST                                      | 23.9       | ?     |
|     | 124863 Al382555 | Hs.127950  | bromodomain-containing 1                 | 2          | other |
|     | 124876 AF135422 | Hs.27059   | GDP-mannose pyrophosphorylase A          | 4.4        | SS,   |
|     | 124878 BE397530 | Hs.288057  | hypothetical protein FLJ22242            | 2.7        | other |
| 20  | 124902 H37941   | Hs.101883  | ESTs                                     | 5.7        | other |
| 20  | 124903 AW296713 | Hs.221441  | ESTs                                     | 32.4       | other |
|     |                 | Hs.173939  | ESTs, Weakly similar to ALUB_HUMAN !!!!  | 22.8       | other |
|     | 124930 Al076343 |            | ESTs, Moderately similar to B34087 hypot | 6.1        | other |
|     | 124942 R99978   | Hs.268892  |  | 1.9        | other |
| 25  | 124958 A1078645 | Hs.431     | murine teukemia viral (bmi-1) oncogene h | 4.5        | ?     |
| 25  | 124980 T40841   | Hs.98681   | ESTS                                     | 4.9        | other |
|     | 125002 T59338   | Hs.269463  | ESTs, Weakly similar to ALU1_HUMAN ALU S |            | ?     |
|     | 125047 T79815   | Hs.279793  | ESTs                                     | 5<br>135.3 | ?     |
|     | 125051 T79956   | Hs.100588  | EST                                      |            |       |
| 20  | 125056 T81310   | Hs.100592  | ESTs                                     | 5.4        | other |
| 30  | 125101 Al472068 | Hs.286236  | KIAA1856 protein                         | 5.6        | other |
|     | 125113 T96595   | Hs.302270  | ESTs, Weakly similar to ALUF_HUMAN IIII  | 1.8        | other |
|     | 125115 T97341   |            | gb:ye57e05.s1 Soares fetal liver spleen  | 9.6        | ?     |
|     | 125125 Al222382 | Hs.240767  | Human DNA sequence from clone RP1-12G14  | 1.5        | TM    |
| ~ ~ | 125147 W38150   |            | Empirically selected from AFFX single pr | 1.7        | ?     |
| 35  | 125161 W44657   | Hs.144232  | EST                                      | 10.7       | ?     |
|     | 125249 AA630863 | Hs.131375  | ESTs, Moderately similar to ALUB_HUMAN ! | 1.3        | other |
|     | 125255 AF098162 | Hs.118631  | timetess (Drosophila) homolog            | 9.4        | other |
|     | 125279 AW401809 | Hs.4779    | KIAA1150 protein                         | 1.5        | ?     |
|     | 125280 AI123705 | Hs.106932  | ESTs                                     | 8.1        | ?     |
| 40  | 125298 AW972542 | Hs.289008  | Homo sapiens cDNA: FLJ21814 fis, clone H | 1.5        | other |
|     | 125660 AW292171 | Hs.23978   | scaffold attachment factor B             | 5.9        | other |
|     | 125827 NM_00340 | 3 Hs.97496 | YY1 transcription factor                 | 1.2        | ?     |
|     | 125891 U29589   | Hs.7138    | cholinergic receptor, muscarinic 3       | 6.5        | ?     |
|     | 126005 AW409701 | Hs.1578    | baculoviral IAP repeat-containing 5 (sur | 14.3       | ?     |
| 45  | 126202 AA157632 | Hs.272630  | vacuolar proton pump delta polypeptide   | 2.5        | SS,   |
|     | 126695 AA643322 | Hs.172028  | a disintegrin and metalloproteinase doma | 9.1        | SS,TM |
|     | 127050 AW411066 |            | CGI-89 protein                           | 17         | other |
|     | 127274 AW966158 |            | Homo sapiens cDNA FLJ12789 fis, clone NT | 12.8       | other |
|     | 128355 AW293012 |            | ESTs                                     | 7.4        | SS,   |
| 50  | 128493 D87466   | Hs.240112  | KIAA0276 protein                         | 3.1        | TM    |
| -   | 128522 BE173977 | Hs.10098   | putative nucleolar RNA helicase          | 9.4        | other |
|     | 128527 AA504583 | Hs.101047  | transcription factor 3 (E2A Immunoglobul | 1.5        | other |
|     | 128528 R39234   | Hs.251699  | ESTs, Weakly similar to IDN4-GGTR14 [H.s | 2.8        | other |
|     | 128595 U31875   | Hs.272499  | short-chain alcohol dehydrogenase family | 12.1       | TM    |
| 55  | 128599 NM_01536 |            | Rho GTPase activating protein 8          | 2.4        | ?     |
| "   | 128604 AI879099 | Hs.102397  | GIOT-3 for gonadotropin inducible transc | 1.3        | other |
|     | 128608 BE267994 | Hs.102419  | zinc finger protein                      | 7.2        | other |
|     | 128625 AB037841 | Hs.102652  | hypothetical protein ASH1                | 1.3        | other |
|     | 128629 AL096748 | Hs.102032  | DKFZP434A043 protein                     | 3.2        | other |
| 60  | 128639 AW582962 |            | CGI-47 protein                           | 2          | TM    |
| vv  | 128656 AA458542 | Hs.10326   | coatomer protein complex, subunit epsilo | 1.4        | other |
|     | 128658 BE397354 | Hs.324830  | diptheria toxin resistance protein requi | 2.5        | other |
|     | 128670 AA975486 | Hs.103441  | Homo sapiens, Similar to RIKEN cDNA 1700 | 7.1        | 7     |
| •   | 128691 W27939   | Hs.103834  | hypothetical protein MGC5576             | 7.8        | ?     |
| 65  | 128696 BE081143 |            | nuclear receptor coactivator 3           | 3.8        | other |
| U)  | 128700 Y15221   | Hs.103982  | small inducible cytokine subfamily B (Cy | 1.6        | other |
|     | 128714 T85231   | Hs.179661  | tubulin, beta 5                          | 7.8        | other |
|     | 1501 14 100501  | 119,173001 | usoul, bou v                             |            | 90101 |

|     | 128717 AK001564                    | Hs.104222              | hypothetical protein FLJ10702   | 5.5         | other          |
|-----|------------------------------------|------------------------|---|-------------|----------------|
|     | 128733 BE147740                    | Hs.104558              | ESTs, Moderately similar to I38022 hypot  | 2.7         | TM             |
|     | 128737 AF292100                    | Hs.104613              | RP42 homolog  | 2.8         | TM<br>?        |
| _   | 128742 AA307211                    | Hs.251531              | proteasome (prosome, macropain) subunit,  | 4.5<br>2.2  | other          |
| 5   | 128746 Al470163                    | Hs.323342              | actin related protein 2/3 complex, subun  | 2.8         | other          |
|     | 128747 AB027249                    | Hs.104741<br>Hs.105097 | PDZ-binding kinase; T-cell originated pr<br>thymidine kinase 1, soluble           | 5.4         | other          |
|     | 128772 BE302796<br>128781 N71826   | Hs.105465              | small nuclear ribonucleoprotein polypept  | 53.9        | TM             |
|     | 128797 NM_002975                   | Hs.105927              | stem cell growth factor, lymphocyte secr  | 13.3        | other          |
| 10  | 128806 AW630942                    | Hs.106061              | RD RNA-binding protein  | 2.6         | other          |
| 10  | 128814 AW248431                    | Hs.256526              | nuclear prelamin A recognition factor   | 2.2         | other          |
|     | 128830 BE281170                    | Hs.106357              | valosin-containing protein  | 6           | other<br>SS,   |
|     | 128835 AK001731                    | Hs.106390              | Homo sapiens mRNA; cDNA DKFZp586H0924 (f  | 1.6<br>2.3  | other          |
|     | 128854 BE159181                    | Hs.168232              | hypothetical protein FLJ13855   | 1.5         | ?              |
| 15  | 128871 AF189723                    | Hs.106778              | ATPase, Ca++ transporting, type 2C, memb epithelial protein lost in neoplasm beta | 4.8         | other          |
|     | 128906 R57988                      | Hs.10706<br>Hs.166468  | programmed cell death 5   | 1.4         | other          |
|     | 128920 AA622037<br>128925 R67419   | Hs.21851               | Homo sapiens cDNA FLJ12900 fis, clone NT  | 1.9         | other          |
|     | 128946 Y13153                      | Hs.107318              | kynurenine 3-monooxygenase (kynurenine 3  | 7.3         | ?              |
| 20  | 128949 AA009647                    | Hs.8850                | a disintegrin and metalloproteinase doma  | 2.5         | other          |
| 20  | 128959 AI580127                    | Hs.107381              | hypothetical protein FLJ11200   | 1.3         | other          |
|     | 128965 AW150697                    | Hs.107418              | ESTs  | 1.4         | ?<br>other     |
|     | 128970 Al375672                    | Hs.165028              | ESTs  | 1.3<br>14   | other          |
| 0.5 | 128975 BE560779                    | Hs.284233              | NICE-5 protein<br>Homo sapiens cDNA FLJ14028 fis, clone HE                        | 1.6         | TM             |
| 25  | 128979 AW271217                    | Hs.281434              | DKFZP566C243 protein  | 1.9         | other          |
|     | 128995 AI816224<br>129019 AI950087 | Hs.107747              | gb:wq05c02x1 NCI_CGAP_Kid12 Homo sapien   | 2.9         | other          |
|     | 129019 Al950067<br>129021 AL044675 | Hs.173081              | KIAA0530 protein  | 3.8         | other          |
|     | 129032 R80088                      | Hs.108104              | ubiquitin-conjugating enzyme E2L 3  | 3.4         | other          |
| 30  | 129076 AW296806                    | Hs.326234              | ESTs, Highly similar to T46422 hypotheti  | 5           | other          |
|     | 129078 Al351010                    | Hs.102267              | lysosomal   | 2.1         | other<br>other |
|     | 129088 AA744610                    | Hs.194431              | palladin  | 17.1<br>2.7 | other          |
|     | 129095 L12350                      | Hs.108623              | thrombospondin 2  | 20.9        | TM             |
| 26  | 129096 AA463189                    | Hs.288906              | www Domain-Containing Gene<br>zinc finger protein 22 (KOX 15)                     | 3           | other          |
| 35  | 129097 BE243933                    | Hs.108642<br>Hs.108660 | ATP-binding cassette, sub-family C (CFTR  | 5.8         | TM             |
|     | 129099 AF146074<br>129136 W93048   | Hs.250723              | hypothetical protein MGC2747  | 6           | other          |
|     | 129149 AA356620                    | Hs.108947              | KIAA0050 gene product   | 6.4         | TM             |
|     | 129172 AW162916                    | Hs.241576              | hypothetical protein PRO2577  | 1.8         | TM             |
| 40  | 129192 AA286914                    | Hs.183299              | ESTs  | 2.1         | ?<br>SS,TM     |
|     | 129194 AA150797                    | Hs.109276              | latexin protein   | 3.3<br>5.9  | other          |
|     | 129198 N57532                      | Hs.109315              | KIAA1415 protein osteoglycin (osteoinductive factor, mime                         | 8.1         | other          |
|     | 129207 Al934365                    | Hs.109439              | tyrosyl-IRNA synthetase   | 2.9         | other          |
| 45  | 129228 U40714                      | Hs.239307<br>Hs.109643 | polyadenylate binding protein-interactin  | 3.3         | ?              |
| 43  | 129229 AF013758<br>129254 AA252468 | Hs.1098                | DKFZp434J1813 protein   | 2.6         | SS,TM          |
|     | 129255 AI961727                    | Hs.109804              | H1 histone family, member X   | 7.4         | other          |
|     | 129288 W26392                      | Hs.110080              | ESTs, Weakly similar to S13495 pregnancy  | 9.6         | other          |
|     | 129296 Al051967                    | Hs.110122              | ESTs  | 1.2         | other<br>other |
| 50  | 129323 AA287239                    | Hs.5518                | Homo saplens cDNA FLJ11311 fis, clone PL  | 5.2<br>4.7  | SS,            |
|     | 129340 H75334                      | Hs.11050               | F-box only protein 9<br>melanoma-associated antigen recognised b                  | 7.7         | TM             |
|     | 129347 BE614192                    | Hs.279869<br>Hs.110736 | solute carrier family 12 (sodium/potassi  | 6.7         | TM             |
|     | 129362 U30246<br>129366 BE220806   | Hs.184697              | Homo saplens clone 23785 mRNA sequence  | 8.6         | SS,            |
| 55  | 129370 Al686379                    | Hs.110796              | SAR1 protein  | 1.4         | TM             |
| 33  | 129372 NM_016039                   | 11 440000              | CGL99 nmtein  | 2_          | other          |
|     | 129403 AF149785                    | Hs.111126              | pituitary tumor-transforming 1 interacti  | 7.5         | other          |
|     | 129404 Al267700                    | Hs.317584              | ESTs FI 1000 47   | 5.1<br>10.2 | other<br>other |
|     | 129423 AA204686                    | Hs.234149              | hypothetical protein FLJ20647   | 6.8         | other          |
| 60  | 129482 AA188185                    | Hs.289043              | spindlin<br>hypotheticat protein AL110115   | 7.1         | SS,            |
|     | 129513 AW843633                    | Hs.306163<br>Hs.112227 | membrane-associated nucleic acid binding  | 2.5         | other          |
|     | 129515 AF255303<br>129527 AA769221 | Hs.112227<br>Hs.270847 | delta-tubulin   | 3.2         | other          |
|     | 129559 W01296                      | Hs.11360               | hypothetical protein FLJ14784   | 7.5         | other          |
| 65  | 129560 AA317841                    | Hs.7845                | hypothetical protein MGC2752  | 6.8         | other          |
| 33  | 129570 Al923097                    | Hs.11441               | chromosome 1 open reading frame 8   | 2.1         | other<br>other |
|     | 129575 F08282                      | Hs.278428              | progestin Induced protein   | 1.6         | Ouler          |

|            |        | H14718    | Hs.11506  | Human clone 23589 mRNA sequence          | 6.8         | other      |
|------------|--------|-----------|-----------|--|-------------|------------|
|            |        | BE408300  | Hs.301862 | postmeiotic segregation Increased 2-like | 1.4         | TM         |
|            |        | N57423    | Hs.179898 | HSPC055 protein                          | 7.4         | other      |
| -          |        | AW403724  | Hs.36989  | coagulation factor VII (serum prothrombi | 9           | ?          |
| 5          |        | AF035537  | Hs.115521 | REV3 (yeast homolog)-like, catalytic sub | 1.6         | other      |
|            |        | U38945    | Hs.1174   | cyclin-dependent kinase Inhibitor 2A (me | 2.2         | other      |
|            |        | AD000092  | Hs.16488  | calreticulin                             | 3.3         | other      |
|            |        | NM_015556 | Hs.172180 | KIAA0440 protein                         | 13.4        | other      |
| 10         |        | U03749    |           | gb:Human chromogranin A (CHGA) gene, pro | 14.1        | ?          |
| 10         |        | AW748482  | Hs.77873  | B7 homolog 3                             | 2.6         | other      |
|            |        | A1304966  | Hs.12035  | ESTs, Weakly similar to 138022 hypotheti | 7.5         | TM         |
|            |        | AA156214  | Hs.12152  | APMCF1 protein                           | 2 .         | other      |
|            |        | NM_001415 | Hs.211539 | eukaryotic translation initiation factor | 1.7         | TM         |
| 1.5        |        |           | Hs.12457  | hypothetical protein FLJ10814            | 1.8         | other      |
| 15         |        | AA394090  | Hs.12460  | Homo sapiens clone 23870 mRNA sequence   | 5.5         | TM         |
|            |        | AF052112  | Hs.12540  | lysosomal                                | 1.7         | ?          |
|            |        | AB023148  | Hs.173373 | KIAA0931 protein                         | • 1.2       | other      |
|            |        | BE565817  | Hs.26498  | hypothetical protein FLJ21657            | 3.1         | other      |
| 20         |        | NM_006590 | Hs.12820  | SnRNP assembly defective 1 homolog       | 1.8         | other      |
| 20         |        | AL049999  | Hs.85963  | DKFZP564M182 protein                     | 2.3         | other      |
|            |        | Al393237  | Hs.129914 | runt-related transcription factor 1 (acu | 1.7         | SS,        |
|            |        | Al222069  | Hs.13015  | hypothetical protein similar to mouse Dn | 2.8         | TM         |
|            |        | BE514376  | Hs.165998 | PAI-1 mRNA-binding protein               | 1.8         | other      |
| 25         |        | AA412195  | Hs.13740  | ESTs                                     | 2.5         | other      |
| 25         |        | AW753185  | Hs.180628 | dynamin 1-like                           | 1.8         | ?          |
|            |        | U09848    | Hs.132390 | zinc finger protein 36 (KOX 18)          | 1.3         | other      |
|            |        | AA301116  | Hs.142838 | nucleolar phosphoprotein Nopp34          | 1.6         | other      |
|            |        | AA287325  | Hs.14713  | ESTs                                     | 4.1         | other      |
| 20         |        | S73265    | Hs.1473   | gastrin-releasing peptide                | 1.9         | other      |
| 30         |        | AL046962  | Hs.14845  | forkhead box O3A                         | 2.8         | other      |
|            |        | AL135561  | Hs.14891  | hypothetical protein FLJ21047            | 2.3         | other      |
|            |        | X53002    | Hs.149846 | Integrin, beta 5                         | 2.3         | other      |
|            |        | AA916785  | Hs.180610 | splicing factor proline/glutamine rich ( | 3           | other      |
| 25         |        | L76937    | Hs.150477 | Werner syndrome                          | 1.8         | other      |
| 35         |        | AA311426  | Hs.21635  | tubulin, gamma 1                         | 6.1         | other      |
|            |        | NM_003358 | Hs.23703  | ESTs, Moderately similar to CEGT_HUMAN C | 1.6         | other      |
|            |        | D80001    | Hs.152629 | KIAA0179 protein                         | 1.3         | other      |
|            |        | R85367    | Hs.51957  | splicing factor, arginine/serine-rich 2, | 2           | other      |
| 40         |        | AL035588  | Hs.153203 | MyoD family inhibitor                    | 3.2         | other      |
| 40         |        | X79201    | Hs.153221 | synovial sarcoma, translocated to X chro | 5.4         | ?          |
|            |        | D81983    | Hs.322852 | GAS2-related on chromosome 22            | 4.9         | other      |
|            |        | NM_002497 | Hs.153704 | NIMA (never in mitosis gene a)-related k | 1.4         | other      |
|            |        | AA479005  | Hs.154036 | tumor suppressing subtransferable candid | 2.6         | other      |
| 15         |        | AB011121  | Hs.154248 | amyotrophic lateral sclerosis 2 (juvenil | 6.3         | other      |
| 45         |        | Z19084    | Hs.172210 | MUF1 protein                             | 6.2         | other      |
|            |        | AF127577  | Hs.155017 | nuclear receptor Interacting protein 1   | 2.4         | other      |
|            |        | AJ224442  | Hs.155020 | putative methyltransferase               | 3.5         | TM         |
|            |        | NM_013449 | Hs.277401 | bromodomain adjacent to zinc finger doma | 8.5         | other      |
| 50         |        | AL135301  | Hs.8768   | hypothetical protein FLJ10849            | 1.4         | other      |
| 50         |        | AI077464  | Hs.5011   | RNA binding motif protein 9              | 3.3         | ?          |
|            |        | N89487    | Hs.155291 | KIAA0005 gene product                    | 1.8         | other      |
|            |        | AW374106  | Hs.155356 | hypothetical protein MGC2840 similar to  | 3.4         | other      |
|            |        | BE385099  | Hs.334727 | hypothetical protein MGC3017             | 2.3         | other      |
|            |        | NM_001197 | Hs.155419 | BCL2-Interacting killer (apoptosis-induc | 2.7         | TM         |
| 55         |        | AF037448  | Hs.155489 | NS1-associated protein 1                 | 1.8         | other      |
|            |        | U63630    | HS.155637 | protein kinase, DNA-activated, catalytic | 2.3         | other      |
|            |        | BE513202  | Hs.15589  | PPAR binding protein                     | 4           | TM         |
|            |        | D90041    | Hs.155956 | N-acetyltransferase 1 (arylamine N-acety | 33.6        | ?          |
| <b>C</b> O |        | BE245851  | Hs.180779 | H2B histone family, member B             | 5           | other      |
| 60         |        | U49844    | Hs.77613  | ataxta telangiectasia and Rad3 related   | 4.4         | other      |
|            |        | L38951    | Hs.180446 | karyopherin (importin) beta 1            | 1.6         | SS,TM      |
|            |        | BE208491  | Hs.295112 | KIAA0618 gene product                    | 16.1        | other      |
|            |        | L32137    | Hs.1584   | cartilage oligomeric matrix protein (pse | 6.1         | other      |
| 65         |        | AW876523  | Hs.15929  | hypothetical protein FLJ12910            | 2.1         | other      |
| 65         |        | AA321238  | Hs.4310   | eukaryotic translation initiation factor | 1.5         | other      |
|            |        | AF062649  | Hs.252587 | pituitary tumor-transforming 1           | 14.4<br>4.8 | ?<br>Ofhor |
|            | 120000 | Al907018  | Hs.15977  | Empirically selected from AFFX single pr | 4.8         | other      |

|     |                                      |                       |  | _            |                |
|-----|--------------------------------------|-----------------------|--|--------------|----------------|
|     | 130567 AA383092                      | Hs.1608               | replication protein A3 (14kD)  | 8            | other          |
|     | 130568 AA232119                      | Hs.16085              | putative G-protein coupled receptor  | 3.4<br>1.2   | other<br>other |
|     | 130574 AF083208                      | Hs.16178              | apoptosis antagonizing transcription fac   | 1.4          | other          |
| _   | 130598 AL042210                      | Hs.16493              | hypothetical protein DKFZp762N2316; KIAA<br>ESTs                                 | 1.5          | TM             |
| 5   | 130601 AA609738<br>130614 AI354355   | Hs.16525<br>Hs.16697  | down-regulator of transcription 1, TBP-b   | 1.3          | other          |
|     | 130617 M90516                        | Hs.1674               | glutamine-fructose-6-phosphate transamin   | 12.1         | TM             |
|     | 130618 AA383439                      | Hs.16758              | Spir-1 protein   | 15.9         | other          |
|     | 130667 BE246961                      | Hs.17639              | Homo sapiens ubiquitin protein ligase (U   | 13.9         | other          |
| 10  | 130674 AL048842                      | Hs.194019             | attractin  | 1.5          | other          |
|     | 130675 AA442233                      | Hs.17731              | hypothetical protein FLJ12892  | 5.4          | other          |
|     | 130692 AA652501                      | Hs.13561              | hypothetical protein MGC4692   | 5<br>2       | other<br>other |
|     | 130693 R68537                        | Hs.17962              | ESTs   | 1.8          | TM             |
| 1.5 | 130712 AJ271881                      | Hs.279762             | bromodomain-containing 7 DNA segment on chromosome X (unique) 987                | 2            | TM             |
| 15  | 130714 Al348274                      | Hs.18212              | KIAA0451 gene product  | 3.8          | ?              |
|     | 130730 AB007920                      | Hs.18586<br>Hs.18747  | POP7 (processing of precursor, S. cerevi   | 3.2          | ?              |
|     | 130744 H59696<br>130751 AF052105     | Hs.18879              | chromosome 12 open reading frame   | 1.4          | other          |
|     | 130757 AL036067                      | Hs.18925              | protein x 0001   | 5.7          | other          |
| 20  | 130768 AF258627                      | Hs.211562             | ATP-binding cassette, sub-family A (ABC1   | 5.2          | ?              |
|     | 130789 AK000355                      | Hs.8899               | siduin (silent mating type information   | 1.6          | other          |
|     | 130836 J05068                        | Hs.2012               | transcobalamin I (vitamin B12 binding pr   | 15.7         | SS,            |
|     | 130841 AL157468                      | Hs.325825             | Homo sapiens cDNA FLJ20848 fis, done AD  | 2.8<br>1.5   | other<br>other |
| 25  | 130843 AA447492                      | Hs.20183              | ESTs, Weakly similar to AF164793 1 prote   | 3.5          | other          |
| 25  | 130844 U76248                        | Hs.20191              | seven in absentia (Drosophila) homolog 2<br>putative DNA/chromatin binding motif | 1.7          | other          |
|     | 130855 AJ243706                      | Hs.143323<br>Hs.20509 | HBV pX associated protein-8  | 1.9          | other          |
|     | 130861 NM_016578<br>130879 NM_003416 | Hs.2076               | zinc finger protein 7 (KOX 4, clone HF.1   | 1.4          | other          |
|     | 130880 BE514434                      | Hs.20830              | kinesin-like 2   | 2.1          | TM             |
| 30  | 130892 AL120837                      | Hs.20993              | high-glucose-regulated protein 8   | 2.5          | other          |
| -   | 130898 AB033078                      | Hs.186613             | sphingosine-1-phosphate lyase 1  | 1.7          | other          |
|     | 130911 BE409769                      | Hs.21189              | DnaJ (Hsp40) homolog, subfamily A, membe   | 1.8          | other          |
|     | 130919 N79110                        | Hs.21276              | collagen, type IV, alpha 3 (Goodpasture  | 2.3<br>5.4   | TM<br>other    |
| ~ ~ | 130944 BE382657                      | Hs.21486              | signal transducer and activator of trans   | 2.2          | SS,            |
| 35  | 130971 N39842                        | Hs.301444             | KIAA1673<br>ESTs   | 1.6          | other          |
|     | 130993 T97401<br>131005 AV658308     | Hs.21929<br>Hs.2210   | thyroid hormone receptor interactor 3  | 1.6          | ?              |
|     | 131028 AI879165                      | Hs.2227               | CCAAT/enhancer binding protein (C/EBP),  | 1.2          | other          |
|     | 131042 Al826288                      | Hs.171637             | hypothetical protein MGC2628   | 1.6          | other          |
| 40  | 131046 AA321649                      | Hs.2248               | small inducible cytokine subfamily B (Cy   | 7.4          | ?              |
|     | 131060 AA194422                      | Hs.22564              | myosin VI  | 5.1          | other          |
|     | 131070 N53344                        | Hs.22607              | ESTS   | 7.1<br>2.1   | other<br>TM    |
|     | 131076 AA749230                      | Hs.26433              | dolichyl-phosphate (UDP-N-acetylglucosam   | 7.1          | other          |
| 4.5 | 131099 AL133353                      | Hs.226581             | COX15 (yeast) homolog, cytochrome c oxid nuclear receptor coactivator 2          | 1.9          | ?              |
| 45  | 131174 NM_006540                     | Hs.29131              | cyclin B1  | 5.8          | ?              |
|     | 131185 BE280074<br>131206 AW138839   | Hs.23960<br>Hs.24210  | ESTs   | 2            | other          |
|     | 131213 AA885699                      | Hs.24332              | CGI-26 protein   | 7.1          | TM             |
|     | 131225 H62087                        | Hs.31659              | thyroid hormone receptor-associated prot   | 7.6          | ?              |
| 50  | 131231 N47468                        | Hs.59757              | zinc finger protein 281  | 2.9          | other          |
|     | 131233 D89053                        | Hs.268012             | fatty-acid-Coenzyme A ligase, long-chain   | 3.5          | other<br>?     |
|     | 131243 AW383256                      | Hs.24752              | spectrin SH3 domain binding protein 1  | 2.8<br>2.8   | SS,TM          |
|     | 131245 AL080080                      | Hs.24766              | thioredoxin domain-containing  | 5.6          | other          |
| F F | 131247 AL043100                      | Hs.326190             | fatty acid amide hydrolase<br>ESTs   | 5.8          | other          |
| 55  | 131281 AA251716                      | Hs.25227<br>Hs.339713 | Homo sapiens clone F19374 APO E-C2 gene  | 1.3          | other          |
|     | 131283 X80038<br>131305 AV656017     | Hs.184325             | CGI-76 protein   | 5            | ?              |
|     | 131320 AA505691                      | Hs.145696             | splicing factor (CC1.3)  | 1.8          | TM             |
|     | 131339 AF058696                      | Hs.25812              | Nijmegen breakage syndrome 1 (nibrin)  | 2.6          | other          |
| 60  | 131375 AW293165                      | Hs.143134             | EŚTS   | 5.4          | other          |
|     | 131390 BE269388                      | Hs.182698             | mitochondrial ribosomal protein L20  | 5.3          | other<br>other |
|     | 131410 BE259110                      | Hs.279836             | HSPC166 protein<br>SELENOPHOSPHATE SYNTHETASE; Human                             | 2.2<br>selen | 2              |
|     | 131412 NM_012247                     | Hs.124027             | hypothetical protein FLJ21908  | 1.4          | other          |
|     | 131429 AL046302                      | Hs.26750              | hypothetical protein FLJ20392  | 1.7          | other          |
| 65  | 131458 BE297567<br>131475 AA992841   | Hs.27047<br>Hs.27263  | KIAA1458 protein   | 2            | other          |
|     | 131501 AV661958                      | Hs.8207               | GK001 protein  | 2.6          | other          |
|     | 10100, 717001000                     |                       |  |              |                |

|     |        | AA732153             | Hs.27865             | Homo sapiens cDNA: FLJ21333 fis, clone C                                 | 2           | other          |
|-----|--------|----------------------|----------------------|--|-------------|----------------|
|     |        | AU076408             | Hs.28309             | UDP-glucose dehydrogenase  | 1.6         | TM             |
|     |        | BE268278             | Hs.28393             | hypothetical protein MGC2592   | 7.4         | other          |
| 5   |        | AW966881             | Hs.41639             | programmed cell death 2  | 2.2         | other          |
| )   |        | AL355715             | Hs.28555<br>Hs.28777 | programmed cell death 9 (PDCD9)  | 2.1         | other          |
|     |        | NM_003512<br>T93500  | Hs.28792             | H2A histone family, member L<br>Homo saplens cDNA FLJ11041 fis, clone PL | 1.7<br>5.2  | other<br>other |
|     |        | AL389951             | Hs.271623            | nudeoporin 50kD  | 5.2<br>5    | other          |
|     |        | BE393822             | Hs.29645             | Homo sapiens mRNA; cDNA DKFZp761C029 (fr                                 | 1.8         | other          |
| 10  |        | R78195               | Hs.29692             | Homo sapiens cDNA FLJ11436 fis, clone HE                                 | 1.3         | other          |
| 10  |        | AB037791             | Hs.29716             | hypofhetical protein FLJ10980  | 2.2         | TM             |
|     |        | AW410601             | Hs.30026             | HSPC182 protein  | 3           | other          |
|     |        | AW960597             | Hs.30164             | ESTs   | 1.3         | other          |
|     | 131656 | AI218918             | Hs.30209             | KIAA0854 protein   | 2.8         | other          |
| 15  | 131669 | X52486               | Hs.3041              | uracil-DNA glycosylase 2   | 2.8         | other          |
|     |        | BE559681             | Hs.30736             | KIAA0124 protein   | 5.6         | ?              |
|     |        | AA642831             | Hs.31016             | putative DNA binding protein   | 2.9         | ?              |
|     |        | D13757               | Hs.311               | phosphoribosyl pyrophosphate amidotransf                                 | 3.4         | other          |
| 20  |        | AK001641             | Hs.31323             | inhibitor of kappa light polypeptide gen                                 | 3.9         | ?              |
| 20  |        | A1878932             | Hs.317               | topoisomerase (DNA) I  | 3.4         | other          |
|     |        | AA382590             | Hs.170980            | KIAA0948 protein   | 25.5        | other          |
|     |        | D87077               | Hs.196275            | KIAA0240 protein   | 2.4         | SS,            |
|     |        | AW966127<br>BE501849 | Hs.32246<br>Hs.32317 | Homo sapiens cDNA FLJ14656 fis, clone NT high-mobility group 20B         | 8<br>1.5    | TM<br>other    |
| 25  |        | X86098               | Hs.301449            | adenovirus 5 E1A binding protein   | 4.2         | other          |
| 23  |        | U20536               | Hs.3280              | caspase 6, apoptosis-related cysteine pr                                 | 4.3         | other          |
|     |        | U28838               | Hs.32935             | TATA box binding protein (TBP)-associate                                 | 3.5         | other          |
|     |        | Al251317             | Hs.33184             | ESTs   | 5.2         | TM             |
|     |        | AA083764             | Hs.6101              | hypothetical protein MGC3178   | 5.9         | other          |
| 30  | 131885 | BE502341             | Hs.3402              | ESTs   | 13.7        | other          |
|     |        | AA099014             | Hs.231029            | Homo sapiens, clone MGC:15961, mRNA, com                                 | 8.7         | other          |
|     |        | AF078866             | Hs.284296            | Homo sapiens cDNA: FLJ22993 fis, done K                                  | 5.5         | other          |
|     |        | AA179298             | Hs.3439              | stomatin-like 2  | 11.3        | other          |
| 25  |        | AW207440             | Hs.185973            | degenerative spermatocyte (homolog Droso                                 | 1.7         | SS,            |
| 35  |        | AA025976             | Hs.34569             | ESTs   | 5.2         | TM             |
|     |        | AF151048             | Hs.183180            | anaphase promoting complex subunit 11 (y                                 | 2.8<br>5.4  | · other        |
|     |        | BE541211<br>BE252983 | Hs.34804<br>Hs.35086 | Homo sapiens cDNA FLJ11472 fis, clone HE ubiquitin specific protease 1   | 2.4         | TM<br>other    |
|     |        | AA355113             | Hs.35380             | x 001 protein  | 1.5         | ?              |
| 40  |        | AK000046             | Hs.267448            | hypothetical protein FLJ20039  | 2.3         | other          |
| -10 |        | W79283               | Hs.35962             | ESTs   | 1.4         | other          |
|     |        | BE567100             | Hs.154938            | hypothetical protein MDS025  | 3.5         | other          |
|     | 131977 |                      | Hs.3622              | procollagen-proline, 2-oxoglutarate 4-di                                 | 6.6         | TM             |
|     |        | AA503020             | Hs.36563             | hypothetical protein FLJ22418  | 2.4         | ?              |
| 45  | 131991 | AF053306             | Hs.36708             | budding uninhibited by benzimidazoles 1                                  | 2.2         | SS,TM          |
|     | 132019 | H56995               | Hs.37372             | Homo saplens DNA binding peptide mRNA, p                                 | 3.3         | TM             |
|     |        | BE266155             | Hs.3832              | clathrin-associated protein AP47   | 1.5         | other          |
|     |        | NM_002267            | Hs.3886              | karyopherin alpha 3 (importin alpha 4)                                   | 3.7         | other          |
| 50  |        | BE171921             | Hs.3991              | ESTs   | 1.5         | other          |
| 50  |        | AV645076             | Hs.39959             | ESTs   | 5.8         | TM             |
|     |        | AW960474             | Hs.40289             | ESTs   | 1.7         | other          |
|     |        | AA857025             | Hs.8878              | kinesin-like 1   | 3.4<br>14.7 | other          |
|     | 132194 | NM_004460            | Hs.418<br>Hs.4212    | fibroblast activation protein, alpha<br>ESTs                             | 2.2         | SS,<br>other   |
| 55  |        | BE206939             | Hs.42287             | E2F transcription factor 6   | 1.5         | other          |
| 55  |        | AV658411             | Hs.42656             | KIAA1681 protein   | 5.7         | other          |
|     |        | AI566004             | Hs.141269            | Homo saplens cDNA: FLJ21550 fis, done C                                  | 2.1         | other          |
|     |        | AA301228             | Hs.43299             | hypothetical protein FLJ12890  | 1.5         | other          |
|     |        | AA227710             | Hs.43658             | DKFZP586L151 protein   | 10          | other          |
| 60  |        | AA653507             | Hs.285711            | hypothetical protein FLJ13089  | 2           | other          |
|     | 132288 | N36110               | Hs.305971            | solute carrier family 2 (facilitated glu                                 | 9.2         | other          |
|     |        | AB023191             | Hs.44131             | KIAA0974 protein   | 2           | other          |
|     |        | NM_015986            | Hs.7120              | cytokine receptor-like molecule 9  | 6.6         | SS,            |
| C F |        | AW405882             | Hs.44205             | confistation   | 3.8         | other          |
| 65  | 132325 |                      | Hs.44856             | hypothetical protein FLJ12116  | 1.5         | other          |
|     |        | AW572805             | Hs.46645             | ESTs core1 UDP-galactose:N-acetylgalactosamin                            | 28.3        | ?<br>other     |
|     | 1323/4 | AF155582             | Hs.46744             | wie i oor-gaactose.n-acetytgalactosamin                                  | 1.9         | other          |

|            | 132376 Al279892                     | Hs.46801              | sorting nexin 14<br>HSPCO34 protein                               | 2<br>6.1    | ?              |
|------------|-------------------------------------|-----------------------|---|-------------|----------------|
|            | 132384 AA312135<br>132393 AL135094  | Hs.46967<br>Hs.47334  | hypothetical protein FLJ14495                                     | 1.7         | other          |
|            | 132450 AA100012                     | Hs.48827              | hypothetical protein FLJ12085                                     | 8.6         | other          |
| 5          | 132452 AW973521                     | Hs.247324             | mitochondrial ribosomal protein S14                               | 5.3         | other          |
| •          | 132456 AB011084                     | Hs.48924              | KIAA0512 gene product; ALEX2                                      | 1.5         | other          |
|            | 132470 Al224456                     | Hs.4934               | H.saplens polyA site DNA  | 2           | other<br>SS,   |
|            | 132484 X16660                       | Hs.119007             | RAB4, member RAS oncogene family                                  | 2.9<br>2.2  | other          |
| 10         | 132518 AW885606                     | Hs.5064               | ESTs<br>SEC22, vesicle trafficking protein (S. c                  | 1.7         | other          |
| 10         | 132530 AA306105<br>132532 AA454132  | Hs.50785<br>Hs.5080   | mitochondrial ribosomal protein L16                               | 7.2         | TM             |
|            | 132532 AA434132<br>132534 BE388673  | Hs.5086               | hypothetical protein MGC10433                                     | 2.2         | SS,            |
|            | 132543 BE568452                     | Hs.5101               | protein regulator of cytokinesis 1                                | 2.2         | other          |
|            | 132574 AW631437                     | Hs.5184               | TH1 drosophila homolog  | 14          | ?              |
| 15         | 132596 AK001484                     | Hs.5298               | CGI-45 protein  | 1.9         | other<br>TM    |
|            | 132611 AA345547                     | Hs.53263              | hypothetical protein FLJ13287                                     | 2.6<br>2    | other          |
|            | 132612 H12751                       | Hs.5327               | PRO1914 protein<br>hypothetical protein PRO1855                   | 3.1         | other          |
|            | 132616 BE262677<br>132638 AI796870  | Hs.283558<br>Hs.54277 | DNA segment on chromosome X (unique) 992                          | 12.4        | TM             |
| 20         | 132668 AB018319                     | Hs.5460               | KIAA0776 protein  | 2.8         | SS,            |
| 20         | 132692 AW191962                     | Hs.249239             | collagen, type VIII, alpha 2                                      | 3           | other          |
|            | 132715 F11875                       | Hs.5534               | Homo sapiens cDNA FLJ12961 fis, clone NT                          | 1.8         | other          |
|            | 132718 NM_004600                    | Hs.554                | Sjogren syndrome antigen A2 (60kD, ribon                          | 3.7         | other<br>TM    |
|            | 132724 AI142265                     | Hs.55498              | geranylgeranyl diphosphate synthase 1                             | 1.8<br>5.9  | other          |
| 25         | 132731 Al189075                     | Hs.301872             | hypothetical protein MGC4840<br>glutamyl-prolyl-tRNA synthetase   | 8.7         | other          |
|            | 132744 AA010233<br>132760 AA125985  | Hs.55921<br>Hs.56145  | thymosin, beta, identified in neuroblast                          | 3.6         | other          |
|            | 132771 Y10275                       | Hs.56407              | phosphoserine phosphatase   | 2.8         | TM             |
|            | 132773 AA459713                     | Hs.295901             | KIAA0493 protein  | 14.6        | other          |
| 30         | 132784 AI142133                     | Hs.56845              | GDP dissociation inhibitor 2                                      | 1.7         | other          |
| •          | 132798 AI026701                     | Hs.5716               | KIAA0310 gene product   | 2.5         | other<br>other |
|            | 132807 U07418                       | Hs.57301              | mutL (E. coli) homolog 1 (colon cancer,                           | 1.4<br>4.3  | SS,            |
|            | 132810 AB007944                     | Hs.5737               | KIAA0475 gene product solute carrier family 11 (proton-coupled    | 2.8         | other          |
| 25         | 132813 BE313625                     | Hs.57435              | sex comb on midleg homolog 1                                      | 1.6         | other          |
| 35         | 132815 Al815189<br>132817 N27852    | Hs.57475<br>Hs.57553  | tousled-like kinase 2   | 1.4         | other          |
|            | 132821 AJ251595                     | Hs.169610             | CD44 antigen (homing function and Indian                          | 5.4         | other          |
|            | 132833 U78525                       | Hs.57783              | eukaryotic translation initiation factor                          | 6.1         | ?              |
|            | 132842 NM_016154                    | Hs.279771             | Homo sapiens done PP1596 unknown mRNA                             | 7.2         | other          |
| 40         | 132844 F12200                       | Hs.5811               | chromosome 21 open reading frame 59                               | 2.9<br>6.1  | other<br>other |
|            | 132851 U09716                       | Hs.287912             | lectin, mannose-binding, 1  | 1.8         | other          |
|            | 132869 AW963217                     | Hs.203961             | ESTs, Moderately similar to AF116721 89<br>KIAA1266 protein       | 2.2         | other          |
|            | 132873 AW007683<br>132875 NM_004850 | Hs.58598<br>Hs.58617  | Rho-associated, coiled-coil containing p                          | 5           | TM             |
| 45         | 132891 BE267143                     | Hs.59271              | U2(RNU2) small nuclear RNA auxillary fac                          | 2.7         | ?              |
| 73         | 132897 AW503667                     | Hs.59545              | ring finger protein 15  | 5.4         | ?              |
|            | 132902 AI936442                     | Hs.59838              | hypothetical protein FLJ10808                                     | 3.2         | other          |
|            | 132912 AW732760                     | Hs.167578             | Homo saplens cDNA FLJ11095 fis, clone PL                          | 1.4         | other<br>other |
|            | 132913 W78714                       | Hs.60257              | Homo sapiens cDNA FLJ13598 fis, clone PL                          | 3<br>10.3   | other          |
| 50         | 132940 T79136                       | Hs.127243             | Homo sapiens mRNA for KIAA1724 protein,<br>KIAA0666 protein       | 2.1         | SS,            |
|            | 132942 AA554458                     | Hs.197751             | Homo sapiens mesenchymal stem cell prote                          | 1.3         | other          |
|            | 132952 Al658580<br>132962 AA576635  | Hs.61426<br>Hs.6153   | CGI-48 protein  | 4.9         | other          |
|            | 132972 AA034365                     | Hs.288924             | Homo sapiens cDNA FLJ11392 fis, clone HE                          | 3.6         | TM             |
| 55         | 132973 AA035446                     | Hs.323277             | ESTs  | 13.1        | other          |
| 70         | 132977 AA093322                     | Hs.301404             | RNA binding motif protein 3                                       | 1.3         | other<br>?     |
|            | 132980 AA040696                     | Hs.62016              | ESTs  | 2.3<br>17.1 | other          |
|            | 132994 AA112748                     | Hs.279905             | clone HQ0310 PRO0310p1<br>Homo sapiens, clone IMAGE:3351295, mRNA | 1.9         | other          |
| <i>c</i> 0 | 133012 AA847843                     | Hs.62711              | UDP-N-acetyl-alpha-D-galactosamine:polyp                          | 5           | TM             |
| 60         | 133015 AJ002744<br>133062 AW500374  | Hs.246315<br>Hs.64056 | PRO0149 protein   | 6.1         | other          |
|            | 133062 AVV500374<br>133069 BE247441 | Hs.6430               | protein with polyglutamine repeat; calci                          | 1.5         | TM             |
|            | 133091 AK001628                     | Hs.64691              | KIAA0483 protein  | 1.4         | other          |
|            | 133110 AA808177                     | Hs.65228              | ESTs  | 5.6         | other          |
| 65         | 133134 AF198620                     | Hs.65648              | RNA binding motif protein 8A                                      | 1.9<br>4.8  | other          |
| -          | 133145 H94227                       | Hs.6592               | Homo sapiens, clone IMAGE:2961368, mRNA,                          | 4.8<br>5    | other          |
|            | 133152 Z11695                       | Hs.324473             | mitogen-activated protein kinase 1                                | J           | 50.51          |

|            |        |              |           | •  |      |                                       |     |       |
|------------|--------|--------------|-----------|--|------|---------------------------------------|-----|-------|
|            | 133174 | AA431620     | Hs.324178 | hypothetical protein MGC2745             | 2.7  | other                                 |     |       |
|            | 133175 | AW955632     | Hs.66666  | ESTs, Weakly similar to S19560 proline-r | 9.3  | other                                 |     |       |
|            |        | X97795       | Hs.66718  | RAD54 (S.cerevisiae)-like                | 4.5  | TM                                    |     |       |
|            |        | A1801777     | Hs.6774   | ESTs                                     | 5.5  | TM                                    |     |       |
| 5          |        |              |           |  |      |                                       |     |       |
| ,          |        | AW954569     | Hs.296287 | Homo saplens, Similar to bromodomain-con | 2.7  | other                                 |     |       |
|            |        | Al492924     | Hs.6831   | golgi phosphoprotein 1                   | 1.7  | ?                                     |     |       |
|            |        | Al567421     | Hs.273330 | Homo sapiens, done IMAGE:3544662, mRNA,  | 1.3  | other                                 |     |       |
|            | 133268 | AW956781     | Hs.293937 | ESTs, Weakly similar to FXD2_HUMAN FORKH | 12.2 | other                                 |     |       |
|            | 133291 | BE297855     | Hs.69855  | NRAS-related gene                        | 1.2  | other                                 |     |       |
| 10         |        | AA102670     | Hs.70725  | gamma-aminobutyric acid (GABA) A recepto | 1.7  | TM                                    |     |       |
| . •        |        | T79526       | Hs.179516 | integral type I protein                  | 11.1 | ?                                     |     |       |
|            |        |              |           |  |      |                                       |     |       |
|            |        | AL390127     | Hs.7104   | Kruppel-like factor 13                   | 2.9  | other                                 |     |       |
|            |        | BE257758     | Hs.71475  | acid cluster protein 33                  | 2.5  | ?                                     |     |       |
|            | 133360 | Al016521     | Hs.71816  | v-akt murine thymoma viral oncogene homo | 1.5  | other                                 |     |       |
| 15         | 133366 | AA292811     | Hs.72050  | non-metastatic cells 5, protein expresse | 2.1  | other                                 |     |       |
|            | 133367 | AF231919     | Hs.18759  | KIAA0539 gene product                    | 1.3  | other :                               |     |       |
|            |        | AF245505     | Hs.72157  | DKFZP564I1922 protein                    | 2.2  | other                                 |     |       |
|            |        | AI950382     | Hs.72660  | phosphatidylserine receptor              | 5.7  | TM                                    |     |       |
|            |        |              |           |  | 25.5 |                                       |     |       |
| 20         |        | AW103364     | Hs.727    | inhibin, beta A (activin A, activin AB a |      | other                                 |     |       |
| 20         |        | AA305127     | Hs.237225 | hypothetical protein HT023               | 3.3  | other                                 |     |       |
|            |        | AL031591     | Hs.7370   | phosphotidylinositol transfer protein, b | 1.6  | other                                 |     |       |
|            | 133452 | NM_002759    | Hs.274382 | protein kinase, interferon-inducible dou | 4.1  | other                                 |     |       |
|            |        | Al659306     | Hs.73826  | protein tyrosine phosphatase, non-recept | 1.5  | other                                 |     |       |
|            |        | AW964804     | Hs.74280  | hypothetical protein FLJ22237            | 6.3  | TM                                    |     |       |
| 25         |        | W45623       | Hs.74571  | ADP-ribosylation factor 1                | 4    | ? ·                                   |     |       |
| 23         |        |              |           |  |      |                                       |     |       |
|            |        | AU077073     | Hs.108327 | damage-specific DNA binding protein 1 (1 | 1.8  | ?                                     |     |       |
|            | 133578 | AU077050     | Hs.75066  | translin                                 | 1.5  | other                                 |     |       |
|            | 133579 | X75346       | Hs.75074  | mitogen-activated protein kinase-activat | 3.5  | TM                                    |     |       |
|            | 133582 | BE391579     | Hs.75087  | Fas-activated serine/threonine kinase    | 6.8  | TM                                    |     |       |
| 30         | 133594 | AW160781     | Hs.172589 | nuclear phosphoprotein similar to S. cer | 2.6  | TM                                    |     |       |
|            |        | AA393273     | Hs.75133  | transcription factor 6-like 1 (mitochond | 1.4  | other                                 |     |       |
|            |        | NM_002885    | Hs.75151  | RAP1, GTPase activating protein 1        | 8.1  | other                                 |     |       |
|            |        |              |           |  | 13.5 | other                                 |     |       |
|            |        | NM_004893    | Hs.75258  | H2A histone family, member Y             |      |                                       |     |       |
| 25         |        | NM_002047    | Hs.75280  | glycyl-tRNA synthetase                   | 2.2  | other                                 |     |       |
| 35         | 133631 | NM_000401    | Hs.75334  | exostoses (multiple) 2                   | 1.8  | other                                 |     |       |
|            | 133649 | U25849       | Hs.75393  | acid phosphatase 1, soluble              | 2    | other                                 | •   |       |
|            | 133690 | AV661185     | Hs.75574  | mitochondrial ribosomal protein L19      | 2.8  | other                                 |     |       |
|            |        | L27841       | Hs.75737  | pericentriolar material 1                | 6.8  | other                                 |     |       |
|            |        | AW969976     | Hs.279009 | matrix Gla protein                       | 2.5  | other                                 |     |       |
| 40         |        |              |           |  |      | · · · · · · · · · · · · · · · · · · · | 3.1 | TM    |
| 40         |        | AW402048.com |           | Hs.334787                                |      | piens, Similar to likely ortholog     | 3.1 | 6 141 |
|            |        | T52946       | Hs.196209 | RAE1 (RNA export 1, S.pombe) homolog     | 1.4  | ?                                     |     |       |
|            | 133760 | BE271766     | Hs.181357 | taminin receptor 1 (67kO, ribosomal prot | 5.4  | other                                 |     |       |
|            | 133765 | M62194       | Hs.75929  | cadherin 11, type 2, OB-cadherin (osteob | 5    | other                                 |     |       |
|            | 133780 | AA557660     | Hs.76152  | decorin                                  | 3.8  | other                                 |     |       |
| 45         |        | AL133921     | Hs.76272  | retinoblastoma-binding protein 2         | 3.1  | 7                                     |     |       |
| 13         |        |              |           | peptidylprolyl isomerase B (cyclophilin  | 9.7  | ż                                     |     |       |
|            |        | D50525       | Hs.699    |  |      | ·                                     |     |       |
|            |        | AW797468     | Hs.285013 | putative human HLA class II associated p | 2.4  | other                                 |     | -     |
|            | 133845 | AA147026     | Hs.76704  | ESTs                                     | 2.5  | other                                 |     |       |
|            | 133865 | AB011155     | Hs.170290 | discs, large (Drosophila) homolog 5      | 5    | other                                 |     |       |
| 50         | 133867 | AW340125     | Hs.76989  | KIAA0097 gene product                    | 2.5  | ?                                     |     |       |
|            |        | AB012193     | Hs.183874 | cullin 4A                                | 2.1  | other                                 |     |       |
|            |        | U30825       | Hs.77608  | splicing factor, arginine/serine-rich 9  | 2.8  | TM                                    |     |       |
|            |        |              |           |  |      |                                       |     |       |
|            |        | D86326       | Hs.325948 | vesicle docking protein p115             |      | SS,                                   |     |       |
|            | 133929 | NM_006306    | Hs.211602 | SMC1 (structural maintenance of chromoso | 2    | ?                                     |     |       |
| 55         | 133936 | L17128       | Hs.77719  | gamma-glutamyl carboxylase               | 2.6  | other                                 |     |       |
|            | 133941 | BE244332     | Hs.77770  | adaptor-related protein complex 3, mu 2  | 2.9  | other                                 |     |       |
|            |        | X81789       | Hs.77897  | splicing factor 3a, subunit 3, 60kD      | 10.4 | other                                 |     |       |
|            |        | AI908165     | Hs.169946 | GATA-binding protein 3 (T-cell receptor  | 1.9  | other                                 |     |       |
|            |        |              |           | SWI/SNF related, matrix associated, acti |      |                                       |     |       |
| <b>C</b> O |        | AL040328     | Hs.78202  |  |      | SS,                                   |     |       |
| 60         |        | Al824113     | Hs.78281  | regulator of G-protein signalling 12     | 13   | other                                 |     |       |
|            | 134010 | AB016092     | Hs.197114 | RNA binding protein; AT-rich element bin | 8.8  | other                                 |     |       |
|            | 134015 | D31764       | Hs.278569 | sorting nextn 17                         | 1.5  | SS,                                   | •   |       |
|            |        | NM_003590    | Hs.78946  | cuilin 3                                 | 8.3  | other                                 |     |       |
|            | 134110 | U41060       | Hs.79136  | LIV-1 protein, estrogen regulated        | 2.7  | other                                 |     |       |
| 65         |        | NM_014742    |           | KIAA0255 gene product                    | 4.2  | other                                 |     |       |
| UJ.        |        |              | Hs.79305  |  |      |                                       |     |       |
|            |        | H86504       | Hs.173328 | protein phosphatase 2, regulatory subuni | 1.7  | other                                 |     |       |
|            | 134200 | BE559598     | Hs.197803 | KIAA0160 protein                         | 2.6  | other                                 |     |       |
|            |        |              |           |  |      |                                       |     |       |

|    | 134206 AF107463                    | Hs.79968              | splicing factor 30, survival of motor ne                                      | 1.3<br>1.9  | other<br>other |
|----|------------------------------------|-----------------------|---|-------------|----------------|
|    | 134219 NM_000402                   | Hs.80206<br>Hs.80449  | glucose-6-phosphate dehydrogenase<br>Homo sapiens, cione IMAGE:3535294, mRNA, | 10.3        | SS.            |
|    | 134234 BE300078<br>134275 AI878910 | Hs.3688               | cisplatin resistance-associated overexpr                                      | 2.5         | other          |
| 5  | 134292 Al906291                    | Hs.81234              | immunoglobulin superfamily, member 3  | 1.3         | TM             |
| -  | 134301 AW502505                    | Hs.81360              | Homo sapiens cDNA: FLJ21927 fis, clone H                                      | 1.6         | TM             |
|    | 134305 U61397                      | Hs.81424              | ubiquilin-like 1 (sentrin)  | 2.1         | TM             |
|    | 134324 AB029023                    | Hs.179946             | KIAA1100 protein  | 5.3<br>2.5  | ?<br>TM        |
|    | 134326 AW903838                    | Hs.81800              | chondroitin sulfate proteoglycan 2 (vers                                      | 3.9         | ?              |
| 10 | 134329 N92036                      | Hs.81848              | RAD21 (S. pombe) homolog<br>SEC24 (S. cerevisiae) related gene famil          | 2.4         | TM             |
|    | 134337 NM_004922                   | Hs.81964<br>Hs.82065  | interleukin 6 signal transducer (gp130,                                       | 6.8         | TM             |
|    | 134348 AW291946<br>134367 AA339449 | Hs.82285              | phosphoribosylglycinamide formyltransfer                                      | 2.3         | TM             |
|    | 134376 X06560                      | Hs.82396              | 2',5'-oligoadenylate synthetase 1 (40-46                                      | 5.5         | other          |
| 15 | 134379 AW362124                    | Hs.323193             | hypothetical protein MGC3222  | 5.9         | TM             |
| 13 | 134384 AI589941                    | Hs.8254               | Homo sapiens, Similar to tumor different                                      | 2.2         | other          |
|    | 134391 AA417383                    | Hs.82582              | integrin, beta-like 1 (with EGF-like rep                                      | 2.1         | other          |
|    | 134395 AA456539                    | Hs.8262               | lysosomal   | 2.3<br>72.9 | other<br>other |
| •• | 134405 AW067903                    | Hs.82772              | collagen, type XI, alpha 1  | 4.4         | other          |
| 20 | 134411 BE272095                    | Hs.167791             | reticulocalbin 1, EF-hand calcium bindin                                      | 2.3         | other          |
|    | 134415 A1750762                    | Hs.82911<br>Hs.82985  | protein tyrosine phosphatase type IVA, m collagen, type V, alpha 2            | 6.8         | ?              |
|    | 134421 AU077196<br>134424 Z44190   | Hs.83023              | peroxisomal biogenesis factor 11B   | 2.4         | other          |
|    | 134446 AA112036                    | Hs.83419              | KIAA0252 protein  | 2.9         | other          |
| 25 | 134447 M58603                      | Hs.83428              | nuclear factor of kappa light polypeptid                                      | 6.7         | other          |
|    | 134470 X54942                      | Hs.83758              | CDC28 protein kinase 2  | 2.4         | other          |
|    | 134480 NM_005000                   | Hs.83916              | Empirically selected from AFFX single pr                                      | 6.3         | ?<br>other     |
|    | 134485 X82153                      | Hs.83942              | cathepsin K (pycnodysostosis)   | 1.9<br>1.8  | other          |
| 20 | 134498 AW246273                    | Hs.84131              | threonyl-tRNA synthetase  | 1.4         | other          |
| 30 | 134513 AA425473                    | Hs.84429<br>Hs.273357 | KIAA0971 protein<br>hypothetical protein FLJ10709                             | 1.4         | other          |
|    | 134516 AK001571<br>134520 BE091005 | Hs.74861              | activated RNA polymerase II transcriptio                                      | 5.6         | other          |
|    | 134529 AW411479                    | Hs.848                | FK506-binding protein 4 (59kD)  | 2.8         | ?              |
|    | 134577 BE244323                    | Hs.85951              | exportin, tRNA (nuclear export receptor                                       | 1.7         | other          |
| 35 | 134582 AA927177                    | Hs.86041              | CGG triplet repeat binding protein 1  | 1.7         | TM<br>other    |
|    | 134612 AW068223                    | Hs.171581             | ubiquitin C-terminal hydrolase UCH37  | 2.1<br>1.3  | other          |
|    | 134624 AF035119                    | Hs.8700               | deleted in liver cancer 1 chloride channel 3                                  | 2.1         | ?              |
|    | 134632 X78520<br>134654 AK001741   | Hs.174139<br>Hs.8739  | hypothetical protein FLJ10879   | 2.3         | other          |
| 40 | 134666 BE391929                    | Hs.8752               | transmembrane protein 4   | 4           | other          |
| 40 | 134687 U62317                      | Hs.88251              | arylsulfatase A   | 6.2         | other          |
|    | 134692 NM_003474                   | Hs.8850               | a disintegrin and metalloproteinase doma                                      | 2           | other          |
|    | 134705 BE161887                    | Hs.88799              | anaphase-promoting complex subunit 10   | 1.3         | SS,            |
|    | 134714 Y14768                      | Hs.890                | lysosomal   | 7.2<br>3.2  | ?<br>other     |
| 45 | 134719 AA852985                    | Hs.89232              | chromobox homolog 5 (Drosophila HP1 alph                                      | 2.5         | other          |
|    | 134722 AF129536                    | Hs.284226             | F-box only protein 6<br>CD2 antigen (p50), sheep red blood cell               | 5           | other          |
|    | 134746 X07871                      | Hs.89476<br>Hs.89497  | lamin B1  | 6.1         | other          |
|    | 134751 AW630803<br>134790 BE002798 | Hs.287850             | integral membrane protein 1   | 5.6         | TM             |
| 50 | 134834 AW451370                    | Hs.8991               | adaptor-related protein complex 1, gamma                                      | 5.3         | other          |
| 50 | 134850 AI701162                    | Hs.90207              | hypothetical protein MGC11138   | 9.1         | other          |
|    | 134853 BE268326                    | Hs.90280              | 5-aminolmidazole-4-carboxamide ribonucle                                      | 2.4         | other          |
|    | 134880 Al879195                    | Hs.90606              | 15 kDa selenoprotein  | 2.7<br>1.5  | other<br>other |
|    | 134925 AW885909                    | Hs.6975               | PRO1073 protein   | 4.9         | other          |
| 55 | 134955 AW401361                    | Hs.91773              | protein phosphatase 2 (formerly 2A), cat<br>phosphoserine aminotransferase    | 2           | other          |
|    | 134971 Al097346                    | Hs.286049<br>Hs.92186 | Leman coiled-coil protein   | 2.6         | TM             |
|    | 134975 R50333<br>135011 AB037835   | Hs.92991              | KIAA1414 protein  | 1.4         | ?              |
|    | 135022 NM_000408                   |                       | glycerol-3-phosphate dehydrogenase 2 (ml                                      | 1.6         | ?              |
| 60 | 135032 AW301984                    | Hs.173685             | hypothetical protein FLJ12619   | 1.4         | other          |
|    | 135077 AW503733                    | Hs.9414               | KIAA1488 protein  | 1.8         | other<br>other |
|    | 135083 AB036063                    | Hs.94262              | p53-inducible ribonucleotide reductase s                                      | 2.5<br>1.5  | TM             |
|    | 135095 AF027219                    | Hs.9443               | zinc finger protein 202<br>zinc finger protein 36 (KOX 18)                    | 2.1         | other          |
| 65 | 135096 AA081258                    | Hs.132390<br>Hs.95420 | JM27 protein  | 4.4         | ?              |
| 65 | 135153 Al093155<br>135181 BE250865 | Hs.279529             | px19-like protein   | 14.9        | ?              |
|    | 135199 AA477514                    | Hs.96247              | translin-associated factor X  | 1.3         | other          |
|    |                                    |                       |   |             |                |

|           | 135207 | N26427               | Hs.9634   | ESTs, Highly similar to C10_HUMAN PUTATI  | 1.7        | other    |
|-----------|--------|----------------------|-----------|---|------------|----------|
|           | 135214 | T78802               | Hs.96560  | hypothetical protein FLJ11656             | 6.2        | other    |
|           | 135243 | BE463721             | Hs.97101  | putative G protein-coupled receptor       | 2.8        | TM       |
| _         | 135245 | AI028767             | Hs.262603 | ESTs                                      | 12.2       | TM       |
| 5         | 135257 | AW291023             | Hs.97255  | ESTs, Weakly similar to A46010 X-linked   | 7.7        | TM       |
|           | 135263 | Al088775             | Hs.55498  | geranylgeranyl diphosphate synthase 1     | 1.8        | other    |
|           | 135274 | AA448460             | Hs.112017 | GE36 gene                                 | 4.2        | SS,      |
|           | 135294 | AA150320             | Hs.9800   | protein kinase Nimu-R1                    | 1.2        | other    |
|           | 135295 | AI090838             | Hs.98006  | ESTs                                      | 4.9        | other    |
| 10        | 135307 | A1743770             | Hs.98368  | ESTs, Weakly similar to KIAA0822 protein  | 5.9        | ?        |
|           |        | Al652069             | Hs.98614  | ribosome binding protein 1 (dog 180kD ho  | 12.3       | TM       |
|           |        | AA456454             | Hs.183418 | cell division cycle 2-like 1 (PITSLRE pr  | 5.8        | ?        |
|           |        | AA373452             | Hs.167700 | Homo sapiens cDNA FLJ10174 fis, clone HE  | 8.1        | other    |
|           |        | U05237               | Hs.99872  | fetal Alzheimer antigen                   | 1.9        | other    |
| 15        |        | X78592               | Hs.99915  | androgen receptor (dihydrotestosterone r  | 13.9       | TM       |
|           |        | AA857131             | Hs.171595 | HIV TAT specific factor 1                 | 1.6        | other    |
|           |        | AW057736             | Hs.323910 | HER2 receptor tyrosine kinase (c-erb-b2,  | 5.3        | other    |
|           |        | AW592789             | Hs.279474 | HSPC070 protein                           | 2.2        | TM       |
|           |        | AK000714             | Hs.109441 | MSTP033 protein                           | 1.4        | SS,      |
| 20        |        | R43191               | Hs.101248 | Homo sapiens done IMAGE:32553, mRNA seq   | 5.2        | other    |
| 20        |        | AA808229             | Hs.167771 | ESTs                                      | 2.3        | ?        |
|           |        | NM_007057            | Hs.42650  | ZW10 interactor                           | 2.9        | ,        |
|           |        | Al268997             | Hs.197289 | rab3 GTPase-activating protein, non-cata  | 2          | other    |
|           |        | AA902256             | Hs.78979  | Golgi apparatus protein 1                 | 5.6        | SS,      |
| 25        |        | N24236               | Hs.179662 | nucleosome assembly protein 1-like 1      | 1.4        | ?        |
| 23        |        | AF118083             | Hs.29494  | PRO1912 protein                           | 1.3        | other    |
|           |        | BE041451             | Hs.177507 | hypothetical protein                      | 2.9        | SS,      |
|           |        | AF292100             | Hs.104613 | RP42 homolog                              | 1.6        | other    |
|           |        | BE278431             | Hs.40323  | BUB3 (budding uninhibited by benzimidazo  | 1.8        | other    |
| 30        |        |                      | Hs.43627  |   | 1.6        | other    |
| 50        |        | AL034548<br>Al580090 |           | SRY (sex determining region Y)-box 22     | 6.2        | other    |
|           |        |                      | Hs.48295  | RNA helicase family                       |            |          |
|           |        | R73727               | Hs.101617 | ESTs, Weakly similar to T32527 hypotheti  | 5.7<br>2.7 | other    |
|           |        | H19886               | 11- 75470 | gb:yn57a05.r1 Soares adult brain N2b5HB5  |            | other    |
| 35        |        | AB000115             | Hs.75470  | hypothetical protein, expressed in osteo  | 2.6        | ?<br>T14 |
| 22        |        | Al267592             | Hs.75761  | SFRS protein kinase 1                     | 2.4        | TM       |
|           |        | AW304454             | Hs.77495  | UBX domain-containing 1                   | 2.4        | other    |
|           |        | AW819158             | Hs.289044 | Homo sapiens cDNA FLJ12048 fis, clone     | 2.3        | other    |
|           |        | AA381133             | Hs.80684  | high-mobility group (nonhistone chromoso  | 4.2        | TM       |
| 40        |        | R57256               | Hs.82037  | TATA box binding protein (TBP)-associate  | 23.6       | other    |
| 40        | 418283 |                      | Hs.83942  | cathepsin K (pychodysostosis)             | 5.8        | other    |
|           |        | NM_006910            | Hs.85273  | retinoblastoma-binding protein 6          | 1.3        | other    |
|           | 420269 |                      | Hs.96264  | alpha thalassemia/mental retardation syn  | 1.6        | ?        |
|           | 420802 |                      | Hs.1334   | v-myb avlan myeloblastosis viral oncogen  | 2.3        | ?        |
| 15        |        | AA463798             | Hs.102696 | MCT-1 protein                             | 1.6        | ?        |
| 45        |        | AF172066             | Hs.106346 | retinoic acid repressible protein         | 3.5        | other    |
|           |        | AW891965             | Hs.279789 | histone deacetylase 3                     | 5          | other    |
| -         |        | AI252640             | Hs.110364 | peptidylprolyl isomerase C (cyclophilin - | 3.1        | TM       |
|           |        | AA302744             | Hs.104518 | ESTs                                      | 1.9        | TM       |
| 50        |        | NM_014320            | Hs.111029 | putative heme-binding protein             | 2.4        | other    |
| 50        |        | AF165883             | Hs.298229 | prefoldin 2                               | 4.2        | ?        |
|           |        | W67883               | Hs.137476 | paternally expressed 10 (PEG10; KIAA105   | 7.1        | ?        |
|           |        | AF041259             | Hs.155040 | zinc finger protein 217                   | 2.3        | other    |
|           |        | AF155568             | Hs.155489 | NS1-associated protein 1                  | 3.5        | other    |
|           |        | BE304680             | Hs.169531 | DEAD/H (Asp-Glu-Ala-Asp/His) box polypep  | 1.9        | ?        |
| 55        |        | AW183765             | Hs.182238 | GW128 protein                             | 7.6        | ?        |
|           |        | AW500533             | Hs.11482  | splicing factor, arginine/serine-rich 11  | 1.7        | other    |
|           |        | AB001636             | Hs.5683   | DEAD/H (Asp-Glu-Ala-Asp/His) box polypep  | 2.4        | other    |
|           |        | AK001333             | Hs.6216   | Homo sapiens hepatocellular carcinoma-as  | 3.8        | other    |
| <b>CO</b> | 441560 |                      | Hs.7888   | Homo sapiens clone 23736 mRNA sequence    | 5.6        | other    |
| 60        |        | AF167572             | Hs.12912  | skb1 (S. pombe) homolog                   | 2          | TM       |
|           |        | AA151520             | Hs.334822 | hypothetical protein MGC4485              | 7.6        | other    |
|           |        | AI017574             | Hs.17409  | cysteine-rich protein 1 (intestinal)      | 2.2        | other    |
|           |        | BE620592             | Hs.71190  | ESTs, Weakly similar to S16506 hypotheti  | 2.9        | other    |
|           |        | NM_003677            | Hs.22393  | density-regulated protein                 | 1.8        | other    |
| 65        |        | W68520               | Hs.331328 | intermediate filament protein syncollin   | 5.9        | other    |
|           |        | H39960               | Hs.288467 | Homo sapiens cDNA FLJ12280 fis, clone MA  | 5.7        | other    |
| •         | 450703 | AA011202             | Hs.184771 | nuclear factor VC (CCAAT-binding transc   | 1.4        | other    |
|           |        |                      |           |   |            |          |

|     | 452461 N78223                       | Hs.108106              | transcription factor   | 4.8<br>2.9  | ?<br>other     |
|-----|-------------------------------------|------------------------|--|-------------|----------------|
|     | 452511 BE408178                     | Hs.285165              | Homo sapiens cDNA FLJ20845 fis, clone AD DKFZP586G1722 protein             | 12.1        | SS,TM          |
|     | 453157 AF077036<br>453658 BE541906  | Hs.31989<br>Hs.87819   | Homo sapiens, clone MGC:2492, mRNA, comp                                   | 4.8         | other          |
| 5   | 100685 AA328229                     | Hs.184582              | ribosomal protein L24  | 1.8         | TM             |
| •   | 100690 AA383256                     | Hs.1657                | estrogen receptor 1  | 1.6         | other          |
|     | 100833 AF135168                     | Hs.108802              | N-ethylmalelmide-sensitive factor  | 1.3         | other          |
|     | 100850 AA836472                     | Hs.297939              | cathepsin B  | 1.7<br>16.9 | ?<br>other     |
| 10  | 101161 NM_006262                    | Hs.37044               | peripherin<br>gb:Human calcium, calmodulin-dependent p                     | 3.2         | other          |
| 10  | 102481 U50360                       | Hs.80917               | adaptor-related protein complex 3, sigma                                   | 2           | ?              |
|     | 102831 AA262170<br>103549 BE270465  | Hs.78793               | protein kinase C, zeta   | 8           | other          |
| •   | 103749 AL135301                     | Hs.8768                | hypothetical protein FLJ10849  | 1.8         | other          |
|     | 104331 AB040450                     | Hs.279862              | cdk inhibitor p21 binding protein  | 2           | ?              |
| 15  | 104532 AI498763                     | Hs.203013              | hypothetical protein FLJ12748  | 2.1<br>1.2  | other<br>other |
|     | 104563 AL117403                     | Hs.306189              | OKFZP434F1735 protein<br>gb:zl12a02.s1 Soares_pregnant_uterus_NbH          | 7           | ?              |
|     | 105032 AA127818                     | Un 26475               | ESTs   | 2.6         | ?              |
|     | 105039 AA907305<br>106531 AA454036  | Hs.36475<br>Hs.8832    | ESTs   | 1.6         | other          |
| 20  | 106977 AL043152                     | Hs.50421               | KIAA0203 gene product  | 4.9         | other          |
|     | 107298 N95657                       | Hs.6820                | ESTs, Moderately similar to YOJ1_CAEEL H                                   | 2.5         | TM             |
|     | 108717 AA122393                     | Hs.70811               | hypothetical protein FLJ20516  | 1.3<br>5.3  | other<br>TM    |
|     | 110018 AW579842                     | Hs.104557              | hypothetical protein FLJ10697  | 6.3         | other          |
| 25  | 110330 Al288666                     | Hs.16621<br>Hs.225939  | DKFZP434I116 protein slalyltransferase 9 (CMP-NeuAc:lactosylc              | 5.1         | SS,            |
| 25  | 111391 NM_003896<br>111392 W46342   | Hs.325081              | Homo sapiens, clone IMAGE:3659680, mRNA,                                   | 8.4         | other          |
|     | 113554 AW503990                     | Hs.142442              | HP1-BP74   | 3.7         | TM             |
|     | 113722 AV653556                     | Hs.184411              | albumin  | 1.3         | other          |
|     | 115008 AK001827                     | Hs.87889               | helicase-moi   | 2<br>1.5    | other<br>other |
| 30  | 115062 AA253314                     | Hs.154103              | LIM protein (similar to rat protein kina                                   | 2.8         | other          |
|     | 115121 Al634549                     | Hs.88155<br>Hs.260622  | ESTs<br>butyrate-induced transcript 1                                      | 5.8         | TM             |
|     | 117881 AF161470<br>119075 M10905    | Hs.287820              | fibronectin 1  | 5.7         | other          |
|     | 119615 AL034423                     | Hs.75875               | ubiquitin-conjugating enzyme E2 variant                                    | 1.3         | other          |
| 35  | 120253 AA131376                     | Hs.326401              | fibroblast growth factor 12B   | 38.9        | other<br>?     |
|     | 125006 BE065136                     | Hs.145696              | splicing factor (CC1.3)  | 2.9<br>1.8  | other          |
|     | 127609 X80031                       | Hs.530                 | collagen, type IV, alpha 3 (Goodpasture chromosome 22 open reading frame 3 | 3           | other          |
|     | 128868 AA419008<br>128891 F34856    | Hs.106730<br>Hs.292457 | Homo sapiens, clone MGC:16362, mRNA, com                                   | 13.3        | other          |
| 40  | 128959 AI580127                     | Hs.107381              | hypothetical protein FLJ11200  | 10.9        | other          |
| 70  | 129209 R62676                       | Hs.17820               | Rho-associated, coiled-coil containing p                                   | 2.4         | other          |
|     | 129449 Al096988                     | Hs.111554              | ADP-ribosylation factor-like 7   | 8.2         | TM<br>?        |
|     | 129453 AW974265                     | Hs.111632              | Lsm3 protein   | 3.3<br>3.9  | other          |
| 4.5 | 129629 AK000398                     | Hs.11747               | hypothetical protein FLJ20391<br>protein phosphatase 3 (formerly 2B), reg  | 5.3         | TM             |
| 45  | 129917 M30773<br>129922 AF042379    | Hs.278540<br>Hs.13386  | gamma-tubutin complex protein 2  | 4.6         | other          |
|     | 129989 AB015856                     | Hs.247433              | activating transcription factor 6  | 4           | SS,            |
|     | 130182 BE267033                     | Hs.192853              | ubiquitin-conjugating enzyme E2G 2 (homo                                   | 4.6         | other          |
|     | 130365 W56119                       | Hs.155103              | eukaryotic translation initiation factor                                   | 11<br>2,7   | other<br>other |
| 50  | 130471 AL121438                     | Hs.183706              | adducin 1 (alpha)  | 7.9         | other          |
|     | 130542 U64675                       | Hs.179825<br>Hs.16349  | RAN binding protein 2-like 1<br>KIAA0431 protein                           | 5.6         | TM             |
|     | 130586 AB007891<br>130768 AF258627  | Hs.211562              | ATP-binding cassette, sub-family A (ABC1                                   | 5.2         | other          |
|     | 130992 BE398091                     | Hs.74316               | desmonlakin (DPI, DPII)  | 1.8         | TM             |
| 55  | 131047 H23230                       | Hs.22481               | ESTs, Moderately similar to A46010 X-lin                                   | 1.7         | ?              |
|     | 131135 NM_016569                    | Hs.267182              | TBX3-lso protein   | 3.3<br>2.6  | TM other       |
|     | 131339 AF058696                     | Hs.25812               | Nijmegen breakage syndrome 1 (nibrin)                                      | 2.9         | TM             |
|     | 131760 X76732<br>131774 BE267158    | Hs.3164<br>Hs.169474   | nucleobindin 2<br>DKFZP586J0119 protein                                    | 5.6         | other          |
| 60  | 131853 Al681917                     | Hs.3321                | ESTS Highly similar to IRX1_HUMAN IROQU                                    | 1.3         | other          |
| UU  | 131881 AW361018                     | Hs.3383                | unstream regulatory element binding prot                                   | 3.2         | TM             |
|     | 131887 W17064                       | Hs.332848              | SWI/SNF related, matrix associated, acti                                   | 3.2<br>5.9  | other          |
|     | 132031 AF193844                     | Hs.3758                | COP9 complex subunit 7a<br>mitochondrial ribosomal protein L37             | 2.2         | т'n            |
| 65  | 132192 AA206153                     | Hs.4209                | synaptosomal-associated protein, 29kD                                      | 7.9         | 7              |
| 65  | 132203 NM_004782<br>132240 AB018324 | Hs.194714<br>Hs.42676  | KIAA0781 protein   | 4.3         | other          |
|     | 132348 AW067708                     | Hs.170311              | heterogeneous nuclear ribonucleoprotein                                    | 12.5        | othe           |
|     |                                     |                        |  |             |                |

|     | 132528 | T78736             | Hs.50758              | SMC4 (structural maintenance of chromoso   | 7.4         | ?              |       |
|-----|--------|--------------------|-----------------------|--|-------------|----------------|-------|
|     |        | AW674699           | Hs.5169               | suppressor of G2 allele of SKP1, S. cere   | 6.9         | other          |       |
|     |        | N52298             | Hs.55608              | hypothetical protein MGC955  | 14.3        | ?              |       |
|     |        | BE268048           | Hs.236494             | RAB10, member RAS oncogene family  | 10.3        | other          |       |
| 5   |        | A1439688           | Hs.6289               | hypothetical protein FLJ20886  | 4.4         | other          |       |
|     | 133053 | AI065016           | Hs.6390               | Homo sapiens clone FLB3344 PRO0845 mRNA,   | 1.8         | SS,TM          |       |
|     | 133197 | AI275243           | Hs.180201             | hypothetical protein FLJ20671  | 1.8         | other          |       |
|     |        | AK001489           | Hs.242894             | ADP-ribosylation factor-like 1   | 1.8         | other          |       |
| 10  |        | A1160873           | Hs.69233              | zinc finger protein  | 16.1        | other          |       |
| 10  |        | M76477             | Hs.289082             | GM2 ganglioside activator protein  | 10.4        | SS,            |       |
|     |        | BE313555           | Hs.7252               | KIAA1224 protein   | 1.5         | ?              |       |
|     |        | AL037159           | Hs.74619              | proteasome (prosome, macropain) 26S subu   | 1.7<br>12.1 | other<br>other |       |
|     |        | BE622743           | Hs.301064<br>Hs.76244 | arfaptin 1   | 9.7         | other          |       |
| 15  |        | M34338<br>W29092   | Hs.7678               | spermldine synthase<br>cellular retinoic acid-binding protein 1                      | 4.2         | SS,            |       |
| 13  |        | VV23032<br>U86782  | Hs.178761             | 26S proteasome-associated pad1 homolog   | 2.2         | other          |       |
|     |        | U30872             | Hs.77204              | centromere protein F (350/400kD, mitosin   | 9.1         | other          |       |
|     |        | NM_000288          | Hs.79993              | peroxisomal biogenesis factor 7  | 3.2         | other          |       |
|     |        | AA334551           | Hs.82767              | sperm specific antigen 2   | 1.4         | other          |       |
| 20  |        | AF045239           | Hs.321576             | ring finger protein 22   | 1.4         | other          |       |
|     |        | AD001528           | Hs.89718              | spermine synthase  | 2.6         | other          |       |
|     | 134859 | D26488             | Hs.90315              | KIAA0007 protein   | 13.3        | other          |       |
|     | 135193 | X95525             | Hs.96103              | TATA box binding protein (TBP)-associate   | 3.1         | other          |       |
|     |        | AA243007           |                       | ESTs   | 1.6         | ?              |       |
| 25  |        | T70541             |                       | ESTs   | 2.5         | SS,            |       |
|     |        | X57766             |                       | Human stromelysin-3 mRNA   | 4.5         | other          |       |
|     |        | S66431             |                       | Homo sapiens done 23592 mRNA sequence  | 3.1         | other          |       |
|     |        | AA453483           |                       | ESTs   | 4.6         | TM             |       |
| 20  |        | R63925             |                       | ESTs   | 1.4         | other          |       |
| 30  |        | AA173417           |                       | ESTs   | 1.9         | other          |       |
|     |        | AA280588           |                       | ESTs   | 2.2<br>2.4  | other          |       |
|     |        | AA504223           |                       | ESTs Highly similar to CHROMOSOME ESTs Highly similar to Surf-4 protein [M.musculus] | 5.5         | other<br>?     |       |
|     |        | AA609996<br>F02907 | -                     | ESTs rightly similar to Sun-4 protein [Minusculus]                                   | 2.3         | TM             |       |
| 35  |        | AA480103           |                       | ESTs Weakly similar to IIII ALU SUBFAMILY J  | 2.8         | TM             |       |
| 55  |        | AA024664           |                       | Human NADH:ubiquinone oxidoreductase subunit   | 6.2         | other          |       |
|     |        | AA251776           |                       | ESTs   | 2.3         | other          |       |
|     |        | AA399047           |                       | ESTs   | 2.4         | other          |       |
|     |        | N34059             |                       | EST - RC_N34059  | 3.3         | other          |       |
| 40  |        | U95367             |                       | Human GABA-A receptor pl subunit mRNA complet  | e cds       | 1.7            | TM    |
|     |        | AA490899           |                       | ESTs   | 3.3         | other          |       |
|     |        | T54762             |                       | ESTs   | 2.9         | ?              |       |
|     |        | Z41963             |                       | Homo saplens HP protein (HP) mRNA complete cd:                                       |             | ?              |       |
| 4.5 |        | AA521186           |                       | ESTs   | 1.6         | TM             |       |
| 45  |        | AA400195           |                       | ESTs   | 1.3         | other          |       |
|     |        | AA045083           |                       | VITAMIN K-DEPENDENT GAMMA-CARBOXYLAS   |             | 2.5            | other |
|     |        | AA099589 -         |                       | Homo sapiens mRNA for GDP dissociation inhibitor                                     |             | 1.6            | TM    |
|     |        | W85712             |                       | ESTs Weakly similar to PROCOLLAGEN ALPHA 2   | 3.7         | 2.6<br>other   | TM    |
| 50  |        | W45728             |                       | ESTS Highly similar to HETEROGENEOUS   |             | 2.1            | other |
| 30  |        | U61232             |                       | Human tubulin-folding cofactor E mRNA complete of<br>ESTs                            | 5.3         | other          | Outer |
|     |        | AA425154<br>T39176 |                       | ESTs Weakly similar to ZK1058.4 [C.elegans]  | 2.6         | SS,TM          |       |
|     |        | AA496000           |                       | ESTs   | 1.9         | SS,            |       |
|     |        | W38150             |                       | EST - RC_W38150  | 1.7         | ?              |       |
| 55  |        | T96595             |                       | EST - RC_T96595  | 1.8         | TM             |       |
| -   |        | AA227463           |                       | ESTs Weakly similar to No definition line found [C.e                                 |             | 1.9            | ?     |
|     |        | R46025             |                       | ESTs   | 2.8         | SS.            |       |
|     |        | AA233177           |                       | ESTs .   | 2           | other          |       |
|     |        | AA338760           |                       | ESTs   | 1.3         | 7              |       |
| 60  |        | AA412106           |                       | ESTs   | 6.2         | other          |       |
|     |        | L47276             |                       | EST - L47276   | 3.4         | other          |       |
|     |        | D82307             |                       | ESTs Weakly similar to TH1 protein [D.melanogaste                                    |             | 11.4           | other |
|     |        | AA293568           |                       | ESTs   | 1.5         | other          |       |
| CF  |        | R37778             |                       | ESTs   | 2.4         | other          |       |
| 65  |        | AA250843           |                       | Interferon regulatory factor 5   | 14.6        | ?              |       |
|     |        | W49521             |                       | Human prolyl 4-hydroxytase alpha (II) subunit  | 6.5         | ?<br>ofbor     |       |
|     |        | D80000             |                       | Human mRNA for KtAA0178 gene partial cds   | 2           | other          |       |

|    | R99978   | ESTs Weakly similar to line-1 protein ORF2 [H.sapien    | s] 6.1   | ?     |
|----|----------|---|----------|-------|
|    | AA195036 | Human Ro/SSA ribonucleoprotein homolog (RoRet 5         | .3 ?     |       |
|    | Z38501   | ESTs Weakly similar to PROBABLE E5 1                    | .4 other |       |
|    | U37547   | Human IAP homolog B (MIHB) mRNA complete cds 3          | .2 other |       |
| 5  | AA479961 |   | .7 other |       |
|    | X57579   | Inhibin beta A (activin A activin AB alpha polypeptide) | 15.8     | ?     |
|    | AA449071 |   | .3 TM    |       |
|    | N51855   | ESTs Moderately similar to NAD(+) ADP-                  | .3 other |       |
|    | AA421213 |   | .2 other |       |
| 10 | AA355201 |   | .2 SS,TM |       |
|    | N78717   | H.sapiens mRNA for translin 1                           | .5 ?     |       |
|    | N73808   | ESTs 5  | , 7      |       |
|    | U86782   | Human 26S proteasome-associated pad1 2                  | .2 other |       |
|    | AA234817 | ESTs 1  | .3 other |       |
| 15 | D13666   | Homo sapiens mRNA for osteoblast specific 7             | '.5 SS,  |       |
|    | AA236177 | ESTs 7  | .1 ?     |       |
|    | U50648   | Protein kinase interferon-inducible double 4            | .1 ?     |       |
|    | M28211   | Homo sapiens GTP-binding protein (RAB4) 2               | .9 other |       |
|    | AA446949 | ESTs 2  | .2 other |       |
| 20 | W03007   |   | .2 other |       |
|    | W61011   | ESTs 1  | .2 other |       |
|    | W87544   | ESTs 1  | .2 other |       |
|    | X02751   | Neuroblastoma RAS viral (v-ras) oncogene homolog 1      |          |       |
|    | Z14077   | YY1 transcription factor 1                              | .2 other |       |
| 25 | Z38839   |   | .2 ?     |       |
|    | AA410894 | ESTs 1  | .7 other |       |
|    | AA504499 | ESTs Highly similar to probable chloride channel 3 [H.  | sap 1.3  | other |

### TABLE 7A

Table 7 A shows the accession numbers for those pkeys lacking unigeneID's for Table 7. 5 For each probeset, we have listed the gene cluster number from which the oligonucleotides were designed. Gene clusters were compiled using sequences derived from Genbank ESTs and mRNAs. These sequences were clustered based on sequence similarity using Clustering and Alignment Tools (DoubleTwist, Oakland California). The Genbank accession numbers for sequences comprising each cluster are listed in the "Accession" column.

10

Unique Eos probeset Identifier number

CAT number. Accession:

Gene cluster number Genbank accession numbers

15

20

Pkey CAT number Accession

102481 31281\_-28

U50360 105032 genbank\_AA127818 409487 1134778\_1 AA127818

H19886 AW402806 T10231

## TABLE 8: Figure 8 from BRCA 001-1 US

Table 8 shows genes upregulated in tumor tissue compared to normal breast tissue. Specifically, one column shows the ratio of expression of the indicated gene in breast tumor tissue compared to other body tissues, and another column shows the ratio of expression of the indicated gene in breast tumor tissue compared to normal breast tissue.

| 10 |         |                      |                      |   |             |            |
|----|---------|----------------------|----------------------|---|-------------|------------|
|    | Pkey:   | Uniqu                | ue Eos probe         | set identifier number   |             |            |
|    | ExAcon: |                      |                      | on number, Genbank accession number   |             |            |
|    | Unigene |                      | ene number           |   |             |            |
| 15 | Unigene |                      | ene gene title       |   |             |            |
| 13 | R1:     | Rauo                 |                      | normal body tissue<br>nor to normal breast tissue                             |             |            |
|    | R2:     |                      | Made of this         | ion to thousand preast asses  |             |            |
|    | Pkey    | ExAccn -             | UnigenelD            | Unigene Title   | R1          | R2         |
|    | ,       |                      | 3                    | <b>-</b>  |             |            |
| 20 | 100075  | AF152333             | Hs.284160            | protocadherin gamma subfamily B, 4  | 1           | 3.8        |
|    | 100229  | AV652249             |                      | polymerase (DNA directed), beta   | 1.7         | 5.3        |
|    | 100262  | D38500               |                      | postmelotic segregation increased 2-like                                      | 0.8         | 4.8        |
|    |         | BE160081             |                      | S100 calcium-binding protein A11 (calgiz                                      | 3.2         | 2.3<br>1.4 |
| 25 |         | AI907114             | Hs.71465             | squalene epoxidase  | 3.3<br>11.9 | 0.4        |
| 25 | 100522  |                      | Hs.99949             | prolactin-induced protein   | 3.8         | 1.2        |
|    |         | AA019521             | Hs.301946            | transcription factor AP-2 alpha (activat                                      | 9.4         | 9.4        |
|    |         | X77343<br>X02761     |                      | fibronectin 1   | 3.4         | 7.8        |
|    |         | AA383256             | Hs.1657              | estrogen receptor 1   | 4.4         | 4.4        |
| 30 |         | U01351               | Hs.75772             | nuclear receptor subfamily 3, group C, m                                      | 1           | 3.9        |
| 50 |         | K01160               | 113.75772            | NM_002122:Homo sapiens major histocom   |             | 4          |
|    |         | AA382524             | Hs.250959            |   | 0.8         | 4.1        |
|    |         | NM_002923            | Hs.78944             | regulator of G-protein signalling 2, 24k                                      | 1.2         | 12         |
|    |         | NM_006262            | Hs.37044             | peripherin  | 3.1         | 1.1        |
| 35 |         | L22524               | Hs.2256              | matrix metalloproteinase 7 (MMP7; uterin                                      | 4.4         | 0.6        |
|    |         | Al186220             | Hs.83164             | collagen, type XV, alpha 1  | 3.1         | 3.4        |
|    | 101441  | AW468397             | Hs.100000            | S100 calcium-binding protein A8 (calgran                                      | 0.9         | 4.2        |
|    | 101447  | M21305               |                      | gb:Human alpha satellite and satellite 3                                      | 29.9        | 0.3        |
|    | 101469  | AA310162             |                      | cytochrome c  | 0.8         | 4.9        |
| 40 |         | M33552               | Hs.56729             | lysosomal   | 1           | 5.9        |
|    |         | BE561617             | Hs.119192            | H2A histone family, member Z  | 2.8         | 4          |
|    |         | M55998               | 21 00404             | gb:Human alpha-1 collagen type I gene, 3                                      | 3.1<br>1.5  | 1.7<br>4.1 |
|    |         | NM_002291            | Hs.82124             | laminin, beta 1   | 1.5<br>3.1  | 1.4        |
| 15 |         | AA350659             | Hs.83347             | anglo-associated, migratory cell protein                                      | 1.3         | 6.9        |
| 45 |         | AF112213             |                      | putative Rab5-Interacting protein secreted phosphoprotein 1 (osteopontin,     | 1.9         | 4.9        |
|    |         | AL036335<br>AA334592 | Hs.313<br>Hs.79914   | lumican   | 2.2         | 3.8        |
|    |         | AF015224             | Hs.46452             | mammaglobin 1   | 4.2         | 0.7        |
|    |         | NM_003480            |                      | Microfibril-associated glycoprotein-2   | 1.1         | 4.2        |
| 50 |         | NM_001394            | Hs.2359              | dual specificity phosphatase 4  | 4.5         | 0.5        |
| 50 |         | U96759               |                      | von Hippel-Lindau binding protein 1   | 1.4         | 4.2        |
|    |         | AI379954             | Hs.79025             | KIAA0096 protein  | 0.9         | 3.9        |
|    |         | BE244588             | Hs.6456              | chaperonin containing TCP1, subunit 2 (b                                      | 1.5         | 10.9       |
|    |         | R50032               | Hs.159263            | collagen, type VI, alpha 2  | 2.2         | 6.2        |
| 55 | 102991  |                      | Hs.75309             | eukaryotic translation elongation factor                                      | 5.6         | 5.7        |
|    |         | X63629               | Hs.2877              | cadherin 3, type 1, P-cadherin (placenta                                      | 3.7         | 0.5        |
|    | 103175  | X69089               | Hs.79227             | myomesin (M-protein) 2 (165kD)  | 1.3         | 4          |
|    | 103286  | D38616               | Hs.54941             | phosphorylase kinase, alpha 2 (liver)   | 1.3         | 3.8        |
|    | 103319  | X83492               | Hs.82359             | tumor necrosis factor receptor superfami                                      | 0.8         | 4.6        |
| 60 |         | BE536700             | Hs.4888              | seryl-tRNA synthetase   | 0.9<br>1.1  | 8<br>5.1   |
| •  | 103419  | T34708               |                      | Sec23 (S. cerevisiae) homolog A   | 3.7         | 1.2        |
|    |         | Y00815               | Hs.75216<br>Hs.75752 | protein tyrosine phosphatase, receptor t<br>cytochrome c oxidase subunit VIIb | 0.9         | 4.4        |
|    | 703040  | Z14244               | 113.13/32            |   |             | ***        |
|    |         |                      |                      | 177   | 1           |            |

10

|     |        | NM_000088            | Hs.172928            | collagen, type I, alpha 1  | 3.2        | 3          |     |
|-----|--------|----------------------|----------------------|--|------------|------------|-----|
|     |        | AA084874             |                      | gb:zn13e04.r1 Stratagene hNT neuron (937   | 0.9        | 10         |     |
|     |        | H24185               | Hs.92918             | hypothetical protein   | 1.9        | 15.9       |     |
| 5   |        | AA095971             |                      | Homo saplens cDNA: FLJ22463 fis, clone H   | 1.2        | 3.9        |     |
| 5   |        | BE439604             |                      | ATPase, H+ transporting, lysosomal (vacu hypothetical protein FKSG44   | 1.4        | 3.9        |     |
|     |        | AW130242<br>AK001913 | Hs.7100              | hypothetical protein   | 1.6<br>1.5 | 4.1<br>4.3 |     |
|     |        | AF183810             | Hs.26102             |  | 7          | 7          |     |
|     |        | AB040927             |                      | KIAA1494 protein   | 2          | 4.6        |     |
| 10  |        | AB002347             | Hs.15303             |  | 0.7        | 4.5        |     |
|     |        | AW583693             |                      | N-terminal acetyltransferase complex ard   | 3.3        | 3.3        |     |
|     |        | AW365522             |                      | hypothetical protein PRO2219   | 2.3        | 4.2        |     |
|     | 104319 | AW804296             | Hs.9950              | Sec61 gamma  | 3.1 .      | 7          |     |
|     | 104425 | AF283775             | Hs.35380             | x 001 protein  | 4          | 1.3        |     |
| 15  |        | X51501               | Hs.99949             | prolactin-induced protein  | 3.8        | 0.6        |     |
|     |        | AW966728             | Hs.54642             |  | 0.8        | 6.7        |     |
|     |        | AK001731             |                      | Homo sapiens mRNA; cDNA DKFZp586H092   |            | 1.7        | 4.8 |
|     |        | W94824               |                      | RIKEN cDNA 2010100O12 gene   | 2          | 7.5        |     |
| 20  |        | AW630488             |                      | protease, serine, 23   | 1.9        | 7.4        |     |
| 20  |        | AF123303             | Hs.24713             |  | 1.1        | 6.3<br>4   |     |
|     |        | R82252               |                      | protein kinase (cAMP-dependent, catalyti<br>hypothetical protein   | 1.2<br>1.4 | 3.9        |     |
|     |        | AW270555<br>AA960961 |                      | zinc finger protein 83 (HPF1)  | 1.5        | 4.2        |     |
|     |        | AA305351             |                      | uncharacterized hypothalamus protein HAR   | 1.1        | 4.1        |     |
| 25  |        | A1279065             |                      | ribosomal protein S6   | 1.3        | 4.6        |     |
|     |        | AL133035             | Hs.8728              | hypothetical protein DKFZp434G171  | 1.2        | 3.6        |     |
|     |        | W70164               | Hs.20107             | ESTs   | 0.8        | 4.2        |     |
|     |        | AA058630             | Hs.29759             | RNA POLYMERASE I AND TRANSCRIPT RE   |            | 1.7        | 5.1 |
|     | 104873 | W03831               | Hs.20597             | host cell factor homolog   | 0.8        | 5.4        |     |
| 30  | 104891 | W44626               | Hs.30627             | ESTs   | 0.7        | 6.8        |     |
|     | 104920 | AW955089             | Hs.306083            | Novel human gene mapping to chomosome 2  | 2          | 1 3.9      |     |
|     | 104926 | BE298808             | Hs.33363             |  | 3.3        | 3.3        |     |
|     |        | AW076098             | Hs.74316             |  | 1.2        | 3.7        |     |
| 2.5 |        | AB029020             |                      | KIAA1097 protein   | 1.1        | 5.5        |     |
| 35  |        | Al392640             | Hs.18272             |  | 3.2        | 1.4        |     |
|     |        | BE613061             |                      |  | 1.6        | 11.4       |     |
|     |        | N39760               | Hs.8859<br>Hs.9006   |  | 1.5<br>1.1 | 7.2<br>3.5 |     |
|     |        | BE410438<br>AF146277 |                      | VAMP (vesicle-associated membrane protei<br>CD2-associated protein   | 1.2        | 10         |     |
| 40  |        | AA313825             | Hs.21941             | AD036 protein  | 3.6        | 8.3        |     |
| -10 |        | BE407961             | Hs.18271             | golgi phosphoprotein 3   | 1.7        | 6.8        |     |
|     |        | AI554929             |                      | ATPase, H+ transporting, lysosomal (vacu   | 1.1        | 3.7        |     |
|     |        | BE243327             |                      | chromosome 22 open reading frame 5   | 1.5        | 4          |     |
|     |        | Al015709             |                      | Homo sapiens mRNA; cDNA DKFZp586l2022  | : (f       | 1.5        | 14  |
| 45  | 105426 | W20027               | Hs.23439             | ESTs   | 4.3        | 2.9        |     |
|     | 105432 | W03516               | Hs.76698             | stress-associated endoplasmic reticulum  | 1.5        | 5          |     |
|     | 105443 | AA252372             | Hs.12144             | KIAA1033 protein   | 1.2        | 3.6        |     |
|     |        | AL137257             | Hs.23458             |  | 1.7        | 15.8       |     |
|     |        | Al805717             |                      | CGI-43 protein   | 2          | 4.8        |     |
| 50  |        | AL037715             | Hs.28785             | and the second s | 1.3        | 3.9        |     |
|     |        | AB040884             |                      | KIAA1451 protein   | 2.7        | 11.4       |     |
|     |        | AB024334             | Hs.25001             | tyrosine 3-monooxygenase/tryptophan 5-mo   | 1.3        | 6.1<br>4.5 |     |
|     |        | BE504200             | Hs.30127             | hypothetical protein<br>ESTs, Moderately similar to CA1C RAT COL   | 1.7<br>3.9 | 24.6       |     |
| 55  |        | AA788946<br>BE614149 | Hs.16869<br>Hs.20814 | CGI-27 protein   | 1.8        | 3.6        |     |
| ))  |        | AI559444             | Hs.293960            |  | 1.9        | 6.6        |     |
|     |        | AA329449             |                      | twisted gastrulation   | 1.5        | 4.3        |     |
|     |        | AI827976             | Hs.24391             | hypothetical protein FLJ13612  | 3.8        | 1.9        |     |
|     |        | BE392914             | Hs.30503             |  | 1.7        | 4          |     |
| 60  |        | AW028485             | Hs.26136             | hypothetical protein MGC14156  | 1.7        | 7.4        |     |
|     |        | AL137728             | Hs.12258             | Homo sapiens mRNA; cDNA DKFZp434B092   | 0 (f       | 1.2        | 3.8 |
|     | 105941 | AB033075             | Hs.10669             | development and differentiation enhancin   | 1.3        | 4.6        |     |
|     |        | AB030656             | Hs.17377             | coronin, actin-binding protein, 1C   | 1.1        | 5.9        |     |
|     |        | AI690586             | Hs.29403             | hypothetical protein FLJ22060  | 2          | 4.6        |     |
| 65  |        | AI240665             | Hs.8895              | ESTs   | 4.1        | 1.2        |     |
|     |        | NM_001329            |                      | C-terminal binding protein 2   | 2.6        | 7          |     |
|     | 106070 | T74445               | Hs.5957              | Homo sapiens clone 24416 mRNA sequence   | 1.4        | 10.7       |     |

|     | 105083 |           |            |  |     | 3.0  |     |
|-----|--------|-----------|------------|--|-----|------|-----|
|     |        |           |            |  | 5.4 | 1.2  |     |
|     | 106255 | BE613206  | Hs.279607  |  | 1.8 | 4    |     |
|     | 106414 | BE568205  | Hs.28827   | mitogen-activated protein kinase kinase                    | i.1 | 6.1  |     |
|     |        |           | Hs.278635  | HDCMA18P protein   | 1.2 | 5.9  |     |
|     |        |           |            |  | 1.8 | 5.4  |     |
|     |        |           |            |  | 2.3 | 11.2 |     |
|     | 106613 |           |            |  | .2  | 3.6  |     |
|     |        |           |            |  | ).9 | 4.4  |     |
|     | 106617 |           |            |  | 1.3 | 3.6  |     |
|     |        |           |            | .,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,                    |     |      |     |
|     | 106701 |           |            | -p   | 1.6 | 7.3  |     |
|     | 106721 | AA741038  | Hs.6670    |  | .7  | 6.1  |     |
|     | 106776 | AA206079  | Hs.6693    | ••/periodeam protein + =================================== | İ   | 5.4  |     |
|     | 106866 | AA487416  | Hs.268231  | Homo sapiens cDNA: FLJ23111 fis, clone L                   | 1.6 | 5.4  |     |
| 15  | 106868 | BE185536  | Hs.301183  | molecule possessing ankyrin repeats indu                   | 3.3 | 1.2  |     |
|     |        | BE503373  | Hs.334335  | hypothetical protein FLJ13576                              | 1.4 | 6.3  |     |
|     | 106940 |           |            |  | 3.3 | 1.8  |     |
|     |        | AF216751  |            |  | 3   | 3    |     |
|     |        | BE391904  |            |  | 1.7 | 7.6  |     |
| 20  |        | BE147611  | Hs.6354    |  | 1.2 | 4.3  |     |
| 20  |        |           |            |  | 1.8 | 6.5  |     |
|     |        | AI289507  |            | .,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,                    | 1.2 | 6.9  |     |
|     |        | BE172058  | Hs.82689   | 5 101 7  | 1.4 | 3.5  |     |
|     |        | BE267795  | Hs.22595   | ,  |     | 4.3  |     |
| ~ ~ |        | AA186629  |            |  | 2.6 |      |     |
| 25  |        | AA011510  |            |  | 1.8 | 4    |     |
|     |        | AA027229  | Hs.61329   |  | 1.3 | 3.5  |     |
|     | 107965 | AF109219  |            |  | 1.6 | 3.5  |     |
|     | 108033 | AW368993  | Hs.323748  | Homo sapiens clone CDABP0086 mRNA sequ                     | en  | 1.8  | 8.1 |
|     | 108060 | AA291440  | Hs.73149   |  | 1,1 | 3.5  |     |
| 30  |        | AA093668  |            | muscleblind (Drosophila)-like                              | ).7 | 5.6  |     |
|     |        | Al283611  | Hs.263479  | ESTs, Weakly similar to HMG1_HUMAN HIGH                    |     | 1.2  | 5.6 |
|     |        | AW068579  | Hs.7780    | Homo sapiens mRNA; cDNA DKFZp564A072 (                     | fr  | 3.1  | 6.9 |
|     |        | AI879238  |            |  | 1.5 | 4.6  |     |
|     |        | AA333660  | Hs.71331   | hypothetical protein MGC5350                               | 1.5 | 4    |     |
| 35  |        | AW151340  | Hs.51615   | ESTs, Weakly similar to ALU7_HUMAN ALU S                   |     | 6.3  | 4.7 |
| 55  |        | AA074374  | Hs.67639   | ESTs   | 1.3 | 3.8  |     |
|     |        |           | Hs.237519  |  | 1   | 3.6  |     |
|     |        | AF086070  | 118.237313 |  | i.5 | 3.6  |     |
|     |        | AA079487  |            |  | 1.1 | 4.3  |     |
| 40  |        | AA079500  | 11- 4500   |  |     | 4.9  |     |
| 40  |        | M23114    | Hs.1526    | 711. 000, 00   | 2   |      |     |
|     |        | AA112059  | Hs.429     |  | 1.1 | 3.5  |     |
|     | 108668 | AA058522  | Hs.185751  |  | 1.2 | 3.6  |     |
|     | 108694 | AA036725  | Hs.61847   |  | 1.4 | 3.6  |     |
|     | 108824 | AK001332  | Hs.44672   |  | 1.4 | 3.5  |     |
| 45  | 108863 | AA133456  | Hs.102548  | glucocorticold receptor DNA binding fact                   | 1.2 | 4    |     |
|     | 108893 | BE276891  | Hs.194691  | refinoic acid induced 3                                    | 1.3 | 3.6  |     |
|     |        | AA152312  | Hs.72047   |  | 1.1 | 4.1  |     |
|     |        | AI732585  | Hs.22394   |  | 1.2 | 3.5  |     |
|     |        | AA167512  |            |  | 1.3 | 5    |     |
| 50  |        | BE220601  | He 301007  |  | 4   | 6.1  |     |
| 55  |        | BE179030  | Hs.64239   |  | 9   | 1.7  | 7.4 |
|     |        | AA878923  |            |  | 3.8 | 7.7  |     |
|     |        |           |            |  | 1.9 | 4    |     |
|     |        | AA366263  | Hs.72531   | Homo sapiens mRNA; cDNA DKFZp564H1916                      |     | 3.7  | 1.3 |
|     |        | AA173942  |            | FOT- Modely similar to A42022 music 2 o                    | 4.6 | 7.4  | 110 |
|     |        | BE075297  | Hs.6614    | TILT   |     | 3.5  |     |
|     |        | AW151660  | Hs.31444   |  | 1.2 |      | •   |
|     |        | AW001579  | Hs.9645    | Homo sapiens mRNA for KIAA1741 protein,                    | 3.7 | 3.3  |     |
|     | 110731 | NM_014899 |            |  | 2.8 | 3.7  |     |
|     |        | N21207    | Hs.182999  |  | 1.6 | 3.5  |     |
| 60  | 110930 | BE242691  | Hs.14947   |  | 3.1 | 1.2  |     |
|     | 110935 | AI753230  | Hs.323562  | hypothetical protein DKFZp564K142                          | 1.9 | 7.5  |     |
|     | 111051 | Al681293  | Hs.12186   |  | 2   | 4    |     |
|     | 111110 | AK001566  | Hs.23618   |  | 1.1 | 3.8  |     |
|     |        | BE301871  | Hs.4867    | mannosyl (alpha-1,3-)-glycoprotein beta-                   | 1   | 8.2  |     |
| 65  |        | BE314949  | Hs.87128   | hypothetical protein FLJ23309                              | 3.3 | 6.1  |     |
| 33  |        | R27975    | Hs 269401  |  | 1.2 | 5.4  |     |
|     |        | AF131784  | Hs.25318   | Homo sapiens clone 25194 mRNA sequence                     | 3.2 | 0.8  |     |
|     | 111300 | 101707    |            |  |     |      |     |

|     | 111903 | NM_014906            | Hs.166351            | KIAA1072 protein  | 1          | 5.4        |
|-----|--------|----------------------|----------------------|---|------------|------------|
|     | 111951 | NM_014927            |                      | KIAA0902 protein  | 1          | 3.8        |
|     |        | AW137198             |                      | Phosphatidylglycerophosphate Synthase                                   | 1.4        | 3.5        |
| -   | -      | R49499               | Hs.138238            |   | 1.5        | 3.6        |
| 5   |        | NM_003655            | Hs.5637              | ESTs  | 4.6        | 2          |
|     |        | AW500106             | Hs.23643             | serine/threonine protein kinase MASK                                    | 3.3        | 10.5       |
|     |        | Z42387               | Hs.83883             | transmembrane, prostate androgen induced                                | 3.2        | 3          |
|     |        | T16971               |                      | ESTs, Weakly similar to A43932 mucin 2 p                                | 3.7        | 10.8       |
| 10  |        | AF019226             | Hs.8036              | glioblastoma overexpressed  | 4.5        | 3.7        |
| 10  |        | AW160683             |                      | hypothetical protein  | 1.2        | 4.4        |
|     |        | AF143321             | Hs.15572             | hypothetical protein IMAGE 109914                                       | 0.9        | 3.6        |
|     |        | AL042936             |                      | holocytochrome c synthase (cytochrome c                                 | 1.1        | 3.5        |
|     |        | AK001898             | Hs.16740             | hypothetical protein FLJ11036   | 1.2        | 3.9        |
| 1.0 |        | Al075407             |                      | ESTs, Moderately similar to 154374 gene                                 | 1.7        | 5.3        |
| 15  |        | NM_014214            | Hs.5753              | Inositol(myo)-1(or 4)-monophosphatase 2                                 | 0.8        | 6.1        |
|     |        | W30681               |                      | Homo sapiens cDNA: FLJ22130 fis, clone H                                | 1.7        | 6.2        |
|     |        | AW243158             | Hs.5297              | DKFZP564A2416 protein   | 1.2        | 4.6        |
|     |        | BE255499             | Hs.3496              | hypothetical protein MGC15749   | 1.5        | 4          |
| 20  |        | W17056               | Hs.83623             | nuclear receptor subfamily 1, group I, m                                | 3.8        | 1          |
| 20  |        | AA345519             | Hs.9641              | complement component 1, q subcomponent,                                 | 1.2        | 4.7        |
|     |        | Al342493             | Hs.24192             | Homo sapiens cDNA FLJ20767 fis, clone CO                                |            | 4.3        |
|     |        | BE179882             |                      | glutathione peroxidase 3 (plasma)                                       | 1.1        | 4.3        |
|     |        | N58309               | Hs.19575             | CGI-11 protein  | 1.6        | 9.2        |
| 25  |        | AA075488             |                      | gb:zm88d01.s1 Stratagene ovarian cancer                                 | 1.6        | 3.7        |
| 25  |        | AI929382             |                      | hypothetical protein FLJ20343   | 1.4        | 4          |
|     |        | T10446               | Hs.95388             | ESTs  | 1          | 4.3        |
|     |        | AB037858             |                      | hypothetical protein FLJ10337   | 1.6        | 9.2        |
|     |        | AV660012             |                      | hypothetical protein FLJ10788   | 1.4        | 5.2        |
| 20  |        | A1683069             | Hs.175319            |   | 3.7        | 1          |
| 30  |        | BE541042             | Hs.23240             | Homo sapiens cDNA: FLJ21848 fis, clone H                                | 3.2        | 4.2        |
|     |        | N36110               |                      | solute carrier family 2 (facilitated glu                                | 1.5        | 3.9        |
|     |        | AW582256             | Hs.91011             | anterior gradient 2 (Xenepus laevis) hom                                | 1.3        | 5.9        |
|     |        | AW410233             |                      | YME1 (S.cerevisiae)-like 1  | 1.7        | 6.6        |
| 35  |        | AB037836             |                      | KIAA1415 protein  | 1.5        | 9.1<br>4.3 |
| 22  |        | BE383668             | Hs.42484             | hypothetical protein FLJ10618   | 0.9<br>1.6 | 5.5        |
|     |        | BE395293             | Hs.94491             | hypothetical protein FLJ20297   | 3.2        | 2.4        |
|     |        | AI129767             |                      | guanine nucleotide binding protein (G pr                                | 0.8        | 4.7        |
|     |        | Z24854               | Hs.42299             | ESTS  | 2.4        | 3.9        |
| 40  |        | AI371223             |                      | Homo sapiens cDNA FLJ11997 fis, clone HE                                | 5.5        | 5.5        |
| 40  |        | AF191018             |                      | putative nucleotide binding protein, est                                | 5          | 1.3        |
|     |        | AA313607             | Hs.58633             | Homo sapiens cDNA: FLJ22145 fis, clone H                                | 8.7        | 4.5        |
|     |        | Al272141             | Hs.83484             | SRY (sex determining region Y)-box 4                                    | 3.2        | 6.9        |
|     |        | D21262               | Hs.75337             | nucleolar and coiled-body phosphprotein                                 | 3.2        | 3          |
| 45  |        | AW888411             | Hs.81915<br>Hs.17132 | teukemia-associated phosphoprotein p18 (                                | 3.1        | 8.3        |
| 43  |        | AI557212             |                      | ESTs, Moderately similar to 154374 gene                                 | 3.2        | 4.5        |
|     |        | H25836<br>N25929     | Hs.42500             | ESTs, Moderately similar to unknown [H.s ADP-ribosylation factor-like 5 | 7 -        | 5.5        |
|     |        | N20066               |                      | PTPRF interacting protein, binding prote                                | 1.2        | 6.2        |
|     |        |                      |                      | Homo sapiens cDNA: FLJ21409 fis, clone C                                | 4.5        | 2.4        |
| 50  |        | M18217<br>Al383467   | Hs.44597             | ESTs  | 1.4        | 4.2        |
| 50  |        | U59305               | Hs.44708             | Ser-Thr protein kinase related to the my                                | 4.3        | 0.5        |
|     |        | AF161470             |                      | butyrate-induced transcript 1   | 2.1        | 5.7        |
|     |        | BE327311             | Hs.47166             | HT021   | 3.6        | 7.7        |
|     |        |                      | 113.47 100           | gb:za46c11.s1 Soares fetal liver spleen                                 | 4.2        | 0.5        |
| 55  |        | N66845<br>AL353944   | Hs.50115             | Homo sapiens mRNA; cDNA DKFZp761J111                                    |            | 3.5        |
| 55  |        |                      | 113.30113            | gb:yz50b07.s1 Morton Fetal Cochiea Homo                                 | 2.1        | 3.8        |
|     |        | N67343<br>AF142419   | Hs.15020             | homolog of mouse quaking QKI (KH domain                                 | 3.7        | 1.5        |
|     |        |                      | Hs.37054             | ephrin-A3   | 3          | 1.1        |
|     |        | BE048061<br>BE218319 | Hs.5807              | GTPase Rab14  | 1.1        | 5.6        |
| 60  |        | BE041667             |                      | Homo sapiens cervical cancer suppressor-                                | 1.4        | 4.3        |
| 00  |        | A1905687             | Hs.2533              | EST   | 3.2        | 1          |
|     |        | AL050097             |                      | DKFZP586B0319 protein-  | 4.3        | 0.7        |
|     |        | BE565849             | Hs.14158             | copine III  | 3.5        | 1.9        |
|     |        |                      |                      | hypothetical protein DKFZp762F2011                                      | 1.5        | 3.7        |
| 65  |        | AW968080             |                      | Homo sapiens clone 24630 mRNA sequence                                  |            | 1.4        |
| 05  |        | AF150208             |                      | damage-specific DNA binding protein 1 (1                                | 1.6        | 6.8        |
|     |        | AA350781             | Hs.96967             | ESTs  | 1.1        | 3.6        |
|     | 12001  |                      |                      |   |            |            |

3.3

|    | 404000 | B=000000             |            | ICIA A 0400 mminin                       | 1.5      | 4.1        |       |
|----|--------|----------------------|------------|--|----------|------------|-------|
|    |        | BE262956             |            |  | 2.2      | 5.5        |       |
|    |        | AA416785             | MS.249490  |  | 3.4      | 3.2        |       |
|    |        | AA243499             | MS. 104600 |  | 3.9      | 3.9        |       |
| 5  |        | AF169797             | 115.2/413  | hypothetical protein DKFZp762K2015       | 1.4      | 7.1        |       |
| 5  |        | AB032948             | He 308026  | major histocompatibility complex, dass   | 1.4      | 3.7        |       |
|    |        | A1718702<br>AF121856 |            |  | 1.2      | 4.9        |       |
|    |        | AF161426             |            |  | 2.4      | 3.6        |       |
|    |        | AA421581             | Hs.178443  | What can be a seen                       | 0.9      | 5.2        |       |
| 10 |        | W28673               |            |  | 1.3      | 5.1        |       |
| 10 |        | AA608657             |            | gb:ae55d04.s1 Stratagene lung carcinoma  | 2.1      | 5.2        |       |
|    |        | AA608751             |            | gb:ae56h07.s1 Stratagene lung carcinoma  | 2.1      | 9.3        |       |
|    |        | AI932318             | Hs.188762  | ESTs, Moderately similar to H2BL_HUMAN H | 1.1      | 3.6        |       |
|    |        | AL050184             |            | DKFZP434B203 protein                     | 1.1      | 3.5        |       |
| 15 |        | AF084555             |            |  | 1.4      | 3.8        |       |
| 10 |        | BE563957             |            | activated RNA polymerase II transcriptio | 1.9      | 11.2       |       |
|    |        | AB037860             |            |  | 1.5      | 4.4        |       |
|    |        | BE387335             | Hs.283713  | ESTs, Weakly similar to S64054 hypotheti | 14.8     | 11.5       |       |
|    |        | AW195237             |            |  | 1.2      | 6.2        |       |
| 20 |        | BE300094             |            |  | 2.5      | 12.7       |       |
|    |        | AU077333             |            |  | 1        | 4.1        |       |
|    |        | BE613340             | Hs.334725  | Homo sapiens, Similar to RIKEN cDNA 9430 | 1.5      | 8.4        |       |
|    |        | AK001552             | Hs.215766  | GTP-binding protein                      | 1.8      | 10.2       |       |
|    |        | D87454               | Hs.192966  | KIAA0265 protein                         | 1.1      | 4.8        |       |
| 25 |        | N39016               | Hs.268869  |  | 1.3      | 4.1        |       |
|    | 124447 | N48000               |            | 92.,,000                                 | 2.7      | 4.3        |       |
|    | 124539 | D54120               | Hs.146409  |  | 2.1      | 5.7        |       |
|    | 124543 | Al393320             | Hs.104573  |  | 1        | 4.1        |       |
|    | 124564 | H66409               | Hs.108275  | 40.0                                     | 1.4      | 4          |       |
| 30 | 124574 | AL036596             |            | A Common for an and amount for a comme   | 0.7      | 4          |       |
|    | 124605 | AA749315             | Hs.77171   | ,  | 1.1      | 3.5        |       |
|    | 124639 | H60193               | Hs.21143   | DKFZP586C1324 protein                    | 1.4      | 3.6        |       |
|    | 124659 | A1680737             |            | Homo sapiens cDNA FLJ11918 fis. clone HE | 1.5      | 9.9        |       |
|    | 124737 | BE270465             | Hs.78793   |  | 0.7      | 4          |       |
| 35 |        | AW408586             |            | ESTs, Moderately similar to ALU5_HUMAN A | 0.9      | 3.6        |       |
|    |        | BE410405             | Hs.76288   | calpain 2, (m/ll) large subunit          | 1.3      | 3.9        |       |
|    |        | R44357               | Hs.48712   | hypothetical protein FLJ20736            | 1.8      | 4.2<br>3.6 |       |
|    |        | R56485               | 400004     | gb:yg93h09.s1 Soares Infant brain 1NIB H | 1<br>3.2 | 3.4        |       |
| 40 |        | AF068846             |            | heterogeneous nuclear ribonucleoprotein  | 1        | 4.4        |       |
| 40 |        | AI903210             | HS.335/80  | tubulin, beta polypeptide                | 0.9      | 5.2        |       |
|    |        | AL023513             |            | seizure related gene 6 (mouse)-like      | 0.9      | 3.5        |       |
|    |        | T52700               | Hs.110044  |  | 1.2      | 5          |       |
|    |        | AA610577             | Hs.187775  | Homo sapiens mRNA; cDNA DKFZp434F152     |          | 1.5        | 3.7   |
| 15 |        | BE548446             | Hs.5167    | phosphoglycerate dehydrogenase           | 0.9      | 6          | • • • |
| 45 |        | T83731               | Hs.3343    | gb:oq02h08.s1 NCI_CGAP_Lu5 Homo sapien   |          | 1 3.7      |       |
|    |        | AA973971<br>T91518   |            | gb:ye20f05.s1 Stratagene lung (937210) H | 3.2      | 2.5        |       |
|    |        | AA570056             | Hs 122730  | ESTs, Moderately similar to KIAA1215 pro | 5.3      | 6.6        |       |
| •  |        | W38419               | 113.122100 | gb:zc78a07.s1 Pancreatic Islet Homo sapi | 0.9      | 6.1        |       |
| 50 |        | AA837043             | Hs.143669  | ~  | 1.1      | 4.3        |       |
| 50 |        | AK000669             |            | TRF2-interacting telomeric RAP1 protein  | 1.1      | 4.1        |       |
|    |        | AL020996             | Hs.8518    | selenoprotein N                          | 1.1      | 3.8        |       |
|    |        | R40815               | Hs.12396   |  | 1        | 3.6        |       |
|    |        | W67577               | Hs.84298   | CD74 antigen (invariant polypeptide of m | 1.2      | 7.8        |       |
| 55 |        | H05635               |            | topoisomerase-related function protein 4 | 1        | 4.9        |       |
|    |        | AW884980             | Hs.171957  | triple functional domain (PTPRF Interact | 1.3      | 4.8        |       |
|    |        | BE612888             | Hs.180224  | myosin regulatory light chain            | 1.1      | 16.1       |       |
|    |        | W27235               | Hs.64311   | a disintegrin and metalloproteinase doma | 1.4      | 5.3        |       |
|    |        | Z45258               | Hs.286013  | short coiled-coil protein                | 2.4      | 8.7        |       |
| 60 |        | AW630088             | Hs.76550   | Homo saplens mRNA; cDNA DKFZp564B126     | 4 (f     | 1.8        | 4.6   |
|    |        | AW504721             | Hs.177516  | high density lipoprotein binding protein | 1.9      | 3.8        |       |
|    |        | AW160399             | Hs.30376   | hypothetical protein                     | 1.4      | 4.1        |       |
|    |        | BE384361             |            | ESTs, Weakly similar to JC5024 UDP-galac | 2        | 3.7        |       |
|    |        | AA057593             |            | hypothetical protein FLJ14735            | 1.3      | 4.1        |       |
| 65 |        | AA340277             | Hs.10248   | Homo sapiens cDNA FLJ20167 fis, clone CO | 1.3      | 5<br>n a   |       |
|    |        | AI243596             | Hs.94830   | ESTs, Moderately similar to T03094 A-kin | 4.3      | 0.9<br>4.7 |       |
|    | 128312 | J04182               | HS.150101  | lysosomal                                | 1.5      | 4.7        |       |

|    |        | X02761               |            | fibronectin 1   | 1.2        | 4.3        |     |
|----|--------|----------------------|------------|---|------------|------------|-----|
|    |        | T16206               |            | ESTs, Highly similar to LDHH_HUMAN L-LAC  |            | 44.4       |     |
|    |        | H08379               |            | hypothetical protein DKFZp434N1429  | 0.6        | 13.1       |     |
| _  |        | NM_005904            |            | MAD (mothers against decapentaplegic, Dr  | 1.3        | 4          |     |
| 5  |        | NM_003478            | Hs.101299  |   | 1          | 5.1        |     |
|    |        | Al185977             |            |   | 0.8        | 4          |     |
|    |        | NM_014721            |            |   | 1.3        | 3.7        |     |
|    |        | AA432202             |            |   | 1.4        | 3.9        |     |
| 10 |        | D87432               |            |   | 1.2        | 3.6        |     |
| 10 |        | AI246669             |            |   | 0.8<br>3   | 4.1<br>1.6 |     |
|    |        | BE246444             |            |   |            | 4.8        |     |
|    |        | AK001564             | 113.104222 |   | 2.8        | 10.6       |     |
|    |        | AA476220<br>AF026692 |            |   | 1.1        | 3.8        |     |
| 15 |        | AA194554             |            | secreted frizzled-related protein 4 ATPase, H+ transporting, lysosomal (vacu  | 1<br>5.3   | 5.3        |     |
| 13 |        | AI638184             |            | Homo sapiens clone 23836 mRNA sequence  |            | 5.3        |     |
|    |        | AI017602             | He 106440  | FCTe  | 1          | 4.5        |     |
|    |        | AA768242             | Hs 80618   | hypothetical protein  | ก่я        | 3.6        |     |
|    |        | D60985               | Hs 106909  | DKE7P566D193 protein  | 4.6        | 3.7        |     |
| 20 |        | Al222020             | Hs 182364  | CocnaCriso  | 3          | 1.5        |     |
| 20 |        | AK000140             | Hs 107139  | hypothetical protein  | 0.2        | 3.9        |     |
|    |        | AA622037             | Hs.166468  | programmed cell death 5   | 2.5        | 15.2       |     |
|    |        | AF155096             | Hs.107213  | hypothetical protein FLJ20585   | 4          | 4          |     |
|    |        | AA298958             | Hs.10724   | MDS023 protein  | 1.2        | 4.5        |     |
| 25 |        | AW247536             | Hs.10729   | hypothetical protein DKFZP566D193 protein CocoaCrisp hypothetical protein programmed cell death 5 hypothetical protein FLJ20585 MDS023 protein hypothetical protein | 1.4        | 5          |     |
|    |        | AW953622             | Hs.223025  | RAB31, member RAS oncogene family   | 2.3        | 5.6        |     |
|    |        | AB020716             |            |   | 0.9        | 3.9        |     |
|    |        | AW271217             |            | Homo sapiens cDNA FLJ14028 fis, clone HE  | 1.5        | 3.6        |     |
|    |        | AA258924             |            | NM_002495*:Homo sapiens NADH dehydroge  |            | 0.8        | 3.8 |
| 30 | 129005 | AI770025             | Hs.13323   | hypothetical protein FLJ22059   | 1.2        | 5.7        |     |
|    | 129009 | C15105               | Hs.330716  | Homo sapiens cDNA FLJ14368 fis, clone HE  | 2.1        | 9.9        |     |
|    | 129013 | AA371156             | Hs.107942  | DKFZP564M112 protein  | 2.4        | 3.8        |     |
|    | 129068 | Al634522             | Hs.152925  | KIAA1268 protein  | 1.2        | 3.8        |     |
|    |        | AW504486             |            | sterol regulatory element binding transc  | 1.2        | 5.5        |     |
| 35 |        | BE543205             |            |   | 0.5        | 3.7        |     |
|    |        | AB002450             |            | CGI-109 protein   | 1          | 5.2        | _   |
|    |        | AW881089             |            | Homo sapiens mRNA; cDNA DKFZp566M094  |            | 1.5        | 7   |
|    | 129151 |                      |            |   | 2.1        | 9.7        |     |
| 40 |        | AA335362             |            |   | 0.9        | 8.6        |     |
| 40 |        | M18916               |            |   | 1.1        | 3.5        |     |
|    |        | BE542214             | Hs.109697  |   | 1.1        | 12.8       |     |
|    |        | W57656               |            |   | 3.2        | 5.1        |     |
|    |        | A1878857             |            |   | 1.9        | 5.7        |     |
| 15 |        | BE169531             |            | TAK1-binding protein 2; KIAA0733 protein  | 1.2        | 6.6        |     |
| 45 | 129247 |                      |            | CGI-131 protein   | 1.5        | 3.5        |     |
|    |        | AA344367             |            | Empirically selected from multiple AFFX   | 1          | 5.4        |     |
| -  |        | AA250970             |            |   | 1.3<br>1.6 | 4.1<br>3.9 |     |
|    |        | AF077200             |            | hypothetical protein<br>ras homolog gene family, member H   | 1.8        | 4.2        |     |
| 50 |        | AA357185<br>AB007896 | Hs.110     |   | 1.1        | 6.1        |     |
| 50 |        | AA318224             | Hs.296141  |   | 2.5        | 4.8        |     |
|    |        | W94197               |            |   | 1.6        | 5.1        |     |
|    |        | AF189062             |            |   | 1.8        | 6.5        |     |
|    |        | AW511656             |            |   | 0.9        | 4          |     |
| 55 | 129362 |                      |            |   | 1.4        | 9.2        |     |
| 33 |        | BE278964             |            | CGI-111 protein   | i''        | 4.8        |     |
|    |        | AA318271             |            |   | i          | 4.1        |     |
|    |        | AA016188             |            |   | 1.8        | 10.7       |     |
|    |        | AI498631             |            |   | 1.1        | 4.8        |     |
| 60 |        | W92931               |            |   | 1.8        | 9.3        |     |
| 00 |        | AL050260             |            | DKFZP547E1010 protein   | 1          | 5          |     |
|    |        | NM_004477            | Hs.203772  | FSHD region gene 1  | 1.1        | 4.2        |     |
|    |        | AA449789             | Hs.75511   | connective tissue growth factor   | 1.9        | 6.8        |     |
|    |        | AI631811             |            | STRIN protein   | 1.1        | 9.7        |     |
| 65 |        | AA769221             |            | della-tubulin   | 1.1        | 4.3        |     |
|    |        | R18087               |            | cisplatin resistance related protein CRR  | 1          | 4.2        |     |
|    |        | AW517695             | Hs.286218  | junctional adhesion molecule 1  | 2.3        | 3.5        |     |
|    |        |                      |            |   |            |            |     |

|    | 129606 | AW968941             | Hs.166254            | hypothetical protein DKFZp566I133  | 2.4        | 4.4          |
|----|--------|----------------------|----------------------|--|------------|--------------|
|    |        | AA209534             |                      | tetraspan NET-6 protein  | 3.2        | 13           |
|    |        | D79338               |                      | CCR4-NOT transcription complex, subunit  | 1.6        | 4.6          |
| _  | 129621 | AL110212             | Hs.301005            | purine-rich element binding protein B  | 1.1        | 5.7          |
| 5  |        | AB020335             |                      | sel-1 (suppressor of lin-12, C.elegans)-   | 0.9        | 4.3          |
|    |        | Al207406             |                      | translocase of inner mitochondrial membr   | 1.9        | 4.8          |
| •  |        | AW889132             | Hs.11916             | ribokinase   | 0.9        | 4.1          |
|    |        | U53209               | Hs.24937             | transformer-2 alpha (htra-2 alpha)   | 1.3        | 4.7          |
| 10 |        | M26939               |                      | collagen, type III, alpha 1 (Ehlers-Danl   | 4.7<br>1.2 | 3.7<br>3.6   |
| 10 |        | U46386<br>AL050272   | Hs.12102<br>Hs.12305 | sorting nextn 3<br>DKFZP566B183 protein  | 1.2        | 8.9          |
|    |        | BE397454             |                      | Homo sapiens clone 24707 mRNA sequence   | •          | 3.6          |
|    |        | BE218319             | Hs.5807              | GTPase Rab14   | 2.9        | 5.1          |
|    |        | M62839               | Hs.1252              | apolipoprotein H (beta-2-glycoprotein I)   | 0.3        | 5.1          |
| 15 |        | AF052112             | Hs.12540             | lysosomal  | 1.6        | 8.8          |
|    | 129834 | AL080084             | Hs.296155            | CGI-100 protein  | 0.9        | 5.3          |
|    | 129836 | AW410233             | Hs.206521            | YME1 (S.cerevisiae)-like 1   | 1.8        | 9.9          |
|    | 129843 | NM_014840            |                      | KIAA0537 gene product  | 0.9        | 3.6          |
| 20 |        | AA626937             |                      | hypothetical protein MGC2594   | 1.4        | 9.5          |
| 20 |        | Z43161               |                      | 30 kDa protein   | 1.1        | 6.3          |
|    |        | AL119499             | Hs.13285             |  | 1          | 3.5<br>5.1   |
|    |        | M30773               |                      | protein phosphatase 3 (formerly 2B), reg   | 2<br>0.9   | 4.9          |
|    |        | X14008               | Hs.234734            | gb:H.sapiens germline transcript of lg h   | 1.2        | 3.6          |
| 25 |        | Z14221<br>R15917     | He 142570            | Homo sapiens clone 24629 mRNA sequence   |            | 1.3          |
| 23 |        | BE277024             |                      | RNA binding motif protein, X chromosome  | 1.6        | 3.8          |
|    |        | X57815.comp          | 1101000.             | Empirically selected from AFFX single pr   | 1.2        | 8.2          |
|    |        | M93143               | Hs.262869            | plasminogen-like   | 1.4        | 7.9          |
|    |        | H97878               | Hs.132390            | zinc finger protein 36 (KOX 18)  | 1.4        | 12.3         |
| 30 | 130095 | AK001635             | Hs.14838             | hypothetical protein FLJ10773  | 0.2        | 4.6          |
|    |        | W61005               | Hs.14896             | DHHC1 protein  | 1.         | 4.1          |
|    |        | AA916785             |                      | splicing factor proline/glutamine rich (   | 1.2        | 5.3          |
|    |        | T47294               |                      | X-box binding protein 1  | 3.8        | 0.8<br>4.2   |
| 35 |        | NM_005095            |                      | zinc finger protein 262  | 1<br>0.5   | 4.2          |
| 23 |        | BE094848<br>R42678   |                      | homogentisate 1,2-dioxygenase (homogenti KIAA0564 protein                            | 1          | 3.7          |
|    |        | M23115               | Hs.1526              | ATPase, Ca++ transporting, cardiac muscl   | 0.4        | 4.4          |
|    |        | BE278370             | Hs.15265             | heterogeneous nuclear ribonucleoprotein  | 1.7        | 7.5          |
|    |        | BE301883             |                      | glioblastoma amplified sequence  | 1          | 5.6          |
| 40 |        | U29463               |                      | gb:Human cytochrome b561 gen   | 1.2        | 4.2          |
|    | 130252 | U92014               | Hs.153527            | Homo sapiens pTM5 mariner-like transposo   | 1.3        | 3.6          |
|    | 130281 | W78907               | Hs.15395             | similar to arginyl-tRNA synthetase (argi   | 1.5        | 4.4          |
|    |        | AB040914             |                      | KIAA1481 protein   | 2.9        | 7.5          |
| AE |        | AW067800             |                      | stanniocalcin 2  | 3.2        | 0.2          |
| 45 |        | AW842182             |                      | small inducible cytokine A5 (RANTES)   | 1.4<br>1.7 | 10.6<br>11.7 |
|    |        | AW163518<br>AA852868 |                      | huntingtin interacting protein 2<br>KIAA0171 gene product                            | 1.1        | 5            |
|    |        | NM_006245            |                      | protein phosphatase 2, regulatory subuni   | 1.4        | 4.3          |
|    |        | AW362955             | Hs.15641             | Homo sapiens cDNA FLJ14415 fis, clone HE   |            | 7.6          |
| 50 |        | R44163               | Hs.12457             | hypothetical protein FLJ10814  | 0.9        | 4.1          |
| •  |        | AB007915             |                      | KIAA0446 gene product  | 1          | 3.8          |
|    |        | AI598022             |                      | TAR DNA binding protein  | 1.3        | 4.7          |
|    | 130568 | AA232119             | Hs.16085             | putative G-protein coupled receptor  | 1.2        | 9.4          |
|    | 130606 | Al652143             |                      | hypothetical protein FLJ13111  | 1          | 4.1          |
| 55 | 130612 | BE242873             | Hs.16677             | WD repeat domain 15  | 1.1        | 3.6          |
|    |        | AL049963             |                      | up-regulated by BCG-CWS  | 0.6        | 3.8          |
|    |        | AL045128             | Hs.1691              | glucan (1,4-alpha-), branching enzyme 1  | 0.9        | 6.6<br>3.9   |
|    |        | AL042896             | Hs.1697              | ATPase, H+ transporting, lysosomal (vacu<br>ESTs, Weakly similar to KIAA1204 protein | 0.9<br>0.9 | 6.9          |
| 60 |        | AW073971<br>Al557212 | Hs.17132             | ESTs, Moderately similar to 154374 gene  | 2.6        | 3.9          |
| 00 |        | AF158555             |                      | glutaminase  | 1.2        | 13.8         |
|    |        | AI861791             | Hs.278479            |  | 1.3        | 4            |
|    |        | AI831962             | Hs.17409             | cysteine-rich protein 1 (intestinal)   | 2.5        | 4            |
|    |        | AL117508             |                      | KIAA0737 gene product  | 1.3        | 6.2          |
| 65 |        | Al928985             | Hs.17680             | hypothetical protein MGC1314 similar to  | 1.4        | 3.9          |
|    |        | R68537               | Hs.17962             | ESTS   | 3.2        | 0.8          |
|    | 130694 | NM_014827            | Hs.17969             | KIAA0663 gene product  | 1.1        | 4.8          |

|     | 130696 | AA325308  | Hs.18016             | Homo sapiens mRNA; cDNA DKFZp586H032                             | 24 (f | 1.8        |
|-----|--------|-----------|----------------------|--|-------|------------|
|     | 130701 | Z98883    | Hs.18079             | phosphatidylinositol glycan, class Q                             | 1.1   | 6.7        |
|     | 130707 | AW190925  | Hs.203559            | hypothetical protein FLJ12701                                    | 1.2   | 4.1        |
|     |        | Al932971  | Hs.18593             | Homo sapiens cDNA: FLJ21449 fis, clone C                         | 1.4   | 6.9        |
| 5   |        | AF072813  | Hs.252831            |  | 1.2   | 11.2       |
| •   |        | AA088809  | Hs.19525             | hypothetical protein FLJ22794                                    | 1.8   | 6.8        |
|     |        | NM_001761 | Hs.1973              | cyclin F   | 1.3   | 4.1        |
|     |        | Y10805    | Hs.20521             | HMT1 (hnRNP methyltransferase, S. cerevi                         | 3.2   | 5.9        |
|     |        | AB037750  | Hs.21061             | KIAA1329 protein   | 1     | 3.8        |
| 10  |        |           | Hs.21122             | hypothetical protein FLJ11830 similar to                         | 1.3   | 7.9        |
| 10  |        | AW195747  |                      |  |       |            |
|     |        | BE409769  | Hs.21189             | DnaJ (Hsp40) homolog, subfamily A, membe                         |       | 3.7        |
|     |        | BE390905  | Hs.21198             | translocase of outer mitochondrial membr                         | 1.9   | 4          |
|     |        | H96115    | Hs.21293             |  | 1.9   | 10.3       |
| 1.5 |        | AB023182  |                      | KIAA0965 protein   | 1.5   | 6.8        |
| 15  |        | AA393071  |                      | leucine aminopeptidase   | 1.4   | 5.5        |
|     |        | AA099923  |                      | PEST-containing nuclear protein                                  | 1.3   | 3.8        |
|     |        | BE243101  | Hs.22391             | chromosome 20open reading frame 3                                | 1.9   | 4.1        |
|     | 131039 | D87436    | Hs.166318            | lipin 2  | 1.6   | 3.5        |
|     | 131060 | AA194422  | Hs.22564             | myosin VI  | 4.5   | 5          |
| 20  | 131097 | AL137682  | Hs.22937             | I-kappa-8-interacting Ras-like protein 2                         | 2     | 3.7        |
|     | 131101 | BE387561  | Hs.22981             | DKFZP586M1523 protein  | 1.6 - | 4.5        |
|     | 131104 | W27770    | Hs.301756            | ESTs, Weakly similar to T31475 hypotheti                         | 0.9   | 3.5        |
|     |        | BE620886  | Hs.75354             | GCN1 (general control of amino-acid synt                         | 2.1   | 4.5        |
|     |        | BE564123  | Hs.23060             | DKFZP564F0522 protein  | 1.1   | 4.6        |
| 25  |        | AB033099  | Hs.23413             | KIAA1273 protein   | 1.2   | 4.2        |
|     |        | AW953575  |                      | p53-induced protein PIGPC1                                       | 4.5   | 13.5       |
|     |        | X77753    | Hs.23582             | tumor-associated calcium signal transduc                         | 3.4   | 0.4        |
|     |        | Al472209  | Hs.323117            | •  | 0.8   | 4.9        |
|     |        | AW013807  | Hs.182265            |  | 3.3   | 2.4        |
| 30  |        | H25094    |                      | ESTs, Moderately similar to I38022 hypot                         | 0.6   | 4          |
| 50  |        | AW864222  | Hs.24083             | KIAA0997 protein   | 1.4   | 3.8        |
|     |        |           |                      |  | 1.2   |            |
|     |        | AW979155  |                      | amino acid transporter 2   |       | 8.5        |
|     |        | AL050107  | Hs.24341             | transcriptional co-activator with PDZ-bi                         | 0.7   | 4.7        |
| 25  |        | AI815486  |                      | Homo sapiens cDNA FLJ20738 fis, clone HE                         |       | 8.2        |
| 35  |        | D89053    |                      | fatty-acid-Coenzyme A ligase, long-chain                         | 1.7   | 3.5        |
|     |        | AW956868  | Hs.24608             | DKFZP564D177 protein   | 1.3   | 5.4        |
|     |        | AU077158  | Hs.24930             | tubulin-specific chaperone a                                     | 1.6   | 4.8        |
|     |        | AU077002  | Hs.24950             | regulator of G-protein signalling 5                              | 1.4   | 4.4        |
| 40  |        | A1750575  |                      | nuclear factor VA  | 3.3   | 2.2        |
| 40  |        | AW293399  |                      | nuclear receptor co-repressor 1                                  | 1.6   | 3.9        |
|     | 131373 | NM_006052 | Hs.26146             | Down syndrome critical region gene 3                             | 1     | 11.1       |
|     | 131388 | NM_014810 | Hs.92200             | KIAA0480 gene product  | 5     | 2          |
|     | 131492 | AI452601  | Hs.288869            | nuclear receptor subfamily 2, group F, m                         | 0.9   | 3.5        |
|     | 131493 | AW960146  | Hs.284137            | hypothetical protein FLJ12888                                    | 1     | 3.5        |
| 45  | 131514 | BE270734  | Hs.2795              | lactate dehydrogenase A  | 2     | 6.5        |
|     | 131524 | AB040927  | Hs.301804            | KIAA1494 protein   | 1.5   | 10.7       |
|     | 131528 | AU076408  | Hs.28309             | UDP-glucose dehydrogenase  | 1.3   | 4.7        |
|     | 131534 | AF157326  | Hs.184786            | TBP-interacting protein  | 1.3   | 4.9        |
|     | 131555 | T47364    |                      | Interferon, alpha-inducible protein 27                           | 1.5   | В          |
| 50  |        | AA936296  |                      | DKFZP586G011 protein   | 1.8   | 3.5        |
|     |        | C18825    | Hs.29191             | epithelial membrane protein 2                                    | 1.3   | 8.2        |
|     |        | D83032    |                      | nuclear protein  | 2.8   | 3.9        |
|     |        | BE514605  |                      |  | 1.3   | 11.2       |
|     |        | H03514    | Hs.10130             | ESTs   | 1.3   | 4.8        |
| 55  |        | C19034    |                      | Homo sapiens cDNA FLJ14175 fis, clone NT                         |       | 9.7        |
| 55  |        | AF103798  | 11 00040             |  |       |            |
|     |        | AW160865  | Hs.30819<br>Hs.30888 | hypothetical protein<br>cytochrome c oxidase subunit VIIa polype | 1.3   | 5.2<br>7.8 |
|     |        |           |                      |  | 1.3   |            |
|     |        | AF017986  | Hs.31386             | secreted frizzled-related protein 2                              | 10.6  | 14.7       |
| 60  |        | A1805664  | Hs.31731             | peroxiredoxin 5  | 1.1   | 3.6        |
| 60  |        | AF077036  | Hs.31989             | DKFZP586G1722 protein  | 1.6   | 3.7        |
|     | 131791 |           |                      | gb:H.sapiens VII-5 gene for immunoglobul                         | 1.1   | 3.5        |
|     |        | Al681917  | Hs.3321              | ESTs, Highly similar to IRX1_HUMAN IROQU                         |       | 1.2        |
|     |        | NM_014874 | Hs.3363              | • •  | 0.6   | 4.2        |
|     |        | NM_004642 | Hs.3436              | deleted in oral cancer (mouse, homolog)                          | 2.4   | 4.9        |
| 65  |        | AW207440  | Hs.185973            | degenerative spermatocyte (homolog Droso                         | 2.4   | 6          |
|     |        | AA772603  | Hs.69476             | Homo sapiens cONA FLJ12758 fis, clone NT                         | 1.7   | 9.2        |
|     | 131941 | BE252983  | Hs.35086             | ubiquitin specific protease 1                                    | 0.5   | 5.2        |
|     |        |           |                      | •  |       |            |

5

|    |        |                  |           |  | •          |            |
|----|--------|------------------|-----------|--|------------|------------|
|    | 131947 | AI123939         | Hs.182997 | 20.0   | 0.7        | 4.1        |
|    | 131961 | AA129782         | Hs.3576   |  | 0.9        | 4.8        |
|    | 131964 | AW381148         | Hs.198365 | zio endinantingii accura incini  | 1.1        | 6.1        |
|    | 131974 | AF208856         | Hs.268122 |  | 1.3        | 3.9        |
| 5  | 131983 | AF119665         |           | b), abuse buse and formal  | 3.3        | 6.9        |
|    | 131997 | AF229181         | Hs.136644 | o o o o o o o o o o o o o o o o o o o  | 0.9        | 5.2        |
|    | 132006 | AW162336         | Hs.3709   |  | 1.2        | 3.6        |
|    | 132063 | BE277910         | Hs.3833   |  | 3.2        | 1.8        |
|    | 132065 | BE379335         | Hs.211594 | proteasome (prosome, macropain) 26S subu                                       | 1.2        | 3.6        |
| 10 | 132071 | AF217798         | Hs.3850   | LIS1-interacting protein NUDEL; endoolig                                       | 0.7        | 5.2        |
|    |        | A!701457         | Hs.38694  | ESTs   | 2          | 5.3        |
|    |        | NM_016045        | Hs.3945   | CGI-107 protein  | 1.2        | 4.3        |
|    |        | AW960474         | Hs.40289  | ESTs   | 3.1        | 3.1        |
|    |        | A1752235         | Hs.41270  | procollagen-lysine, 2-oxoglutarate 5-dio                                       | 1.8        | 3.7        |
| 15 |        | AW961231         | Hs.16773  | Homo sapiens clone TCCCIA00427 mRNA sec  | qu         | 1.2        |
| •• |        | AL031709         |           |  | 1.4        | 4.2        |
|    |        | AA306325         | Hs.4311   | SUMO-1 activating enzyme subunit 2   | 2          | 10.3       |
|    |        | BE177330         |           |  | 1.2        | 4.1        |
|    |        | U28831           | Hs.44566  |  | 5.9        | 1.6        |
| 20 |        | NM_003542        | Hs.46423  |  | 5.8        | 1.5        |
|    |        | AA312135         | Hs.46967  |  | 2.1        | 9.3        |
|    |        | AA021160         | Hs.4750   |  | 1.3        | 4.6        |
|    |        | AW361383         |           |  | 2          | 4.9        |
|    |        | AW970859         | Hs.313503 |  | 1.2        | 5          |
| 25 |        | BE388673         | Hs.5086   | hypothetical protein MGC10433  | 2          | 3.9        |
|    |        | BE396290         | Hs.5097   | synaptogyrin 2   | 1.4        | 5.1        |
|    |        | AF065391         | Hs.194718 |  | 1.2        | 4          |
|    | 132575 | AV660538         | Hs.284162 | 60S ribosomal protein L30 isolog   | 3          | 1.7        |
|    |        | AF029750         |           | TAP binding protein (tapasin)  | 1.8        | 4.7        |
| 30 | 132602 | AW606927         | Hs.5306   | hypothetical protein DKFZp586F1122 simil                                       | 1.6        | 4.9        |
|    |        | AA353044         | Hs.5321   | ARP3 (actin-related protein 3, yeast) ho                                       | 1,8        | 8.1        |
|    |        | NM_004600        | Hs.554    | Sjogren syndrome antigen A2 (60kD, ribon                                       | 4.2        | 2          |
|    |        | Al264357         | Hs.55405  |  | 1.1        | 5.3        |
|    | 132730 | AK000868         | Hs.5570   | hypothetical protein FLJ10006  | 1.4        | 5.2        |
| 35 |        | BE222975         | Hs.56205  | insulin induced gene 1   | 1.1        | 5.8        |
|    | 132782 | F07424           | Hs.279840 |  | 1.3        | 3.7        |
|    | 132793 | AB020713         | Hs.56966  |  | 2.3        | 6.3        |
|    | 132805 | AW975748         | Hs.5724   |  | 0.7        | 7.7        |
|    | 132863 | BE268048         | Hs.236494 |  | 1.8        | 6.2        |
| 40 | 132894 | D63209           | Hs.5944   | solute carrier family 11 (proton-coupled                                       | 1.5        | 20.8       |
|    | 132930 | AA579258         | Hs.6083   | Homo sapiens cDNA: FLJ21028 fis, clone C                                       | 1          | 3.8        |
|    |        | AW118826         | Hs.6093   | Tronic copions service access of the   | 0.7        | 5.4        |
|    | 132933 | BE263252         | Hs.6101   | hypothetical protein MGC3178   | 1.6        | 4.1        |
|    | 132965 | Al248173         |           | hypothetical protein MGC12936  | 1          | 4.2        |
| 45 |        | BE539199         | Hs.62112  | zinc finger protein 207  | 1.5        | 4.4        |
|    | 132990 | X77343           |           | transcription factor AP-2 alpha (activat                                       | 13.9       | 0.8        |
|    |        | Y00062           |           | protein tyrosine phosphatase, receptor t                                       | 0.6        | 4.6        |
|    |        | AW499985         | Hs.42915  | ARP2 (actin-related protein 2, yeast) ho                                       | 1.5        | 11.1       |
|    |        | NM_006379        |           | sema domain, Immunoglobulin domain (Ig),                                       | 3.5        | 1          |
| 50 |        | AA847843         | Hs.62711  | Homo sapiens, clone IMAGE:3351295, mRNA  |            | 4.5        |
|    |        | AW502761         | Hs.30909  | · · · · · · · · · · · · · · · · · · ·  | 0.9        | 5.5        |
|    |        | H12028           | Hs.6396   | jumping translocation breakpoint   | 1.7        | 5.3        |
|    |        | Al654133         | Hs.30212  | thyroid receptor interacting protein 15  | 0.6        | 4.9        |
|    |        | AK000708         |           | hypothetical protein FLJ20701  | 1.2        | 3.5        |
| 55 |        | AF089816         | Hs.6454   | chromosome 19 open reading frame 3   | 1.2        | 17.5       |
|    |        | AA808177         | Hs.65228  | ESTS   | 0.9        | 5.1        |
|    | 133150 | AV655783         | Hs.661    | Empirically selected from AFFX single pr                                       | 1.1        | 4.5        |
|    | 133175 | AW955632         | Hs.66666  | ESTs, Weakly similar to S19560 proline-r                                       | 1.5        | 4.8        |
|    |        | AF231981         | Hs.250175 |  | 5.5        | 5.9        |
| 60 |        | AA464362         | Hs.6748   | hypothetical protein PP1665  | 1.2        | 3.7<br>8.6 |
|    | 133206 | AB037773         | Hs.6762   | hypothetical protein   | 1.6        |            |
|    | 133221 | W32474           |           | RAP2A, member of RAS oncogene family   | 2.4        | 4.8<br>4.2 |
|    |        | AL137480         | Hs.6834   | KIAA1014 protein   | 1          | 3.9        |
|    |        | AW796524         | Hs.68644  | Homo sapiens microsomal signal peptidase                                       | 1.3<br>1.4 | 5.4        |
| 65 |        | BE617892         | Hs.6895   | actin related protein 2/3 complex, subun<br>H.sapiens mRNA for retrotransposon | 3.1        | 0.7        |
|    |        | Z48633<br>N27672 | Hs.69469  | dendritic cell protein   | 2.5        | 6.5        |
|    | 133273 | 1121 112         | 10.00700  | Tonian and brothers  |            |            |

|    | 400007 | 414/7/07/407         | 11- 00774           | D feeles seems fo   | 4.2        |             |     |
|----|--------|----------------------|---------------------|---|------------|-------------|-----|
|    |        | AW797437             | Hs.69771            | B-factor, properdin   | 1.3        | 4           |     |
|    |        | BE297855             | Hs.69855            | NRAS-related gene   | 1.4        | 5           |     |
|    |        | AA304961<br>AJ001388 | Hs.699              | peptidylprolyl isomerase B (cyclophilin                       | 2.2        | 6.8         |     |
| 5  |        | AF116666             | Hs.69997            | zinc finger protein 238                                       | 1.5<br>1.4 | 4.3         |     |
| ,  |        | X04898               | Hs.70333            | hypothetical protein MGC10753<br>apolipoprotein A-II          | 0.2        | 6.3<br>3.6  |     |
|    |        | U56979               |                     | H factor 1 (complement)                                       | 0.6        | 5           |     |
|    |        | BE257758             | Hs.71475            |   | 1.2        | 4.2         |     |
|    |        | AF245505             | Hs.72157            |   | 3.7        | 5.8         |     |
| 10 |        | AB007916             |                     | KIAA0447 gene product   | 1.4        | 5.1         |     |
|    |        | AI738719             |                     | hexokinase 2  | 0.9        | 6.3         |     |
|    |        | AB033061             | Hs.73287            |   | 1.2        | 3.7         |     |
|    |        | AL137663             | Hs.7378             | Homo sapiens mRNA; cDNA DKFZp434G227                          | (fr        | 0.7         | 4.8 |
|    | 133448 | M27749               | Hs.288168           | immunoglobulin lambda-like polypeptide 1                      | 1.1        | 4.3         |     |
| 15 | 133449 | AF038962             | Hs.7381             | voltage-dependent anion channel 3                             | 0.7        | 4.2         |     |
|    | 133501 | Al962602             | Hs.74284            | hypothetical protein MGC2714                                  | 3.1        | 5.9         |     |
|    | 133504 | NM_004415            | Hs.74316            | desmoplakin (DPI, DPII)                                       | 4.3        | 11.5        |     |
|    | 133506 | BE562958             | Hs.74346            | hypothetical protein MGC14353                                 | 1.8        | 19.7        |     |
| •• |        | D87452               | Hs.74579            | KIAA0263 gene product   | 1.2        | 5.4         |     |
| 20 |        | H97991               |                     | Empirically selected from AFFX single pr                      | 1.4        | 3.9         |     |
|    |        | Al929645             | Hs.225936           |   | 0.8        | 4.9         |     |
|    |        | L37368               | Hs.75104            | RNA-binding protein S1, serine-rich doma                      | 2          | 10.8        |     |
|    |        | Al423369             | Hs.75111            | protease, serine, 11 (IGF binding)                            | 2.1        | 4.5         |     |
| 25 |        | U10564               | Hs.75188            | wee1+ (S. pombe) homolog                                      | 3.3        | 1.1         |     |
| 25 |        | BE244334             | Hs.75249            | ADP-ribosylation factor-like 6 interacti                      | 2.3        | 5.6         |     |
|    |        | Al301740             |                     | dihydropyrimidinase-like 2                                    | 0.8        | 13.5        |     |
|    |        | H14843               |                     | popeye protein 3  | 1          | 9.1         |     |
|    |        | AJ006239<br>L77964   | Hs.75438            | quinoid dihydropteridine reductase                            | 0.5<br>1.1 | 5.8<br>6.9  |     |
| 30 |        | AW503116             |                     | mitogen-activated protein kinase 6<br>zinc finger protein 146 | 1.8        | 3.8         |     |
| 50 |        | A1352558             | Hs.75544            | tyrosine 3-monooxygenase/tryptophan 5-mo                      | 1.5        | 11.1        |     |
|    |        |                      |                     | heterogeneous nuclear ribonucleoprotein                       | 2          | 3.9         |     |
|    |        | AI018666 ,           | Hs.75667            | synaptophysin   | 0.6        | 3.5         |     |
|    |        | AW001130             | Hs.75824            | KIAA0174 gene product   | 1.2        | 7.2         |     |
| 35 |        | AI929587             | Hs.75847            | CREBBP/EP300 inhibitory protein 1                             | 1.5        | 5           |     |
|    |        | BE410769             | Hs.75873            | zyxin   | 1.2        | 4.8         |     |
|    |        |                      | Hs.75929            | cadherin 11, type 2, OB-cadherin (osteob                      | 3.2        | 4.1         |     |
|    |        |                      |                     | ADP-ribosyltransferase (NAD+; poly (ADP-                      | 2.1        | 3.8         |     |
|    | 133799 |                      |                     | OKFZP564B167 protein  | 1.9        | 12.6        |     |
| 40 | 133800 | AF075337             | Hs.76293            | thymosin, beta 10   | 2.6        | 6.6         |     |
|    | 133802 | AW239400             | Hs.76297            | G protein-coupled receptor kinase 6                           | 1          | 4.9         |     |
|    |        | D25969               | Hs.76325            | step II splicing factor SLU7                                  | 0.5        | 3.8         |     |
|    |        | AW578716             | Hs.7644             | H1 histone family, member 2                                   | 1.5        | 4.5         |     |
| 45 |        | AW630088             | Hs.76550            | Homo sapiens mRNA; cDNA DKFZp564B126                          |            | 3.7         | 5.6 |
| 45 |        |                      | Hs.76688            |   | 0.3        | 4.4         |     |
|    |        | AA147026             | Hs.76704            | ESTs  | 5.5        | 2.9         |     |
|    |        |                      | Hs.76930            |   | 0.6        | 4.8         |     |
|    | 133887 |                      | Hs.77271            | protein kinase, cAMP-dependent, catalyti                      | 1<br>0.9   | 10.2        |     |
| 50 |        |                      |                     |   | 2.8        | 4.8<br>10.5 |     |
| 50 |        |                      | Hs.7753<br>Hs.77542 | ESTs  | 1.8        | 5.6         |     |
|    |        |                      | Hs.7756             |   | 1.5        | 6.6         |     |
|    | 133947 |                      |                     |   | 1.5        | 3.8         |     |
|    |        |                      |                     |   | 0.9        | 4.3         |     |
| 55 | 133987 |                      |                     |   | 2.3        | 4.3         |     |
| -  |        |                      |                     | SWI/SNF related, matrix associated, acti                      | 3.3        | 3.4         |     |
|    |        |                      | Hs.7822             | Homo sapiens mRNA; cDNA DKFZp564C1210                         | 6 (f       | 1.3         | 5.7 |
|    |        |                      |                     | hypothetical protein hCLA-lso                                 | 1          | 6.5         |     |
|    |        |                      | Hs.78683            | ubiquitin specific protease 7 (herpes vi                      | 1.7        | 3.6         |     |
| 60 | 134042 |                      | Hs.7869             | lysosomal   | 1          | 7.5         |     |
|    | 134049 | AF117236             | Hs.78825            | matrin 3  | 1.2        | 4           |     |
|    |        |                      | Hs.79069            |   | 2.7        | 4.8         |     |
|    |        |                      | Hs.79086            |   | 3.3        | 2.1         |     |
|    | 134207 |                      |                     | KIAA0009 gene product   | 1.3        | 3.5         |     |
| 65 |        |                      | Hs.80019            | programmed cell death 6                                       | 1.7        | 6.9         |     |
|    |        |                      | Hs.80205            |   | 0.8        | 5.3         |     |
|    | 134270 | AUD 134              | Hs.80919            | synaptophysin-like protein                                    | 1.4        | 11.4        |     |

|      |        | NM_004369             | Hs.80988            | and and all and                               | 2.6        | 3.5         |
|------|--------|-----------------------|---------------------|---|------------|-------------|
|      |        | NM_000712             | Hs.81029            | biliverdin reductase A  | 1.8        | 5.8         |
|      |        | Al022650              | Hs.8117             | erbb2-interacting protein ERBIN   | 1.1<br>1.1 | 3.6<br>5.9  |
| 5    |        | R00603                | Hs.8128<br>Hs.8136  | phosphatidylserine decarboxylase endothelial PAS domain protein 1                 | 0.5        | 4.8         |
| ,    |        | NM_001430<br>AL037800 | Hs.8148             | selenoprotein T   | 1.7        | 7.9         |
|      |        | D50683                | Hs.82028            |   | 0.8        | 7.6         |
|      |        | X76534                | Hs.82226            | glycoprotein (transmembrane) nmb  | 2.2        | 3.6         |
|      | 134374 | N22687                | Hs.8236             | ESTS  | 1.9        | 3.6         |
| 10   | 134378 | AL035786              | Hs.82425            | actin related protein 2/3 complex, subun  | 1.5        | 8.3         |
|      | 134382 | BE512856              | Hs.109051           |   | 1.1        | 3.6         |
|      |        | A1750762              | Hs.82911            | protein tyrosine phosphatase type IVA, m  | 1.9        | 4.6         |
|      |        | NM_006416             | Hs.82921            | solute carrier family 35 (CMP-sialic aci  | 1.2<br>6.6 | 7.5<br>8.7  |
| 15   |        | AU077196              | Hs.82985            | collagen, type V, alpha 2<br>Rho GTPase activating protein 1                      | 2          | 3.9         |
| 13   |        | Z23024<br>NM_013230   |                     | CD24 antigen (small cell lung carcinoma   | 3.5        | 1.1         |
|      |        | D86981                | Hs.84084            | amyloid beta precursor protein (cytoplas  | 1.5        | 4.4         |
|      |        | W84869                |                     | eukaryotic translation initiation factor  | 1.2        | 5.7         |
|      |        | AW960673              |                     | ATP synthase, H+ transporting, mitochond  | 1.3        | 3.9         |
| 20   |        | BE091005              | Hs.74861            | activated RNA polymerase II transcriptio  | 1.8        | 4.3         |
|      | 134528 | M23161                | Hs.84775            | Human transposon-like element mRNA  | 0.8        | 5.6         |
|      |        | AI902899              | Hs.85155            | butyrate response factor 1 (EGF-response  | 1.4        | 5           |
|      |        | AI203545              |                     | S-phase response (cyclin-related)   | 0.8<br>1.3 | 3.9<br>5.7  |
| 25   |        | NM_016142             | Hs.279617           | steroid dehydrogenase homolog<br>KIAA1191 protein                                 | 0.9        | 3.7         |
| 25   |        | AB033017<br>BE244323  | Hs.8594<br>Hs.85951 | exportin, tRNA (nuclear export receptor   | 4          | 6.8         |
|      |        | AW936928              | Hs.85963            | DKFZP564M182 protein  | 2.2        | 4.3         |
|      |        | AA927177              | Hs.86041            | CGG triplet repeat binding protein 1  | 1.6        | 3.6         |
|      |        | AF078859              | Hs.86347            | hypothetical protein  | 2.1        | 3.5         |
| 30   |        | AF265208              | Hs.123090           | SWI/SNF related, matrix associated, acti  | 1.7        | 4.2         |
|      | 134700 | AK000606              | Hs.8868             | golgi SNAP receptor complex member 1  | 4.4        | 0.9         |
|      | 134737 | D17530                | Hs.89434            | drebrin 1   | 3.1        | 1.6         |
|      |        | T51986                |                     | hemoglobin, gamma G   | 0.5        | 4.6         |
| 25   |        | AA428520              | Hs.90061            | progesterone binding protein  | 1.3<br>8.7 | 3.7<br>17.3 |
| 35   |        | J03464                | Hs.66295            | collagen, type I, atpha 2<br>multi-PDZ-domain-containing protein                  | 1.7        | 4           |
|      |        | AA587775<br>AB020689  | Hs.90419            | KIAA0882 protein  | 3.4        | 0.9         |
|      |        | Al803761              | Hs.90458            | serine palmitoyltransferase, long chain   | 1.3        | 6.9         |
|      |        | AJ002030              | Hs.9071             | progesterone membrane binding protein   | 1.4        | 9.6         |
| 40   |        | R51083                | Hs.90787            | ESTs  | 1          | 10.1        |
|      | 134908 | BE089782              | Hs.9877             | hypothetical protein  | 1.9        | 3.9         |
|      |        | AF005043              | Hs.91390            | poly (ADP-ribose) glycohydrolase  | 1          | 4.3         |
|      |        | BE560779              |                     | NICE-5 protein  | 1.4        | 10.4<br>4.1 |
| 15   |        | AK002085              | Hs.92308            | Homo sapiens cDNA FLJ11223 fis, clone PL  | 1.6<br>1.2 | 5.6         |
| 45   |        | AB037835              | Hs.92991            | KIAA1414 protein<br>hypothetical protein FLJ12619                                 | 1.7        | 7.6         |
|      |        | AW301984<br>AL034344  |                     | forkhead box C1   | 3.2        | 0.6         |
|      |        | Al272141              | Hs.83484            | SRY (sex determining region Y)-box 4  | 4.2        | 4.1         |
|      |        | AK001887              |                     | protein kinase, AMP-activated, gamma 2 n  | 1.3        | 4.8         |
| 50   |        | AK000967              | Hs.93872            | KIAA1682 protein  | 2          | 3.7         |
| -    | 135077 | AW503733              | Hs.9414             | KIAA1488 protein  | 2.8        | 3.7         |
|      |        | AB017363              | Hs.94234            | frizzled (Drosophila) homolog 1   | 2.4        | 4.8         |
|      |        | T97257                |                     | ESTs, Moderately similar to 138022 hypot  | 1.4<br>1.8 | 5.8<br>8.5  |
| c    |        | AA132813              | Hs.69559            | KIAA1096 protein  | 1.2        | 6.8         |
| 55 : |        | BE563088              | Hs.9552<br>Hs.12144 | binder of Arl Two<br>KIAA1033 protein   | 3.1        | 1.4         |
|      | 125181 | AB028956<br>BE250865  | Hs.279529           |   | 1.3        | 7.5         |
|      | 135222 | AA534009              | Hs.183487           | Interferon stimulated gene (20kD)   | 1.3        | 3.8         |
|      | 135232 | AL038812              | Hs.96800            | ESTs. Moderately similar to ALU7_HUMAN A  | 2.1        | 3.9         |
| 60   | 135289 | AW372569              | Hs.9788             | hypothetical protein MGC10924 similar to  | 0.9        | 8.4         |
|      | 135290 | AA331901              |                     | hypothetical protein FLJ10097   | 1          | 3.8         |
|      | 135291 | T83882                | Hs.97927            | ESTs  | 1.2        | 3.5         |
|      | 135349 | AA114212              | Hs.9930             | serine (or cystelne) proteinase Inhibito  | 2.6<br>2.5 | 8.9<br>5.4  |
| 65   | 135357 | Al565004              | Hs.79572            | cathepsin D (lysosomal aspartyl protease ret proto-oncogene (multiple endocrine n | 0.4        | 7.9         |
| 65   | 135398 | M16029<br>W79431      |                     | ribosomal protein L22   | 1.5        | 4.5         |
|      | 135400 | X78592                | Hs.99915            | androgen receptor (dihydrotestosterone r  | 3.2        | 1.8         |
|      |        |                       |                     |   |            |             |

|     | 302665 | R99693                  | Hs.224410 | Homo sapiens cDNA FLJ12843 fls, clone NT   | 3.6          | 3.6         |                      |     |     |
|-----|--------|-------------------------|-----------|--|--------------|-------------|----------------------|-----|-----|
|     |        | AW176909                | Hs.42346  | calcineurin-binding protein calsarcin-1  | 3.3          | 1.6         |                      |     |     |
|     |        | AW673106                | Hs.151945 | mitochondrial ribosomal protein L43  | 0.9          | 4.2         |                      |     |     |
|     | 303131 | AW081061                | Hs.103180 | DC2 protein  | 3            | 17.3        |                      |     |     |
| 5   | 303150 | AA887146                | Hs.8217   | stromal antigen 2  | 6.2          | 4           |                      |     |     |
|     |        | AA147979                |           | mitochondrial import receptor Tom22  | 1.2          | 6.6         |                      |     |     |
|     |        | AA233808                |           | protein kinase, cAMP-dependent, regulato   | 1            | 3.5         |                      |     |     |
|     |        | BE616412                |           | junctional adhesion molecule 1   | 1.5          | 4.7         |                      |     |     |
| 10  |        | AA054761                |           | karyopherin alpha 1 (importin alpha 5)   | 1.2 ·<br>1.3 | 5.6<br>3.5  |                      |     |     |
| 10  |        | AA412048<br>AW239226    | Hs.65450  | CGI-39 protein; cell death-regulatory pr<br>reticulon 4                          | 1.2          | 13.9        |                      |     |     |
|     |        | AF279145                | Hs.8966   | hypothetical protein FLJ21776  | 2            | 5.1         |                      |     |     |
|     |        | BE539367                |           | ESTs, Weakly similar to AF220049 1 uncha   | 1.3          | 3.9         |                      |     |     |
|     |        | NM_015925               | Hs.95697  | liver-specific bHLH-Zip transcription fa   | 1.5          | 6.2         |                      | •   |     |
| 15  |        |                         |           | putative heme-binding protein  | 2            | 11.3        |                      | •   |     |
|     | 425815 | R94023                  | Hs.337531 | ESTs, Moderately similar to 138022 hypot   | 1.7          | 3.6         |                      |     |     |
|     |        | AF119043                |           | Homo sapiens cONA FLJ13372 fis, clone PL   | 3.3          | 2.8         |                      |     |     |
|     |        | Al929685                |           | calmodulin 1 (phosphorylase kinase, delt   | 1.3          | 4.7         |                      |     |     |
| 20  |        | AA523543                | Hs.7678   | cellular retinoic acid-binding protein 1   | 1.1          | 3.7         |                      |     |     |
| 20  |        | AA361562                |           | 26S proteasome-associated pad1 homolog   | 3.2          | 2.5         |                      |     |     |
|     |        | AI355260                |           | histone deacetylase 3  | 2.8          | 22<br>1.1   | 5.2                  |     |     |
|     |        | AW601325<br>X99209      |           | Homo sapiens mRNA; cDNA DKFZp566M063<br>HMT1 (hnRNP methyltransferase, S. cerevi | 1.8          | 8.8         | J.Z                  |     |     |
|     | 430450 |                         |           | hypothetical protein   | 1.1          | 5.6         |                      |     |     |
| 25  |        | BE395875                |           | mitochondrial carrier homolog 2  | 1.5          | 6.1         |                      |     |     |
|     |        | BE407127                | Hs.8997   | heat shock 70kD protein 1A   | 1.3          | 7.6         |                      |     |     |
|     |        | AB001636                | Hs.5683   | DEAD/H (Asp-Glu-Ala-Asp/His) box polypep   | 1.6          | 6.5         |                      |     |     |
|     |        | BE616412                |           | junctional adhesion molecule 1   | 1.3          | 3.5         |                      |     |     |
|     | 437754 | R60366                  | Hs.5822   | Homo sapiens cDNA: FLJ22120 fis, clone H   | 2            | 5.7         |                      |     |     |
| 30  |        | BE513940                | Hs.6101   | hypothetical protein MGC3178   | 1.1          | 6.2         |                      |     |     |
|     |        | AL042986                | Hs.7857   | erythrocyte membrane protein band  | 0.5          | 3.7         |                      |     |     |
|     |        | BE281316                | Hs.47334  | hypothetical protein FLJ14495  | 2.5          | 4.9         |                      |     |     |
|     |        | H51066                  | Hs.23581  | leptin receptor gene-related protein   | 1.1          | 3.6         |                      |     |     |
| 25  |        | AW001741                |           | hypothetical protein FLJ10706  | 1.4<br>4     | 3.5<br>11.2 |                      |     |     |
| 35  |        | N73222                  | Hs.30250  | matrix Gla protein v-mat musculoaponeurotic fibrosarcoma (a                      | 0.8          | 5.6         |                      |     |     |
|     | 402000 | Al634651<br>RC_H15847_s |           | peptidytprotyl Isomerase B (cyclophilin B)                                       | 1.8          | 4.8         |                      |     |     |
|     |        | RC_W84712               |           | calumenin  | 3.5          | 4.6         |                      |     |     |
|     |        | X14008_ma1_             | ſ         | lysozyme (renal amyloidosis)   | 0.9          | 4.5         |                      |     |     |
| 40  |        | RC_H86543_f             | •         | ESTs   | 1.8          | 6.6         |                      |     |     |
|     |        | H07011                  |           | ESTs; Weakly similar to SAS [H.sapiens]  | 1.8          | 3.9         |                      |     |     |
|     |        | RC_AA164586             | _s        |  | <b>ESTs</b>  | 6.2         | 8.0                  |     |     |
|     |        | RC_AA070485             | ,         | Homo sapiens clone 23967   | 3.4          | 2.6         |                      |     |     |
| 4.0 |        | RC_H98714_s             |           | ESTs   | 1.6          | 3.5         | •                    |     |     |
| 45  |        | RC_AA406145             |           | ODV to an data minimum and a NO hard   | ESTs         | 4.6         | 3                    |     |     |
|     |        | AA458584                |           | SRY (sex determining region Y)-box 4   | 3.4          | 0.4         | 3.9                  |     |     |
|     |        | AA031548                |           | cell division cycle 42 (GTP-binding protein; 25 fibronectin 1                    | 3.6          | 3.1<br>15.2 | 3.5                  |     |     |
|     |        | X02761<br>RC_AA487193   |           | secreted frizzled-related protein 4  | 4.7          | 4           |                      |     |     |
| 50  |        | R25326                  | •         | Homo sapiens mRNA for putative vacuolar  | 0.9          | 5           |                      |     |     |
| 30  |        | RC_AA393805             | i         | ESTs; Weakly similar to (defline not   | 1.1          | 8.4         |                      |     |     |
|     |        | RC_AA449333             |           | ESTs   | 2.9          | 4.6         |                      |     |     |
| •   |        | RC_AA287681             |           |  | ESTs         | 1.3         | 4                    |     |     |
|     |        | RC_AA490864             | }         | ESTs; Highly similar to heat shock factor  | 1.4          | 5           |                      |     |     |
| 55  |        | RC_C14243_f             |           | ESTs; Highly similar to heat shock factor  | 1.7          | 5           |                      |     |     |
|     |        | R21443                  |           | ESTs   | 1.6          | 3.7         |                      |     |     |
|     |        | RC_AA251902             | ?         | Homo saplens lysophospholipase (LPL1)  | 2.2          | 3.8         |                      |     |     |
|     |        | M21121_s                |           | small inducible cytokine A5 (RANTES)   | 0.9<br>2.8   | 9.9<br>4.8  |                      |     |     |
| 60  |        | C00038_s<br>Y00503      |           | ESTs<br>keratin 19   | 3.1          | 1.1         |                      |     |     |
| UU  |        | RC_R27006_f             |           | ESTS   | 1.6          | 3.7         |                      |     |     |
|     |        | RC_AA416886             | ;         | ESTs; Weakly similar to predicted using  | 3.1          | 3.1         |                      |     |     |
|     |        | RC_AA460450             |           | fibroblast growth factor receptor 2 (bacteria-                                   | 1.5          | 3.7         |                      |     |     |
|     |        | RC_AA488433             |           |  | 1.1          | 4           |                      |     |     |
| 65  |        | RC_AA278400             | )_f       |  |              |             | 15 mRNA; partial cds | 1.5 | 3.6 |
|     |        | U28831                  |           | Human protein immuno-reactive with anti-PTI                                      |              | 0.6         |                      |     |     |
|     |        | RC_AA199588             | 5         | Homo sapiens actin-related protein Arp3 (ARI                                     | <b>'</b> 3)  | 1.8         | 4.7                  |     |     |

|    | AF006082         | Homo saplens actin-related protein Arp2  | (ARP2)  | 1.6 | 10.9 |
|----|------------------|--|---------|-----|------|
|    | RC_H90899        | desmoplakin (DPI; DPII)                  | 5.4     | 5.5 |      |
|    | RC_W95070        | desmoplakin (DPI; DPII)                  | 5       | 2.6 |      |
|    | RC_T90946_f      | Human mRNA for KIAA263 gene; compl       | ete cds | 1.1 | 3.9  |
| 5  | D87258           | protease; serine; 11 (IGF binding)       | 2.4     | 3.5 |      |
| •  | AA313414 s       | ESTs; Weakly similar to cDNA EST EME     | L:T1157 | 1.5 | 5.3  |
|    | RC H73484_s      | ESTs; Weakly similar to similar to Yeast | 1.3     | 6.3 |      |
|    | AFFX-HUMISGF3A/M |  |         | 2.3 | 13.5 |
|    | AFFX-HUMRGE/M100 |  | 1.1     | 7.9 |      |
| 10 | AFFX-M27830 5    |  |         | 0.5 | 7.4  |
|    | AFFX-M27830 5    |  |         | 0.6 | 5.4  |
|    | RC AA063431_f    |  | ESTs    | 8.0 | 4.1  |
|    | BC T63769 f      | ferritin: light polypentide              | 1.1     | 3.7 |      |

#### TABLE 8A

Table 8A shows the accession numbers for those pkeys lacking unigeneID's for Table 8. For each probeset, we have listed the gene cluster number from which the oligonucleotides were designed. Gene clusters were compiled using sequences derived from Genbank ESTs and mRNAs. These sequences were clustered based on sequence similarity using Clustering and Alignment Tools (DoubleTwist, Oakland California). The Genbank accession numbers for sequences comprising each cluster are listed in the "Accession" column.

10

15

35

40

45

50

60

Unique Eos probeset identifier number

CAT number:

Gene cluster number

Accession:

Genbank accession numbers

Pkey CAT number Accessions

108469 116761 1 20

AA079487 AA128547 AA128291 AA079587 AA079600 AA973971 T88817 AA253263

125076 190299 1

114636 109698 1

AA075488 AA129081 AA074851 AA082852 AA074732 AA084908 AA084751 AA076042 AA131172 AA085374 AA079519 AA074510 AA113824 AA102437 AA070833 AA070143 AA084693 AA084389 AA076373 AA075492 AA062834 AA084335

AA078829 AA079344 AA069916 AA079275 AA070914 AA654069 AA081976 AA080957 AA083115 AA070942 AA085296

123526 genbank\_AA608657 AA608657 25 123533 genbank\_AA608751 AA608751 125090 genbank\_T91518 T91518 W38419 125154 genbank\_W38419 118475 genbank\_N66845 N66845 118505 genbank\_N67343 N67343

30 101046 entrez\_K01160K01160

Z14221 AW381862 M97920 AW401444 Z66542 M29470 AW406502 X61011 M34024 AA327072 Z14166 Z14167 Z14165 129982 221\_267 AW403806 Z14200 AA383972 Z14205 Z14201 M18513 Z14202 AW403684 X14584 AF062221 U43760 X65892 X65883 X62107

Z80847 X65885 X65893 AF062142 X65891 X17675 Z47274 Z47277 Z47276 X65888 Z47275 X62109 AF062140 L01278 AF062134 AF062139 X81723 Z80840 X81733 X81743 X81744 X81732 Z80843 AW402942 AW403516 X65919 AF062190 AF062177 AF062222 AF062115 Z47240 AF062263 AF062261 AF062223 AF062211 Z47238 AW401714 AW404008 AW404991 AF062280 M99595 Z47214 Z47232 Z47218 M26995 AF0622184 X65895 L38433 X81731 Z11946 Z47226 AF062205 AF174012 L01276 AF062168 AF062136 X81755 X81748 AF174019 AF062285 L06924 L11699 AW402665 L09070 L28049 L08090 AW407843 Z14171 AW402944 L08083 AW405627 L33035 L26907 M17750 L28052 M17751 AJ239360 U19885 L14821 X56526

AB014341 L12087 L12098 U68231 L12184 AF062242 AF022000 U64499 U00570 Al268604 Y15773 X64239 X62969 U00506 X73605 X99360 U00577 D83677 AB021539 AF035796 Z33899 U00588 AJ239353 AF174062 Z33901 X98899 AF174058 X63080 D83676 AB021529 Z18318 U00488 L01412 X81746 U21262 U21272 U00560 AF174060 U00547 U00561 Z18321 S73957 M26435 AF115130 AF115117 Z92896 U21254 Z92895 AF115112 AF062290 T28938 Y09386 AF174067 U27189 Y09384 U77373 AF174057 M17749 X59692 AF174038 U64478 U64486 AF174098 X99365 AF174077 AF174083 AF174089 AF015133 AF127792 AJ006171 U00510 U58144 AF004323 AF115109 AF004324 AF015130 AF090414 AF090418 AB021536 AB021519

Z96957 AF021986 Z92898 Z96956 L34164 AF062251 AF052524 U00549 U00541 D83687 AF052522 AF087420 AF052520 AF022011 L43085 U00536 L19915 L43083 AF090420 AB021530 AB021534 Z96955 Z96954 Z33903 X62964 AF103282 U00509 AF062298 AF062289 AF062307 AW408326 L33037 L04337 L04328 X81742 L04336 L03385 AF032360 S56184 AF062191 AF191092 AI906954 AF103184 L04343 AW364860 AF001424 AF103163 Z98717 AF103143 AJ008250 L04323 AF103321 AF103335 L04342 L03818 L03817 AW404978 AW403690 U86801 AF103150 AJ010334 AF035027 AJ007327 AF103115

AF017458 AJ008207 AJ008183 AJ008196 AJ008241 AJ008208 AF103210 AF068668 AF068670 AF068671 AF068664 AF068669 AF068666 AF068665 AF068672 AW371244 AW403670 AW408074 AW404575 AW362153 AW403803 AW406702 AW351514 D78345 T29140 J00231 NM\_002179 AW405146 AA301091 X04646 H64660 AW402990 AW406534 T93007 AI857980 AW368899 AI905833 AW406586 AA482084 AI872299 AA715266 AW404328 AI831674 AI709348 AA603112

AW514864 AA485775 H64492 AW404789 AA487630 AA715498 AA295885 T27613 T98113

55 108470 genbank\_AA079500 AA079500 101447 entrez\_M21305 M21305 N48000 124447 genbank\_N48000 101624 entrez\_M55998 M55998

131791 221\_260

X62111 S67984 AJ131056 Z47243 Z47235 AF062268 Z47237 AJ131058 AF062130 AF062282 X62108 AA385989 AA464794 X69861 AW402964 M90808 Z98735 Z98734 Z98736 AF035018 X79161 U00545 AF174046 AF174071 U00552 U96288 AF021989 AF062255 AF174061 S73953 AF062135 AF062155 X64147 U00555 AF174070 AF129754 U86789 Z98714 Z98738 S75886 AJ008175 AJ008186 AJ008188 Y08403 H15753 H22208 AA327241 AW405737 H42300 H39677 H26239 H26903

H45128 R86072 AA327565 AI660584 AW361537 AW383759 S71043 H15014 H45570 H42819 H45523 H45134 R72043 H24543 H27636 H27610 T28147 H25496 AW364071 AW364072 H45561 H45556 H42605 AI735017 T47421 R48719 H27570 H44599 AI45958 H42347 H41938 H24993 AA345888 H22339 AI538691 AJ012264 AA664201 AI880450 AA327310 AI991250 AI833028 AW001210 AI956075 H30467 AA326915 H41943 AI749266 AI744441 AA327377 AW512326 AI735170 H01634 AI587047 AI571623 AA327486 AA327103 AA327195 AA326973 T28143 124842 217726\_1 R56485 R37248 R59992 103758 AA084874\_f\_at AA084874\_f X57815 L29157 AA367448 AW328098 AW404536 L29156 L29163 H27683 R83195 AA295096 AW327822 H25458 AW404692 130064 221\_264 X57819 X57823 AW405604 AW404447 Z34914 AW406542 AA427726 AA604389 AW405606 AW405918 AW405117 AW407182 L03632 AW405058 L03627 AW407470 R72738 L21959 AW375738 X87888 AF124166 AF054638 AJ241406

5

10

15

20

25

U09902 AW405284 M12025 AA360219 L03631 L03629 AW327727 AF194810 AF058076 AF194686 AF063774 AF063737 AF063755 AF063740 AF063739 AF063738 S73129 L43088 AF063775 L33026 AF060138 AF194813 AF194812 AF194811 AF194809 AF194814 AF194808 AF064505 AF064503 AF063765 AF063757 AF063752 AF063776 AF063736 AF194806 AF058077 AF063747 AF063777 AF063777 AF063778 AF063781 AF060137 AF194805 AF060132 AF058074 AF063754 AF063704 U38589 Z18332 AF060122 AF194807 AF060135 AF064506 AF064504 AF063773 L26540 AF058072 AF060131 AF064500 AF060136 AF064513 AF194683 AF194711 AF058075 AF063717 Z19546 AF194581 X72746 U96393 U09890 X98897 AF194592 M80916 AJ241405 AF194632 AJ388659 AF194625 Z74694 AF194581 X72746 U96393 U09890 X98897 AF194592 M80916 AJ241405 AF194632 AJ388659 AF194625 Z74694 AF194581 X72746 U96393 U09891 U09981 U09982 AJ010336 AJ006162 AJ249377 AJ241414 AA327392 U97248 X72747 Z46850 X95739 AW406701 AJ243109 AF194609 S80758 AF194595 AF194596 L22483 Z70262 D84141 AW405758 AF001788 AF194580 D84143 U76684 AF194593 L03630 X87892 X91134 U21249 Z46346 AJ132426 AF103659 AJ233718 AF021038 AJ233727 H24657 U09882 S75627 AA573599 AF047231 AF047232 AF103616 AW404484 Z46848 S76132 AF103663 AF103713 Y17940 AF047216 AF103595 Y17956 AF052799 AF052797 AF052802 AF052798 AF052795 AF052795 AF052795 AF052801 AF052795 AF052795 AF052801 AF0052795 AF052795 AF032351 AF103701 AF103708 AF103700 AF103706 S62232 AF103645 AF103632 AF103647 AF103644 AF103640 AF103692 AF093581 AF103620 AW405934 AI445389 AW383753 AA360256 AF093676 H21654 H39501 AI820828 H53689 W26785 AW384496 AW407708 AA54663 AA911062 AI821461 AA588000 AA27050 H42717 AI951280 AA421322 AI923193 AA864302 H25133 D87023 J03011 M61771 D87017 AA526865 AA253450 U29463 U06715 W24970 AA584303 T39581 AA155603 AA305043 AA429426 W05664 AA102382 AA482044 W24487 AA319060 161 AA243117 AA158937 AA100864 AF194809 AF194814 AF194808 AF064505 AF064503 AF063765 AF063757 AF063752 AF063716 AF063736 AF194806

130232 18831\_2 T88946 F10106 AA232161 AA243117 AA158937 AA100864 109097 genbank\_AA167512 AA167512

## TABLE 9: Figure 9 from BRCA 001-2 US

5 Table 9 depicts a preferred group of genes upregulated in tumor tissue compared to normal breast tissue.

|    | Pkey:      | Unique Eos probeset identifier number               |  |  |  |
|----|------------|---|--|--|--|
| 10 | ExAccn:    | Exemplar Accession number, Genbank accession number |  |  |  |
|    | UnigenelD: | Unigene number                                      |  |  |  |
|    | 11-1       | 11.1  |  |  |  |

| 15 | Pkey   | ExAcon   | UnigenetD | UnigeneTitle  |
|----|--------|----------|-----------|---|
|    | 100690 | AA383256 | Hs.1657   | estrogen receptor 1   |
|    | 102211 | BE314524 | Hs.78776  | putative transmembrane protein                              |
|    | 103587 | BE270266 | Hs.82128  | 5T4 oncofetal trophoblast glycoprotein                      |
| 20 | 104115 | AF183810 | Hs.26102  | opposite strand to trichorhinophalangeal syndrome I         |
|    | 105038 | AW503733 | Hs.9414   | KIAA1488 protein  |
|    | 105500 | AW602166 | Hs.222399 | CEGP1 protein   |
|    | 105990 | AI690586 | Hs.29403  | hypothetical protein FLJ22060                               |
|    | 106155 | AA425414 | Hs.33287  | nuclear factor I/B  |
| 25 | 106373 | AW503807 | Hs.21907  | histone acetyltransferase                                   |
|    | 106414 | BE568205 | Hs.28827  | mitogen-activated protein kinase kinase kinase 2            |
|    | 110009 | BE075297 | Hs.6614   | ESTs, Weakly similar to A43932 much 2 precursor, Intestinal |
|    | 111900 | AF131784 | Hs.25318  | Homo sapiens clone 25194 mRNA sequence                      |
|    | 114540 | Al904232 | Hs.75323  | prohibitin  |
| 30 | 116470 | Al272141 | Hs.83484  | SRY (sex determining region Y)-box 4                        |
|    | 117280 | M18217   | Hs.172129 | Homo sapiens cDNA: FLJ21409 fis, clone COL03924             |
|    | 119771 | A1905687 | Hs.2533   | EST   |
|    | 121723 | AA243499 | Hs.104800 | hypothetical protein FLJ10134                               |
|    | 124059 | BE387335 | Hs.283713 | ESTs, Weakly similar to S64054 hypothetical protein YGL050w |
| 35 | 131148 | AW953575 | Hs.303125 | p53-induced protein PIGPC1                                  |
|    | 132371 | AA235448 | Hs.46677  | PRO2000 protein   |
|    | 134169 | Al690916 | Hs.178137 | transducer of ERBB2, 1                                      |
|    | 302235 | AL049987 | Hs.166361 | Homo sapiens mRNA; cDNA DKFZp564F112                        |
|    | 452410 | AL133619 | Hs.29383  | Homo sapiens mRNA; cDNA DKFZp434                            |

# TABLE 10: Figure 10 from BRCA 001-3 PCT

5 Table 10 depicts a preferred group of genes upregulated in tumor tissue compared to normal breast tissue.

| 10<br>15 | Pkey:<br>ExAccn:<br>Unigene<br>Unigene<br>R1:<br>R2:<br>R3:<br>R4: | Ex<br>ID: Ur<br>Title: Ur | templar Access<br>higene number<br>higene gene title<br>atio of tumor to<br>Ratio of 90<br>Ratio of 75 | eset identifier number<br>ion number, Genbank accession number<br>enormal body tissue<br>h percentile tumor to body<br>h percentile body to tumor<br>nor to normal breast tissue |              |           |         |            |
|----------|--|---------------------------|--|--|--------------|-----------|---------|------------|
|          | Pkey   | ExAccn                    | UnigenelD  | Unigene Title  | R1           | R2        | R3      | R4         |
| 20       | •  |                           |  |  |              | 450       | 20      | 40.0       |
|          |  | AA130080                  |  | proteasome (prosome, macropaln) 26S subu   | 4.2          | 152       | 36      | 12.2       |
|          | 100103   | AA380887                  | Hs.5085  | dolichyl-phosphate mannosyltransferase p   | 9.8          | 123       | 13      | 5          |
|          | 100131   | D12485                    | Hs.11951   | ectonucleotide pyrophosphatase/phosphodi   | 13.2         | 244       | 19      | 9.9        |
|          | 100147   | D13666                    | Hs.136348  | osteoblast specific factor 2 (fasciclin  | 15.7         | 1030      | 66      | 5          |
| 25       | 100154   | H60720                    | Hs.81892   | KIAA0101 gene product  | 4.1          | 320       | - 78    | 10.6       |
|          | 100157   | D14661                    | Hs.119   | Wilms' tumour 1-associating protein  | 4.7          | 119       | 26      | 3          |
|          | 100169   | AL037228                  | Hs.82043   | D123 gene product  | 5.1          | 106       | 21      | 9.2        |
|          | 100203   | .BE242284                 | Hs.172199  | adenylate cyclase 7  | 4.7          | 47        | 1       | 4.3        |
|          | 100210   | D26361                    | Hs.3104  | KIAA0042 gene product  | 4.7          | 47        | 4       | 0.7        |
| 30       | 100219   | AW972300                  | Hs.118110  | bone marrow stromal cell antigen 2   | 3.8          | 350       | 93      | 1.9        |
|          | 100234   | D29677                    | Hs.3085  | KIAA0054 gene product; Helicase  | 4.1          | 64        | 16      | 3<br>5.9   |
|          |  | NM_01515                  |  | KIAA0071 protein   | 3.4          | 77<br>45  | 23<br>4 | 5.9<br>4   |
|          |  | NM_00620                  |  | platelet-derived growth factor receptor-   | 4.5          | 45<br>59  | 1       | 2.6        |
| 2.5      |  | D38491                    | Hs.322478  | KIAA0117 protein   | 5.9<br>3.5   | 96        | 28      | 1.3        |
| 35       |  | D42084                    | Hs.82007   | KIAA0094 protein   | 3.1          | 306       | 98      | 1.5        |
|          |  | BE247550                  |  | growth factor receptor-bound protein 7   | 12.8         | 128       | 1       | 11.7       |
|          |  | AA331881                  |  | peroxiredoxin 3  | 4.2          | 187       | 44      | 5.4        |
|          |  | AW247529                  |  | platelet-activating factor acetylhydrola   | 4.5          | 129       | 29      | 3.1        |
| 40       |  | A1878927                  | Hs.79284   | mesodern specific transcript (mouse) hom   | 3.5          | 78        | 23      | 4.8        |
| 40       |  | D80004                    | Hs.75909   | KIAA0182 protein<br>KIAA0202 protein   | 10.2         | 102       | 1       | 4.8        |
|          |  | D86957                    | Hs.80712<br>Hs.79299   | tipoma HMGIC fusion partner-like 2   | 4            | 40        | 1       | 3.8        |
|          |  | D86961                    |  | KIAA0215 gene product  | 3.2          | 32        | 2       | 2.9        |
|          |  | NM_01473<br>D86978        | Hs.84790   | KIAA0225 protein   | 3.6          | 36        | 7       | 3.2        |
| 45       |  | AA013051                  |  | topoisomerase (DNA) II binding protein   | 5.6          | 76        | 14      | 2          |
| 73       |  | AA347720                  |  | KIAA0264 protein   | 3.5          | 35        | 9       | 3.1        |
|          |  | AF234887                  |  | cadherin, EGF LAG seven-pass G-type rece   | 5.5          | 145       | 27      | 2.2        |
|          |  | D87470                    | Hs.75400   | KIAA0280 protein   | 3.4          | 34        | 1       | 1.2        |
|          |  | X51501                    | Hs.99949   | protactin-induced protein  | <b>22</b> .7 | 760       | 34      | 1.4        |
| 50       |  | AA019521                  |  | lysosomal  | 14.4         | 144       | 9       | 4.7        |
| 50       |  | NM_00503                  |  | plastin 3 (T isoform)  | 4.1          | 259       | 63      | 1.9        |
|          |  | BE623001                  |  | Homo sapiens ribosomal protein L39 mRNA,   | 3.3          | 116       | 36      | 2.2        |
|          |  | L05424                    | Hs.169610  | CD44 antigen (homing function and Indian   | 8.5          | 85        | 1       | 3.2        |
|          | 100667   | L05424                    | Hs.169610  | CD44 antigen (homing function and Indian   | 3            | 594       | 201     | 2.3        |
| 55       | 100745   | BE207168                  | Hs.144630  | nuclear receptor subfamily 2, group F, m   | 5            | 82        | 17      | 0.9        |
|          |  | J05581                    | Hs.89603   | mucin 1, transmembrane   | 3.5          | 37        | 11      | 2.8        |
|          | 100783   | AF078847                  | Hs.191356  | general transcription factor IIH, polype   | 9.7          | 97<br>33  | 10<br>1 | 7.2<br>0.8 |
|          |  | M26460                    |  | gb:Homo sapiens (clone 104) retinoblasto   | 3.3          | 33<br>477 | 130     | 3.1        |
|          |  | BE563957                  |  | activated RNA polymerase II transcriptio   | 3.7          | 63        | 4       | 5.7        |
| 60       |  | X80821                    | Hs.27973   | KIAA0874 protein   | 6.3<br>4.7   | 47        | 1       | 4.2        |
|          |  |                           | Hs.180789  | S164 protein   | 3.8          | 115       | 30      | 7.1        |
|          |  | BE297139                  | HS./9411   | replication protein A2 (32kD)  | 3.9          | 390       | 100     | 11.1       |
|          |  | K01160                    | 11- 250502   | NM_002122:Homo sapiens major histocompat<br>carbonic anhydrase VIII  | 3.9          | 39        | 8       | 3.6        |
|          | 1070/9   | BE204901                  | Hs.250502  | carbonic annyurase vin   | 0.0          |           | -       |            |

|         | 404004 | A14/400034           | Un 75500   | audicular CTPaga   | 4.4         | £2        | 13     | 4         |
|---------|--------|----------------------|------------|--|-------------|-----------|--------|-----------|
|         |        | AW409934<br>AW862258 |            | nucleolar GTPase<br>neuropeptide Y receptor Y1             | 4.1<br>15.3 | 53<br>153 | 1      | 4<br>14.1 |
|         |        | NM_00162             |            | aryl hydrocarbon receptor                                  | 11.3        | 113       | 8      | 3.9       |
|         |        | L20320               | Hs.184298  | cyclin-dependent kinase 7 (homolog of Xe                   | 3.1         | 118       | 38     | 2         |
| 5       |        | L22524               | Hs.2256    | matrix metalloproteinase 7 (MMP7; uterin                   | 8.2         | 396       | 48     | 0.9       |
| ,       |        | AU077288             |            | ADP-ribosylation factor-like 1                             | 4           | 110       | 28     | 10.7      |
|         |        | BE545277             |            | Ts translation elongation factor, mitoch                   | 4.2         | 50        | 12     | 4.4       |
|         |        | BE535511             |            | transmembrane trafficking protein                          | 6.6         | 135       | 21     | 13.1      |
|         |        | BE267931             |            | proliferating cell nuclear antigen                         | 6.4         | 249       | 39     | 22.4      |
| 10      |        | M21305               |            | gb:Human alpha satellite and satellite 3                   | 6.5         | 878       | 135    | 0.8       |
|         |        | NM_00042             | 4Hs.195850 | keratin 5 (epidermolysis bullosa simplex                   | · 4.8       | 622       | 130    | 0.7       |
|         |        | NM_00054             |            | tumor protein p53 (Li-Fraumeni syndrome)                   | 5.1         | 97        | 19     | 9.3       |
|         |        | NM_00289             |            | RAS p21 protein activator (GTPase activa                   | 9.6         | 96        | 1      | 8.5       |
|         |        | AA053486             |            | interferon-induced protein with letratri                   | 11.2        | 112       | 8      | 5.9       |
| 15      |        | X16896               | Hs.82112   | interleukin 1 receptor, type I                             | 3.9         | 39        | 2      | 3.5       |
|         | 101621 | BE391804             |            | guanylate binding protein 1, interferon-                   | 3.6         | 36        | 1      | 2.6       |
|         |        | M55998               |            | gb:Human alpha-1 collagen type I gene, 3                   | 3.1         | 2898      | 923    | 2.2       |
|         | 101664 | AA436989             | Hs.121017  | H2A histone family, member A                               | 6.9         | 103       | 15     | 8.4       |
|         | 101684 | M63256               | Hs.75124   | cerebellar degeneration-related protein                    | 6.4         | 64        | 2      | 4.9       |
| 20      | 101724 | L11690               | Hs.620     | bullous pemphigoid antigen 1 (230/240kD)                   | 9.4         | 94        | 1      | 0.3       |
|         | 101754 | S70114               | Hs.239489  | TIA1 cytotoxic granule-associated RNA-bi                   | 8.9         | 89        | 5      | 8         |
|         | 101767 | M81057               | Hs.180884  | carboxypeptidase B1 (tissue)                               | 3.6         | 824       | 227    | 1.4       |
|         | 101791 | M83822               | Hs.62354   | cell division cycle 4-like                                 | 9           | 144       | 16     | 13        |
|         | 101794 | M84605               | Hs.957     | putative opioid receptor, neuromedin K (                   | 3.3         | 36        | 11     | 2.4       |
| 25      | 101803 | AW024390             | Hs.155691  | pre-B-cell leukemia transcription factor                   | 5.4         | 180       | 34     | 15.9      |
|         | 101809 | M86849               | Hs.323733  | gap junction protein, beta 2, 26kD (conn                   | 12          | 120       | 8      | 9         |
|         |        | AA446644             |            | GA733-2 antigen; epithelial glycoprotein                   | 3.1         | 353       | 116    | 2.8       |
|         | 101888 | AL049610             | Hs.95243   | transcription elongation factor A (SII)-                   | 7.3         | 73        | 1      | 5.3       |
| 20      |        | AL036287             |            | calponin 3, acidic   | 3.8         | 399       | 105    | 3.3       |
| 30      |        | BE245149             |            | protein tyrosine kinase 9                                  | 4.6         | 148       | 32     | 11.3      |
|         |        | U11313               | Hs.75760   | sterol carrier protein 2                                   | 9.5         | 95        | 4      | 8.8       |
|         |        | NM_00180             |            | centromere protein A (17kD)                                | 4.2         | 42        | 7      | 3.4       |
|         |        | NM_00645             |            | slalyltransferase  | 9.3         | 93        | 4      | 3         |
| 25      |        | NM_00441             |            | dual specificity phosphatase 5                             | 5.4         | 137       | 26     | 2.5       |
| 35      |        | AA450274             |            | CDC16 (cell division cycle 16, S. cerevi                   | 4.6         | 151       | 33     | 2<br>8    |
|         |        | BE313280             |            | death associated protein 3                                 | 9.3         | 93<br>457 | 5<br>1 | 39.7      |
|         |        | AL036335             |            | secreted phosphoprotein 1 (osteopontin,                    | 45.7<br>3.9 | 442       | 114    | 1.3       |
|         |        | BE314524             |            | putative transmembrane protein                             | 4.9         | 49        | 1      | 3.6       |
| 40      |        | NM_006769<br>U27185  | Hs.82547   | LIM domain only 4 retinoic acid receptor responder (tazaro | 3.1         | 31        | i      | 1.3       |
| 40      |        | NM_00154             |            | Inhibitor of DNA binding 4, dominant neg                   | 3.8         | 163       | 43     | 0.5       |
|         |        | AA306342             |            | protein kinase C-like 2                                    | 4.5         | 45        | 1      | 3.6       |
|         |        | AF015224             |            | mammaglobin 1  | 8.5         | 2058      | 243    | 1.4       |
|         |        | U37519               | Hs.87539   | aldehyde dehydrogenase 3 family, member                    | 6.4         | 428       | 67     | 2.3       |
| 45      |        | U39840               | Hs.299867  | hepatocyte nuclear factor 3, alpha                         | 6.7         | 67        | 9      | 6.3       |
|         |        | AW602154             |            | E74-like factor 2 (ets domain transcript                   | 5.3         | 53        | 1      | 4.8       |
|         |        | BE300330             |            | selenophosphate synthetase 2                               | 3.3         | 111       | 34     | 7.5       |
|         |        | NM_00139             |            | dual specificity phosphatase 4                             | 20.2        | 202       | 5      | 1.3       |
|         |        | NM_00393             |            | kynureninase (L-kynurenine hydrolase)                      | 3.8         | 38        | 1      | 1.5       |
| 50      |        | U63830               | Hs.146847  | TRAF family member-associated NFKB activ                   | 8.2         | 82        | 1      | 6.8       |
|         |        | U60808               | Hs.152981  | CDP-diacylglycerol synthase (phosphatida                   | 4.1         | 41        | 1      | 3.3       |
|         |        | AL037672             |            | extracellular matrix protein 1                             | 10.2        | 628       | 62     | 17.2      |
|         |        | U67319               | Hs.9216    | caspase 7, apoptosis-related cysteine pr                   | 5           | 66        | 13     | 5.3       |
|         |        | NM_00227             |            | karyopherin (importin) beta 2                              | 6.1         | 126       | 21     | 2.4       |
| 55      |        | U71207               | Hs.29279   | eyes absent (Drosophila) homolog 2                         | 4.5         | 45        | 1      | 2.8       |
|         | 102742 | U79293               | Hs.159264  | Human clone 23948 mRNA sequence                            | 4.1         | 41        | 1      | 2.4       |
|         | 102784 | U85658               | Hs.61796   | transcription factor AP-2 gamma (activat                   | 4.4         | 255       | 58     | 1.6       |
|         | 102805 | U90304               | Hs.25351   | iroquois homeobox protein 5                                | 3.6         | 142       | 39     | 1.6       |
|         | 102813 | BE242035             | Hs.151461  | embryonic ectoderm development                             | 3.5         | 35        | 1      | 2.7       |
| 60      | 102823 | D85390               | Hs.5057    | carboxypeptidase D   | 5.6         | 56        | 1      | 5.3       |
|         | 102825 | BE262386             | Hs.7137    | clones 23667 and 23775 zinc finger prote                   | 4.2         | 42        | 7      | 3.7       |
|         |        | AJ815559             |            | signal recognition particle receptor ('d                   | 3.2         | 58        | 18     | 5         |
|         |        | NM_00227             |            | keratin 15 .   | 5.8         | 753       | 131    | 0.4       |
| <i></i> |        | BE512730             |            | keratin 18   | 3.1         | 815       | 266    | 1.7       |
| 65      |        | AL119505             |            | activating transcription factor 2                          | 3.2         | 32        | 4      | 2.6       |
|         |        | AU076611             |            | methylene tetrahydrofolate dehydrogenase                   | 5.7<br>5.0  | 251       | 44     | 6.6       |
|         | 103003 | AI910275             | Hs.1406    | trefoil factor 1 (pS2)                                     | 5.6         | 1346      | 239    | 5.4       |

|     |        |                        |                        |  |                        |             |           | 40          |
|-----|--------|------------------------|------------------------|--|------------------------|-------------|-----------|-------------|
|     |        | AW500470               |                        | main polypoper   | 5.8                    | 218<br>1421 | 38<br>388 | 13<br>1.9   |
|     |        | NM_002343              |                        | 1000000  | 3.7<br>3.1             | 94          | 30        | 5.8         |
|     | 103036 |                        | Hs.83169               |  | 3.5                    | 332         | 94        | 3.1         |
| 5   | 103038 | AA926960               | Hs.2877                |  | 4.8                    | 312         | 65        | 30.9        |
| J   | 103119 |                        | Hs.2839                | Cadilonia of the state of the second the sec | 5.2                    | 331         | 64        | 1.5         |
|     | 103134 |                        | Hs.2839                |  | 4.9                    | 49          | 5         | 3.8         |
|     | 103171 | AW583058               |                        | serine (or cysteine) proteinase inhibito   | 3.3                    | 1497        | 458       | 2.1         |
|     | 103206 |                        | Hs.77367               | monokine induced by gamma interferon   | 3.5                    | 796         | 228       | 3.2         |
| 10  | 103208 | AW411340               | Hs.31314               |  | 5.6                    | 191         | 34        | 3.5         |
|     | 103226 | X75042                 | Hs.44313               | 1 10 Gilair ionogiochiaeananan   | 4.1                    | 53          | 13        | 4.9<br>2.3  |
|     |        | AA206186               |                        | money to to made opinego amortimos   | 3.4<br>3.9             | 34<br>43    | 8<br>11   | 1           |
|     |        | X87613                 | Hs.5464                | militare transfer agent and L.   | 3. <del>3</del><br>9.3 | 93          | 8         | 8.2         |
| 1.5 |        | H09366                 | Hs.78853               |  | 9.7                    | 97          | 1         | 9.3         |
| 15  |        | NM_005982<br>AL036166  |                        |  | 6.3                    | 98          | 16        | 9.1         |
|     |        | X94453                 | Hs.114366              | coated tooleie incinizing protein  | 4.3                    | 77          | 18        | 7.2         |
|     |        | AW175781               |                        |  | 4.9                    | 153         | 31        | 2.4         |
|     |        | AI878922               | Hs.180139              | SMT3 (suppressor of mif two 3, yeast) ho   | 4.9                    | 261         | 53        | 3.7         |
| 20  |        | Y00815                 | Hs.75216               |  | 3.5                    | 564         | 162       | 1.7         |
|     |        | AW408009               | Hs.22580               | alkylglycerone phosphate synthase  | 3.9                    | 49          | 13        | 2.5         |
|     |        | AL133415               |                        | Villetiai  | 7.5                    | 136         | 18        | 3.4<br>6.9  |
|     |        | BE270266               |                        | O14 Ollogiom: gopiiozimor 9.7 opii opii  | 7.9                    | 79<br>745   | 2<br>229  | 1.8         |
| 0.5 |        | BE409838               |                        | organization of disposit a granter following   | 3.3<br>3.2             | 41          | 13        | 2.8         |
| 25  |        | AW403814               |                        | DOLL GOODGE GENERAL GOVERN   | 7.3                    | 73          | 1         | 5.2         |
|     |        | NM_00034               |                        | SRY (sex determining region Y)-box 9 (ca collagen, type I, alpha 1   | 3.8                    | 1612        | 429       | 3.1         |
|     | 103658 | NM_00352               | 8Hs.172928             | H2B histone family, member Q   | 3.2                    | 32          | 5         | 2.8         |
|     | 103000 | AA314389               | Hs 42500               | ADP-ribosylation factor-like 5   | 3.2                    | 32          | 9         | 2.7         |
| 30  |        | AB033112               |                        | bromodomain and PHD finger containing, 3   | 4.9                    | 49          | 1_        | 4.2         |
| •   |        | NM_00240               |                        | mammaglobin 2  | 7.2                    | 498         | 69        | 9.3         |
|     | 104115 | AF183810               | Hs.26102               | opposite strand to trichorhinophalangeal   | 29                     | 290         | 1         | 26.8<br>2.1 |
|     |        | H63349                 | Hs.98806               | hypothetical protein   | 3.7<br>5.2             | 37<br>52    | 7<br>1    | 4.3         |
| 25  |        |                        | Hs.146381              | RNA binding motif protein, X chromosome  | 8                      | 84          | 11        | 6.3         |
| 35  |        |                        | Hs.283037              | HSPC039 protein small inducible cytokine subfamily A (Cy   | 5.8                    | 58          | 1         | 3.2         |
|     |        | AB012113<br>AB002367   |                        | doublecortin and CaM kinase-like 1   | 6.4                    | 64          | 8         | 3           |
|     |        |                        | Hs.109253              | N-terminal acetyltransferase complex ard   | 4.7                    | 229         | 49        | 7.9         |
|     |        |                        | Hs.284123              | hypothetical protein MGC4604   | 3.2                    | 32          | 7         | 2.4         |
| 40  |        |                        | Hs.172129              | Homo sapiens cDNA: FLJ21409 fis, clone C   | 5.3                    | 144         | 27        | 13.1        |
| • • |        | X51501                 | Hs.99949               | prolactin-induced protein  | 6.9                    | 1494        | 218       | 1.3         |
|     | 104558 | R56678                 | Hs.88959               | hypothetical protein MGC4816   | 7.7                    | 77<br>27    | 8<br>5    | 6.9<br>2.5  |
|     |        | AA040620               |                        | hypothetical protein AF140225  | 3.7<br>6.1             | 37<br>493   | 81        | 0.7         |
| 4 ~ |        | AW373062               | 2 Hs.83/523            | nuclear receptor subfamily 1, group I, m   | 3.8                    | 38          | 4         | 1.2         |
| 45  |        | H47610                 | Un 94749               | gb:yp75f03.s1 Soares fetal liver spleen<br>hypothetical protein  | 4.8                    | 231         | 49        | 7.3         |
|     |        | AF123303<br>H00820     | Hs.30977               | ESTs, Weakly similar to B34087 hypotheti   | 3.4                    | 154         | 46        | 3           |
|     |        | R82252                 | Hs.106106              | protein kinase (cAMP-dependent, catalyti   | 5                      | 468         | 94        | 4.7         |
|     |        | BE298665               |                        | Homo sapiens mRNA; cDNA DKFZp564D016 (fr   | 3.8                    | 82          | 22        | 3.1         |
| 50  |        | AI239923               | Hs.30098               | ESTs   | 14.9                   | 149         | 1         | 6.4         |
| • • | 104766 | BE244072               | Hs.20815               | macrophage erythroblast attacher   | 6.3                    | 165         | 26        | 3.2         |
|     | 104787 | AA027317               |                        | gb:ze97d11.s1 Soares_fetal_heart_NbHH19W   | 3.8                    | 40          | 11<br>1   | 3.8<br>5.1  |
|     |        | AI858702               | Hs.31803               | ESTs, Weakly similar to N-WASP [H.saplen   | 7.7                    | 77<br>70    | 1         | 6.5         |
|     |        | A1139058               | Hs.125790              | leucine-rich repeat-containing 2   | 7<br>4.7               | 201         | 43        | 4.5         |
| 55  |        | AI250789               | Hs.32478               | ESTS   | 7.4                    | 74          | 1         | 6           |
|     | 104890 | AW01531                | 0 HS.23103             | prolactin receptor   | 3.9                    | 280         | 72        | 3.3         |
|     | 104918 | AA026880               | Hs.33363               | DKFZP434N093 protein   | 4.2                    | 135         | 32        | 4           |
|     |        |                        | Hs.114218              | frizzled (Drosophila) homolog 6  | 16.2                   | 162         | 1         | 4.2         |
| 60  |        |                        | Hs.29669               | ESTs   | 3.8                    | 38          | 1         | 2.4         |
|     |        | Al392640               |                        | amino acid transporter system A1   | 3.2                    | 522         | 165       | 1.9         |
|     | 104997 | 7 AA121686             | 6 Hs.10592             | ESTs   | 3.2                    | 32<br>457   | 4<br>43   | 2.9<br>3.6  |
|     |        |                        | Hs.13268               | ESTs   | 3.7<br>5.5             | 157<br>55   | . 1       | 5.2         |
|     |        | 3 AW50373              |                        | KIAA1488 protein   | 5.5<br>10.3            | 103         | . 1       | 3.9         |
| 65  |        |                        | 6 Hs.26204             | KIAA1295 protein<br>lumican  | 6.6                    | 66          | i         | 5.4         |
|     |        | 5 AA148710<br>8 H58589 | 0 Hs.79914<br>Hs.35156 | Homo sapiens cDNA FLJ11027 fis, clone PL   | 3.1                    | 31          | 1         | 2.5         |
|     | 10000  | , 100003               | . 10.00 100            |  |                        |             |           |             |

|      | 105091 | AA148859             | Hs.179909 | hypothetical protein FLJ22995  | 3.2        | 32              | 1        | 3          |
|------|--------|----------------------|-----------|--|------------|-----------------|----------|------------|
|      | 105143 | Al368836             | Hs.24808  | ESTs, Weakly similar to l38022 hypotheti   | 7.3        | 73              | 1        | 3.8        |
|      |        | AA307279             |           | methyl-CpG binding domain protein 4  | 4.2        | 90              | 22       | 2.8        |
| _    | 105162 | AL133033             | Hs.4084   | KIAA1025 protein   | 6          | 60              | 6        | 4.6        |
| 5    |        | AW612147             |           | Homo sapiens C1orf19 mRNA, partial cds   | 3.8        | 38              | 2        | 3.2        |
|      |        | AA313825             |           | AD036 protein  | 9.3        | 436             | 47       | 5.8        |
|      |        | AA975096             |           | hypothetical protein PRO2849   | 5.7        | 57              | 8        | 5.3        |
|      |        | AA328102             |           | cytoskeleton associated protein 2  | 4.5        | 45              | 1        | 3.6        |
| 10   |        | AW952479<br>AB039670 |           | tropomodulin 3 (ubiquitous)  | 4.3<br>8   | 43              | 1        | 3.9        |
| 10   |        | AW997484             |           | ALEX1 protein<br>KIAA0456 protein  | 3.9        | 80<br>39        | 6        | 7.3<br>3.2 |
|      |        | AA894638             |           | ESTs   | 3.5        | 35              | 7        | 2.7        |
|      |        | N99673               | Hs.3585   | ESTs. Weakly similar to AF126743 1 DNAJ  | 4.5        | 45              | 10       | 0.5        |
|      |        | AK000796             |           | hypothetical protein   | 3.8        | 93              | 25       | 7.5        |
| 15   | 105329 | AA234561             | Hs.22862  | ESTs   | 2.8        | 131             | 47       | 3.9        |
|      | 105344 | AF151073             | Hs.8645   | hypothetical protein   | 3.9        | 79              | 20       | 6.5        |
|      | 105376 | AW994032             | Hs.8768   | hypothetical protein FLJ10849  | 5.1        | 181             | 36       | 15.8       |
|      |        | AW500718             |           | Homo sapiens, clone MGC:16169, mRNA, com   | 4.1        | 41              | 2        | 3.3        |
| 20   |        | AF198620             |           | RNA binding motif protein 8A   | 6.2        | 62              | 6        | 5.6        |
| 20   |        | W20027               | Hs.23439  | ESTs   | 3.3        | 206             | 63       | 2.2        |
|      |        | AL137257             |           | Homo sapiens cDNA: FLJ23015 fis, done L  | 3.2        | 466             | 146      | 8.4        |
|      |        | AL117441             | Hs.301997 | hypothetical protein FLJ13033  | 16.6       | 166             | 8        | 12.7       |
|      |        | AW602166<br>AA173942 |           | CEGP1 protein  | 25.4       | 508<br>117      | 20<br>13 | 3<br>10.6  |
| 25   |        | AB037829             |           | Homo saplens mRNA; cDNA DKFZp564H1916 (I<br>regulator of nonsense transcripts 2; DKF | 3.2        | 32              | 6        | 1.5        |
|      |        | AK001269             |           | hypothetical protein FLJ10407  | 8.3        | 83              | 3        | 1.8        |
|      |        | AB040884             |           | KIAA1451 protein   | 3.5        | 73              | 21       | 1.6        |
|      |        | BE616694             |           | hypothetical protein FLJ14299  | 5.8        | 336             | 58       | 2          |
|      | 105610 | AA280072             | Hs.99872  | fetal Alzheimer antigen  | 3.2        | 32              | 1        | 1          |
| 30   | 105616 | R35343               | Hs.24968  | Human DNA sequence from clone RP1-233G16   | 4.8        | 79              | 17       | 5.2        |
|      | 105627 | AA281279             | Hs.23317  | hypothetical protein FLJ14681  | 4          | 75              | 19       | 1.7        |
|      |        | AA001021             |           | thyroid hormone receptor interactor 8  | 4.5        | 45              | 1        | 3.7        |
|      |        | AW294631             |           | ESTs   | 3.6        | 36              | 1        | 0.1        |
| 25   |        |                      | Hs.279789 | histone deacetylase 3  | 6.4        | 64              | 8        | 6          |
| 35   |        | NM_014517            |           | upstream binding protein 1 (LBP-1a)  | 4.7        | 152             | 33       | 5.3        |
|      |        |                      | Hs.289068 | Homo sapiens cDNA FLJ11918 fis, clone HE   | 5.7        | 57              | 8        | 4.1        |
|      |        | AW377314<br>AA834664 |           | DKFZP564l052 protein   | 6.9<br>3.4 | 69<br><b>34</b> | 1        | 4.4<br>3.1 |
|      |        | BE246502             |           | nuclear receptor coactivator 2<br>sema domain, immunoglobulin domain (lg),           | 3          | 30              | 10       | 0.9        |
| 40   |        |                      | Hs.15159  | chemokine-like factor, alternatively spl   | 5.4        | 54              | 1        | 4.4        |
|      | 105772 |                      | Hs.221132 | ESTs   | 5.3        | 67              | 13       | 5.3        |
|      |        | AW369278             |           | hypothetical protein FLJ20160  | 4.9        | 49              | 1        | 4.5        |
|      |        |                      | Hs.226434 | hypothetical protein MGC4643   | 3.3        | 98              | 30       | 4.7        |
|      | 105795 | AA878183             | Hs.17448  | Homo sapiens cDNA FLJ13618 fis, clone PL   | 3.2        | 143             | 46       | 3.6        |
| 45   | 105806 | AF206019             | Hs.110347 | REV1 (yeast homolog)- like   | 4          | 40              | 3        | 3.2        |
|      | 105807 | AA788946             | Hs.16869  | ESTs, Moderately similar to CA1C RAT COL   | 4.7        | 747             | 158      | 5.7        |
|      |        |                      | Hs.293960 | ESTs   | 3.9        | 371             | 94       | 4.6        |
|      |        | AW802282             |           | pyruvate dehydrogenase phosphatase   | 3.6        | 68              | 19       | 6          |
| 50   |        | AA601518             |           | secreted modular calcium-binding protein   | 4.8        | 134             | 28       | 3.2        |
| JU . |        |                      | Hs.24391  | hypothetical protein FLJ13612  | 4.3        | 772             | 179      | 1.7        |
|      |        |                      | Hs.28332  | Homo sapiens cDNA: FLJ21560 fis, done C  | 4.3        | 43              | 1        | 3.7<br>3.1 |
|      |        | AW021691<br>AK001708 |           | GCN5 (general control of amino-acid synt<br>hypothetical protein FLJ10846            | 3.6<br>3.4 | 36<br>34        | 7<br>8   | 2.9        |
|      |        | AK001735             |           | UDP-glucose:glycoprotein glucosyltransfe   | 3.6        | 45              | 13       | 1.3        |
| 55   | 105906 |                      | Hs.22380  | ESTs   | 3.4        | 34              | 1        | 1.5        |
|      |        | A1240665             |           | ESTs   | 21.2       | 212             | 6        | 17.4       |
|      |        | AA043039             |           | hypothetical protein   | 3.9        | 47              | 12       | 4.4        |
|      | 106024 | AL122072             | Hs.103804 | heterogeneous nuclear ribonucleoprotein  | 4.4        | 174             | 40       | 1.6        |
|      | 106034 | AW952005             | Hs.14928  | hypothetical protein FLJ12903  | 4.7        | 47              | 1        | 4          |
| 60   |        | AA382267             | Hs.10653  | ESTs   | 3.4        | 49              | 15       | 4.4        |
|      |        | AA417034             |           | gb:zu04f10.s1 Soares_testis_NHT Homo sap   | 3.5        | 53              | 15       | 1.2        |
|      |        | BE614474             |           | F-box only protein 22  | 3.4        | 116             | 35       | 2.2        |
|      |        | NM_001329            |           | C-terminal binding protein 2   | 3.6        | 444             | 125      | 4.6        |
| 65   | 106070 |                      | Hs.5957   | Homo sapiens clone 24416 mRNA sequence   | 3.6        | 365             | 103      | 6.9        |
| 65   |        | AF115402             |           | E74-like factor 5 (ets domain transcript   | 26.3       | 356             | 14       | 1          |
|      |        | AW379378<br>AA576953 |           | protein tyrosine phosphatase, receptor t   | 3.2        | 267<br>38       | 83<br>1  | 2.3<br>3.3 |
|      | 100120 | W-010373             | 119.22312 | hypothetical protein FLJ13352  | 3.8        | J0              | 1        | J.J        |

|    | 400455 | A A 47E 44A              | Un 22227              | nuclear factor VB  | 9.9        | 483        | 49       | 1.8        |
|----|--------|--------------------------|-----------------------|--|------------|------------|----------|------------|
|    |        | AA425414<br>W37943       | Hs.34892              |  | 6.7        | 94         | 14       | 8          |
|    |        | A1244563                 | Hs.325531             | Homo saplens clone 015h12 My015 protein  | 3.3        | 95         | 29       | 4.4        |
|    |        | AB040896                 |                       | KIAA1463 protein   | 3.8        | 83         | 22       | 7.5        |
| 5  |        | AI765107                 | Hs.274422             | hypothetical protein FLJ20550  | 3.3        | 97         | 30       | 6.4        |
| 9  |        | AW961393                 |                       | hypothetical protein FLJ10955  | 4.5        | 116        | 26       | 4.5        |
|    |        | R98185                   | Hs.17240              | ESTs   | 7          | 70         | 3        | 1.3        |
|    |        | AB007866                 |                       | KIAA0406 gene product  | 3.2        | 37         | 12       | 2.6        |
|    |        | AW977397                 |                       | ESTs   | 3.8        | 38         | 1        | 1.9        |
| 10 | 106383 | AA447453                 | Hs.27860              | Homo saplens mRNA; cDNA DKFZp586M0723 (  | 116        | 255        | 16       | 6.6        |
|    | 106389 | AW748420                 | Hs.6236               | Homo sapiens cDNA: FLJ21487 fls, clone C   | 4.9        | 337        | 70       | 2.7        |
|    | 106394 | Z42993                   | Hs.25320              | Homo sapiens done 25142 mRNA sequence  | 3.1        | 72         | 23       | 5          |
|    | 106432 | AK000310                 | Hs.17138              | hypothetical protein FLJ20303  | 3.1        | 165        | 54       | 1.6        |
|    |        | AA789081                 |                       | glioma-amplified sequence-41   | 3.1        | 31         | 1        | 2.6<br>4.4 |
| 15 |        | AB033042                 |                       | cofactor required for Sp1 transcriptiona   | 5.5        | 147<br>222 | 27<br>51 | 1.8        |
|    |        | A1205785                 | Hs.30348              | ESTs   | 4.4<br>7.4 | 74         | 3        | 1.7        |
|    |        | NM_01489                 |                       | KIAA1116 protein   | 15.2       | 152        | 1        | 12.6       |
|    |        | AA243837                 |                       | ESTS   | 3.8        | 263        | 69       | 3.9        |
| 20 |        | AK000933                 |                       | Homo sapiens cDNA FLJ10071 fis, clone HE   | 4.9        | 49         | 1        | 4.1        |
| 20 |        | AA452379                 |                       | ESTs, Moderately similar to ALU7_HUMAN A   | 5.8        | 58         | 5        | 3.1        |
|    |        | R49131                   | Hs.26267              | ATP-dependant interferon response protei<br>Homo sapiens clone 23570 mRNA sequence   | 5.3        | 166        | 32       | 14.9       |
|    |        | AW188205                 |                       | Homo sapiens mRNA; cDNA DKFZp56400122 (  |            | 75         | 14       | 0.8        |
|    |        | AL049951                 |                       | DIPB protein   | 3.6        | 210        | 58       | 4.7        |
| 25 |        | BE296396                 |                       | hypothetical protein FLJ22060  | 5.7        | 57         | 10       | 4.8        |
| 25 |        | N28524                   | Hs.29403<br>Hs.334437 | hypothetical protein MGC4248   | 4.4        | 371        | 84       | 3.2        |
|    |        | N38902<br>AA600357       |                       | TIA1 cytotoxic granute-associated RNA-bi   | 4.3        | 101        | 24       | 1.6        |
|    |        | NM_00711                 |                       | triple functional domain (PTPRF Interact   | 4.6        | 46         | 1        | 4.         |
|    |        | AL044182                 |                       | KIAA0753 gene product  | 3.5        | 58         | 17       | 1.6        |
| 30 |        | AB037744                 |                       | KIAA1323 protein   | 5.4        | 192        | 36       | 4.4        |
| 30 |        |                          | Hs.301183             | molecule possessing ankyrin repeats indu   | 3.3        | 696        | 214      | 1.8        |
|    |        | AA149537                 |                       | hypothetical protein FLJ20477  | 3.8        | 38         | 1        | 1.6        |
|    |        | AA835868                 |                       | mannosidase, alpha, class 1A, member 1   | 4.3        | 43         | 10       | 2.2        |
|    |        | AK001826                 |                       | hypothetical protein FLJ11269  | 3.6        | 36         | 1        | 1.2        |
| 35 |        |                          | Hs.167496             | RAN binding protein 6  | 4.5        | 45         | 1        | 3.8        |
| _  | 106916 | AA134329                 | Hs.24170              | Homo sapiens, clone IMAGE:3685398, mRNA,   | 5.7        | 94         | 17       | 7.3<br>2.3 |
|    |        | A1868648                 | Hs.22315              | ESTs   | 3.5        | 180        | 52<br>24 | 12.5       |
|    |        | AF216751                 |                       | CDA14  | 5.5        | 130<br>266 | 83       | 1.8        |
|    |        | AA280722                 |                       | ESTs, Weakly similar to 138022 hypotheti   | 3.2<br>5.1 | 298        | 59       | 4.4        |
| 40 |        | AL157479                 |                       | KIAA1598 protein   | 3.3        | 228        | 69       | 2.8        |
|    | 107014 | AA598820                 |                       | gb:ae36h12.s1 Gessler Wilms tumor Homo s   | 3.1        | 55         | 18       | 3.8        |
|    |        |                          | Hs.247309             | succinate-CoA ligase, GDP-forming, beta<br>programmed cell death 8 (apoptosis-induc  | 3.1        | 75         | 24       | 2.2        |
|    |        | AW401864                 |                       | ectonucleotide pyrophosphatase/phosphodi   | 3.1        | 367        | 119      | 2.3        |
| 15 |        | AW385224                 |                       | hypothetical protein DKFZp566G1424   | 3.9        | 98         | 25       | 8.6        |
| 45 |        | ) AL122043<br>2 AB037765 |                       | KIAA1344 protein   | 6.3        | 63         | 1        | 5.4        |
|    |        | AA249096                 |                       | ESTs   | 4.6        | 71         | 16       | 3.6        |
|    |        | AV661958                 |                       | GK001 protein  | 2.5        | 392        | 155      | 4.3        |
|    |        | AW37806                  |                       | ESTs   | 15.6       | 156        | 7        | 10.8       |
| 50 |        | 7 AL080235               |                       | DKFZP586E1621 protein  | 4.8        | 48         | 8        | 3.1        |
| 50 |        | 2 BE172058               |                       | tumor rejection antigen (gp96) 1   | 3.4        | 251        | 74       | 23.7       |
|    |        | Al290284                 | Hs.159872             | ESTs   | 3.6        | 36         | 6        | 0.5        |
|    |        |                          | 4 Hs.315111           | nuclear receptor co-repressor/HDAC3 comp   | 5.4        | 483        | 90       | 4          |
|    |        | 5 AA186629               |                       | UDP-N-acetyl-alpha-D-galactosamine:polyp   | 4.6        | 199        | 44       | 19.2       |
| 55 | 10729  | 9 BE277457               |                       | hypothetical protein MGC4606   | 12.5       | 156        | 13       | 2.9<br>9.6 |
|    | 10731  | 6 T63174                 | Hs.193700             | Homo sapiens mRNA; cDNA DKFZp586I0324 (  | 1 3.2      | 110        | 35       | 2.6        |
|    |        | 8 T74445                 | Hs.5957               | Homo sapiens clone 24416 mRNA sequence   | 3.5        | 35         | 1        | 11.4       |
|    | 10748  | 5 AL042613               | Hs.262476             | S-adenosylmethlonine decarboxylase 1   | 5.8        | 151        | 26<br>5  | 2.1        |
|    |        | 2 Al498986               |                       | Homo sapiens cDNA FLJ13595 fis, clone PL   | 3.2        | 32<br>73   | 17       | 6.2        |
| 60 |        | 8 Al580492               |                       | hypothetical protein   | 4.4        | 282        | 80       | 3.7        |
|    |        |                          | 7 Hs.173091           | ublquitin-like 3   | 3.5<br>5.7 | 202<br>85  | 15       | 7.8        |
|    |        | 9 AW73257                |                       | potassium voltage-gated channel, delayed   | 3.5        | 35         | 1        | 1          |
|    | 10787  | 6 AW37245                | 1 Hs.61184            | CGI-79 protein   | 4.3        | 43         | 10       | 2.7        |
| 15 |        | 4 AA054949               |                       | ESTs<br>ESTs   | 3.1        | 31         | 9        | 2.2        |
| 65 |        | 6 AA025783               | Hs.42826              | ESTs   | 4.7        | 47         | 4        | 4.3        |
|    |        |                          | 5 Hs.61460            | lg superfamily receptor LNIR   | 9          | 90         | 1        | 5.5        |
|    | 101 32 |                          |                       | A AND THE RESERVE THE PROPERTY OF THE PROPERTY |            |            |          |            |

|     | 107994 | AA036811  | Hs.48469 . | LIM domains containing 1                 | 4.5  | 45  | 1   | 3.8  |
|-----|--------|-----------|------------|--|------|-----|-----|------|
|     |        | AL121031  |            | SWI/SNF related, matrix associated, acti | 6.5  | 65  | 2   | 6    |
|     |        | AJ404672  |            | hypothetical protein FLJ23571            | 7.4  | 74  | 8   | 6    |
|     |        | BE548479  |            | hypothetical protein FLJ10773            | 3.4  | 34  | 1   | 2.3  |
| 5   |        | AW151340  |            | ESTs, Weakly similar to ALU7_HUMAN ALU S | 18.7 | 187 | i   | 17   |
| ,   |        |           |            |  |      |     |     | 3.2  |
|     |        | AI478658  |            | brefeldin A-inhibited guanine nucleotide | 3.8  | 38  | 1   |      |
|     |        | AA084677  |            | hypothetical protein FLJ22222            | 5.7  | 57  | 1   | 4.9  |
|     |        | AW022410  |            | ESTs                                     | 3.2  | 32  | 5 . | 1.7  |
|     | 108647 | BE546947  | Hs.44276   | homeo box C10                            | 8.7  | 247 | 29  | 5.7  |
| 10  | 108695 | AB029000  | Hs.70823   | KIAA1077 protein                         | 3.7  | 625 | 168 | 3.8  |
|     | 108778 | AF133123  | Hs.90847   | general transcription factor IIIC, polyp | 3.7  | 37  | 1   | 3.2  |
|     |        | AF070578  |            | Homo sapiens done 24674 mRNA sequence    | 3.4  | 34  | 1   | 2.8  |
|     |        | AI652236  |            | hypothetical protein FLJ20644            | 3.5  | 35  | 1   | 3.2  |
|     |        | AW295647  |            |  | 5.3  | 53  | i   | 2.8  |
| 15  |        |           |            | hypothetical protein MGC5350             |      |     | 20  | 6.5  |
| 13  |        | AL117452  |            | DKFZP586G1517 protein                    | 4.8  | 96  |     |      |
|     |        | AK001468  |            | anillin (Drosophila Scraps homolog), act | 5.4  | 54  | 1   | 4    |
|     |        | BE276891  |            | retinoic acid induced 3                  | 3.1  | 529 | 170 | 4.1  |
|     | 108917 | Al380268  | Hs.173648  | ESTs, Weakly similar to Zinc-finger prot | 3.3  | 33  | 5   | 1.7  |
|     | 109010 | NM_007240 | 0Hs.44229  | dual specificity phosphatase 12          | 3.4  | 34  | 1   | 2.6  |
| 20  | 109060 | BE062109  | Hs.241551  | chloride channel, calcium activated, fam | 3.1  | 31  | 8   | 2    |
|     |        | AW608930  |            | hypothetical protein FLJ20618            | 3.4  | 71  | 21  | 2.4  |
|     |        | AW419196  |            | hypothetical protein FLJ13782            | 4.1  | 334 | 82  | 3.4  |
|     |        | AK000684  |            | hypothetical protein FLJ22104            | 3.3  | 33  | 1   | 2.9  |
|     |        |           | Hs.181915  |  | 4    | 40  | 7   | 1.1  |
| 25  |        | H89083    |            | ESTs                                     |      | 233 | 62  | 3.8  |
| 23  |        | BE220601  |            | hypothetical protein FLJ13033            | 3.8  |     |     |      |
|     |        | AA219691  |            | RAB6 interacting, kinesin-like (rabkines | 8.8  | 199 | 23  | 16.1 |
|     |        | AA179962  |            | EST                                      | 3.2  | 32  | 1   | 2.2  |
|     | 109178 | AW976516  | Hs.283707  | Homo sapiens cDNA: FLJ21354 fis, clone C | 3.2  | 32  | 10  | 2.9  |
|     | 109235 | Al381800  | Hs.300684  | calcitonin gene-related peptide-receptor | 4.9  | 121 | 25  | 10.4 |
| 30  | 109273 | AA375752  | Hs.82719   | Homo sapiens mRNA; cDNA DKFZp586F1822 (f | 2.9  | 114 | 39  | 9.9  |
|     |        | AW975746  |            | KIAA1702 protein                         | 7.1  | 71  | 1   | 6.5  |
|     |        | AL096858  |            | KIAA0929 protein Msx2 interacting nuclea | 6.9  | 69  | 5   | 6.2  |
|     |        | R98881    | Hs.109655  | sex comb on midleg (Drosophila)-like 1   | 3.3  | 39  | 12  | 1.5  |
|     |        |           |            | hypothetical protein FLJ10520            | 4.2  | 56  | 14  | 2.2  |
| 25  |        | BE543313  |            |  |      |     |     | 11.3 |
| 35  |        | U80736    | Hs.110826  | trinucleotide repeat containing 9        | 12.3 | 123 | 1   |      |
|     |        | AA878923  |            | hypothetical protein FLJ21016            | 3.2  | 286 | 91  | 5.7  |
|     |        | A1631874  | Hs.155140  | casein kinase 2, alpha 1 polypeptide     | 8.3  | 83  | 8   | 1.9  |
|     | 109597 | AA989362  | Hs.293780  | ESTs                                     | 5.9  | 59  | 10  | 4.2  |
|     | 109729 | F10024    | Hs.268740  | ESTs                                     | 3.2  | 41  | 13  | 3.3  |
| 40  | 109795 | AA173942  | Hs.326416  | Homo sapiens mRNA; cDNA DKFZp564H1916 (i | 5.9  | 208 | 36  | 1.8  |
|     | 109799 | AW965076  | Hs.180378  | hypothetical protein 669                 | 5    | 50  | 5   | 4.1  |
|     |        | R68827    | Hs.95011   | syntrophin, beta 1 (dystrophin-associate | 3.7  | 37  | 4   | 2    |
|     |        | AW390822  |            | L-kynurenine/alpha-amlnoadipate aminotra | 14.2 | 142 | 1   | 9.5  |
|     |        | A1084066  | Hs.20072   |  | 4.1  | 41  | 7   | 1.7  |
| 15  |        |           |            | myosin regulatory light chain interactin |      |     | 14  | 0.8  |
| 45  |        | AA001266  |            | ESTs                                     | 4.2  | 58  |     |      |
|     |        | Al796320  | Hs.10299   | Homo sapiens cDNA FLJ13545 fis, done PL  | 3.2  | 136 | 43  | 3.6  |
| -   |        | BE075297  |            |  | 6.3  | 693 | 110 | 7.2  |
|     |        | A1668594  | Hs.176588  | ESTs, Weakly similar to CP4Y_HUMAN CYTOC |      | 913 | 199 | 2.9  |
|     | 110369 | AK000768  | Hs:107872  | hypothetical protein FLJ20761            | 3.8  | 38  | 7   | 2.8  |
| 50  | 110426 | Al610702  | Hs.28212   | ESTs, Weakly similar to TRHY_HUMAN TRICH | 6.7  | 78  | 12  | 3    |
|     | 110478 | H11236    | Hs.31034   | peroxisomal biogenesis factor 11A        | 3.7  | 37  | 1   | 2.1  |
|     |        |           | Hs.36823   | ESTs                                     | 3.6  | 36  | 10  | 2.5  |
|     |        | H61560    |            | gb:yr22g03.s1 Soares fetal liver spleen  | 3.3  | 33  | 1   | 1.8  |
|     |        | AA071276  | He 10400   |  | 3.5  | 35  | 8   | 1.9  |
| 55  |        | AB007902  |            | KIAA0859 protein                         |      | 282 | 79  | 1.7  |
| 55  |        |           |            | KIAA0442 protein                         | 3.6  |     |     |      |
|     |        |           | Hs.31319   | ESTs                                     | 4.4  | 103 | 24  | 3.8  |
|     |        | NM_014899 |            | KIAA0878 protein                         | 3.3  | 138 | 42  | 3.6  |
|     |        | BE000831  | Hs.23837   | Homo sapiens cDNA FLJ11812 fis, clone HE | 13.5 | 135 | 1   | 5.1  |
|     | 110775 | N22414    |            | gb:yw39a07.s1 Welzmann Olfactory Epithel | 5.4  | 54  | 1   | 3.7  |
| 60  | 110787 | AA831267  | Hs.12244   | hypothetical protein FLJ20097            | 4.7  | 47  | 4   | 4.2  |
|     |        | AI089660  | Hs.323401  | dpy-30-like protein                      | 5    | 50  | 1   | 4.3  |
|     |        | AL157503  |            | Homo sapiens mRNA; cDNA DKFZp586N2424 (  |      | 31  | 1   | 2.7  |
|     |        | AF153330  |            | solute carrier family 19 (thiamine trans | 8.4  | 84  | i   | 5.3  |
|     |        | AI740792  |            | methylcrotonoyl-Coenzyme A carboxylase 2 | 10.5 | 105 | 4   | 7.1  |
| 65  |        | BE612992  |            | hypothetical protein FLJ10607 similar to | 7.9  | 79  | 1   | 6.2  |
| U.J |        |           |            | mahania naccassina anlaria masats indu   |      |     |     | 1.2  |
|     |        | AW963705  |            | molecule possessing ankyrin repeats indu | 3.9  | 353 | 90  | 1.3  |
|     | 110908 | Al433165  | ns.3636    | ESTs                                     | 3.1  | 31  | 1   | 1.3  |

|     |        |                        |                            |   |                 |            |           | 40.6        |
|-----|--------|------------------------|----------------------------|---|-----------------|------------|-----------|-------------|
|     |        | BE092285               |                            | hypothetical protein FLJ13187   | 20.9<br>3.4     | 209<br>115 | 1<br>34   | 19.5<br>2.4 |
|     |        | BE242691               |                            | ESTs staufen (Drosophila, RNA-binding protein                                       | 3.5             | 35         | 9         | 3.2         |
|     |        | Y19062<br>H44186       | Hs.96870<br>Hs.15456       | PDZ domain containing 1   | 4.3             | 43         | 1         | 2           |
| 5   |        | N63823                 | Hs.269115                  | ESTs, Moderately similar to Z195_HUMAN Z  | 5.4             | 54         | 1         | 4.3         |
| ·   |        | AB037807               |                            | hypothetical protein  | 7.2             | 72         | 10        | 6.1<br>5    |
|     |        | N46180                 | Hs.122489                  | Homo sapiens cDNA FLJ13289 fis, clone OV  | 7.7<br>25.1     | 77<br>288  | 1<br>12   | 6.7         |
|     |        | AK000136               |                            | asporin (LRR class 1) Homo sapiens cDNA FLJ20738 fis, clone HE                      | 3.9             | 146        | 37        | 9.8         |
| 10  |        | AI815486<br>AK002055   | Hs.243901                  | hypothetical protein FLJ11193   | 6.3             | 63         | 1         | 5.8         |
| 10  |        | AB037782               |                            | KIAA1361 protein  | 3.7             | 119        | 33        | 6.7         |
|     |        | AA852773               |                            | KIAA1866 protein  | 3.6             | 402        | 112       | 4.9         |
|     |        | AW389845               |                            | ESTs  | 4.3             | 43         | 1         | 1<br>1.1    |
|     |        | AA902656               |                            | NIF3 (Ngg1 interacting factor 3, S.pombe  | 3.3<br>4.8      | 33<br>61   | 13        | 5.6         |
| 15  |        |                        | Hs.288880                  | PAN2 protein<br>hypothetical protein FLJ 10540                                      | 4.3             | 43         | 5         | 2.2         |
|     |        | AW263155<br>W20090     | Hs.6616                    | ESTs  | 4.1             | 41         | 1         | 2.6         |
|     |        | BE314949               |                            | hypothetical protein FLJ23309   | 3.8             | 425        | 111       | 4           |
|     |        |                        | Hs.326292                  | hypothetical gene DKFZp434A1114   | 4.3             | 65         | 15        | 5.7         |
| 20  |        |                        | Hs.169111                  | oxidation resistance 1  | 3.4             | 314<br>35  | 91<br>1   | 2.4<br>2.1  |
|     |        | U82670                 | Hs.9786                    | zinc finger protein 275   | 3.5<br>3.5      | 35<br>105  | 30        | 9.6         |
|     |        |                        | Hs.279008                  | hypothetical protein FLJ20170   | 3.2             | 37         | 12        | 3.5         |
|     |        |                        | Hs.127236                  | hypothetical protein FLJ12879<br>Homo sapiens, clone MGC:15393, mRNA, com           |                 | 62         | 2         | 5.9         |
| 25  |        | BE383234<br>AF027208   | Hs.112360                  | prominin (mouse)-like 1   | 8.1             | 328        | 41        | 1.7         |
| 23  |        | R40576                 | Hs.21590                   | hypothetical protein DKFZp564O0523  | 4.2             | 125        | 30        | 7.4         |
|     | 111987 | NM_01531               |                            | KIAA0942 protein  | 6.5             | 65         | 10<br>10  | 1.5<br>2.3  |
| •   | 112092 | R44538                 |                            | gb:yg29c02.s1 Soares infant brain 1NIB H  | 3.3<br>6.1      | 33<br>185  | 31        | 6.6         |
| 20  |        | R41823                 | Hs.7413                    | ESTs; calsyntenin-2   | 3.5             | 507        | 145       | 3.3         |
| 30  |        | NM_00365               | Hs.288539                  | ESTs<br>hypothetical protein FLJ22191   | 3.5             | 40         | 12        | 2.5         |
|     |        | Al432672<br>AB029000   |                            | KIAA1077 protein  | 5.7             | 567        | 100       | 6.7         |
|     |        | R51818                 | 110.1 0020                 | gb:yg77h12.s1 Soares Infant brain 1NIB H  | 4               | 70         | 18        | 6.8         |
|     |        | R53734                 | Hs.25978                   | ESTs, Weakly similar to 2109260A B cell   | 3.7             | 37<br>45   | 1<br>11   | 3<br>4.4    |
| 35  |        |                        | 5 Hs.301904                | hypothetical protein FLJ12671   | 4.3<br>2.8      | 45<br>751  | 270       | 1.3         |
|     |        | AA863360               |                            | ESTs, Weakly similar to fatty acid omega hypothetical protein FLJ10052              | 3.5             | 41         | 12        | 3.7         |
|     | 112305 | AK000914               | 5 Hs.285885                | Homo sapiens cDNA FLJ11321 fis, clone PL  | 4.2             | 42         | 6         | 3.6         |
|     |        | R68425                 | Hs.13809                   | hypothetical protein FLJ10648   | 4.7             | 54         | 12        | 4.5         |
| 40  |        |                        | Hs.140996                  | ESTs  | 4.8             | 48         | 2         | 3.4         |
| . • |        | Z42387                 | Hs.83883                   | transmembrane, prostate androgen induced  | 4.5             | 390<br>99  | 87<br>31  | 5.3<br>3.1  |
|     |        | 3 AL134324             |                            | ESTs  | 3.2<br>9.6      | 124        | 13        | 9           |
|     |        | 7 AI571940             | Hs.7549                    | ESTs<br>microtubule-associated protein 1B   | 9.1             | 91         | 6         | 8.3         |
| 45  |        | 3 N39342<br>3 AA283057 | Hs.103042<br>Hs.266957     | hypothetical protein FLJ14281   | 6.5             | 65         | 6         | 4.8         |
| 43  |        | 7 T66847               | Hs.194040                  | ESTs. Weakly similar to 138022 hypotheti  | 3.5             | 35         | 1         | 1.4         |
|     | 11329  | 6 AW44956              | 0 Hs.89576                 | inner mitochondrial membrane peptidase 2  | 3.5             | 35         | 4         | 3.3<br>4.2  |
|     | 11352  | 3 AI791905             | Hs.95549                   | hypothetical protein  | 7.6<br>3.1      | 76<br>453  | 1<br>148  | 4.2<br>7    |
| ~^  |        | 4 AI075407             | Hs.296083                  | ESTs, Moderately similar to 154374 gene<br>Homo sapiens cDNA FLJ11922 fis, clone HE | 3.6             | 36         | 4         | 2.6         |
| 50  |        | 7 AI869372             | Hs.17207                   | gb:ye53h05.s1 Soares fetal liver spleen   | 12.3            | 129        | 11        | 11.7        |
|     |        | 2 T97307<br>3 Al359588 | Hs.7041                    | hypothetical protein DKFZp762B226   | 4.6             | 46         | 4         | 4.3         |
|     |        | 1 Al269096             |                            | chitobiase, di-N-acetyl-  | 3.6             | 36         | 1         | 1.2         |
|     |        | 4 T62849               | Hs.11090                   | membrane-spanning 4-domains, subfamily A  | 3.3             | 744        | 227<br>54 | 2.5<br>2.1  |
| 55  |        |                        | 3 Hs.14611                 | dual specificity phosphatase 11 (RNA/RNP  | 3.3<br>5.1      | 180<br>51  | 5         | 4.5         |
|     | 11380  | 8 W44735               | Hs.9286                    | Homo sapiens cDNA: FLJ212/8 iis, cione C  | 3.2             | 238        | 75        | 2.1         |
|     | 11384  | 7 NM_0050<br>9 AA45721 | 32MS.4114<br>4 He 8858     | plastin 3 (T isoform)<br>bromodomain adjacent to zinc finger doma                   | 4.3             | 43         | 8         | 3.6         |
| •   | 11304  | 9 AA43721<br>7 AWNN9R3 | 34 Hs.24095                | ESTs  | 6.1             | 110        | 18        | 10.2        |
| 60  | 11388  | 6 W76027               | Hs.23920                   | hypothetical protein FLJ11105   | 4               | 48         | 12        | 4           |
| ••  | 11392  | 3 AW95348              | 34 Hs.3849                 | hypothetical protein FLJ22041 similar to  | 3.7             | 239        | 65<br>404 | 3.6         |
|     | 11393  | 6 W17056               | Hs.83623                   | nuclear receptor subfamily 1, group I, m<br>Homo sapiens mRNA; cDNA DKFZp434E082    | 4.3<br>(fr 10.7 | 819<br>123 | 191<br>12 | 1.2<br>7    |
|     | 11395  | O A1267652             | Hs.30504                   | hypothetical protein FLJ21939 similar to  | 4.4             | 44         | 6         | 2.3         |
| 65  | 11403  | O A1825386             | 6 Hs.164478<br>6 Hs.177534 | dual specificity phosphatase 10   | 4.5             | 45         | 4         | 2.6         |
| UJ  | 11409  | 7 AF11665              | 3 Hs.34192                 | Homo sapiens PRO0823 mRNA, complete cds   | 3.5             | 35         | 6         | 3.2         |
|     | 11408  | 2 AK00161              | 2 Hs.26962                 | Homo sapiens cDNA FLJ10750 fis, clone NT  | 3.1             | 31         | 5         | 1.5         |

|    | 114124 W57554                      | Hs.125019  | lymphoid nuclear protein (LAF-4) mRNA    | 24.2 | 242  | 10  | 5.6  |
|----|------------------------------------|------------|--|------|------|-----|------|
|    | 114138 AW384793                    | Hs.15740   | Homo sapiens mRNA; cDNA DKFZp434E033 (fr | 6.7  | 67   | 1   | 6.3  |
|    | 114162 AF155661                    | Hs.22265   | pyruvate dehydrogenase phosphatase       | 3.8  | 73   | 19  | 1.8  |
|    | 114196 AF017445                    | Hs.150926  | fucose-1-phosphate guanylyltransferase   | 4.4  | 104  | 24  | 5.1  |
| 5  | 114208 AL049466                    | Hs.7859    | ESTs                                     | 5.7  | 57   | 1   | 4.9  |
|    | 114239 AL137667                    | Hs.267445  | Homo saplens mRNA; cDNA DKFZp434B231 (fr | 3.3  | 33   | 1   | 2.4  |
|    | 114251 H15261                      | Hs.21948   | ESTs                                     | 4.2  | 46   | 11  | 1.4  |
|    | 114306 AF100143                    | Hs.6540    | fibroblast growth factor 13              | 4.5  | 45   | 2   | 3    |
|    | 114460 AF183810                    | Hs.26102   | trichorhinophalangeal syndrome I         | 4.4  | 44   | 1   | 3    |
| 10 | 114542 AW970128                    | Hs.91011   | anterior gradient 2 (Xenepus laevis) hom | 4.7  | 770  | 166 | 5.8  |
|    | 114652 Al521936                    | Hs.107149  | novel protein similar to archaeat, yeast | 5.2  | 52   | 3   | 2.3  |
|    | 114767 Al859865                    |            | minichromosome maintenance deficient (S. | 4.6  | 196  | 43  | 10   |
|    | 114768 AF212848                    |            | ets homologous factor                    | 13.7 | 137  | 1   | 8.9  |
|    | 114774 AV656017                    |            | CGI-76 protein                           | 3.3  | 168  | 51  | 7.3  |
| 15 | 114798 AA159181                    |            | serologically defined colon cancer antig | 7.4  | 137  | 19  | 1.8  |
|    | 114821 Al648602                    |            | ESTs                                     | 4.7  | 57   | 12  | 4.7  |
|    | 114860 AL157545                    |            | bromodomain and PHD finger containing, 3 | 9.1  | 91   | 1   | 7.6  |
|    | 114918 BE165762                    |            | hypothetical protein from BCRA2 region   | 10.1 | 111  | 11  | 10.2 |
|    | 114940 BE092696                    |            | ESTs                                     | 6.4  | 67   | 11  | 5    |
| 20 | 114965 Al733881                    | Hs.72472   | BMP-R1B                                  | 35.9 | 359  | 10  | 29.7 |
| 20 | 114969 AW162998                    |            | KIAA1376 protein                         | 9.4  | 94   | 8   | 7.3  |
|    | 114988 AA251089                    | 113.27004  | gb:zs04f05.s1 NCI_CGAP_GCB1 Homo sapiens |      | 115  | 1   | 6.9  |
|    | 115004 AA329340                    | He 4967    | mannosyl (alpha-1,3-)-glycoprotein beta- | 4.2  | 42   | 9   | 1.1  |
|    | 115054 AW265668                    |            |  | 5.1  | 51   | 1   | 4.2  |
| 25 |                                    |            | hypothetical protein FLJ12428            | 4.5  | 290  | 65  | 3.7  |
| 23 | 115061 AI751438<br>115140 NM_01415 | Hs.41271   | Homo sapiens mRNA full length insert cDN | 4.8  | 48   | 1   | 4.4  |
|    |                                    |            | HSPC067 protein                          | 3.2  | 49   | 16  | 4.2  |
|    | 115142 Al623693                    | Hs.191533  | ESTs                                     | 3.3  | 33   | 1   | 3    |
|    | 115188 AK000219                    |            | hypothetical protein FLJ20212            |      |      | 1   | 5    |
| 20 | 115206 AW183695                    |            | ESTS                                     | 5.8  | 58   |     |      |
| 30 | 115221 AW365434                    |            | hypothetical protein FLJ10116            | 5.5  | 343  | 62  | 2.5  |
|    | 115262 AI422867                    | Hs.88594   | ESTs                                     | 11.2 | 112  | 1   | 10.3 |
|    | 115291 BE545072                    |            | hypothetical protein FLJ10461            | 4.5  | 96   | 21  | 7.8  |
|    | 115536 AK001468                    |            | anillin (Drosophila Scraps homolog), act | 5.9  | 59   | 1   | 4.2  |
| 25 | 115583 NM_01231                    |            | teucine zipper, down-regulated in cancer | 9.8  | 98   | 1   | 8.8  |
| 35 | 115600 AA081395                    |            | Homo sapiens cDNA FLJ10366 fis, clone NT | 4.6  | 46   | 2   | 1.8  |
|    | 115622 Al088691                    | Hs.208414  | Homo saplens mRNA; cDNA DKFZp564D0472 (I |      | 44   | 7   | 1.1  |
|    | 115646 N36110                      | Hs.305971  | solute carrier family 2 (facilitated glu | 3.2  | 372  | 115 | 2.1  |
|    | 115674 AW992356                    |            | Homo sapiens pyruvale dehydrogenase kina | 10.2 | 506  | 50  | 2.8  |
| 40 | 115675 W87707                      | Hs.82065   | interleukin 6 signal transducer (gp130,  | 5.2  | 405  | 78  | 10.1 |
| 40 | 115719 AW992405                    |            | Homo sapiens, clone IMAGE:3507281, mRNA, | 7.6  | 144  | 19  | 13.9 |
|    | 115725 AW899053                    |            | F-box only protein 8                     | 3.1  | 58   | 19  | 2.5  |
|    | 115764 AW582256                    |            | anterior gradient 2 (Xenepus taevis) hom | 5.7  | 368  | 65  | 28.5 |
|    | 115821 AW338063                    | Hs.130965  | zinc-finger protein ZBRK1                | 3.9  | 39   | 8   | 2.2  |
|    | 115825 R50956                      | Hs.159993  | gycosyltransferase                       | 4.2  | 79   | 19  | 1.9  |
| 45 | 115839 BE300266                    | Hs.28935   | transducin-like enhancer of split 1, hom | 5.8  | 58   | 1   | 4.4  |
|    | 115844 Al373062                    | Hs.332938  | hypothetical protein MGC5370             | 6.2  | 62   | 1   | 5.4  |
|    | 115892 AA291377                    | Hs.50831 _ | ESTs.                                    | 3.2  | 40 - | 13  | 0.7  |
|    | 115967 AI745379                    | Hs.42911   | ESTs                                     | 8.4  | 101  | 12  | 8.7  |
|    | 116093 AW673312                    | Hs.50848   | hypothetical protein FLJ20331            | 3.6  | 36   | 1   | 2    |
| 50 | 116097 Al198719                    | Hs.176376  | ESTs                                     | 5.1  | 51   | 1   | 2    |
|    | 116107 AL133916                    | Hs.172572  | hypothetical protein FLJ20093            | 3.4  | 34   | 8   | 1    |
|    | 116127 AF126743                    | Hs.279884  | DNAJ domain-containing                   | 3.5  | 35   | 8   | 3.3  |
|    | 116129 AF189011                    | Hs.49163   | putative ribonuclease III                | 4.5  | 45   | 9   | 3.4  |
|    | 116204 AW861622                    | Hs.108646  | Homo sapiens cDNA FLJ14934 fis, clone PL | 5.2  | 52   | 4   | 3.9  |
| 55 | 116226 AW976438                    | Hs.17428   | RBP1-like protein                        | 3.8  | 38   | 7   | 2.1  |
|    | 116238 AV660717                    | Hs.47144   | DKFZP586N0819 protein                    | 5.1  | 198  | 39  | 17.9 |
|    | 116250 N76712                      | Hs.44829   | ESTs, Weakly similar to I38022 hypotheti | 13.3 | 133  | 8   | 3.2  |
|    | 116256 AA328153                    | Hs.88201   | ESTs, Weakly similar to A Chain A, Cryst | 3.3  | 106  | 33  | 9.8  |
|    | 116298 Al955411                    | Hs.94109   | Homo sapiens cDNA FLJ13634 fis, clone PL | 4.8  | 179  | 38  | 2.8  |
| 60 | 116336 AL133033                    | Hs.4084    | KIAA1025 protein                         | 3.2  | 173  | 55  | 3    |
|    | 116351 AL133623                    |            | similar to mouse Xm1 / Dhm2 protein      | 3.7  | 37   | 1   | 1.8  |
|    | 116365 N50174                      | Hs.46765   | ESTs                                     | 3.9  | 39   | 10  | 0.6  |
|    | 116379 AA448588                    |            | hypothetical protein DKFZp761C169        | 5.6  | 106  | 19  | 9    |
|    | 116429 AF191018                    |            | putative nucleotide binding protein, est | 3.6  | 256  | 72  | 3.7  |
| 65 | 116450 Al654450                    | Hs.47274   | Homo sapiens mRNA; cDNA DKFZp564B176 (fr |      | 119  | 39  | 2    |
|    | 116461 AA313607                    |            | Homo sapiens cDNA: FLJ22145 fis, clone H | 5.5  | 315  | 58  | 3.1  |
|    | 116470 Al272141                    | Hs.83484   | SRY (sex determining region Y)-box 4     | 3.4  | 496  | 144 | 1.6  |
|    | •                                  |            | - ·                                      |      |      |     |      |

|           |        |                          |                       |  | 2.4         | 24         | 4               | 1.9        |
|-----------|--------|--------------------------|-----------------------|--|-------------|------------|-----------------|------------|
|           |        |                          | Hs.68501              | 2010   | 3.1<br>3.3  | 31<br>931  | 279             | 5.6        |
|           |        | AW888411                 |                       | leukemia-associated phosphoprotein p18 (<br>RNA binding motif, single stranded inter | 3.6         | 36         | 1               | 1.9        |
|           |        | F01601<br>Al768015       | Hs.241567<br>Hs.92127 | ESTs   | 4.5         | 96         | 22              | 6.9        |
| 5         |        | AW902848                 |                       | ESTs   | 4.2         | 42         | 1               | 2.7        |
| •         |        | F10577                   | Hs.306088             | v-crk avian sarcoma virus CT10 oncogene  | 7.1         | 71         | 9               | 6.9        |
|           |        | AA741307                 | Hs.65641              | hypothetical protein FLJ20073  | 4.3         | 190        | 44              | 5.4        |
|           |        | H25836                   | Hs.301527             | ESTs, Moderately similar to unknown [H.s   | 22.8        | 228        | 9<br><b>2</b> 2 | 12.4<br>9  |
|           |        | AW362955                 |                       | Homo sapiens cDNA FLJ14415 fis, clone HE   | 4.9<br>4.6  | 108<br>163 | 35              | 7.3        |
| 10        |        | AW161357                 |                       | microtubule-associated protein tau   | 6.9         | 69         | 10              | 2.4        |
|           |        | H64938                   | Hs.337434             | ESTs, Weakly similar to A46010 X-linked  | 4.8         | 48         | 1               | 2.5        |
|           |        | AW085208<br>H91164       | Hs.335797             | ESTs<br>ESTs   | 3.3         | 33         | 1               | 2.3        |
|           |        | H95785                   | Hs.167652             | ESTs, Highly similar to 1819485A CENP-E  | 3.1         | 38         | 13              | 1.7        |
| 15        |        | AW901347                 |                       | hypothetical protein FLJ23342  | 4.8         | 48         | 1               | 0.9        |
| 10        |        | N25929                   | Hs.42500              | ADP-ribosylation factor-like 5   | 3.1         | 295        | 96              | 27.9       |
|           | 117209 | W03011                   | Hs.306881             | MSTP043 protein  | 3.6         | 41         | 12              | 2.8        |
|           |        | M18217                   | Hs.172129             | Homo sapiens cDNA: FLJ21409 fis, clone C   | 3.9         | 322        | 83<br>21        | 4.4<br>1.3 |
| ••        |        | Al041793                 | Hs.42502              | ESTs   | 3.5<br>17.4 | 72<br>174  | 9               | 6.9        |
| 20        |        | N32536                   | Hs.42645              | solute carrier family 16 (monocarboxylic   | 3.2         | 35         | 11              | 0.7        |
|           |        | N30205                   | Hs.93740              | ESTs, Weakly similar to 138022 hypotheti<br>hypothetical protein FLJ22059            | 5           | 50         | 1               | 4.7        |
|           |        | AW341639<br>U59305       | Hs.44708              | Ser-Thr protein kinase related to the my   | 4.5         | 211 ,      | 47              | 5          |
|           |        |                          | Hs.136102             | KIAA0853 protein   | 4.6         | 46         | 1               | 3.8        |
| 25        |        | N49967                   | Hs.46624              | HSPC043 protein  | 3.1         | 31         | 1               | 2.7        |
| 20        |        | Al521436                 | Hs.38891              | ESTs   | 4.9         | 49         | 1               | 4.4        |
|           |        | AA374756                 | Hs.93560              | Homo sapiens mRNA for KIAA1771 protein,  | 5           | 50         | 2               | 3.1        |
|           |        | Al813865                 | Hs.164478             | hypothetical protein FLJ21939 similar to   | 3.6         | 89         | 25<br>117       | 0.9<br>2.8 |
|           |        | AF091434                 |                       | platelet derived growth factor C   | 3.2<br>14.5 | 378<br>145 | 1               | 2.4        |
| 30        |        | AL157545                 | Hs.42179              | bromodomain and PHD finger containing, 3   | 3.1         | 199        | 64              | 1          |
|           |        | N66845                   | Hs.43228              | gb:za46c11.s1 Soares fetal liver spleen<br>Homo sapiens cDNA FLJ11835 fis, clone HE  | 6           | 60         | 5               | 3.7        |
|           |        | N22617<br>AI949952       | Hs.49397              | ESTs   | 3.3         | 81         | 25              | 1.5        |
|           |        | N79496                   | Hs.50824              | EST, Moderately similar to 154374 gene N   | 3.4         | 740        | 217             | 2.8        |
| 35        |        |                          | Hs.173001             | hypothetical protein FLJ13964  | 4.3         | 162        | 38              | 12.1       |
| 55        |        | T58283                   | Hs.10450              | Homo sapiens cDNA: FLJ22063 fis, clone H   | 3.4         | 118        | 35              | 2.3        |
|           | 118873 | AI824009                 | Hs.44577              | ESTs   | 3.5         | 35         | 1               | 2.9        |
|           |        | Al191811                 | Hs.54629              | ESTs   | 8.4<br>7.3  | 84<br>73   | 10<br>3         | 0.8<br>5.4 |
| 40        |        | AW292577                 |                       | ESTs   | 7.3<br>5    | 50         | 5               | 4.7        |
| 40        |        | N29309                   | Hs.39288              | ESTs<br>KDEL (Lys-Asp-Glu-Leu) endoplasmic retic                                     | 3.7         | 37         | 6               | 0.5        |
|           |        |                          | 57Hs.250696           | gb:zb82h01.s1 Soares_senescent_fibroblas   | 3.3         | 36         | 11              | 0.6        |
|           |        | N98488<br>R39261         | Hs.90790              | Homo sapiens cDNA: FLJ22930 fis, done K  | 3.3         | 167        | 51              | 2.6        |
|           |        | R45175                   | Hs.117183             | ESTs   | 5.3         | 53         | 6               | 2.3        |
| 45        |        | H09334                   | Hs.92482              | ESTs   | 3.7         | 37         | 4               | 3          |
|           |        | AI061118                 | Hs.65328              | Fanconi anemia, complementation group F  | 8.2         | 82         | 1               | 6.4        |
|           |        |                          | 11Hs.155478           | cyclin T2  | 4           | 40<br>574  | 4               | 1.2<br>2   |
|           |        | BE048061                 |                       | ephrin-A3  | 3.3<br>3.4  | 571<br>34  | 171<br>3        | 2.4        |
| 60        |        | T78324                   | Hs.250895             | ribosomal protein L34  | 4.6         | 60         | 13              | 4.8        |
| 50        |        | AW47454                  |                       | Homo sapiens PIG-M mRNA for mannosyltran<br>high-mobility group protein 2-like 1     | 8.1         | 94         | 12              | 6.5        |
|           |        | AL079310                 | Hs.159225             | ESTs   | 3.3         | 33         | 8               | 0.9        |
|           |        | NM_0161                  |                       | NY-REN-58 antigen  | 3.3         | 33         | 10              | 0.5        |
|           |        | AA243837                 |                       | ESTs   | 5.4         | 54         | 1               | 4.1        |
| 55        |        | AA918317                 |                       | B-cell CLL/lymphoma 11B (zinc finger pro   | 4.6         | 46         | 7               | 0.8        |
| -         | 11977  | Al905687                 | Hs.2533               | EST  | 3.5         | 2073       | 595             | 2.1        |
|           | 119780 | ) NM_0166                | 25Hs.191381           | hypothetical protein   | 4.4         | 44         | 1               | 3.1        |
|           | 11978  | AL133396                 | Hs.121281             | prion protein 2 (dublet)   | 3.4<br>3.6  | 34<br>36   | 1               | 2.5<br>2.9 |
| <b>CO</b> |        |                          | Hs.43213              | ESTs, Weakly similar to IEFS_HUMAN TRANS   | 5.2         | 52         | 6               | 1.8        |
| 60        |        | AW24574                  |                       | ESTs, Weakly similar to A35659 krueppel-   | 3.7         | 37         | 4               | 1.9        |
|           |        | 9 AI057404<br>0 AL050097 |                       | ESTs<br>DKFZP586B0319 protein  | 6.9         | 162        | 24              | 2.6        |
|           |        |                          | Hs.14158              | copine III   | 3.7         | 590        | 159             | 3.8        |
|           | 12013  | 2 W57554                 | Hs.125019             | lymphoid nuclear protein (LAF-4) mRNA  | 6.9         | 319        | 47              | 2.1        |
| 65        | 12015  | 0 BE00577                | 1 Hs.153746           | hypothetical protein FLJ22490  | 5.3         | 53         | 5               | 0.9        |
|           | 12021  | 5 AF109219               | Hs.108787             | phosphatidylinositol glycan, class N   | 3.2         | 106        | 34              | 3.3<br>1.7 |
|           | 12026  | 0 AK00006                | 1 Hs.101590           | hypothetical protein   | 3.4         | 34         | 1               | 1.7        |

|           | 120296 | AW995911 | Hs.299883 | hypothetical protein FLJ23399            | 4.2  | 124 | 30  | 1.8  |
|-----------|--------|----------|-----------|--|------|-----|-----|------|
|           | 120352 | R06859   | Hs.193172 | ESTs, Weakly similar to 138022 hypotheti | 7.5  | 112 | 15  | 2.5  |
|           | 120378 | AA223249 | Hs.285728 | abl-interactor 12 (SH3-containing protei | 3.3  | 33  | 10  | 2.8  |
| _         | 120418 | AW966893 | Hs.26613  | Homo sapiens mRNA; cDNA DKFZp586F1323 (f | 4.8  | 48  | 1   | 0.5  |
| 5         | 120473 | AA251973 | Hs.269988 | ESTs                                     | 3.4  | 34  | 4   | 0.1  |
|           | 120493 | AW968080 | Hs.152939 | Homo sapiens clone 24630 mRNA sequence   | 3.9  | 161 | 42  | 2    |
|           | 120524 | AA261852 | Hs.192905 | ESTs                                     | 6.8  | 68  | 1   | 0.2  |
|           | 120554 | AA284447 | Hs.271887 | ESTs                                     | 3.2  | 32  | 5   | 0.6  |
|           | 120562 | BE244580 | Hs.302267 | hypothetical protein FLJ10330            | 8.5  | 127 | 15  | 1.6  |
| 10        | 120571 | AB037744 | Hs.34892  | KIAA1323 protein                         | 3.7  | 37  | 1   | 0.5  |
|           | 120572 | H39599   | Hs.294008 | ESTs                                     | 3.6  | 36  | 8   | 0.2  |
|           | 120588 | AA703226 | Hs.16193  | Homo sapiens mRNA; cDNA DKFZp586B211 (fr | 5.6  | 101 | 18  | 1.6  |
|           | 120649 | AA687322 | Hs.192843 | leucine zipper protein FKSG14            | 5.4  | 54  | 10  | 2.5  |
|           | 120658 | AI952639 | Hs.98267  | ESTs                                     | 3.2  | 32  | 8   | 3    |
| 15        | 120713 | AW449855 | Hs.96557  | Homo sapiens cONA FLJ12727 fis, clone NT | 5.3  | 58  | 11  | 3.3  |
|           | 120821 | Y19062   | Hs.96870  | staufen (Drosophila, RNA-binding protein | 3.3  | 33  | 3   | 0.2  |
|           | 120822 | AA347422 | Hs.238040 | EST, Wealdy similar to B34087 hypothetic | 3.8  | 38  | 7   | 0.2  |
|           | 120915 | AL135556 | Hs.97104  | ESTs                                     | 3.5  | 37  | 11  | 0.1  |
|           | 120922 | AA481003 | Hs.97128  | ESTs .                                   | 3.1  | 31  | 1   | 0.4  |
| 20        | 120977 | AA398155 | Hs.97600  | ESTs                                     | 7.9  | 79  | 1   | 2.7  |
|           | 120999 | A1972375 | Hs.29626  | hypothetical brain protein my038         | 5.1  | 51  | 1   | 2.4  |
|           | 121125 | AL042981 | Hs.251278 | KIAA1201 protein                         | 3.7  | 37  | 10  | 1    |
|           | 121176 | AL121523 | Hs.97774  | ESTs                                     | 7    | 70  | 1   | 0.9  |
|           | 121202 | AA970946 | Hs.97794  | ESTs                                     | 3.9  | 39  | 1   | 0.2  |
| 25        | 121429 | AA406293 | Hs.41167  | ESTs .                                   | 3.4  | 34  | 1   | 0.8  |
|           |        | AF044197 |           | B-cell attracting chemokine 1 (CXCL13;   | 3.5  | 35  | 1   | 2.6  |
|           | 121463 | AK000282 | Hs.239681 | hypothetical protein FLJ20275            | 10.3 | 103 | 1   | 9.3  |
|           | 121517 | A1002968 | Hs.235402 | ESTs, Weakly similar to T26525 hypotheti | 3.5  | 143 | 41  | 2.6  |
| ••        |        | AA412488 |           | TATA box binding protein (TBP)-associate | 4.6  | 46  | 3   | 0.8  |
| 30        | 121556 | AA412494 | Hs.98152  | EST                                      | 4.2  | 77  | 19  | 1.4  |
|           | 121581 | AA416568 |           | gb:zu05c10.s1 Soares_testis_NHT Homo sap | 3.2  | 32  | 1   | 0.8  |
|           |        | Al338247 | Hs.98314  | Homo sapiens mRNA; cDNA DKFZp586L0120 (f |      | 34  | 10  | 0.7  |
|           | 121723 | AA243499 | Hs.104800 | hypothetical protein FLJ10134            | 2.9  | 214 | 74  | 3.7  |
|           | 121831 | AA449644 | Hs.193063 | Homo saplens cDNA FLJ14201 fis, clone NT | 3.9  | 39  | 1   | 0.2  |
| 35        | 121853 | AA425887 | Hs.98502  | hypothetical protein FLJ14303            | 4.4  | 48  | 11  | 0.9  |
|           | 121873 | AV650929 | Hs.145696 | splicing factor (CC1.3)                  | 3.6  | 150 | 42  | 3.2  |
|           | 121913 | Al249368 | Hs.98558  | ESTs: protease inhibitor 15 (PI15)       | 2.7  | 864 | 321 | 0.6  |
|           | 121916 | AW117207 | Hs.98523  | ESTs                                     | 3.5  | 35  | 3   | 23   |
| 4.0       | 122004 | AI810721 | Hs.95424  | ESTs                                     | 4.9  | 49  | 7   | 3.7  |
| 40        |        | AW794215 |           | KIAA1085 protein                         | 3.2  | 88  | 28  | 1.2  |
|           |        | AF169797 |           | adaptor protein containing pH domain, PT | 12.6 | 126 | 7   | 7.5  |
|           | 122235 | AA436475 | Hs.112227 | membrane-associated nucleic acid binding | 4.1  | 43  | 11  | 1.6  |
|           |        | A1298368 | Hs.150926 | fucose-1-phosphate guanylyltransferase   | 3.1  | 31  | 1   | 1    |
|           |        | AA446189 |           | ESTs                                     | 3.3  | 53  | 16  | 4    |
| 45        | 122507 | BE567620 | Hs.99210  | ESTs                                     | 3.2  | 291 | 91  | 4    |
|           | 122524 | AA449453 | Hs.192915 | ESTs, Weakly similar to ALU1_HUMAN ALU S | 3.1  | 31  | 6   | 8.0  |
|           | 122636 | AW651706 | Hs.99519  | hypothetical protein FLJ14007            | 3.5  | 35  | 1   | 3    |
|           |        | AA454149 |           | EST                                      | 3.2  | 32  | 10  | 3.1  |
|           |        | AW366286 |           | splicing factor (CC1.3)                  | 3.2  | 36  | 11  | 2.5  |
| 50        | 122861 | AA335721 | Hs.119394 | ESTs                                     | 5.6  | 108 | 20  | 1.8  |
|           | 122873 | AA749382 |           | ubiquitin-conjugating enzyme E2D 3 (homo | 3.6  | 36  | 1   | 3.4  |
|           | 122946 | A1718702 | Hs.308026 | major histocompatibility complex, class  | 3.7  | 162 | 44  | 12.4 |
|           |        | AA478446 |           | KIAA1096 protein                         | 7.2  | 72  | 1   | 5.7  |
|           |        | AA447871 |           | ESTs, Weakly similar to (38022 hypotheti | 4.7  | 59  | 13  | 4.7  |
| 55        |        | AW338067 |           | Homo saplens cDNA FLJ11946 fis, clone HE | 3.3  | 207 | 63  | 3.5  |
|           |        | AL135185 |           | niban protein                            | 3.8  | 207 | 55  | 5.5  |
|           |        | Al073913 |           | ESTs, Weakly similar to JE0350 Anterior  | 9.9  | 351 | 36  | 13.9 |
|           |        | AA830335 |           | ESTs                                     | 4.1  | 72  | 18  | 1.5  |
| <b>CO</b> |        | AA488988 |           | ESTs                                     | 3.7  | 41  | 11  | 1.6  |
| 60        |        | AA299652 |           | Homo saplens cDNA FLJ11643 fis, clone HE | 6.7  | 67  | 2   | 2.1  |
|           | 123449 | AL049325 | Hs.112493 | Homo sapiens mRNA; cDNA DKFZp564D036 (fr |      | 34  | 1   | 2.6  |
|           |        | BE439553 |           | Homo saplens, done IMAGE:4098694, mRNA,  | 9.7  | 102 | 11  | 6    |
|           | 123494 | AW179019 | Hs.112110 | mitochondrial ribosomal protein L42      | 4.2  | 42  | 7   | 2.9  |
|           |        | AW975051 |           | ESTs, Weakly similar to 178885 serine/th | 3.9  | 39  | 1   | 3.2  |
| 65        |        | AB037860 |           | nuclear factor VA                        | 4.3  | 43  | 1   | 3.5  |
|           |        | AL035414 | Hs.21068  | hypothetical protein                     | 5.8  | 58  | 1   | 4.9  |
|           | 123523 | AA608588 |           | gb:ae54e06.s1 Stratagene lung carcinoma  | 3.1  | 927 | 295 | 2.1  |

|     |  |   | _          | 121       | 25       | 5.9         |
|-----|--|---|------------|-----------|----------|-------------|
|     | 123527 AF150208 Hs.108327                              | damage-specific DNA binding protein 1 (1  | 5<br>6.8   | 68        | 10       | 6.1         |
|     | 123570 AA608955 Hs.109653                              | ESTs<br>gb:no97c02.s1 NCI_CGAP_Pr2 Homo sapiens                                     | 8.5        | 85        | 1        | 4.3         |
|     | 123619 AA602964<br>123673 BE550112 Hs.158549           | ESTs, Weakly similar to T2D3_HUMAN TRANS  | 3.9        | 39        | 5        | 3.7         |
| 5   | 123709 AA706910 Hs.112742                              | ESTs  | 3.9        | 60        | 16       | 4.8         |
|     | 123926 AA425769 Hs.227933                              | Alg5, S. cerevisiae, homolog of   | 3.4        | 80<br>45  | 24<br>2  | 3.8<br>3.6  |
|     | 123960 AW082862 Hs.287733                              | hypothetical protein FLJ23189   | 4.5<br>5.8 | 45<br>321 | 55       | 17          |
|     | 124006 Al147155 Hs.270016                              | ESTs<br>ESTs, Weakly similar to S64054 hypotheti                                    | 10.4       | 880       | 85       | 5.3         |
| 10  | 124059 BE387335 Hs.283713                              | inorganic pyrophosphatase   | 3.1        | 41        | 14       | 2.7         |
| 10  | 124287 H88296 Hs.5123<br>124292 H11341 Hs.13366        | Homo sapiens cDNA: FLJ23567 fis, clone L  | 3.2        | 32        | 1        | 1.5         |
|     | 124308 AA249027 Hs.241507                              | ribosomal protein S6  | 10.5       | 105       | 1        | 9.9         |
|     | 124315 NM_005402Hs.288757                              | v-ral simian leukemia viral oncogene hom  | 12.8       | 141       | 11       | 12.2        |
|     | 124461 AF283776 Hs.80285                               | Homo saplens mRNA; cDNA DKFZp586C1723 (   | 13.1       | 31<br>33  | 1        | 1.8<br>1.7  |
| 15  | 124483 Al821780 Hs.179864                              | ESTS  | 3.3<br>4.2 | 42        | 7        | 3           |
|     | 124677 R01073  | gb:ye84c03.s1 Soares fetal liver spleen<br>ESTs, Weakly similar to ALU1_HUMAN ALU S | 3.4        | 210       | 63       | 3.3         |
|     | 124777 R41933 Hs.140237<br>124940 AF068846 Hs.103804   | heterogeneous nuclear ribonucleoprotein   | 6.5        | 162       | 25       | 14.7        |
|     | 125079 T90298 Hs.271396                                | ESTs  | 3.1        | 31        | 6        | 2.4         |
| 20  | 125091 T91518  | gb:ye20f05.s1 Stratagene lung (937210) H  | 3.4        | 985       | 286      | 2.8         |
| 20  | 125103 AA570056 Hs.122730                              | ESTs, Moderately similar to KIAA1215 pro  | 3.6        | 224       | 63<br>6  | 4<br>5      |
|     | 125144 AB037742 Hs.24336                               | KIAA1321 protein  | 6.3<br>3.6 | 63<br>38  | 11       | 2.6         |
|     | 125150 W38240  | Empirically selected from AFFX single pr  | 3.1        | 31        | 1        | 2.8         |
| 0.5 | 125156 W93048 Hs.250723                                | hypothetical protein MGC2747<br>N-myristoyltransferase 2                            | 3.2        | 37        | 12       | 3.6         |
| 25  | 125226 AA782536 Hs.122647<br>125279 AW401809 Hs.4779   | KIAA1150 protein  | 13.1       | 131       | 1        | 5.1         |
|     | 125299 T32982 Hs.102720                                | ESTs  | 7.7        | 81        | 11       | 7.6         |
|     | 125303 AA173319 Hs.288193                              | hypothetical protein MGC12217   | 14.3       | 143       | 9        | 13.1<br>3.2 |
|     | 125377 W72949 Hs.77495                                 | UBX domain-containing 1   | 3.3        | 34<br>124 | 11<br>15 | 3.2<br>11.5 |
| 30  | 125390 AL038165 Hs.75187                               | translocase of outer mitochondrial membr  | 8.2<br>3.7 | 224       | 61       | 21          |
|     | 125471 AA421691 Hs.152601                              | UDP-glucose ceramide glucosyltransferase  | 6.7        | 67        | 1        | 6           |
|     | 125617 AA287921 Hs.164950<br>125621 T62641 Hs.278544   | ESTs<br>acetyl-Coenzyme A acetyltransferase 2 (a                                    | 5.5        | 55        | 10       | 4.2         |
|     | 125628 AA418069 Hs.241493                              | natural killer-tumor recognition sequenc  | 5.5        | 63        | 12       | 1           |
| 35  | 125660 AW292171 Hs.23978                               | scaffold attachment factor B  | 4.3        | 68        | 16       | 2.8         |
| 33  | 125698 AF078847 Hs.191356                              | general transcription factor IIH, polype  | 4.8        | 48<br>223 | 5<br>33  | 4.1<br>2.8  |
|     | 125745 Al858032 Hs.75722                               | ribophorin II   | 6.8<br>8.3 | 223<br>87 | 11       | 0.4         |
|     | 125770 AA143045 Hs.81665                               | v-kit Hardy-Zuckerman 4 feline sarcoma v  | 11.3       | 124       | 11       | 9.7         |
| 40  | 125827 NM_003403Hs.97496                               | YY1 transcription factor Homo sapiens mRNA; cDNA DKFZp564B1264                      |            | 306       | 4        | 26.5        |
| 40  | 125852 AW630088 Hs.76550<br>126349 T30968 Hs.13531     | hypothetical protein FLJ10971   | 4.9        | 68        | 14       | 1.4         |
|     | 126384 AW090198 Hs.4779                                | KIAA1150 protein  | 6.4        | 74        | 12       | 6.6         |
|     | 126590 W78968 Hs.181307                                | H3 histone, family 3A   | 5          | 264       | 53       | 3.4         |
|     | 126645 AA316181 Hs.61635                               | six transmembrane epithelial antigen of   | 3.8        | 38<br>36  | 1<br>6   | 2.7<br>2.9  |
| 45  | 126663 AW518478 Hs.181297                              | ESTs  | 3.6<br>3.1 | 31        | 1        | 2.5         |
|     | 126695 AA643322 Hs.172028                              | a disintegrin and metalloproteinase doma  | 4.4        | 76        | 18       | 1           |
|     | 126764 AA036755 Hs.102178                              | syntaxin 16<br>hypothetical protein FLJ10936  | 3.8        | 38        | 1        | 3           |
|     | 126801 AW663887 Hs.7337<br>126813 AW163483 Hs.48320    | double ring-finger protein, Dorfin  | 6.7        | 155       | 23       | 1.4         |
| 50  | 126838 AL043489 Hs.279609                              | mitochondrial carrier homolog 2   | 8.8        | 110       | 13       | 10.5        |
| 50  | 126855 AA129640 Hs.128065                              | ESTs  | 3.6        | 36        | 10       | 1.9<br>4.4  |
|     | 126971 T26989 Hs.283664                                | aspartate beta-hydroxylase  | 5.5<br>3.1 | 79<br>33  | 15<br>11 | 2.3         |
|     | 127167 AA625690 Hs.190272                              | ESTs  | 3.5        | 35        | 1        | 3.1         |
|     | 127251 AA936428 Hs.128638                              | ESTs<br>ESTs  | 4.8        | 106       | 22       | 1           |
| 55  | 127349 AA412108 Hs.269350                              | SH3 domain binding glutamic acid-rich pr  | 7.5        | 75        | 1        | 6.5         |
|     | 127439 D60237 Hs.14368<br>127537 Al926047 Hs.162859    | ESTs  | 3.8        | 38        | 7        | 3.4         |
|     | 127542 AA703684 Hs.245474                              | ESTs, Moderately similar to ALU5_HUMAN A  | 3.3        | 33        | 9        | 0.9         |
|     | 127677 AF175265 Hs.264190                              | vacuolar protein sorting 35 (yeast homol  | 4.3        | 152       | 35<br>14 | 12.5<br>6.8 |
| 60  | 127774 AA313639 Hs.119488                              | cystein-rich hydrophobic domain 2   | 5.4<br>5.2 | 73<br>81  | 16       | 1.1         |
|     | 127999 AW978827 Hs.69851                               | nucleolar protein family A, member 1 (H/  | 3.9        | 220       | 57       | 2.5         |
|     | 128218 AA186733 Hs.292154                              | stromal cell protein<br>matrix Gla protein  | 9.4        | 94        | 3        | 5.3         |
|     | 128305 Al954968 Hs.279009<br>128470 AL049974 Hs.100261 | Homo sapiens mRNA; cDNA DKFZp564B222  |            | 46        | 8        | 3.9         |
| 65  | 128482 Al694143 Hs.296251                              | programmed cell death 4   | 7.2        | 72        | 1        | 5.8         |
| 03  | 128501 AL133572 Hs.199009                              | protein containing CXXC domain 2  | 3.8        | 38        | 1        | 0.9         |
|     | 128517 AW994403 Hs.100861                              | hypothetical protein FLJ14600   | 5.6        | 73        | 13       | 6.1         |
|     |  | 203   |            |           |          |             |

|    |         | A1932995             | Hs.183475 | Homo sapiens done 25061 mRNA sequence  | 4.2         | 104       | 25      | 7.8        |
|----|---------|----------------------|-----------|--|-------------|-----------|---------|------------|
|    |         | N25956               | Hs.101810 | Homo sapiens cDNA FLJ14232 fis, clone NT   | 3.1         | 172       | 55      | 3.1        |
|    |         | U31875               | Hs.272499 | short-chain alcohol dehydrogenase family   | 3.3         | 105       | 32      | 3          |
| _  |         | N48373               | Hs.10247  | activated leucocyte cell adhesion molecu   | 7.3         | 106       | 15      | 5          |
| 5  |         | D87432               | Hs.10315  | solute carrier family 7 (cationic amino  | 3.1         | 31        | 1       | 2.2        |
|    |         | AA307211             |           | proteasome (prosome, macropain) subunit,   | 3.6         | 130       | 36      | 3.5        |
|    |         | NM_00413             |           | granzyme B (granzyme 2, cytotoxic T-lymp   | 3.9         | 43        | 11      | 1.8        |
|    |         | AF026692             |           | secreted frizzled-related protein 4  | 17.4        | 409       | 24      | 7.8        |
| 10 |         | AB011125             |           | KIAA0553 protein   | 3.1         | 34        | 11      | 2.7        |
| 10 |         | NM_01472             |           | Ste20-related serine/threonine kinase  | 3.6         | 36        | 5       | 1.5        |
|    |         | AK001731             |           | Homo sapiens mRNA; cDNA DKFZp586H0924  |             | 288       | 87      | 7.9        |
|    |         | R57988               | Hs.10706  | epithelial protein lost in neoplasm beta   | 11.3        | 113       | 8       | 2.5        |
|    |         | R67419               | Hs.21851  | Homo sapiens cDNA FLJ12900 fis, clone NT   | 7.1         | 392       | 56      | 3.6        |
| 15 |         | AA009647             |           | a disintegrin and metalloproteinase doma   | 4.6         | 132       | 29      | 9.7        |
| 15 |         | AA115333             |           | ESTs   | 8.2         | 82        | 1       | 7.4        |
|    |         | BE250162             |           | dihydrofolate reductase  | 5           | 50        | 1       | 3.3        |
|    |         | L12350               | Hs.108623 | thrombospondin 2   | 3.2         | 814       | 257     | 2.4        |
|    |         | N23018               | Hs.171391 | C-terminal binding protein 2   | 4.4         | 44        | 1       | 3.8        |
| 20 |         | AI132988             | Hs.109052 | chromosome 14 open reading frame 2   | 14.2        | 142       | 6       | 9.4        |
| 20 |         | AF013758             |           | polyadenylate binding protein-interactin   | 7.1         | 71        | 1       | 6.2        |
|    |         | 8E169531             |           | TAK1-binding protein 2; KIAA0733 protein   | 5           | 64        | 13      | 6.3        |
|    |         | AF220050             |           | uncharacterized hematopoletic stem/proge   | 5.2         | 75<br>20  | 15      | 6.4        |
|    |         | NM_01534             |           | leptin receptor overlapping transcript-l   | 3.7         | 39        | 11      | 3.2        |
| 25 |         | NM_01491             |           | KIAA0990 protein   | 9.5         | 95        | 1       | 8.5        |
| 23 |         | AL049538             |           | ras association (RalGDS/AF-6) domain con   | 7.6         | 92        | 12      | 1.4        |
|    |         | BE220806             |           | Homo sapiens clone 23785 mRNA sequence   | 7.1         | 150       | 21      | 14.5       |
|    |         | BE219987             |           | phosphatidylinositol glycan, class F   | 3.9         | 54<br>36  | 14      | 5.1        |
|    |         | X61959               | Hs.207776 | aspartylglucosaminidase  | 3.6         | 36        | 1       | 2.7        |
| 30 |         | NM_00575             |           | Ras-GTPase-activating protein SH3-domain   | 4           | 40        | 4       | 3.2        |
| 20 |         | AW964541             |           | hypothetical protein FLJ21127  | 4.6         | 199<br>42 | 44      | 2.3<br>3.8 |
|    |         | N30436               | Hs.11556  | Homo sapiens cDNA FLJ12566 fis, clone NT   | 4.2         |           | 175     |            |
|    |         | M26939               |           | collagen, type III, alpha 1 (Ehlers-Dani   | 6.4         | 1111      | 175     | 5          |
|    |         | BE242144             |           | ATP-binding cassette, sub-family E (OABP   | 4.8         | 48        | 8<br>20 | 3.8        |
| 35 |         | NM_00141             |           | eukaryotic translation Initiation factor   | 5.8         | 171       | 30      | 2.9        |
| 33 |         | BE165866             |           | nuclear receptor subfamily 1, group I, m   | 4.5         | 45<br>52  | 1       | 2.4        |
|    |         | R42216               | Hs.12342  | Homo sapiens clone 24538 mRNA sequence   | 5.3<br>3.1  | 53<br>31  | 9<br>2  | 3.6<br>2.5 |
|    |         | R39246               | Hs.239666 | Homo sapiens cDNA FLJ13495 fis, clone PL   | 3.1<br>11.4 | 114       | 1       | 10         |
|    |         | AB028945<br>Al222069 | Hs.13015  | cortactin SH3 domain-binding protein<br>hypothetical protein similar to mouse Dn | 4.7         | 556       | 119     | 4.5        |
| 40 |         | T71333               | Hs.13854  | ESTs   | 3.1         | 31        | 3       | 3          |
| 40 |         | NM_00039             |           | early growth response 2 (Krox-20 (Drosop   | 3.2         | 32        | 1       | 0.2        |
|    |         | BE061916             |           | chromosome 8 open reading frame 2  | 6.7         | 67        | i       | 5.7        |
|    |         | AF027153             |           | solute carrier family 5 (Inositol transp   | 1           | 1         | i       | 1          |
|    |         | AK001635             |           |  | 14.6        | 219       | 15      | 7.6        |
| 45 |         | T47294               | Hs.149923 | hypothetical protein FLJ10773<br>X-box binding protein 1                         | 3.1         | 1336      | 434     | 1.4        |
| 43 |         | AW977534             |           | calcium/calmodulin-dependent serine prot   | 5.3         | 53        | 9       | 3.2        |
|    |         | U38847               | Hs.151518 | TAR (HIV) RNA-binding protein 1  | 4.2         | 46        | 11      | 1.1        |
|    |         | AB040914             |           | KIAA1481 protein   | 13.2        | 331       | 25      | 12.4       |
|    |         | AF127577             |           | nuclear receptor interacting protein 1   | 3.3         | 354       | 108     | 4          |
| 50 |         | AL135301             |           | hypothetical protein FLJ10849  | 8.1         | 81        | 9       | 5.5        |
| 50 |         | AW067800             |           | stanniocalcin 2  | 72.2        | 722       | ĭ       | 1.9        |
|    |         | BE385099             |           | hypothetical protein MGC3017   | 6.5         | 65        | 4       | 5.3        |
|    |         | AW163518             |           | huntingtin Interacting protein 2   | 3.5         | 79        | 23      | 2.5        |
|    |         | U63630               | Hs.155637 | protein kinase, DNA-activated, catalytic   | 6.1         | 61        | 1       | 5.7        |
| 55 |         | D90041               | Hs.155956 | N-acetyltransferase 1 (arylamine N-acety   | 10.8        | 706       | 66      | 9.2        |
| 33 |         | W19744               | Hs.180059 | Homo sapiens cDNA FLJ20653 fis, clone KA   | 3.9         | 39        | 1       | 1.9        |
|    |         | AW876523             |           | hypothetical protein FLJ12910  | 3.9         | 39        | i       | 2.6        |
|    |         | AA383092             |           | replication protein A3 (14kD)  | 4.4         | 44        | i       | 4.1        |
|    |         | AA383256             |           | estrogen receptor 1  | 32.2        | 322       | i       | 4.7        |
| 60 |         | Al354355             | Hs.16697  | down-regulator of transcription 1, TBP-b   | 5.2         | 251       | 48      | 21         |
| 50 |         | M90516               | Hs.1674   | glutamine-fructose-6-phosphate transamin   | 10          | 100       | 1       | 7.6        |
|    |         | AI963376             | Hs.12532  | chromosome 1 open reading frame 21   | 3.9         | 39        | i       | 3.4        |
|    |         | AF176012             |           | J domain containing protein 1  | 10.5        | 105       | i       | 9          |
|    |         | AL161961             |           | KIAA1554 protein   | 6.8         | 129       | 19      | 12.1       |
| 65 |         | R62676               | Hs.17820  | Rho-associated, coiled-coil containing p   | 4.1         | 41        | 1       | 3.6        |
| 55 |         | R68537               | Hs.17962  | ESTs   | 9.2         | 234       | 26      | 16.8       |
|    |         | AJ271881             | Hs.279762 | bromodornain-containing 7  | 17.5        | 175       | 2       | 12.8       |
|    | 1001 12 | 1001                 | · 310L    | eranicaciumi aciuminia i   | ~           |           | -       | . 2.0      |

|          |        | BE247676             |                       | E-1 enzyme   | 8.1        | 81               | 3        | 2.8         |
|----------|--------|----------------------|-----------------------|--|------------|------------------|----------|-------------|
|          |        | AF052105             |                       | chromosome 12 open reading frame                             | 4.9        | 49               | 1        | 4.3         |
|          | 130780 | AA197226             |                       | hypothetical protein MGC11321                                | 3.6        | 100              | 28       | 6.6         |
| ~        |        |                      | Hs.20521              | HMT1 (hnRNP methyltransferase, S. cerevi                     | 3.4        | 525              | 154      | 5.3         |
| 5        |        | AF080158             |                       | inhibitor of kappa light polypeptide gen                     | 10.5       | 121              | 12<br>34 | 1.6<br>3.7  |
|          |        | AL044315             |                       | Homo saplens mRNA for KIAA1750 protein,                      | 6          | 202<br>100       | 14       | 7.5         |
|          |        | NM_003526            |                       | H2B histone family, member Q                                 | 7.1        |                  | 27       | 1.7         |
|          |        | NM_012446            |                       | single-stranded-DNA-binding protein                          | 3.2        | 87<br>124        | 35       | 6.5         |
| 10       |        | BE613269             |                       | hypothetical protein DKFZp761N0624                           | 3.5<br>4.5 | 45               | 1        | 2.5         |
| 10       |        | T97401               | Hs.21929              | ESTS   | 3.2        | 210              | 66       | 3.8         |
|          |        | AA749230             |                       | dolichyl-phosphate (UDP-N-acetylglucosam<br>KIAA1821 protein | 3.8        | 42               | 11       | 0.6         |
|          |        | BE207357             |                       |  | 6.7        | 67               | 6        | 1.9         |
|          |        | NM_016156            |                       | KIAA1073 protein<br>Homo sapiens cDNA: FLJ21848 fis, clone H | 5.8        | 115              | 20       | 2.5         |
| 15       |        | BE541042             |                       | p53-induced protein PIGPC1                                   | 3.8        | 585              | 153      | 3.7         |
| 13       |        | AW953575<br>AW013807 |                       | keratin 19   | 5.2        | 1320             | 256      | 3.2         |
|          |        | AA465113             |                       | ESTs, Weakly similar to A34615 profilagg                     | 3.8        | 38               | 1        | 3.3         |
|          |        | BE540516             |                       | hypothetical protein MGC3195                                 | 4.8        | 48               | 1        | 4.1         |
|          | -      |                      | Hs.243901             | Homo sapiens cDNA FLJ20738 fis, clone HE                     | 6.1        | 343              | 56       | 16.4        |
| 20       |        | AL080080             |                       | thioredoxin domain-containing                                | 8          | 100              | 13       | 2.9         |
| 20       |        |                      | Hs.332633             | Bardet-Bledl syndrome 2                                      | 4          | · <del>9</del> 5 | 24       | 1.1         |
|          |        | AW206008             |                       | Homo sapiens cDNA: FLJ21778 fis, clone H                     | 4.6        | 239              | 53       | 3.5         |
|          |        | NM_00315             |                       | stanniocalcin 1  | 3.5        | 402              | 114      | 2.1         |
|          |        |                      | Hs.173933             | nuclear factor I/A   | 3.3        | 775              | 233      | 2.4         |
| 25       |        | AW293165             |                       | ESTs   | 3.8        | 38               | 1        | 3           |
|          |        | AK001123             |                       | hypothetical protein FLJ10261                                | 3.9        | 116              | 30       | 0.5         |
|          |        | NM_014810            |                       | KIAA0480 gene product  | 7.6        | 76               | 1        | 5           |
|          |        | AA992841             |                       | KIAA1458 protein   | 5.1        | 113              | 22       | 6.1         |
|          | 131492 | Al452601             | Hs.288869             | nuclear receptor subfamily 2, group F, m                     | 8.4        | 169              | 20       | 4.6         |
| 30       | 131501 | AV661958             | Hs.8207               | GK001 protein  | 3.1        | 197              | 63       | 18.7        |
|          | 131535 | N22120               | Hs.75277              | hypothetical protein FLJ 13910                               | 5.9        | 59               | 1        | 4.4         |
|          |        | AL355715             |                       | programmed cell death 9 (PDCD9)                              | 5.1        | 51               | 1        | 3.9         |
|          |        | AA093668             |                       | muscleblind (Drosophila)-like                                | 3.8        | 79<br>252        | 21       | 6.9         |
| 25       |        | NM_00351             |                       | H2A histone family, member L                                 | 4          | 350              | 88<br>81 | 3<br>6.4    |
| 35       |        | T93500               | Hs.28792              | Homo sapiens cDNA FLJ11041 fis, clone PL                     | 4.7<br>4.6 | 381<br>46        | 7        | 3.8         |
|          |        | AA306477             |                       | hypothetical protein FLJ10687                                | 3.2        | 82               | 26       | 6.6         |
|          |        | NM_00210             |                       | granzyme K (serine protease, granzyme 3;                     | 5.2<br>6.7 | 93               | 14       | 8.4         |
|          |        | BE297635             |                       | heat shock 70kD protein 9B (mortalin-2)                      | 3.8        | 51               | 14       | 1.7         |
| 40       |        | AB012124             |                       | transcription factor-like 5 (basic helix                     | 7.2        | 72               | 4        | 5.7         |
| 40       |        | AW963776             |                       | SAR1 protein secreted frizzled-related protein 2             | 2.1        | 1561             | 757      | 1.7         |
|          |        | AF017986             |                       | ESTs   | 11.7       | 117              | 1        | 10.1        |
|          |        | AA961420<br>AB014548 |                       | KIAA0648 protein   | 4.8        | 48               | i        | 4.6         |
|          |        | D87077               | Hs.196275             | KIAA0240 protein   | 3.2        | 207              | 64       | 5.5         |
| 45       |        | X86098               | Hs.301449             | adenovirus 5 E1A binding protein                             | 3.4        | 115              | 34       | 9.1         |
| 77       |        | W00712               | Hs.32990              | DKFZP566F084 protein   | 5.8        | 91               | 16       | 1.4         |
|          |        | Al681917             | Hs.3321               | ESTs, Highly similar to IRX1_HUMAN IROQU                     | 4.9        | 632              | 129      | 1.7         |
|          |        | J04088               | Hs.156346             | topoisomerase (DNA) II alpha (170kD)                         | 6.8        | 68               | 1        | 5.6         |
|          |        | AW361018             | Hs.3383               | upstream regulatory element binding prot                     | 4          | 140              | 35       | 1.8         |
| 50       |        | BE502341             |                       | ESTs   | 5.7        | 57               | 1        | 4.5         |
|          | 131904 | AF078866             | Hs.284296             | Homo sapiens cDNA: FLJ22993 fis, clone K                     | 5.5        | 90               | 17       | 2.9         |
|          |        | T15803               | Hs.272458             | protein phosphatase 3 (formerly 2B), cat                     | 5.6        | 95               | 17       | 9.1         |
|          | 131941 | 8E252983             | Hs.35086              | ublquitin specific protease 1                                | 7.4        | 103              | 14       | 6.5         |
|          | 131945 | NM_00291             | 6Hs.35120             | replication factor C (activator 1) 4 (37                     | 3.7        | 37               | 1        | 3.4         |
| 55       | 131949 | AK000010             | Hs.258798             | hypothetical protein FLJ20003                                | 3.5        | 35               | 1        | 2.5         |
|          | 131965 | W79283               | Hs.35962              | ESTs   | 5.5        | 168              | 31       | 4.4         |
|          | 131977 | U90441               | Hs.3622               | procollagen-proline, 2-oxoglutarate 4-di                     | 3.7        | 37               | 9        | 2.8         |
|          |        | AA503020             |                       | hypothetical protein FLJ22418                                | 40.2       | 402              | 1        | 4           |
|          |        | AJ878910             | Hs.3688               | cisplatin resistance-associated overexpr                     | 7.3        | 73               | 1        | 1.2         |
| 60       | 132064 | AA121098             | Hs.3838               | serum-inducible kinase                                       | 22.6       | 226              | 10       | 0.9         |
|          | 132094 | NM_01604             | 5Hs.3945              | CGI-107 protein  | 3.1        | 227              | 73       | 16.8        |
|          | 132109 | AW190902             | HS.40098              | cysteine knot superfamily 1, BMP antagon                     | 3.5<br>3.6 | 73<br>141        | 21       | 6.3<br>12.6 |
|          | 132118 | AW960474             |                       | ESTS   | 3.0<br>4.9 | 141<br>49        | 39<br>1  | 4.1         |
| <i>C</i> | 132143 | D52059               | Hs.7972               | KIAA0871 protein<br>seven in absentia (Drosophila) homolog 1 | 4.4        | 53               | 12       | 2.1         |
| 65       | 132160 | W26406               | Hs.295923<br>Hs.41270 | procollagen-lysine, 2-oxoglutarate 5-dio                     | 5          | 225              | 45       | 9.1         |
|          | 132164 | A1752235<br>NM_00446 | 113.4121U             | fibroblast activation protein, alpha                         | 10.7       | 433              | 41       | 7.2         |
|          | 13218  | , MMC00440           | 101 F.G1 101          | was an                   |            |                  | ••       |             |

|     | 132107 | Al699482 | Hs.42151   | ESTs                                     | 3.4  | 58  | 17  | 4    |
|-----|--------|----------|------------|--|------|-----|-----|------|
|     |        |          | Hs.431     | murine leukemia viral (bmi-1) oncogene h | 4.2  | 42  | 1   | 2.2  |
|     |        | NM_01598 |            | cytokine receptor-like molecule 9        | 3.4  | 34  | ż   | 3    |
|     |        | U28831   | Hs.44566   | KIAA1641 protein                         | 18.6 | 186 | 10  | 1.5  |
| 5   |        | N37065   | Hs.44856   | hypothetical protein FLJ12116            | 5.5  | 323 | 59  | 10.5 |
| · · |        | NM_00354 |            | H4 histone family, member G              | 3.3  | 979 | 298 | 2.2  |
|     |        | AA312135 |            | HSPCO34 protein                          | 3.6  | 36  | 1   | 3.1  |
|     |        | W32624   | Hs.278626  | Arg/Abl-interacting protein ArgBP2       | 5.9  | 186 | 32  | 3.7  |
|     |        | AL135094 |            | hypothetical protein FLJ14495            | 4.2  | 159 | 38  | 7.1  |
| 10  |        | BE613126 |            | B aggressive lymphoma gene               | 4.6  | 46  | 1   | 4.3  |
| - 0 |        | N87549   | Hs.125287  | zinc finger protein ZNF140-like protein  | 3.6  | 146 | 41  | 1.1  |
|     |        | AB020699 |            | KIAA0892 protein                         | 3.3  | 33  | 4   | 2.9  |
|     |        | AW169847 |            | KIAA1634 protein                         | 8.3  | 145 | 18  | 3.7  |
|     |        | AB023164 |            | KIAA0947 protein                         | 4.6  | 46  | 1   | 4.4  |
| 15  |        | T78736   | Hs.50758   | SMC4 (structural maintenance of chromoso | 9.3  | 93  | 1   | 8.4  |
|     |        | AA306105 |            | SEC22, veside trafficking protein (S. c  | 4.9  | 49  | 1   | 4.4  |
|     |        | BE568452 |            | protein regulator of cytokinesis 1       | 11.8 | 201 | 17  | 19.1 |
|     |        | Al929659 |            | signal recognition particle 72kD         | 3.8  | 38  | 1   | 3    |
|     |        | AW803564 |            | Homo saplens cDNA: FLJ22528 fis, clone H | 4.8  | 93  | 20  | 3.1  |
| 20  |        | AW606927 |            | hypothetical protein DKFZp586F1122 simil | 6.1  | 61  | 2   | 5.9  |
|     |        | BE262677 |            | hypothetical protein PRO1855             | 3.4  | 193 | 58  | 12.3 |
|     |        | AF037335 |            | carbonic anhydrase XII                   | 14.2 | 390 | 28  | 22.5 |
|     |        | AL050025 |            | hypothetical protein FLJ20151            | 3.3  | 909 | 274 | 3.2  |
|     |        | AU076916 |            | guanine monphosphate synthetase          | 5    | 50  | 1   | 4.1  |
| 25  |        | AB018319 |            | KIAA0776 protein                         | 4.2  | 171 | 41  | 12.6 |
|     |        | AA025480 |            | ESTs, Weakly similar to T33468 hypotheti | 6.5  | 65  | 1   | 5.6  |
|     |        | AW242243 |            | peroxisomal famesylated protein          | 3.7  | 37  | 1   | 2.2  |
|     |        | U25435   | Hs.57419   | CCCTC-binding factor (zinc finger protel | 7    | 115 | 17  | 5.4  |
|     |        | AL120050 |            | Homo sapiens cDNA: FLJ23005 fis, clone L | 3.3  | 61  | 19  | 5.1  |
| 30  |        | NM_00144 |            | glypican 4                               | 4.8  | 48  | 1   | 3.6  |
| •   |        | BE077155 |            | hypothetical protein DKFZp761B1514       | 12.6 | 126 | 8   | 9.9  |
|     |        | AI936442 | Hs.59838   | hypothetical protein FLJ10808            | 11   | 187 | 17  | 10.4 |
|     |        | BE613337 |            | geminin                                  | 3.3  | 106 | 33  | 2.6  |
|     |        | AL047045 |            | Homo sapiens clone 122482 unknown mRNA   | 3.5  | 110 | 32  | 2.1  |
| 35  |        | AF234532 |            | myosin X                                 | 4.1  | 62  | 15  | 4.9  |
|     |        | AA093322 |            | RNA binding motif protein 3              | 22.1 | 221 | 9   | 17.8 |
|     |        | X77343   | Hs.334334  | transcription factor AP-2 alpha (activat | 12.7 | 311 | 25  | 2.4  |
|     |        | AA112748 | Hs.279905  | done HQ0310 PRO0310p1                    | 3    | 380 | 127 | 5.5  |
|     | 133011 | NM_00637 | 9Hs.171921 | sema domain, immunoglobulin domain (ig), | 7.3  | 271 | 37  | 2.3  |
| 40  | 133015 | AJ002744 | Hs.246315  | UDP-N-acetyl-alpha-D-galactosamine:polyp | 4.6  | 427 | 93  | 10.4 |
|     | 133070 | U92649   | Hs.64311   | a disintegrin and metalloproteinase doma | 3.6  | 36  | 1   | 3.1  |
|     | 133091 | AK001628 | Hs.64691   | KIAA0483 protein                         | 5.2  | 117 | 23  | 5    |
|     | 133192 | AA218564 | Hs.67052   | vacuolar protein sorting 26 (yeast homol | 3.1  | 359 | 118 | 2.5  |
|     | 133197 | AI275243 | Hs.180201  | hypothetical protein FLJ20671            | 5.1  | 58  | 12  | 5.7  |
| 45  | 133199 | AF231981 | Hs.250175  | homolog of yeast long chain polyunsatura | 3    | 816 | 275 | 3.9  |
|     | 133221 | W32474   | Hs.301746  | RAP2A, member of RAS oncogene family     | 3.1  | 234 | 76  | 8.6  |
| -   | 133240 | AK001489 | Hs.242894  | ADP-ribosylation factor-like 1           | 8.1  | 81  | 1   | 4.6  |
|     | 133271 | Z48633   | Hs.283742  | H.sapiens mRNA for retrotransposon       | 12.4 | 124 | 6   | 10.8 |
|     | 133291 | BE297855 | Hs.69855   | NRAS-related gene                        | 3.3  | 33  | 1   | 2.9  |
| 50  | 133294 | AJ001388 | Hs.69997   | zinc finger protein 238                  | 7.9  | 234 | 30  | 18.9 |
|     | 133350 | AI499220 | Hs.71573   | hypothetical protein FLJ10074            | 4.6  | 46  | 5   | 3.5  |
|     | 133362 | AK001519 | Hs.7194    | CGI-74 protein                           | 5    | 110 | 22  | 9.7  |
|     | 133370 | AF245505 | Hs.72157   | DKFZP564I1922 protein                    | 3.2  | 725 | 227 | 3.2  |
|     | 133407 | AF017987 | Hs.7306    | secreted frizzled-related protein 1      | 4.1  | 374 | 91  | 1.1  |
| 55  | 133422 | AB033061 | Hs.73287   | KIAA1235 protein                         | 4.3  | 43  | 1   | 3.9  |
|     | 133435 | Al929357 | Hs.323966  | Homo sapiens clone H63 unknown mRNA      | 5.5  | 186 | 34  | 16.5 |
|     | 133479 | W01556   | Hs.238797  | ESTs, Moderately similar to 138022 hypot | 3.5  | 35  | 7   | 2.1  |
|     | 133493 | AW998046 | Hs.194369  | arginine-glutamic acid dipeptide (RE) re | 3.6  | 39  | 11  | 0.4  |
|     | 133504 | NM_00441 | 5Hs.74316  | desmoplakin (DPI, DPII)                  | 4.1  | 640 | 158 | 3    |
| 60  |        | NM_00016 |            | gap junction protein, alpha 1, 43kD (con | 3.2  | 351 | 111 | 5.2  |
|     | 133536 | W25797   | Hs.177486  | amyloid beta (A4) precursor protein (pro | 3.2  | 226 | 71  | 2.8  |
|     |        | AU077050 |            | translin                                 | 3.4  | 178 | 53  | 8.8  |
|     |        | D21262   | Hs.75337   | nucleolar and colled-body phosphprotein  | 4.7  | 47  | 1   | 4    |
|     |        | AW246428 |            | ubiquitin-conjugating enzyme E2N (homolo | 8.5  | 85  | 1   | 7.2  |
| 65  |        | NM_00692 |            | splicing factor, arginine/serine-rich 5  | 3.6  | 36  | 1   | 0.4  |
|     |        | Al352558 |            | tyrosine 3-monooxygenase/tryptophan 5-mo | 3.4  | 234 | 68  | 10.7 |
|     | 133746 | AW410035 | Hs.75862   | MAD (mothers against decapentaplegic, Dr | 9.3  | 93  | 1   | 7.8  |

|     | 133765 | M62194             | Hs.75929                |   | 3.2        | 560        | 174       | 2.6              |
|-----|--------|--------------------|-------------------------|---|------------|------------|-----------|------------------|
|     |        | AA557660           |                         |   | 5.4        | 144        | 27        | 13.3             |
|     |        | BE622743           |                         | arfaptin 1  | 4.7        | 47         | 1         | 4.1<br>4.9       |
| _   |        | NM_002462          |                         | myxovirus (influenza) resistance 1, homo                | 3.3        | 380<br>304 | 114<br>46 | 7.8              |
| 5   |        | AW630088           |                         | Homo sapiens mRNA; cDNA DKFZp564B1264 (f                | 6.2        | 600        | 97        | 4.1              |
|     |        | AA147026           |                         | ESTs  | 3.3        | 889        | 267       | 5                |
|     |        | AU076964           |                         | calumenin   | 3.7        | 91         | 25        | 2.6              |
|     |        | AA355986           | HS.232068               | transcription factor 8 (represses interl                |            | 91         | 27        | 8.5              |
| 10  |        | R48316             |                         | Homo sapiens mRNA; cDNA DKFZp564C1216 (f                | 7.8        | 78         | 1         | 5.6              |
| 10  |        | AA535244           |                         | RAB2, member RAS oncogene family                        | 5.9        | 59         | i         | 3.3              |
|     |        | NM_005025          |                         | serine (or cysteine) proteinase inhibito                | 5.8        | 58         | i         | 4.9              |
|     |        | AF091622           |                         | KIAA0244 protein  | 6.4        | 100        | 16        | 4.4              |
|     |        | U51166             | Hs.173824               | thymine-DNA glycosylase                                 | 5.1        | 51         | 9         | 3.8              |
| 15  |        | R51273             | Hs.79029                | ESTs cyclin G2  | 5          | 50         | ĭ         | 3.2              |
| 15  |        | NM_004354          |                         | mitochondrial ribosomal protein L3                      | 4.8        | 246        | 51        | 3.9              |
|     |        | BE513171<br>U41060 | Hs.79136                | LIV-1 protein, estrogen regulated                       | 4.5        | 1472       | 330       | 2.1              |
|     |        | NM_01478           |                         | KIAA0203 gene product                                   | 4.6        | 69         | 15        | 5.8              |
|     |        | D28459             | Hs.80612                | ubiquitin-conjugating enzyme E2A (RAD6 h                | 7          | 97         | 14        | 7.5              |
| 20  |        | C05768             | Hs.8078                 | Homo sapiens clone FBD3 Cri-du-chat crit                | 3.4        | 34         | 5         | 2.6              |
| 20  |        | X76040             | Hs.278614               | protease, serine, 15                                    | 3.6        | 36         | 1         | 2.8              |
|     |        | R45621             | Hs.81057                | hypothetical protein MGC2718                            | 6.7        | 67         | 9         | 5.7              |
|     |        | Al022650           | Hs.8117                 | erbb2-interacting protein ERBIN                         | 4.5        | 137        | 31        | 12               |
|     |        | BE538082           |                         | ESTs, Moderately similar to A46010 X-lin                | 5.2        | 52         | 1         | 4.9              |
| 25  |        | AW903838           |                         | chondroitin sulfate proteoglycan 2 (vers                | 8.6        | 568        | 66        | 22.4             |
| 23  |        | AW959281           |                         | ESTs  | 4.8        | 53         | 11        | 3.7              |
|     |        | AW291946           |                         | interleukin 6 signal transducer (gp130,                 | 7.1        | 71         | 4         | 6.4              |
|     |        | NM 00198           |                         | v-erb-b2 avian erythroblastic leukemia v                | 3          | 68         | 23        | 2.8              |
|     |        | AA339449           |                         | phosphoribosylglycinamide formyltransfer                | 4.4        | 44         | 1         | 4.1              |
| 30  |        | N22687             | Hs.8236                 | ESTs  | 13.3       | 445        | 34        | 6                |
| 50  |        | AU077143           |                         | minichromosome maintenance deficient (S.                | 4.5        | 45         | 2         | 3.4              |
|     |        | AA456539           |                         | lysosomal   | 6          | 60         | 5         | 5.9              |
|     |        | Al916662           | Hs.211577               | kinectin 1 (kinesin receptor)                           | 4.1        | 301        | 73        | 6.1              |
|     |        | AW067903           |                         | collagen, type XI, alpha 1                              | 4.6        | 1216       | 267       | 4.4              |
| 35  |        | AI750762           | Hs.82911                | protein tyrosine phosphatase type IVA, m                | 4.9        | 163        | 34        | 15.1             |
| 55  |        | NM_00641           |                         | solute carrier family 35 (CMP-sialic aci                | 4.9        | 49         | 3         | 3.8              |
|     |        | W95642             | Hs.82961                | trefoil factor 3 (intestinal)                           | 3.2        | 1872       | 592       | 3.3              |
|     |        | AU077196           |                         | collagen, type V, alpha 2                               | 6.3        | 1075       | 171       | 3.8              |
|     |        | U29344             | Hs.83190                | fatty acid synthase                                     | 3.3        | 710        | 217       | 2                |
| 40  |        | X82153             | Hs.83942                | cathepsin K (pycnodysostosis)                           | 34.3       | 411        | 12        | 5.1              |
| . • |        | AF061739           |                         | protein associated with PRK1                            | 4.8        | 153        | 32        | 4.3              |
|     |        | D63477             | Hs.84087                | KIAA0143 protein  | 3.1        | 147        | 48        | 12.7             |
|     |        | BE091005           | Hs.74861                | activated RNA polymerase II transcriptio                | 3.3        | 33         | 1         | 2                |
|     | 134542 | M14156             | Hs.85112                | insulin-like growth factor 1 (somatomedi                | 4.2        | 42         | 5         | 2.6              |
| 45  | 134570 | U66615             | Hs.172280               | SWI/SNF related, matrix associated, acti                | 3.9        | 39         | 1         | 2.5              |
|     | 134590 | AW903849           | Hs.173840               | HUEL (C4orf1)-Interacting protein                       | 3.7        | 41         | 11        | 0.6              |
|     | 134604 |                    |                         | RAP1A, member of RAS oncogene family                    | 5.2        | 52         | 1         | 3                |
|     | 134612 | AW068223           | Hs.171581               | ubiquitin C-terminal hydrolase UCH37                    | 4.9        | 49         | 1         | 3.7              |
|     | 134643 | AW299723           | Hs.87223                | bone morphogenetic protein receptor, typ                | 5.2        | 52         | 5         | 3.5              |
| 50  | 134654 | AK001741           |                         | hypothetical protein FLJ10879                           | 6.4        | 64         | 1         | 5.1              |
|     |        | A1750878           | Hs.87409                | thrombospondin 1  | 12.6       | 126        | 1         | 10.8             |
|     |        |                    | Hs.322901               | disrupter of silencing 10                               | 5.4        | 81         | 15        | 2.6<br>1.5       |
|     |        | AK000606           |                         | golgi SNAP receptor complex member 1                    | 3.4        | 179        | 52        | 13.9             |
|     |        | X04011             | Hs.88974                | cytochrome b-245, beta polypeptide (chro                | 3.2        | 143        | 45        | 6                |
| 55  |        |                    | Hs.284226               | F-box only protein 6                                    | 7          | 70         | 6<br>1    | 2.3              |
|     | 134856 | BE281128           |                         | TONDU   | 3.1        | 31         | 1         | 2. <i>3</i><br>5 |
|     |        | AI879195           | Hs.90606                | 15 kDa selenoprotein                                    | 5.7        | 57         | 48        | 4.7              |
|     |        | X87241             | Hs.166994               | FAT tumor suppressor (Drosophila) homolo                | 3.2        | 153        | 114       | 2                |
|     |        | AL137491           |                         | Homo sapiens mRNA; cDNA DKFZp434P1530 (                 |            | 452<br>150 | 30        | 7.2              |
| 60  |        | AK002085           |                         | Homo sapiens cDNA FLJ11223 fis, clone PL                | 5.1<br>8.2 | 114        | 14        | 9.9              |
|     |        | AW968058           |                         | nudix (nucleoside diphosphate linked moi                | 11.5       | 115        | 1         | 10               |
|     |        | H58818             | Hs.187579               | hydroxysteroid (17-beta) dehydrogenase 7                | 5.4        | 259        | 48        | 1.4              |
|     |        |                    | Hs.284186               | forkhead box C1<br>SRY (sex determining region Y)-box 4 | 3.3        | 1296       | 394       | 2.2              |
| CE  |        | A1272141           | Hs.83484                | KIAA1682 protein  | 3.8        | 240        | 64        | 3.2              |
| 65  |        | AK000967           |                         | Homo sapiens mRNA; cDNA DKFZp586E1624                   |            | 101        | 13        | 7.9              |
|     |        | W55956             | Hs.94030<br>3 Hs.277721 | ovarian carcinoma antigen CA125                         | 3.3        | 33         | 1         | 2.6              |
|     | 122030 | MULLIADE           | 119.211121              | Attend of producting an adult of the                    |            |            |           |                  |

|     | 135117  | W52493   | Hs.94694  | Homo saplens cDNA FLJ10561 fis, clone NT       | 5.3  | 53   | 1   | 4.1  |      |
|-----|---------|----------|-----------|--|------|------|-----|------|------|
|     | `135144 | NM_01625 | 5Hs.95260 | Autosomal Highly Conserved Protein             | 7.4  | 74   | 5   | 2.4  |      |
|     | 135154  | AK001835 | Hs.267812 | sorting nexin 4                                | 6.6  | 69   | 11  | 6.3  |      |
| _   | 135155  | Al207958 | Hs.166556 | Homo sapiens, Similar to TEA domain fami       | 6.1  | 61   | 1   | 5.1  |      |
| 5   | 135172  | AB028956 | Hs. 12144 | KIAA1033 protein                               | 3.4  | 88   | 26  | 1.4  |      |
|     | 135242  | AI583187 | Hs.9700   | cyclin E1                                      | 3.1  | 31   | 1   | 2.3  |      |
|     | 135243  | BE463721 | Hs.97101  | putative G protein-coupled receptor            | 3.4  | 169  | 50  | 9.1  |      |
|     | 135269  | NM_00340 | 3Hs.97496 | YY1 transcription factor                       | 3.4  | 475  | 142 | 2.5  |      |
|     | 135356  | BE312948 | Hs.18104  | hypothetical protein FLJ11274                  | 3.1  | 31   | 10  | 1.7  |      |
| 10  | 135357  | AI565004 | Hs.79572  | cathepsin D (lysosomal aspartyl protease       | 4.7  | 710  | 151 | 2.5  |      |
|     | 135389  | U05237   | Hs.99872  | fetal Alzheimer antigen                        | 20.6 | 206  | 4   | 19.1 |      |
|     | 135397  | L14922   | Hs.166563 | replication factor C (activator 1) 1 (14       | 3.2  | 32   | 1   | 2.4  |      |
|     | -135400 | X78592   | Hs.99915  | androgen receptor (dihydrotestosterone r       | 3.2  | 117  | 37  | 9.4  |      |
|     | ٠.      | AI471525 | Hs.247486 | ESTs   | 3.8  | 58   | 16  | 5.5  |      |
| 15  |         | X70683   | Hs.93668  | ESTs   | 1.8  | 1047 | 596 | 1.6  |      |
|     |         | L14922   | Hs.82128  | 5T4 oncofetal trophoblast glycoprotein         | 5    | 285  | 58  | 1.2  |      |
|     |         | M23263   | Hs.904    | amylo-1;6-glucosidase; 4-alpha-glucanotransfer | 15   | 3.1  | 31  | 1    | 2.6  |
|     |         | Al267886 | Hs.148027 | polymerase (RNA) II (DNA directed) polypeptide | В    | 7.8  | 137 | 18   | 11.9 |
|     |         | AA044840 | Hs.241676 | stromal cell-derived factor 1                  | 4.7  | 114  | 25  | 0.9  |      |
| 20  |         | N90960   | Hs.227459 | ESTs; Moderately similar to !!!! ALU SUBFAMIL' | 1    | 4.7  | 151 | 32   | 9.3  |
|     |         | AA873285 | Hs.137947 | ESTs   | 4.7  | 47   | 3   | 4.4  |      |
|     |         | T56679   | Hs.865    | RAP1A; member of RAS oncogene family           | 4    | 40   | 1   | 3.4  |      |
| . * |         | AA305536 |           | "EST176522 Colon carcinoma (Caco-2) cell line  | lj . | 3.6  | 121 | 34   | 11.8 |
| 0.5 |         | Al369384 |           | arylsulfatase D                                | 3.5  | 113  | 33  | 1.7  |      |
| 25  |         | AA219081 | Hs.242396 | ESTs: Moderately similar to IIII ALU SUBFAMIL  | (1   | 3.4  | 107 | 32   | 9.9  |

#### TABLE 10A

Table 10 A shows the accession numbers for those pkeys lacking unigeneID's for Table 10. For each probeset, we have listed the gene cluster number from which the oligonucleotides were designed. Gene clusters were compiled using sequences derived from Genbank ESTs and mRNAs. These sequences were clustered based on sequence similarity using Clustering and Alignment Tools (DoubleTwist, Oakland California). The Genbank accession numbers for sequences comprising each cluster are listed in the "Accession" column.

10

5

| Pkey:       | Unique Eos probeset identifier number |
|-------------|---------------------------------------|
| CAT number: | Gene cluster number                   |
| Accession:  | Genbank accession numbers             |

15

|     | Pkey   | CAT number       | Accession                           |
|-----|--------|------------------|-------------------------------------|
|     | 123619 | 371681_1         | AA602964 AA609200                   |
| 20  | 104602 | 524482_2         | H47610 R86920                       |
|     | 121581 | 283769_1         | AA416568 AA442889 AA417233 AA442223 |
|     | 123523 | genbank_AA608588 | AA608588                            |
|     | 100821 | tigr_HT4306      | M26460 U09116                       |
|     | 125091 | genbank_T91518   |                                     |
| .25 |        | NOT_FOUND_entre: | z_W38240 W38240                     |
|     |        | genbank_N66845   | N66845                              |
|     |        | genbank_AA027317 |                                     |
|     |        | genbank_AA417034 |                                     |
| • • |        |                  | T97307                              |
| 30  |        | entrez_K01160    | K01160                              |
|     |        | entrez_M21305    | M21305                              |
|     | 101624 | entrez_M55998    | M55998                              |
|     | 124677 | genbank_R01073   | R01073                              |
| ~ ~ | 110581 | genbank_H61560   | H61560                              |
| 35  |        | genbank_N98488   |                                     |
|     |        | genbank_N22414   |                                     |
|     |        | genbank_R44538   |                                     |
|     |        | genbank_R51818   |                                     |
| 40  |        | genbank_AA598820 |                                     |
| 40  | 114988 | genbank_AA251089 | AA251089                            |

#### TABLE 11: Figure 11 from BRCA 001-3 PCT

Table 11 depicts a preferred group of genes upregulated in tumor tissue compared to normal breast tissue.

| 10<br>15 | Pkey:<br>ExAcon:<br>Unigene<br>Unigene<br>R1:<br>R2:<br>R3:<br>R4: | : Ex<br>elD: Un<br>e Title: Un<br>Ra<br>Ra<br>Ra | emplar Access<br>igene number<br>igene gene title<br>tio of tumor to<br>tio of 90th perc<br>tio of 75th perc | eset identifier number ion number, Genbank accession number e normal body tissue entitle tumor to normal body entitle normal body to tumor normal breast tissue |      |      |     |      |
|----------|--|--|--|---|------|------|-----|------|
| ••       | Pkey   | ExAcon   | UnigeneiD  | Unigene Title   | R1   | R2   | R3  | R4   |
| 20       |  |  |  |   | •    |      |     |      |
|          |  | D12485   | Hs.11951   | ectonucleotide pyrophosphatase/phosphodi  | 13.2 | 244  | 19  | 9.9  |
|          | 100147   | D13666   | Hs.136348  | osteoblast specific factor 2 (fasciclin   | 15.7 | 1030 | 66  | 5    |
|          | 100522   | X51501   | Hs.99949   | prolactin-induced protein   | 22.7 | 760  | 34  | 1.4  |
|          | 100666   | L05424   | Hs.169610  | CD44 antigen (homing function and Indian  | 8.5  | 85   | 1   | 3.2  |
| 25       | 101104   | AW8622   | 58 Hs.169266   | neuropeptide Y receptor Y1  | 15.3 | 153  | 1   | 14.1 |
|          | 101478   | NM_0028  | 90Hs.758   | RAS p21 protein activator (GTPase activa  | 9.6  | 96   | 1   | 8.5  |
|          | 101724   | L11690   | Hs.620   | bullous pemphigoid antigen 1 (230/240kD)  | 9.4  | 94   | 1   | 0.3  |
|          | 101754   | S70114   | Hs.239489  | TIA1 cytotoxic granule-associated RNA-bi  | 8.9  | 89   | 5   | 8    |
|          | 101888   | AL04961  | 0 Hs.95243   | transcription elongation factor A (SII)-  | 7.3  | 73   | 1   | 5.3  |
| 30       | 102165   | BE31328  | 0 Hs.159627  | death associated protein 3  | 9.3  | 93   | 5   | 8    |
|          | 102304   | AF01522  | 4 Hs.46452   | mammaglobin 1   | 8.5  | 2058 | 243 | 1.4  |
|          | 102348   | U37519   | Hs.87539   | aldehyde dehydrogenase 3 family, member   | 6.4  | 428  | 67  | 2.3  |
|          | 102457   | NM_0013  | 194Hs.2359   | dual specificity phosphatase 4  | 20.2 | 202  | 5   | 1.3  |
|          | 102567   | U63830   | Hs.146847  | TRAF family member-associated NFKB activ  | 8.2  | 82   | 1   | 6.8  |
| 35       | 102823   | D85390   | Hs.5057  | carboxypeptidase D  | 5.6  | 56   | 1   | 5.3  |
|          | 103557   | AL13341  | 5 Hs.297753  | vimentin  | 7.5  | 136  | 18  | 3.4  |
|          | 103613   | NM_0003  | 46Hs.2316  | SRY (sex determining region Y)-box 9 (ca  | 7.3  | 73   | 1   | 5.2  |
|          | 104115   | AF18381  | 0 Hs.26102   | opposite strand to trichorhinophalangeal  | 29   | 290  | 1   | 26.8 |
|          | 104667   | AI239923   | Hs.30098   | ESTs  | 14.9 | 149  | 1   | 6.4  |
| 40       | 104804   | AI858702   | Hs.31803   | ESTs, Weakly similar to N-WASP [H.sapien  | 7.7  | 77   | 1   | 5.1  |
|          | 104807   | Al139058   | Hs.125790  | leucine-rich repeat-containing 2  | 7    | 70   | 1   | 6.5  |
|          | 104896   | AW0153   | 18 Hs.23165  | ESTs  | 7.4  | 74   | 1   | 6    |
|          | 104943   | AF07287  | 3 Hs.114218  | frizzled (Drosophila) homolog 6   | 16.2 | 162  | 1   | 4.2  |
|          | 105038   | AW50373  | 33 Hs.9414   | KIAA1488 protein  | 5.5  | 55   | 1   | 5.2  |
| 45       | 105329   | AA23456  | 1 Hs.22862   | ESTs  | 2.8  | 131  | 47  | 3.9  |
|          | 105500   | AW60216  | 6 Hs.222399  | CEGP1 protein   | 25.4 | 508  | 20  | 3    |
|          | 105516   | AK00126  | 9 Hs.30738   | hypothetical protein FLJ10407   | 8.3  | 83   | 3   | 1.8  |
|          |  |  | 4 Hs.5364  | DKFZP5641052 protein  | 6.9  | 69   | 1   | 4.4  |
|          |  | AI240665   |  | ESTs  | 21.2 | 212  | 6   | 17.4 |
| 50       |  |  | 2 Hs.11713   | E74-like factor 5 (ets domain transcript  | 26.3 | 356  | 14  | 1    |
|          |  |  | 4 Hs.33287   | nuclear factor I/B  | 9.9  | 483  | 49  | 1.8  |
|          |  |  | 5 Hs.30652   | KIAA1344 protein  | 6.3  | 63   | 1   | 5.4  |
|          | _  |  | 8 Hs.8207  | GK001 protein   | 2.5  | 392  | 155 | 4.3  |
|          |  |  | 5 Hs.8687  | ESTs  | 15.6 | 156  | 7   | 10.8 |
| 55       | 107922   | BE15385  | 5 Hs.61460   | Ig superfamily receptor LNIR  | 9    | 90   | 1   | 5.5  |
|          |  |  | 10 Hs.51615  | ESTs, Weakly similar to ALU7_HUMAN ALU S  | 18.7 | 187  | 1   | 17   |
|          |  |  |  | hypothetical protein FLJ13782   | 4.1  | 334  | 82  | 3.4  |
|          |  |  |  | KIAA1702 protein  | 7.1  | 71   | 1   | 6.5  |
|          |  | U80736   |  | trinucleotide repeat containing 9   | 12.3 | 123  | 1   | 11.3 |
| 60       |  |  |  | L-kynurenine/alpha-aminoadipate aminotra  | 14.2 | 142  | 1   | 9.5  |
|          |  |  | 7 Hs.6614  | ESTs, Weakly similar to A43932 much 2 p   | 6.3  | 693  | 110 |      |
|          |  |  | 5 Hs.29724   | hypothetical protein FLJ13187   | 20.9 | 209  | 1   | 19.5 |
|          | 111164   | N46180   | Hs.122489  | Homo sapiens cONA FLJ13289 fis, clone OV  | 7.7  | 77   | 1   | 5    |
|          |  |  |  | 24.0  |      |      |     |      |

|     | 111179 | AK000136 | Hs.10760   | asporin (LRR dass 1)                     | 25.1  | 288  | 12  | 6.7  |
|-----|--------|----------|------------|--|-------|------|-----|------|
|     | 111190 | AK002055 | Hs.151046  | hypothetical protein FLJ11193            | 6.3   | 63   | 1   | 5.8  |
|     | 111223 | AA852773 | Hs.334838  | KIAA1866 protein                         | 3.6   | 402  | 112 | 4.9  |
|     | 111357 | BE314949 | Hs.87128   | hypothetical protein FLJ23309            | 3.8   | 425  | 111 | 4    |
| 5   | 112244 | AB029000 | Hs.70823   | KIAA1077 protein                         | 5.7   | 567  | 100 | 6.7  |
|     | 113047 | AI571940 | Hs.7549    | ESTs                                     | 9.6   | 124  | 13  | 9    |
|     | 113702 |          |            | gb:ye53h05.s1 Soares fetal liver spleen  | 12.3  | 129  | 11  | 11.7 |
|     |        | W57554   | Hs.125019  | lymphoid nuclear protein (LAF-4) mRNA    | 24.2  | 242  | 10  | 5.6  |
|     |        | AW384793 |            | Homo sapiens mRNA; cDNA DKFZp434E033 (fr | 6.7   | 67   | 1   | 6.3  |
| 10  |        | AF212848 |            | ets homologous factor                    | 13.7  | 137  | 1   | 8.9  |
|     |        | AL157545 | Hs.42179   | bromodomain and PHD finger containing, 3 | 9.1   | 91   | 1   | 7.6  |
|     |        | AI733881 | Hs.72472   | BMP-R1B                                  | 35.9  | 359  | 10  | 29.7 |
|     |        | AA251089 |            | gb:zs04f05.s1 NCI_CGAP_GCB1 Homo sapiens | 11.5  | 115  | 1   | 6.9  |
|     |        |          | Hs.186572  |  | 5.8   | 58   | 1   | 5    |
| 15  |        | AW992405 |            | Homo sapiens, clone IMAGE:3507281, mRNA, | 7.6   | 144  | 19  | 13.9 |
|     |        | Al373062 |            | hypothetical protein MGC5370             | 6.2 · | 62   | 1   | 5.4  |
|     |        | Al272141 | Hs.83484   | SRY (sex determining region Y)-box 4     | 1.8   | 1047 | 596 | 1.6  |
|     |        | H25836   |            | ESTs, Moderately similar to unknown [H.s | 22.8  |      | 9   | 12.4 |
|     |        | M18217   |            | Homo sapiens cDNA: FLJ21409 fis, clone C | 3.9   |      | 83  | 4.4  |
| 20  |        | N32536   | Hs.42645   | solute carrier family 16 (monocarboxylic | 17.4  |      | 9   | 6.9  |
| -0  |        | AL157545 | Hs.42179   | bromodomain and PHD finger containing, 3 | 14.5  |      | 1   | 2.4  |
|     |        | AI061118 | Hs.65328   | Fanconi anemia, complementation group F  | 8.2   | 82   | 1   | 6.4  |
|     |        | A1905687 | Hs.2533    | EST                                      | 3.5   | 2073 |     | 2.1  |
|     |        |          |            | hypothetical protein FLJ10330            | 8.5   | 127  | 15  | 1.6  |
| 25  |        | AK000282 |            | hypothetical protein FLJ20275            | 10.3  |      | 1   | 9.3  |
| 20  |        | AA243499 |            | hypothetical protein FLJ10134            | 2.9   |      | 74  | 3.7  |
|     |        | AA478446 | Hs.69559   | KIAA1096 protein                         | 7.2   | 72   | 1   | 5.7  |
|     |        | AI073913 |            | ESTs, Weakly similar to JE0350 Anterior  | 9.9   |      | 36  | 13.9 |
|     |        | AA602964 | 113.100000 | gb:no97c02.s1 NCI_CGAP_Pr2 Homo sapiens  | 8.5   | 85   | 1   | 4.3  |
| 30  |        |          | Hs.112742  |  | 3.9   | 60   | 16  | 4.8  |
| 30  |        | Al147155 | Hs.270016  |  | 5.8   |      | 55  | 17   |
|     |        |          |            | ESTs, Weakly similar to S64054 hypotheti | 10.4  |      | 85  | 5.3  |
|     |        | AA249027 |            | ribosomal protein S6                     | 10.5  | 105  | 1   | 9.9  |
|     |        | AW401809 |            | KIAA1150 protein                         | 13.1  | 131  | 1   | 5.1  |
| 35  |        |          | Hs.164950  |  | 6.7   | 67   | 1   | 6    |
| 55  |        | D60237   | Hs.14368   | SH3 domain blnding glutamic acid-rich pr | 30.6  |      | 4   | 26.5 |
|     |        | AI954968 |            | matrix Gla protein                       | 7.5   | 75   | 1   | 6.5  |
|     |        | AI694143 |            | programmed cell death 4                  | 7.2   | 72   | 1   | 5.8  |
|     |        |          |            | secreted frizzled-related protein 4      | 17.4  |      | 24  | 7.8  |
| 40  |        | R67419   | Hs.21851   | Homo sapiens cDNA FLJ12900 fis, done NT  | 7.1   |      | 56  | 3.6  |
| -10 |        |          | Hs.107968  |  | 8.2   | 82   | 1   | 7.4  |
|     |        |          |            | polyadenylate binding protein-interactin | 7.1   | 71   | 1   | 6.2  |
|     |        |          |            | KIAA0990 protein                         | 9.5   | 95   | 1   | 8.5  |
|     |        |          |            | Homo sapiens clone 23785 mRNA sequence   | 7.1   | 150  | 21  | 14.5 |
| 45  |        | AB028945 |            | cortactin SH3 domain-binding protein     | 11.4  | 114  | 1   | 10   |
|     |        |          | Hs.125849  | chromosome 8 open reading frame 2        | 6.7   | 67   | 1   | 5.7  |
|     |        |          | Hs.324787  |  | 1     | 1    | 1   | 1    |
|     |        | AK001635 |            | hypothetical protein FLJ10773            | 14.6  | 219  | 15  | 7.6  |
|     |        |          |            | KIAA1481 protein                         | 13.2  | 331  | 25  | 12.4 |
| 50  |        |          | Hs.155223  |  | 72.2  | 722  | 1   | 1.9  |
|     |        |          |            | hypothetical protein MGC3017             | 6.5   | 65   | 4   | 5.3  |
|     |        | U63630   | Hs.155637  |  | 6.1   | 61   | 1   | 5.7  |
|     |        | D90041   |            | N-acetyltransferase 1 (arylamine N-acety | 10.8  | 706  | 66  | 9.2  |
|     |        | AA383256 |            | estrogen receptor 1                      | 32.2  | 322  | 1   | 4.7  |
| 55  |        | M90516   | Hs.1674    | glutamine-fructose-6-phosphate transamin | 10    | 100  | 1   | 7.6  |
| ••  |        |          |            | bromodomain-containing 7                 | 17.5  | 175  | 2   | 12.8 |
|     |        |          |            | p53-induced protein PIGPC1               | 3.8   | 585  | 153 | 3.7  |
|     |        | NM_01481 |            | KIAA0480 gene product                    | 7.6   | 76   | 1   | 5    |
|     | 131564 | T93500   | Hs.28792   | Homo sapiens cDNA FLJ11041 fis, clone PL | 4.7   | 381  | 81  | 6.4  |
| 60  |        | AA961420 |            | ESTs                                     | 11.7  | 117  | 1   | 10.1 |
|     |        | J04088   |            | topoisomerase (DNA) Il alpha (170kD)     | 6.8   | 68   | 1   | 5.6  |
|     |        | AA503020 |            | hypothetical protein FLJ22418            | 40.2  | 402  | 1   | 4    |
|     |        | U28831   | Hs.44566   | KIAA1641 protein                         | 18.6  | 186  | 10  | 1.5  |
|     |        | T78736   | Hs.50758   | SMC4 (structural maintenance of chromoso | 9.3   | 93   | 1   | 8.4  |
| 65  |        |          |            | ESTs, Weakly similar to T33468 hypotheti | 6.5   | 65   | 1   | 5.6  |
|     | 132990 | X77343   | Hs.334334  | transcription factor AP-2 alpha (activat | 12.7  | 311  | 25  | 2.4  |
|     | 133015 | AJ002744 | Hs.246315  | UDP-N-acetyl-alpha-D-galactosamine:polyp | 4.6   | 427  | 93  | 10.4 |
|     |        |          |            | ·  |       |      |     |      |

|    | 133199 | AF231981 | Hs.250175 | homolog of yeast long chain polyunsatura | 3    | 816  | 275 | 3.9  |
|----|--------|----------|-----------|--|------|------|-----|------|
|    |        |          |           | ADP-ribosylation factor-like 1           | 8.1  | 81   | 1   | 4.6  |
|    | 133271 | Z48633   | Hs.283742 | H.saplens mRNA for retrotransposon       | 12.4 | 124  | 6   | 10.8 |
|    | 133640 | AW246428 | Hs.75355  | ublquitin-conjugating enzyme E2N (homolo | 8.5  | 85   | 1   | 7.2  |
| 5  | 133746 | AW410035 |           | MAD (mothers against decapentaplegic, Dr | 9.3  | 93   | 1   | 7.8  |
|    | 133999 | AA535244 | Hs.78305  | RAB2, member RAS oncogene family         | 7.8  | 78   | 1   | 5.6  |
|    | 134110 | U41060   | Hs.79136  | LIV-1 protein, estrogen regulated        | 4.5  | 1472 | 330 | 2.1  |
|    | 134485 | X82153   | Hs.83942  | cathepsin K (pycnodysostosis)            | 34.3 | 411  | 12  | 5.1  |
|    | 134654 | AK001741 | Hs.8739   | hypothetical protein FLJ10879            | 6.4  | 64   | 1   | 5.1  |
| 10 | 134880 | AI879195 | Hs.90606  | 15 kDa selenoprotein                     | 5.7  | 57   | 1   | 5    |
|    | 135029 | H58818   | Hs.187579 | hydroxysteroid (17-beta) dehydrogenase 7 | 11.5 | 115  | 1   | 10   |
|    | 135389 | U05237   | Hs.99872  | fetal Alzheimer antigen                  | 20.6 | 206  | 4   | 19.1 |
|    | 128305 | AI954968 | Hs.279009 | matrix Gla protein                       | 9.4  | 94   | 3   | 5.3  |

#### TABLE 11A

Table 11A shows the accession numbers for those pkeys lacking unigeneID's for Table 11. For each probeset, we have listed the gene cluster number from which the oligonucleotides were designed. Gene clusters were compiled using sequences derived from Genbank ESTs and mRNAs. These sequences were clustered based on sequence similarity using Clustering and Alignment Tools (DoubleTwist, Oakland California). The Genbank accession numbers for sequences comprising each cluster are listed in the "Accession" column.

10

5

Pkey: Unique Eos probeset identifier number CAT number: Gene cluster number

Accession:

Genbank accession numbers

15

Pkey CAT number Accession

20 123619 371681\_1 AA602964 AA609200 113702 genbank\_T97307 T97307 114988 genbank\_AA251089 AA251089

## TABLE 12: Figure 12 from BRCA 001-3 PCT

Table 12 depicts a preferred group of genes upregulated in tumor tissue compared to normal breast tissue.

| 10 | Pkey:<br>ExAccn:<br>Unigene<br>Unigene  | ID: U                |                       |  |              |             |           |            |
|----|---|----------------------|-----------------------|--|--------------|-------------|-----------|------------|
| 15 | R1: Ratio of tumor to normal body tissue R2: Ratio of 90th percentile tumor to body R3: Ratio of 75th percentile body to tumor R4: Ratio of tumor to normal breast tissue |                      |                       |  |              |             |           |            |
|    | Pkey  | ExAccn               | UnigenelD             | Unigene Title                                  | R1           | R2          | R3        | R4         |
| 20 |   | D12485<br>AW602166   | Hs.11951<br>Hs.222399 | phosphodiesterase I (PC-1)                     | 13.2<br>25.4 | 244<br>508  | 19<br>20  | 9.9<br>3   |
|    | 112244  | AB029000<br>W57554   |                       | KIAA1077 protein                               | 5.7<br>24.2  | 567<br>242  | 100<br>10 | 6.7<br>5.6 |
| 25 | 119771  | AI905687<br>AA243499 | Hs.2533               | ESTs   | 3.5<br>2.9   | 2073<br>214 | 595<br>74 | 2.1<br>3.7 |
| 20 | 128790  | AF026692             |                       | secreted frizzled-related protein 4            | 17.4<br>3.8  | 409<br>585  | 24<br>153 | 7.8<br>3.7 |
|    | 131985  | AA503020             | Hs.36563              | ESTs<br>Homo sapiens clone 23904 mRNA sequence | 40.2         | 402<br>816  | 1<br>275  | 4<br>3.9   |

## TABLE 13: Table 1 from BRCA 001-5 US

5 Table 13 depicts a preferred group of genes upregulated in breast cancer cells.

| 10 | Pkey:<br>ExAccn:<br>UnigeneID: | Unique Eos probeset klentifier number<br>Exemplar Accession number, Genbank accession number<br>Unigene number |
|----|--------------------------------|--|
|    | Hairona Title                  | I Ininana nana titla -   |

R1: Ratio of tumor to normal body tissue

|      |        |                  |                     | •  |             |
|------|--------|------------------|---------------------|--|-------------|
| 15   |        |                  |                     |  |             |
|      | Pkey   | ExAccn           | UniGene ID          | Unigene Title  | R1          |
|      | 100038 | M97935           |                     | control  | 16.7        |
|      | 100039 | M97935           |                     | control  | 6.3         |
| 20   | 100040 | M97935           |                     | control  | 8.3         |
|      | 100041 | M97935           |                     | control  | 14.8        |
|      | 100082 | AB003103         | Hs.4295             | proteasome (prosome; macropain) 26S sub  | 7.5         |
|      |        | AF000177         |                     | Lsm1 protein   | 4.9         |
| ~ -  |        | AF006084         |                     | actin related protein 2/3 complex; subunit   | 4.7         |
| 25   |        | AF007875         |                     | dolichyl-phosphate mannosyltransferase p   | 13.4        |
|      |        | D00596           | Hs.82962            | thymidylate synthetase   | 15.9        |
|      |        | D10495           | Hs.155342           | protein kinase C; delta  | 4.6         |
|      |        | D10523           | Hs.168669           | oxoglutarate dehydrogenase (lipoamide)   | 7.5         |
| 20   |        | D11094           | Hs.61153            | proteasome (prosome; macropain) 26S sub  | 4.4         |
| 30   |        | D12485           | Hs.11951            | phosphodiesterase l/nucleotide pyrophosp   | 8.7         |
|      |        | D13627           | Hs.15071            | chaperonin containing TCP1; subunit 8 (t   | 9.5         |
|      |        | D13643           | Hs.75616            | Human mRNA for KIAA0018 gene; comp   | 6           |
|      |        | D13666           | Hs.136348           | osteoblast specific factor 2 (fasciclin I-like                                     | 8.5         |
| 35   |        | D14657           | Hs.81892            | KIAA0101 gene product  | 10.5<br>4.6 |
| 33   |        | D14812           | Hs.173714           | MORF-related gene X  | 7.9         |
|      |        | D14878           | Hs.82043            | D123 gene product  | 7.9<br>5.6  |
|      |        | D21090           | Hs.178658           | RAD23 (S. cerevisiae) homolog B  | 9.9         |
|      |        | D25538           | Hs.172199           | adenylate cyclase 7  | 4.9         |
| 40   |        | D26308           | Hs.76289            | biliverdin reductase B (flavin reductase (N  | 14.2        |
| 40   |        | D26598<br>D26599 | Hs.82793<br>Hs.1390 | proteasome (prosome; macropain) subunit<br>proteasome (prosome; macropain) subunit | 11.3        |
|      |        | D28399<br>D28137 | Hs.118110           | bone marrow stromal cell antigen 2   | 5.7         |
|      |        | D28915           | Hs.82316            | Interferon-induced; hepatitis C-associated   | 5.7         |
|      |        | D20913           | Hs.78398            | KIAA0071 protein   | 7.4         |
| 45   |        | D43950           | Hs.1600             | chaperonin containing TCP1; subunit 5 (e   | 5.6         |
| -1.5 |        | D49396           | Hs.75454            | antioxidant protein 1  | 12.9        |
|      |        | D50525           | Hs.699              | hypothetical protein   | 8.4         |
|      |        | D63391           | Hs.6793             | platelet-activating factor acetylhydrolase;  | 6.8         |
|      |        | D63487           | Hs.82563            | KIAA0153 protein   | 4.4         |
| 50   |        | D78129           | Hs.71465            | Homo sapiens mRNA for squalene epoxid  | 12.6        |
|      |        | D78514           | Hs.78563            | ubiquitin-conjugating enzyme E2G 1 (hom  | 4.6         |
|      |        | D79987           | Hs.153479           | extra spindle poles; S. cerevislae; homolo   | 6.5         |
|      | 100372 | D79997           | Hs.184339           | KIAA0175 gene product  | 8.4         |
|      |        | D80004           | Hs.75909            | KIAA0182 protein   | 4.5         |
| 55   | 100379 | D82060           | Hs.278721           | Ke4 gene; mouse; human homolog of  | 8.1         |
|      | 100387 | D83777           | Hs.75137            | KIAA0193 gene product  | 10.7        |
|      | 100393 | D84145           | Hs.39913            | novel RGD-containing protein   | 7.2         |
|      | 100398 | D84557           | Hs.155462           | minichromosome maintenance delicient (m  | 7.2         |
|      | 100405 | D86425           | Hs.82733            | nidogen 2  | 5.4         |
| 60   | 100406 | D86479           | Hs.118397           | AE-binding protein 1   | 4.3         |
|      | 100409 | D86957           | Hs.80712            | KIAA0202 protein   | 11.9        |
|      |        | D86985           | Hs.79276            | Human mRNA for KIAA0232 gene; comp   | 9.7         |
|      |        | D87464           | Hs.10037            | KIAA0274 gene product  | 6.4         |
|      |        | D87465           | Hs.74583            | KIAA0275 gene product  | 10          |
| 65   | 100448 | D87469           | Hs.57652            | EGF-like-domain; multiple 2  | 6.2         |
|      |        |                  |                     | 015  |             |

# PCT/US02/02242

|      |        |         |           | •   |      |
|------|--------|---------|-----------|---|------|
|      | 100467 | D89052  | Hs.7476   | ATPase; H+ transporting; lysosomal (vacu    | 7.5  |
|      | 100468 | D89289  | Hs.118722 | fucosyltransferase 8 (alpha (1;6) fucosyltr | 5    |
|      |        | HT1112  | Hs.10842  | Ras-Like Protein Tc4                        | 16.9 |
|      |        | HT1400  | Hs.79137  | Carboxyl Methyltransferase, Aspartate, A    | 5.6  |
| 5    |        |         |           |   | 7.5  |
| J    |        | HT2710  | Hs.114599 | Collagen, Type Viil, Alpha 1                |      |
|      |        | HT3018  | Hs.132748 | Ribosomal Protein L39 Homolog               | 4.4  |
|      |        | HT3127  | Hs.169610 | Epican, Alt. Splice 11                      | 4.6  |
|      |        | HT3938  | Hs.169610 | Epican, Alt. Splice 12                      | 4.4  |
|      | 100676 | HT3742  | Hs.287820 | Fibronectin, Alt. Splice 1                  | 9    |
| 10   | 100775 | HT26388 | Hs.89603  | Much 1, Epithelial, Alt. Splice 9           | 4.7  |
|      | 100783 | HT4018  | Hs.191356 | Basic Transcription Factor, 44 Kda Subun    | 13.7 |
|      | 100829 | HT4343  | Hs.278544 | Cytosolic Acetoacetyl-Coenzyme A Thio       | 10.6 |
|      |        | HT4344  | Hs.4756   | Rad2  | 5.5  |
|      |        | HT4392  | Hs.183418 | Protein Kinase Pitstre, Alpha, Alt. Splice  | 4.1  |
| 15   | 100850 |         | Hs.297939 | Cathepsin B                                 | 4    |
| 15   |        |         |           |   |      |
|      |        | HT4582  | Hs.75113  | Transcription Factor Ilia                   | 4.9  |
|      | 100906 |         | Hs.5398   | Guanosine 5'-Monophosphate Synthase         | 8.7  |
|      | 100914 |         | Hs.324178 | Ras Inhibitor Inf                           | 7.2  |
| ••   | 100916 | HT544   | Hs.73946  | Endothelial Cell Growth Factor 1            | 5.9  |
| 20   | 100945 | HT884   | Hs.180686 | Oncogene E6-Ap, Papillomavirus              | 4.6  |
|      | 100975 | J02923  | Hs.76506  | lymphocyte cytosolic protein 1 (L-plastin   | 30.1 |
|      | 100988 | J03589  | Hs.76480  | ubiquitin-like 4                            | 8.3  |
|      | 100996 | J03909  | Hs.14623  | interferon; gamma-inducible protein 30      | 6.9  |
|      | 100999 |         | Hs.80706  | dlaphorase (NADH/NADPH) (cytochrom          | 4.3  |
| 25   | 101011 |         | Hs.1211   | acid phosphatase 5; tartrate resistant      | 5.9  |
| 20   | 101017 |         | Hs.821    | biglycan                                    | 5.1  |
|      | 101011 |         |           | matrix metalloproteinase 9 (gelatinase B;   | 37.2 |
|      |        |         | Hs.151738 |   |      |
|      | 101038 |         | Hs.79411  | replication protein A2 (32kD)               | 6.1  |
| 20   | 101054 |         | Hs.73931  | Human MHC class II HLA-DQ-beta mRN          | 4.3  |
| 30   | 101061 |         | Hs.180532 | glucose phosphate isomerase                 | 4.3  |
|      | 101091 |         | Hs.149155 | voltage-dependent anion channel 1           | 7.4  |
|      | 101097 | L06797  | Hs.89414  | chemokine (C-X-C motif); receptor 4 (fus    | 4.6  |
|      | 101104 | L07615  | Hs.169266 | Human neuropeptide Y receptor Y1 (NPY       | 18.3 |
|      | 101143 | L12723  | Hs.90093  | heat shock 70kD protein 4                   | 17.4 |
| 35   | 101152 |         | Hs.9884   | Homo sapiens liver expressed protein gen    | 7.6  |
|      | 101183 |         | Hs.795    | H2A histone family, member O                | 10.9 |
|      | 101216 |         | Hs.84113  | cyclin-dependent kinase inhibitor 3 (CDK    | 7.4  |
|      | 101233 |         | Hs.878    | sorbitol dehydrogenase                      | 14.6 |
|      | 101247 |         | Hs.78802  | glycogen synthase kinase 3 beta             | 7.5  |
| 40   |        |         |           |   | 4.4  |
| 40   | 101282 |         | Hs.79387  | proteasome (prosome; macropain) 26S sub     |      |
|      | 101326 |         | Hs.78504  | inner membrane protein; mitochondrial (m    | 5.8  |
|      | 101332 |         | Hs.156346 | Homo sapiens (cell line HL-6) alpha topo    | 18.9 |
|      | 101348 | L77213  | Hs.30954  | phosphomevalonate kinase                    | 7.5  |
|      | 101352 | L77701  | Hs.16297  | COX17 (yeast) homolog; cytochrome c ox      | 9.3  |
| 45 . | 101378 | M13755  | Hs.833    | interferon-stimulated protein; 15 kDa       | 18.1 |
|      | 101396 | M15796  | Hs.78996  | proliferating cell nuclear antigen          | 8.6  |
|      | 101404 | M16342  | Hs.182447 | heterogeneous nuclear ribonucleoprotein C   | 4.5  |
|      |        | M20902  | Hs.268571 | apolipoprotein C-I                          | 6.1  |
|      |        | M22538  | Hs.51299  | NADH dehydrogenase (ubiquinone) flavo       | 8.7  |
| 50   |        | M22877  | Hs.169248 | Human somatic cytochrome c (HCS) gene       | 4.2  |
| 50   |        | M22960  | Hs.118126 | protective protein for beta-galactosidase ( | 6.5  |
|      | -      |         |           |   |      |
|      |        | M23379  | Hs.758    | RAS p21 protein activator (GTPase activa    | 14   |
|      |        | M24594  | Hs.20315  | Interferon-induced protein 56               | 9.2  |
|      |        | M30818  | Hs.926    | myxovirus (influenza) resistance 2; homol   | 5.1  |
| 55   | 101540 |         | Hs.84981  | X-ray repair complementing defective rep    | 4.7  |
|      |        | M31169  |           | Human propionyi-CoA carboxylase beta-s      | 5.5  |
|      | 101552 | M31642  | Hs.82314  | hypoxanthine phosphoribosyltransferase 1    | 8.5  |
|      | 101580 | M34677  | Hs.83363  | DNA segment on chromosome X (unique)        | 4.5  |
|      |        | M37583  | Hs.119192 | H2A histone family; member Z                | 5.7  |
| 60   |        | M60750  | Hs.2178   | H2B histone family; member A                | 5.8  |
|      |        | M60752  | Hs.121017 | H2A histone family; member A                | 13.5 |
|      |        | M60858  | Hs.79110  | nucleolin                                   | 4    |
|      |        | M63256  | Hs.75124  | cerebellar degeneration-related protein (62 | 7.6  |
|      |        |         |           | protein phosphatase 2 (formerly 2A); regu   | 4.2  |
| 65   |        | M64929  | Hs.179574 | TIA1 cytotoxic granule-associated RNA-b     |      |
| UJ   |        | M77142  | Hs.239489 |   | 4.5  |
|      |        | M77836  | Hs.79217  | pyrroline-5-carboxylate reductase 1         | 5.7  |
|      | 101/67 | M81057  | Hs.180884 | carboxypeptidase B1 (tissue)                | 21.7 |
|      |        |         |           |   |      |

|    | 101770 M81601                  | Hs.78869              | transcription elongation factor A (SII); 1  | 4.6         |
|----|--------------------------------|-----------------------|---|-------------|
|    | 101791 M83822                  | Hs.62354              | cell division cycle 4-like  | 9.7         |
|    | 101803 M86546                  | Hs.155691             | pre-B-ceil leukemia transcription factor 1  | 5.5         |
| _  | 101809 M86849                  | Hs.323733             | Homo sapiens connexin 26 (GJB2) mRNA  | 22.5        |
| 5  | 101839 M93036                  | Hs.692                | membrane component; chromosomal 4; su   | 4           |
|    | 101851 M94250                  | Hs.82045              | midkine (neurite growth-promoting factor  | 7.6         |
|    | 101888 M99701                  | Hs.95243              | transcription elongation factor A (SII)-like  | 11.4<br>4.6 |
|    | 101973 S82597                  | Hs.80120              | UDP-N-acetyl-alpha-D-galactosamine:po   | 4.1         |
| 10 | 101991 U00968<br>102009 U02680 | Hs.166<br>Hs.82643    | Human SREBP-1 mRNA; complete cds<br>protein tyrosine kinase 9                       | 4.4         |
| 10 | 102005 002000<br>102025 U03911 | Hs.78934              | mutS (E. coli) homolog 2 (colon cancer; n   | 4           |
|    | 102023 003311<br>102047 U07158 | Hs.83734              | syntaxin 4A (placental)   | 6.1         |
|    | 102051 U07550                  | Hs.1197               | heat shock 10kD protein 1 (chaperonin 10  | 4.4         |
|    | 102083 U10323                  | Hs.75117              | interleukin enhancer binding factor 2; 45k  | 10.4        |
| 15 | 102095 U11313                  | Hs.75760              | sterol carrier protein 2  | 9.5         |
|    | 102130 U15009                  | Hs.1575               | small nuclear ribonucleoprotein D3 polyp  | 6.6         |
|    | 102133 U15173                  | Hs.155596             | BCL2/adenovirus E1B 19kD-interacting p  | 4.3         |
|    | 102148 U16954                  | Hs.75823              | ALL1-fused gene from chromosome 1q  | 6.9         |
|    | 102179 U19713                  | Hs.76364              | allograft inflammatory factor 1   | 4.8         |
| 20 | 102180 U19718                  | Hs.83551              | microfibrillar-associated protein 2   | 7.2         |
|    | 102193 U20758                  | Hs.313                | secreted phosphoprotein 1 (osteopontin; b   | 7.2<br>4.3  |
|    | 102198 U21090                  | Hs.74598              | polymerase (DNA directed); delta 2; regu  | 4.5         |
|    | 102202 U21931                  | Hs.574                | fructose-bisphosphatase 1<br>Interferon; alpha-inducible protein (clone             | 9.9         |
| 25 | 102209 U22970<br>102211 U23070 | Hs.265827<br>Hs.78776 | putative transmembrane protein  | 4.9         |
| 23 | 102211 023070<br>102220 U24389 | Hs.65436              | iysyl oxidase-like 1  | 8.5         |
|    | 102224 U24704                  | Hs.148495             | proteasome (prosome; macropain) 26S sub   | 5.4         |
|    | 102234 U26312                  | Hs.278554             | chromobox homolog 3 (Drosophila HP1 g   | 7.7         |
|    | 102250 U28014                  | Hs.74122              | caspase 4; apoptosis-related cysteine prot  | 5.4         |
| 30 | 102260 U28386                  | Hs.159557             | karyopherin alpha 2 (RAG cohort 1; impo   | 6.3         |
|    | 102261 U28488                  | Hs.155935             | complement component 3a receptor 1  | 5.7         |
|    | 102273 U30888                  | Hs.75981              | ubiquitin specific protease 14 (tRNA-guan   | 6.1         |
|    | 102298 U32849                  | Hs.54483              | N-myc (and STAT) interactor   | 4.1         |
|    | 102302 U33052                  | Hs.69171              | protein kinase C-like 2   | 4.3         |
| 35 | 102305 U33286                  | Hs.90073              | chromosome segregation 1 (yeast homolo  | 5.4         |
|    | 102320 U34683                  | Hs.82327              | glutathione synthetase  | 4.1<br>4    |
|    | 102330 U35451                  | Hs.77254              | chromobox homolog 1 (Drosophila HP1 b   | 9.4         |
|    | 102348 U37519                  | Hs.87539              | aldehyde dehydrogenase 8<br>chromosome 11 open reading frame 4                      | 5.2         |
| 40 | 102361 U39400<br>102362 U39412 | Hs.75859<br>Hs.75932  | N-ethylmaleimide-sensitive factor attachm   | 9.3         |
| 40 | 102369 U39840                  | Hs.299867             | hepatocyte nuclear factor 3; alpha  | 7.7         |
|    | 102305 U33040<br>102395 U41767 | Hs.92208              | a disintegrin and metalloproteinase domai   | 10.4        |
|    | 102409 U43286                  | Hs.118725             | selenophosphate synthetase 2  | 6.2         |
|    | 102418 U43923                  | Hs.79058              | suppressor of Ty (S.cerevisiae) 4 homolog   | 4.1         |
| 45 | 102425 U44772                  | Hs.3873               | palmitoyl-protein thioesterase (ceroid-lipo   | 4.8         |
|    | 102457 U48807                  | Hs.2359               | dual specificity phosphatase 4  | 6.3         |
|    | 102465 U49352                  | Hs.81548              | 2;4-dienoyl CoA reductase 1; mitochondri  | 9.4         |
|    | 102495 U51240                  | Hs.79356              | Lysosomal-associated multispanning mem  | 6.5         |
|    | 102534 U56833                  | Hs.198307             | von Hippel-Lindau binding protein 1   | 8.6         |
| 50 | 102546 U57877                  | Hs.3577               | succinate dehydrogenase complex; subuni   | 4.3         |
|    | 102549 U58046                  | Hs.198899             | eukaryotic translation initiation factor 3; s                                       | 6.3         |
|    | 102557 U58766                  | Hs.264428             | tissue specific transplantation antigen P35   | 5<br>6      |
|    | 102562 U59309                  | Hs.75653              | fumarate hydratase  | 9.1         |
| 55 | 102568 U59877                  | Hs.223025             | RAB31; member RAS oncogene family   | 7.9         |
| 23 | 102580 U60808                  | Hs.152981<br>Hs.77256 | CDP-diacylglycerol synthase (phosphatid<br>enhancer of zeste (Drosophila) homolog 2 | 7.6         |
|    | 102581 U61145<br>102590 U62136 | Hs.79300              | Homo sapiens enterocyte differentiation a   | 7           |
|    | 102591 U62325                  | Hs.324125             | amyloid beta (A4) precursor protein-bindi   | 4           |
|    | 102592 U62389                  | Hs.11223              | Human putative cytosolic NADP-depende   | 5           |
| 60 | 102617 U65928                  | Hs.198767             | Jun activation domain binding protein   | 6.1         |
| 00 | 102618 U65932                  | Hs.81071              | extracellular matrix protein 1  | 23.2        |
|    | 102638 U67319                  | Hs.9216               | caspase 7; apoptosis-related cysteine prot  | 8.9         |
|    | 102663 U70322                  | Hs.168075             | karyopherin (importin) beta 2   | 7.1         |
|    | 102666 U70660                  | Hs.279910             | ATX1 (antioxidant protein 1; yeast) homo  | 4.7         |
| 65 | 102679 U72661                  | Hs.11342              | ninjurin 1; nerve injury-induced protein-1  | 4.7         |
|    | 102687 U73379                  | Hs.93002              | ubiquitin carrier protein E2-C  | 7.7         |
|    | 102704 U76638                  | Hs.54089              | BRCA1 associated RING domain 1  | 5.6         |

|     | 102705 U77180                  | Hs.50002   | small inducible cytokine subfamily A (Cy      | 11.8        |
|-----|--------------------------------|------------|---|-------------|
|     | 102721 U79241                  | Hs.118666  | Human clone 23759 mRNA; partial cds           | 15          |
|     | 102729 U79254                  | Hs.181311  | asparaginyi-tRNA synthetase                   | 5           |
|     | 102739 U79282                  | Hs.155572  | Human clone 23801 mRNA sequence               | 6           |
| 5   | 102742 U79293                  | Hs.159264  | Human clone 23948 mRNA sequence               | 13.1        |
|     | 102761 U82130                  | Hs.118910  | tumor susceptibility gene 101                 | 7           |
|     | 102788 U86602                  | Hs.74407   | nucleolar protein p40                         | 4.1         |
|     | 102790 U87269                  | Hs.154196  | E4F transcription factor 1                    | 7.1         |
|     | 102801 U89606                  | Hs.38041   | pyridoxal (pyridoxine; vitamin B6) kinase     | 4.7         |
| 10  | 102808 U90426                  | Hs.179606  | nuclear RNA helicase; DECD variant of D       | 7.5         |
| _   | 102817 U90904                  | Hs.83724   | Human clone 23773 mRNA sequence               | 15.2        |
|     | 102823 U90914                  | Hs.5057    | carboxypeptidase D                            | 6.6         |
|     | 102827 U91327                  | Hs.6456    | chaperonin containing TCP1; subunit 2 (b      | 6           |
|     | 102838 U94592                  | Hs.80658   | Human uncoupling protein homolog (UCP         | 6.1         |
| 15  | 102841 U95006                  | Hs.37616   | Human D9 splice variant B mRNA; comp          | 4.2         |
|     | 102844 U96113                  | Hs.324275  | Homo sapiens Nedd-4-like ubiquitin-prot       | 6.8         |
|     | 102868 X02419                  | Hs.77274   | plasminogen activator, urokinase              | 4           |
|     | 102907 X06985                  | Hs.202833  | heme oxygenase (decycling) 1                  | 22.7        |
|     | 102919 X12447                  | 113.202000 | aldolase A; fructose-bisphosphate             | 9.9         |
| 20  | 102929 X13238                  | Hs.74649   | cytochrome c oxidase subunit VIc              | 5.4         |
| 20  | 102973 X16663                  | Hs.14601   | hematopoietic cell-specific Lyn substrate     | 4.8         |
|     | 102983 X17620                  | Hs.118638  | non-metastatic cells 1; protein (NM23A)       | 4.6         |
|     | 102985 X17644                  | Hs.2707    | G1 to S phase transition 1                    | 20.6        |
|     | 103003 X52003                  | Hs.1406    | trefoil factor 1 (breast cancer, estrogen-ind | 10.7        |
| 25  | 103003 X52003<br>103018 X53296 |            | Interleukin 1 receptor antagonist             | 5.8         |
| 23  |                                | Hs.81134   | multifunctional polypeptide similar to SA     | 4           |
|     | 103023 X53793                  | Hs.117950  | matrix metalloproteinase 1 (interstitial col  | 7.3         |
|     | 103036 X54925                  | Hs.83169   |   | 17.8        |
|     | 103060 X57766                  | Hs.155324  | matrix metalloproteinase 11 (stromelysin      | 5.6         |
| 30  | 103073 X59417                  | Hs.74077   | proteasome (prosome; macropain) subunit       | 4.2         |
| 30  | 103075 X59543                  | Hs.2934    | ribonucleotide reductase M1 polypeptide       | 6.7         |
|     | 103080 X59798                  | Hs.82932   | cyclin D1 (PRAD1: paralhyroid adenomat        |             |
|     | 103094 X60787                  | Hs.296281  | interleukin enhancer binding factor 1         | 5.7<br>5.8  |
|     | 103105 X61970                  | Hs.76913   | proteasome (prosome; macropain) subunit       |             |
| 25  | 103121 X63679                  | Hs.4147    | translocating chain-associating membrane      | 4.2         |
| 35  | 103149 X66363                  | Hs.171834  | PCTAIRE protein kinase 1                      | 12          |
|     | 103180 X69433                  | Hs.5337    | Isocitrate dehydrogenase 2 (NADP+); mit       | 18.9        |
|     | 103182 X69819                  | Hs.99995   | Intercellular adhesion molecule 3             | 10.7        |
|     | 103188 X70040                  | Hs.2942    | macrophage stimulating 1 receptor (c-met      | 4.1<br>10.7 |
| 40  | 103191 X70218                  | Hs.2903    | protein phosphatase 4 (formerly X); cataly    |             |
| 40  | 103193 X70476                  | Hs.75724   | coatomer protein complex; subunit beta 2      | 8.2         |
|     | 103194 X70649                  | Hs.78580   | DEAD/H (Asp-Glu-Ala-Asp/Hls) box pol          | 13.7        |
|     | 103195 X70940                  | Hs.2642    | eukaryotic translation elongation factor 1    | 13.4        |
|     | 103206 X72755                  | Hs.77367   | monokine induced by gamma interferon          | 15.1        |
|     | 103207 X72790                  |            | Human endogenous retrovirus mRNA for          | 5.3         |
| 45  | 103208 X72841                  | Hs.31314   | retinoblastoma-binding protein 7              | 12.3        |
|     | 103216 X74262                  | Hs.16003   | retinoblastoma-binding protein 4              | 4.1         |
|     | 103226 X75042                  | Hs.44313   | v-rel avian reticuloendotheliosis viral onco  | 6.9         |
|     | 103230 X75861                  | Hs.74637   | testis enhanced gene transcript               | 7.9         |
| -0  | 103262 X78565                  | Hs.289114  | hexabrachion (tenascin C; cytotactin)         | 5           |
| 50  | 103278 X79882                  | Hs.80680   | lung resistance-related protein               | 5.7         |
|     | 103297 X81788                  | Hs.9078    | Immature colon carcinoma transcript 1         | 4.6         |
|     | 103302 X82103                  | Hs.3059    | coatomer protein complex; subunit beta        | 4.5         |
|     | 103316 X83301                  | Hs.324728  | SMA5  | 7.1         |
| ~ ~ | 103330 X85373                  | Hs.77496   | small nuclear ribonucleoprotein polypepti     | 4           |
| 55  | 103349 X89059                  |            | serine/threonine kinase 9                     | 4.7         |
|     | 103352 X89398                  | Hs.78853   | uracil-DNA glycosylase                        | 5.3         |
|     | 103364 X90872                  | Hs.279929  | SULT1C sulfotransferase                       | 4           |
|     | 103374 X91788                  | Hs.84974   | chloride channel; nucleotide-sensitive; 1A    | 4.2         |
|     | 103380 X92396                  | Hs.24167   | synaptobrevin-like 1                          | 13.6        |
| 60  | 103395 X94754                  | Hs.279946  | methionlne-tRNA synthetase                    | 14.2        |
|     | 103402 X95404                  | Hs.180370  | cofilin 1 (non-muscle)                        | 4.6         |
|     | 103410 X96506                  | Hs.295362  | DR1-associated protein 1 (negative cofact     | 8.3         |
|     | 103420 X97065                  | Hs.173497  | Sec23 (S. cerevisiae) homolog B               | 4.9         |
| _   | 103421 X97074                  | Hs.119591  | adaptor-related protein complex 2; sigma      | 5           |
| 65  | 103427 X97303                  | Hs.250655  | H.sapiens mRNA for Ptg-12 protein             | 7           |
|     | 103430 X97544                  | Hs.20716   | translocase of inner mitochondrial membr      | 4.5         |
|     | 103438 X98263                  | Hs.152720  | M-phase phosphoprotein 6                      | 4.5         |
|     |                                |            | · · · · · · · · · · · · · · · · · · ·         |             |

|    | 103464 | Y00285           | Hs.76473               | insulin-like growth factor 2 receptor  | 4.2         |
|----|--------|------------------|------------------------|--|-------------|
|    | 103470 | Y00796           | Hs.174103              | integrin; alpha L (antigen CD11A (p180);   | 4.5         |
|    | 103494 | Y08991           | Hs.83050               | phosphatidylinositol 3-kinase-associated p   | 4.1         |
| _  |        | Y09912           | Hs.33102               | transcription factor AP-2 beta (activating   | 4.5         |
| 5  |        | Z14982           | Hs.180062              | proteasome (prosome; macropain) subunit  | 4.3<br>4    |
|    |        | Z15115           | Hs.75248               | topoisomerase (DNA) II beta (180kD)  | 7.6         |
|    |        | Z22548           | Hs.146354              | thioredoxin-dependent peroxide reductase<br>5T4 oncofetal trophobiast glycoprotein | 14.6        |
|    |        | Z29083           | Hs.82128<br>Hs.150675  | polymerase (RNA) II (DNA directed) pol   | 6.3         |
| 10 |        | Z47727<br>Z48042 | Hs.278672              | membrane component; chromosome 11; s   | 4.4         |
| 10 |        | Z74615           | Hs.172928              | collagen; type I; alpha 1  | 5.9         |
|    |        | Z93784           | 113.172020             | Homo saplens DNA sequence from PAC   | 4.4         |
|    |        |                  | Hs.278554              | chromobox homolog 3 (Orosophila HP1 g  | 4.9         |
|    |        | AA092898         |                        | ESTs; Weakly similar to R07G3.8 [C.eleg  | 6.1         |
| 15 |        |                  | Hs.198793              | KIAA0750 gene product  | 23.3        |
|    | 103835 | AA172215         | Hs.93748               | ESTs; Moderately similar to TRANSCRIP  | 4           |
|    |        |                  | Hs.105737              | ESTs; Weakly similar to gene 9306 protei   | 4.9         |
|    |        | AA236843         |                        | ESTs; Weakly similar to unknown [S.cere  | 7.8         |
| 20 |        |                  | Hs.239189              | ESTs   | 4.8<br>5.3  |
| 20 |        | AA393432         |                        | hypothetical protein   | 28.7        |
|    |        | AA428090         |                        | ESTs<br>zv68f6.r1 Soares_total_fetus_Nb2HF8_9w                                     | 5.7         |
|    |        |                  | Hs.268371<br>Hs.283037 | ESTs; Highly similar to HSPC039 protein  | 6.9         |
|    |        | AA476564         |                        | ESTs; Weakly similar to finger protein HZ  | 5.2         |
| 25 |        |                  | Hs.283740              | ESTs   | 7.8         |
| 23 |        |                  | Hs.114309              | ESTs   | 5.1         |
|    |        | AA486946         |                        | Homo sapiens mRNA; cDNA DKFZp564   | 4.3         |
|    |        | AB000221         |                        | small inducible cytokine subfamily A (Cy   | 12.3        |
|    |        |                  | Hs.168212              | kinesin family member 3B   | 6.2         |
| 30 |        | C01687           | Hs.7381                | ATP synthase; H+ transporting; mitochon  | 4.2         |
|    |        | C02582           | Hs.109253              | ESTs; Highly similar to N-terminal acetyl  | 4.5<br>4.7  |
|    |        | D52818           | Hs.111680              | endosulfine alpha  | 4.2         |
|    |        | D55869           | Hs.284123              | Homo sapiens mRNA full length insert cD<br>Homo sapiens mRNA; cDNA DKFZp586        | 6.4         |
| 35 |        | H19378           | Hs.21851               | ESTs   | 4.9         |
| 33 |        | L44497<br>M19169 | Hs.7351<br>Hs.123114   | cystatin SN  | 11.6        |
|    |        | N33807           | Hs.324275              | protease; serine; 15   | 5.6         |
|    |        | R56678           | Hs.88959               | Human DNA sequence from done 967N2   | 6.3         |
|    |        | R81003           | Hs.325820              | serine protease; umbilical endothelium   | 13.6        |
| 40 |        | AA004274         | Hs.19151               | ESTs   | 6.3         |
|    |        |                  | Hs.106106              | ESTs   | 10.1        |
|    |        | AA007145         |                        | Homo sapiens mRNA; cDNA DKFZp564   | 4.3         |
|    |        | AA007234         |                        | ESTS   | 16.6<br>4.6 |
| 40 |        |                  | Hs.301553              | ESTs; Moderately similar to IIII ALU SU  | 4.8         |
| 45 |        | AA025534         |                        | ESTs<br>ESTs   | 8.1         |
|    |        | AA027163         | Hs.301871              | ESTs; Moderately similar to cAMP induc   | 10.9        |
|    |        | AA031357         |                        | ESTs; Weakly similar to N-WASP [H.sap  | 5.5         |
|    |        | AA032147         |                        | ESTs   | 10.4        |
| 50 |        | AA039469         |                        | ESTs; Weakly similar to KIAA0299 [H.s  | 4.6         |
| -  |        |                  | Hs.241507              | Homo sapiens mRNA; cDNA DKFZp564   | 4.3         |
|    |        |                  | Hs.225979              | Human gene from PACs 37M17 and 305B  | 4.5         |
|    | 104884 | AA053021         | Hs.14511               | SCO (cytochrome oxidase deficient; yeast   | 4.7         |
|    |        | AA055809         |                        | ESTs: Weakly similar to phosphoprotein [   | 8.8         |
| 55 | 104919 | AA057193         | Hs.25252               | ESTs   | 5.5         |
|    | 104921 | AA057839         | Hs.1508                | ESTS   | 4.2<br>7    |
|    |        | AA058846         |                        | DKFZP434N093 protein   | 7.1         |
|    | 104938 | AA00527          | Hs.318725<br>Hs.114218 | ESTs; Highly similar to CGI-72 protein [H  | 5.7         |
| 60 | 104943 | AA074919         | Hs 10026               | ESTs ESTs; Weakly similar to ORF YJL063c [S  | 4.7         |
| 00 |        | AA076672         |                        | ESTs   | 5.5         |
|    |        | AA084602         |                        | ESTs   | 4.3         |
|    |        | AA086071         |                        | chromosome-associated polypeptide C  | 8.3         |
|    | 104977 | AA088228         | Hs.18272               | ESTs   | 6.2         |
| 65 | 104978 | AA088458         | Hs.19322               | ESTs   | 6.7         |
|    | 104987 | AA101723         | Hs.11861               | ESTs   | 9.2         |
|    | 105002 | AA113266         | Hs.182704              | ESTs; Moderately similar to alternatively  | 6.9         |

| 105029 AA126855 Hs.13268 15376 105033 AA127864 Hs.274329 1050562 AA13468 Hs.8859 105006 AA13468 Hs.38659 105006 AA13468 Hs.38659 105006 AA13468 Hs.38629 105006 AA13468 Hs.3812 105003 AA148051 Hs.32405 105107 AA15202 Hs.23035 105107 AA15202 Hs.23035 105107 AA15202 Hs.23035 105107 AA15802 Hs.23035 105107 AA15802 Hs.23035 105107 AA15803 Hs.247800 105107 AA15803 Hs.247800 105107 AA15803 Hs.247800 105104 AA15105 Hs.247280 10512 AA15901 Hs.247280 10512 AA159131 Hs.247280 10512 AA15901 Hs.247280 Hs.24780 10516 AA15112 Hs.28005 Hs.24780 10516 AA15112 Hs.28005 Hs.24780 10526 AA227448 Hs.5003 105261 AA227871 Hs.23616 105233 AA22748 Hs.5003 105261 AA227871 Hs.23616 105233 AA22748 Hs.5003 105261 AA223727 Hs.28068 105303 AA22802 Hs.208280 Hs.10230 AA23303 Hs.24805 105304 AA233309 Hs.248007 Hs.20828 AA227828 Hs.30893 AA23007 AA242668 Hs.157078 10530 AA23652 Hs.30856 105309 AA243052 Hs.30856 Hs.3085 105404 AA243303 Hs.21187 105409 AA243052 Hs.30856 Hs.10233 AA25867 Hs.24678 105504 AA22567 Hs.226316 105504 AA22567 Hs.226316 105504 AA22667 Hs.226316 105504 AA25674 Hs.226316 105504 AA25674 Hs.226316 105504 AA25674 Hs.24678 105504 AA26783 Hs.30855 105504 AA26787 Hs.25635 105504 AA26783 Hs.30855 105504 AA26783 Hs.30855 105504 AA26783 Hs.30855 105504 AA26 | 10.7       | chromosome 20 open reading frame 1   |           | AA116036 |        |     |
|--|------------|--|-----------|----------|--------|-----|
| 195033   | 5.7<br>4.4 | proteasome (prosome; macropain) subunit  |           |          |        |     |
| 105035   | 6.3        |  |           |          |        |     |
| 105039 AA130349 Hs.38475   | 6.5        |  |           |          |        | 5   |
| 105062 AA14988 Hs.37810   ESTs   105097 AA14784 Hs.3812   ESTs   ESTs   105097 AA148859 Hs.179909   105093 AA149851 Hs.24026   ESTs     | 4          |  |           |          |        | •   |
| 105076 AA147884 Hs.3912 ESTs 105091 AA14889 Hs.37909 105093 AA149051 Hs.32405 105107 AA159302 Hs.25035 105107 AA159312 Hs.201957 105132 AA15951 Hs.247200 HSV responsibility and the contains similar of the contains similar  | 4.3        |  |           |          |        |     |
| 105091 AA148859 Hs.179909  | 6.4        |  |           |          |        |     |
| 105093 AA149051   Hs.32405   105107 AA152302   Hs.29035   105127 AA159312   Hs.201937   105132 AA159301   Hs.247280   105132 AA159501   Hs.247280   105143 AA165333   Hs.24808   105154 AA171736   Hs.35947   105162 AA176680   Hs.4044   KlAA1025 protein   ESTs   methyl-CpG binding domain protein 4   KlAA1025 protein   Homo saplens mRW4; CDNA DKFZp564   KlAA0980 protein   ESTs   Weakly similar to KIAA0512 protein   Homo saplens mRW4; CDNA DKFZp564   KlAA0980 protein   ESTs   ESTs   Weakly similar to KIAA0512 protein   Homo saplens mRW4; CDNA DKFZp564   KlAA0980 protein   ESTs   ESTs   Weakly similar to KIAA0512 protein   Homo saplens mRW4; CDNA DKFZp564   KlAA0980 protein   ESTs   Weakly similar to KIAA0512 protein   Homo saplens mRW4; CDNA DKFZp564   KlAA0456 protein   MEK partner 1   ESTs   Weakly similar to KIAA0512 protein   Homo saplens mRW4; CDNA DKFZp564   KlAA0456 protein   MEK partner 1   ESTs   Weakly similar to KIAA0512 protein   Homo saplens mRW4; CDNA DKFZp564   KlAA0456 protein   MEK partner 1   ESTs   Weakly similar to CDNA EST yla3   KlaA0456 protein   Homo saplens mRW4; CDNA DKFZp586   KlaA0456 protein   Homo saplens mRW4; CDNA DKFZp586   KlaA0456 protein   Homo saplens mRW4; CDNA DKFZp586   KlaA0456 protein   Homo saplens mRW4; CDNA DKFZp588   KlaA0456 protein   Homo saplens mRW4; CDNA DKFZp588   KlaA0456 protein   Homo saplens mRW4; CDNA DKFZp588   Landes5    | 9.2        |  | Hs.9812   | AA147884 | 105087 |     |
| 105107 AA152302 Hs.26305   DKFZP566G222 protein  | 5.7        |  |           |          |        | 10  |
| 105127 AA15930   | 6.3        |  |           |          |        |     |
| 105132 AA159501 Hs.247280  | 6.2        | The state of the s |           |          |        |     |
| 105143 AA165333 Hs.24808   | 5.7        |  |           |          |        |     |
| 105154 AA171736 Hs.35947   | 4.2<br>4.7 |  |           |          |        | 1.5 |
| 105162   | 9          |  |           |          |        | 13  |
| 105186   | 9.1        |  |           |          |        |     |
| 105203   | 19.3       |  |           |          |        |     |
| 105223 AA227428 Hs.9728  | 7.4        |  |           |          |        |     |
| 105253   | 5.1        |  |           |          |        | 20  |
| 105253   AA227948   Hs.5031   MEK partner 1  | 11.1       |  |           |          |        |     |
| 105263 AA221926   Hs.6682   ESTs     105274 AA223145   Hs.183858   Hs.23348   Hs.23458   Hs.24678   | 6.4        |  |           |          |        |     |
| 105274 AA228122 Hs.281866  | 9.1        | MEK partner 1  | Hs.6361   | AA227871 | 105261 |     |
| 105297 AA233451 Hs.183858   transcriptional intermediary factor 1  | 6.7        | ESTs   |           |          |        |     |
| 105309   AA233790   Hs. 4104   ESTs; Weakly similar to cDNA EST yk38   5-phase kinase-associated protein 2 (p45)   | 5.3        |  |           |          |        | 25  |
| 105312 AA233854 Hs.23348   | 8.7        |  |           |          |        |     |
| 105342 AA235286 Hs.157078 ESTs 105376 AA236559 Hs.8768 ESTs; Weakly similar to IIII ALU SUBFA 105376 AA236559 Hs.8768 ESTs; Weakly similar to IIII ALU SUBFA 105397 AA242868 Hs.7395 ESTs; Weakly similar to house-keeping p 105399 AA243007 Hs.16420 ESTs; Highly similar to SH3 domain-bind 105400 AA243052 Hs.65648 RNA binding motif protein 8 105404 AA243030 Hs.21187 105409 AA243562 Hs.301855 105436 AA255874 Hs.23458 ESTs 105493 AA256826 Hs.305856 105493 AA256317 Hs.287856 ESTs; Moderately similar to cAMP induc 105493 AA256317 Hs.28785 Homo saplens mRNA; cDNA DKFZp586 105494 AA26331 Hs.22399 105507 AA256678 Hs.22391 105507 AA256678 Hs.22391 105507 AA256850 Hs.225318 105544 AA261954 Hs.224578 105546 AA262032 Hs.268281 105549 AA262417 Hs.5415 105551 AA262477 Hs.257292 105560 AA262783 Hs.306915 105560 AA262783 Hs.306915 105575 AA278323 Hs.17481 105576 AA278323 Hs.17481 105577 AA278717 Hs.12772 105584 AA279012 Hs.3454 105560 AA262783 Hs.306915 105507 AA28685 Hs.3490 105600 AA279991 Hs.3454 105600 AA279991 Hs.3454 105600 AA279991 Hs.3454 105600 AA28347 Hs.23317 105603 AA281245 Hs.23317 105603 AA281245 Hs.23317 105603 AA282347 Hs.25635 105605 AA282337 Hs.25635 105605 AA282337 Hs.25635 105605 AA283390 Hs.34906 ESTs ESTs ESTs ESTs ESTs ESTs ESTs ESTs   | 7.4        |  |           |          |        |     |
| 105376 AA236559 Hs.8768 105386 AA236950 Hs.8115 ESTs 105397 AA242868 Hs.7395 ESTs; Weakly similar to house-keeping p 105399 AA243007 Hs.16420 ESTs; Highly similar to SH3 domain-bind 105400 AA243052 Hs.65648 RNA binding motif protein 8 105404 AA243303 Hs.21187 ESTs 105405 AA252172 Hs.237856 ESTs; Moderately similar to cAMP induc 105406 AA252172 Hs.237856 ESTs 105407 AA256268 Hs.10283 ESTs 105493 AA2552174 Hs.28785 ESTs 105493 AA256268 Hs.10283 ESTs 105493 AA256268 Hs.10283 ESTs 105500 AA256323 Hs.301997 DKFZP434N126 protein 105500 AA256678 Hs.226318 ESTs; Moderately similar to CCR4-associ ring finger protein (C3H2C3 type) 6 105506 AA262032 Hs.2628281 ESTs; Weakly similar to 62D9.a [D.melan 105504 AA262032 Hs.268281 ESTs 105505 AA262477 Hs.25722 105506 AA262783 Hs.306915 ESTs 105506 AA262783 Hs.306915 ESTs 105506 AA278302 Hs.18349 ESTs; Weakly similar to partial CDS [C.e 105506 AA278317 Hs.12772 105506 AA278174 Hs.25292 Hs.268281 ESTs; Weakly similar to partial CDS [C.e 105506 AA278174 Hs.12772 105506 AA278178 Hs.18490 ESTs 105507 AA288085 Hs.6375 105607 AA278178 Hs.18490 ESTs 105508 AA279912 Hs.3454 ESTs; Weakly similar to putative pho 105507 AA2881245 Hs.23317 Hs.98872 105508 AA278418 Hs.18490 ESTs 105607 AA2882434 Hs.25635 ESTs; Highly similar to HSPC003 [H.sap 105607 AA2882347 Hs.25635 ESTs; Highly similar to HSPC003 [H.sap 105607 AA288347 Hs.25635 ESTs; Highly similar to HSPC003 [H.sap 105608 AA283347 Hs.25635 ESTs; Highly similar to HSPC003 [H.sap 105609 AA283347 Hs.25635 ESTs; Highly similar to HSPC003 [H.sap 105609 AA283347 Hs.25635 ESTs  | 5.8<br>4.5 |  |           |          |        |     |
| 105386 AA236950 Hs.8115 ESTs 105397 AA242868 Hs.7395 ESTs; Weakly similar to house-keeping p 105399 AA243007 Hs.16420 ESTs; Highly similar to SH3 domain-bind 105400 AA243052 Hs.65648 RNA binding motif protein 8 105404 AA243303 Hs.21187 ESTs 105409 AA243562 Hs.301855 ESTs 105409 AA243562 Hs.301855 ESTs 105409 AA243562 Hs.201855 ESTs 105409 AA243562 Hs.201855 ESTs 105409 AA243562 Hs.201855 ESTs 105409 AA255874 Hs.237856 ESTs 105409 AA255874 Hs.237856 ESTs 105409 AA256268 Hs.10283 ESTs 105409 AA256317 Hs.28785 Homo saplens mRNA; cDNA DKFZp586 DKFZP434N126 protein 105500 AA256678 Hs.226318 ESTs; Moderately similar to CCR4-associ ring finger protein (C3H2C3 type) 6 105507 AA256678 Hs.226318 ESTs; Weakly similar to G2D9.a [D.melan ESTs; Weakly similar to 62D9.a [D.melan ESTs] 105509 AA262417 Hs.5415 ESTs 105509 AA262477 Hs.54292 ribonuclease Hl; large subunit 105509 AA262478 Hs.306915 ESTs 105509 AA278302 Hs.18349 ESTs; Weakly similar to partial CDS [C.e Homo sapiens clone 24606 mRNA sequen ESTs; Weakly similar to putative pho ESTs; Weakly similar to putative pho ESTs; Weakly similar to trithorax homolo Homo sapiens mRNA; cDNA DKFZp564 ESTs; Weakly similar to trithorax homolo Homo sapiens mRNA; cDNA DKFZp564 ESTs; Weakly similar to trithorax homolo Homo sapiens mRNA; cDNA DKFZp564 ESTs; Weakly similar to trithorax homolo Homo sapiens mRNA; cDNA DKFZp564 ESTs; Weakly similar to trithorax homolo Homo sapiens mRNA; cDNA DKFZp564 ESTs; Weakly similar to trithorax homolo Homo sapiens mRNA; cDNA DKFZp564 ESTs; Homo sapiens mRNA; cDNA DKFZp564 ESTs; Homo sapiens mRNA for for histone H2B ESTs; Highly slmilar to HSPC003 [H.sap ESTs; Highly slmilar to HSPC003 [H.sap ESTs]   | 5.8        |  |           |          |        | 30  |
| 105397 AA242868 Hs.7395 ESTs; Weakly similar to house-keeping p 105399 AA243052 Hs.6648 RNA binding motif protein 8 105404 AA243303 Hs.21187 105409 AA243562 Hs.301855 ESTs 105436 AA255874 Hs.237856 ESTs; Moderately similar to cAMP induc 105409 AA243562 Hs.10283 ESTs 105493 AA255874 Hs.28785 ESTs 105495 AA256317 Hs.28785 Homo saplens mRNA; cDNA DKFZp586 105496 AA256323 Hs.301997 DKFZP434N126 protein 105507 AA256678 Hs.222399 CGI-96 protein 105507 AA256678 Hs.222399 CGI-96 protein 105508 AA258486 Hs.22597 105544 AA261954 Hs.24678 ESTs; Moderately similar to CCR4-associ ring finger protein (C3H2C3 type) 6 105549 AA262417 Hs.262821 ESTs; Weakly similar to 62D9.a [D.melan 10556 AA262783 Hs.306915 ESTs 10556 AA278302 Hs.18349 ESTs; Weakly similar to partial CDS [C.e Homo saplens cone 24606 mRNA sequen 105575 AA278717 Hs.12772 ESTs 105584 AA279912 Hs.3454 ESTs; Weakly similar to partial CDS [C.e Homo saplens cone 24606 mRNA sequen 105596 AA279918 Hs.18490 ESTs; Weakly similar to putative pho 105610 AA279991 Hs.9872 ESTs; Weakly similar to putative pho 105610 AA279991 Hs.9872 ESTs; Weakly similar to putative pho 105610 AA279991 Hs.9872 ESTs; Weakly similar to tithorax homob 10560 AA282347 Hs.25635 ESTs; Highly similar to HSPC003 [H.sap 10566 AA283390 Hs.34906 ESTs   | 5.5        |  |           |          |        | 30  |
| 105399 AA243007 Hs.16420 Hs.65648 RNA binding motif protein 8 105404 AA243053 Hs.21187 ESTs 105405 AA243562 Hs.301855 ESTs 105436 AA252172 Hs.237856 ESTs; Moderately similar to CAMP induc 105493 AA256268 Hs.10283 ESTs 105493 AA256268 Hs.10283 ESTs 105496 AA256317 Hs.28785 Homo saplens mRNA; cDNA DKFZp586 105496 AA256323 Hs.301997 DKFZP434N126 protein 105507 AA256678 Hs.222399 CGJ-96 protein 105508 AA256860 Hs.32597 Hs.28785 105546 AA261954 Hs.24678 ESTs; Moderately similar to CCR4-associ ring finger protein (C3H2C3 type) 6 ESTs 105546 AA262032 Hs.268281 ESTs; Weakly similar to 62D9.a [D.melan ESTs] 105560 AA262783 Hs.306915 ESTs 105560 AA278302 Hs.18349 ESTs 105565 AA278302 Hs.18349 ESTs 105566 AA278302 Hs.18490 ESTs; Weakly similar to partial CDS [C.e Homo saplens cone 24606 mRNA sequen ESTs; Weakly similar to putative pho ESTs; Weakly similar to putative pho ESTs; Weakly similar to putative pho Homo saplens mRNA; cDNA DKFZp564 ESTs 105610 AA279991 Hs.3454 ESTs; Weakly similar to putative pho ESTs; Weakly similar to putative pho Homo saplens mRNA; cDNA DKFZp564 ESTs 105610 AA279991 Hs.93872 ESTs; Weakly similar to putative pho ESTs; Weakly similar to thorax homob Homo saplens mRNA; cDNA DKFZp564 ESTs 105660 AA28347 Hs.25635 ESTs; Highly slmitar to HSPC003 [H.sap ESTs; Highly slmitar to HSPC003 [H.sap ESTs]   | 7.7        |  |           |          |        |     |
| 105400 AA243052 Hs.65648 RNA binding motif protein 8 105409 AA243362 Hs.21187 ESTs 105409 AA243562 Hs.237856 ESTs; Moderately similar to cAMP induc 105409 AA255874 Hs.23458 ESTs 105403 AA256268 Hs.10283 ESTs 105403 AA256268 Hs.10283 ESTs 105409 AA256323 Hs.301997 DKFZP434N126 protein 105507 AA256678 Hs.222399 CGI-96 protein 105507 AA256678 Hs.226318 ESTs; Moderately similar to CCR4-associ 105508 AA256860 Hs.222399 CGI-96 protein 105508 AA266455 Hs.226318 ESTs; Moderately similar to CCR4-associ 105508 AA266455 Hs.226318 ESTs; Weakly similar to 62D9.a [D.melan 105509 AA26417 Hs.5415 ESTs 105504 AA262477 Hs.5415 ESTs 105505 AA262477 Hs.25292 ribonuclease HI; large subunit 105506 AA26278302 Hs.18439 ESTs; Weakly similar to partial CDS [C.e 105566 AA278302 Hs.18454 ESTs; Weakly similar to partial CDS [C.e 105566 AA278012 Hs.18450 ESTs 105509 AA279418 Hs.18490 ESTs 105604 AA279991 Hs.98872 ESTs; Weakly similar to KIAA0665 prote 105605 AA282347 Hs.23317 105638 AA281245 Hs.23317 105638 AA281245 Hs.23317 105638 AA281248 Hs.1325 ESTs; Weakly similar to hithorax homolo 105605 AA282347 Hs.25635 ESTs; Highly slmilar to HSPC003 [H.sap 105507 AA28347 Hs.25635 ESTs; Highly slmilar to HSPC003 [H.sap 105507 AA283030 Hs.34906 ESTs  | 5.6        |  |           |          |        |     |
| 105404   | 5.8        |  |           |          |        |     |
| 105409 AA243562 Hs.301855 ESTs 105433 AA255874 Hs.237856 ESTs 105493 AA256268 Hs.10283 ESTs 105495 AA256317 Hs.28785 Homo saplens mRNA; cDNA DKFZp586 105496 AA256318 Hs.226318 ESTs 105507 AA256678 Hs.226318 ESTs; Moderately similar to CCR4-associ ring finger protein (C3H2C3 type) 6 105507 AA256678 Hs.226318 ESTs; Woderately similar to CCR4-associ ring finger protein (C3H2C3 type) 6 105508 AA268860 Hs.32597 ESTs; Woderately similar to CCR4-associ ring finger protein (C3H2C3 type) 6 105549 AA262417 Hs.268281 ESTs; Weakly similar to 62D9.a [D.melan ESTs] 105549 AA262417 Hs.26292 ribonuclease Hl; large subunit 105551 AA262477 Hs.25292 Hs.8349 ESTs; Weakly similar to partial CDS [C.e Homo sapiens clone 24606 mRNA sequen ESTs] 105566 AA278312 Hs.3454 ESTs; Weakly similar to partial CDS [C.e Homo sapiens clone 24606 mRNA sequen ESTs; Weakly similar to partial CDS [C.e Homo sapiens clone 24606 mRNA sequen ESTs; Weakly similar to partial CDS [C.e Homo sapiens mRNA; cDNA DKFZp564 ESTs; Weakly similar to partial CDS [C.e Homo sapiens mRNA; cDNA DKFZp564 ESTs; Weakly similar to partial CDS [C.e Homo sapiens mRNA; cDNA DKFZp564 ESTs; Weakly similar to partial CDS [C.e Homo sapiens mRNA; cDNA DKFZp564 ESTs; Homo sapiens mRNA; cDNA DKFZp564 ESTs; Homo sapiens mRNA; cDNA DKFZp564 ESTs; Highly similar to HSPC003 [H.sap ESTs; Highly similar to HSPC003 [H.sap ESTs; Highly similar to HSPC003 [H.sap ESTs]  | 9.1        |  |           |          |        | 35  |
| 105483 AA258784 Hs.23458 ESTs 105493 AA256268 Hs.10283 ESTs 105495 AA256317 Hs.28785 Homo saplens mRNA; cDNA DKFZp586 DKFZP434N126 protein CGI-96 protein ESTs; Moderately similar to CCR4-associ ring finger protein (C3H2C3 type) 6 ESTs 105544 AA261954 Hs.24678 ESTs 105545 AA262032 Hs.288281 ESTs; Weakly similar to 62D9.a [D.melan ESTs 105551 AA262477 Hs.5415 ESTs 105551 AA262477 Hs.25292 ribonuclease Hl; large subunit ESTs 105566 AA278302 Hs.17481 ESTs 105565 AA278717 Hs.12772 ESTs 105564 AA279012 Hs.3454 ESTs; Weakly similar to partial CDS [C.e Homo sapiens done 24606 mRNA sequen ESTs 10559 AA278418 Hs.18490 ESTs 105604 AA2799787 Hs.18496 ESTs; Weakly similar to putative pho ESTs; Weakly similar to butthorax homolo Homo sapiens mRNA; cDNA DKFZp564 ESTs Homo sapiens mRNA; cDNA DKFZp564 ESTs Homo sapiens mRNA; cDNA DKFZp564 ESTs ESTs ESTs; Weakly similar to hithorax homolo Homo sapiens mRNA; cDNA DKFZp564 ESTs ESTs ESTs; Weakly similar to HSPC003 [H.sap ESTs ESTs; Highly slmilar to HSPC003 [H.sap  | 4.4        | ESTs   |           |          |        |     |
| 105493 AA256268 Hs.10283 ESTs 105496 AA256323 Hs.301997 DKFZP434N126 protein 105507 AA256678 Hs.222399 CGI-96 protein 105507 AA256678 Hs.226318 ESTs; Moderately similar to CCR4-associ ring finger protein (C3H2C3 type) 6 105538 AA258860 Hs.32597 ring finger protein (C3H2C3 type) 6 105546 AA262032 Hs.268281 ESTs; Weakly similar to 62D9.a [D.melan 105549 AA262417 Hs.5415 ESTs 105551 AA262477 Hs.25292 ribonuclease HI; large subunit 105560 AA26278302 Hs.18349 ESTs; Weakly similar to partial CDS [C.e 105566 AA278323 Hs.18349 ESTs; Weakly similar to partial CDS [C.e 105566 AA278012 Hs.3454 ESTs 105594 AA279012 Hs.3454 ESTs 105595 AA278417 Hs.12772 ESTs 105594 AA279014 Hs.18490 ESTs 105604 AA279991 Hs.98872 ESTs; Weakly similar to kIAA0665 prote ESTs 105604 AA279991 Hs.98872 ESTs; Weakly similar to brithorax homolo 105607 AA281245 Hs.23317 105638 AA281245 Hs.23317 105638 AA281248 Hs.1325 ESTs 105606 AA283347 Hs.25635 ESTs; Highly slmilar to HSPC003 [H.sap 105606 AA283390 Hs.34906 ESTs  | 5.1        | ESTs; Moderately similar to cAMP induc   | Hs.237856 | AA252172 | 105436 |     |
| 40 105495 AA256317 Hs.28785 Homo saplens mRNA; cDNA DKFZp586 105496 AA256323 Hs.301997 DKFZP434N126 protein CGI-96 protein 105507 AA256678 Hs.226318 ESTs; Moderately similar to CCR4-associ ring finger protein (C3H2C3 type) 6 ESTs Moderately similar to 62D9.a [D.melan 105549 AA262417 Hs.268281 ESTs; Weakly similar to 62D9.a [D.melan 105549 AA262417 Hs.268281 ESTs; Weakly similar to 62D9.a [D.melan 105549 AA262417 Hs.25292 ribonuclease Hl; large subumit ESTs weakly similar to partial CDS [C.e Homo sapiens clone 24606 mRNA sequen 105575 AA278717 Hs.12772 ESTs ESTs; Weakly similar to partial CDS [C.e Homo sapiens clone 24606 mRNA sequen 105596 AA27817 Hs.1481 ESTs; Weakly similar to KIAA0665 prote ESTs; Weakly similar to putative pho 105610 AA279971 Hs.15467 ESTs; Weakly similar to putative pho 105610 AA279978 Hs.15467 ESTs; Weakly similar to putative pho 105610 AA279991 Hs.9872 ESTs; Weakly similar to putative pho 105610 AA279991 Hs.9872 ESTs; Weakly similar to putative pho 105610 AA279878 Hs.23317 105638 AA281245 Hs.23317 105638 AA281245 Hs.23317 105638 AA281245 Hs.23317 105638 AA282348 Hs.11325 ESTs 105666 AA283347 Hs.25635 105666 AA283390 Hs.34906 ESTs   | 4.9        |  |           |          |        |     |
| 105496 AA256323 Hs.301997 DKFZP434N126 protein 105507 AA256485 Hs.222399 CGI-96 protein 105508 AA256886 Hs.22597 45 105544 AA261954 Hs.24678 ESTs; Moderately similar to CCR4-associ ring finger protein (C3H2C3 type) 6 ESTs 105546 AA262032 Hs.268281 ESTs; Weakly similar to 62D9.a [D.melan 105549 AA262417 Hs.25292 ribonuclease HI; large subunit 105551 AA262477 Hs.25292 ribonuclease HI; large subunit 105565 AA278302 Hs.18349 ESTs; Weakly similar to partial CDS [C.e Homo saplens done 24606 mRNA sequen 105566 AA278312 Hs.3454 ESTs; Weakly similar to KIAA0665 prote 105564 AA279912 Hs.3454 ESTs; Weakly similar to KIAA0665 prote 105565 AA279418 Hs.18490 ESTs; Weakly similar to putative pho 105561 AA280865 Hs.6375 ESTs; Weakly similar to putative pho 105610 AA279991 Hs.99872 ESTs; Weakly similar to putative pho 105610 AA279991 Hs.93670 ESTs; Weakly similar to putative pho 105610 AA279991 Hs.9371 Hs.5467 ESTs; Weakly similar to full full for a homo baplens mRNA; cDNA DKFZp564 105636 AA282347 Hs.25635 ESTs; Highly slmilar to HSPC003 [H.sap 105666 AA283930 Hs.34906   | 6          |  |           |          |        | 40  |
| 105500 AA256485 Hs.222399 CGI-96 protein 105507 AA256678 Hs.226318 ESTs; Moderately similar to CCR4-associ ring finger protein (C3H2C3 type) 6 105548 AA261954 Hs.24678 ESTs 105549 AA262032 Hs.268281 ESTs; Weakly similar to 62D9.a [D.melan 105549 AA262417 Hs.5415 ESTs 105551 AA262477 Hs.25292 ribonuclease HI; large subunit ESTs; Weakly similar to partial CDS [C.e Homo sapiens clone 24606 mRNA sequen 105575 AA278717 Hs.12772 ESTs ESTs; Weakly similar to partial CDS [C.e Homo sapiens clone 24606 mRNA sequen 105575 AA278717 Hs.12772 ESTs ESTs; Weakly similar to KIAA0665 prote ESTs; Weakly similar to partial CDS [C.e Homo sapiens clone 24606 mRNA sequen 105575 AA278717 Hs.12772 ESTs ESTs; Weakly similar to KIAA0665 prote ESTs; Weakly similar to partial CDS [C.e Homo sapiens mRNA] contains the protein c3406 mRNA sequen 105575 AA278717 Hs.12772 ESTs Weakly similar to KIAA0665 prote ESTs; Weakly similar to partial CDS [C.e Homo sapiens mRNA] contains protein c3406 mRNA sequen 105575 AA278145 Hs.23317 ESTs; Weakly similar to brithorax homolo 105610 AA279991 Hs.9872 ESTs; Weakly similar to brithorax homolo 105610 AA279991 Hs.9872 ESTs; Weakly similar to brithorax homolo 105610 AA279991 Hs.9872 ESTs; Weakly similar to brithorax homolo 105610 AA279991 Hs.9872 ESTs; Weakly similar to brithorax homolo 105610 AA278991 Hs.247817 Hs.5855 ESTs; Highly similar to HSPC003 [H.sap 105666 AA283930 Hs.34906 ESTs]   | 5.2        |  |           |          |        | 40  |
| 105507 AA256678 Hs.226318 Hs.226318 Hs.226318 Hs.226318 AA258660 Hs.32597 ring finger protein (C3H2C3 type) 6 ESTs 105544 AA261954 Hs.24678 ESTs 105549 AA262417 Hs.5415 ESTs 105551 AA262477 Hs.5415 ESTs 105551 AA262477 Hs.25292 ribonuclease HI; large subunit ESTs 105566 AA278302 Hs.18439 ESTs; Weakly similar to 62D9.a [D.melan ESTs 50 105565 AA278302 Hs.18439 ESTs; Weakly similar to partial CDS [C.e 105566 AA278323 Hs.17481 Homo sapiens done 24606 mRNA sequen 105575 AA278717 Hs.12772 ESTs 105584 AA279012 Hs.3454 ESTs; Weakly similar to KIAA0665 prote ESTs 55 105604 AA27991 Hs.18490 ESTs 105604 AA279991 Hs.99872 ESTs; Weakly similar to putative pho ESTs 105604 AA279991 Hs.99872 ESTs; Weakly similar to brithorax homolo Homo sapiens mRNA; cDNA DKFZp564 ESTs 105605 AA282347 Hs.25635 ESTs; Highly slmilar to HSPC003 [H.sap ESTs  | 8.7<br>9.5 |  |           |          |        |     |
| 105538   | 4.1        |  |           |          |        |     |
| 45 105544 AA261954 Hs.24678 105546 AA262032 Hs.268281 ESTs; Weakly similar to 62D9.a [D.melan ESTs 105551 AA262477 Hs.5415 ESTs 105550 AA262783 Hs.306915 ESTs 105565 AA278302 Hs.18349 ESTs; Weakly similar to partial CDS [C.e Homo sapiens done 24606 mRNA sequen ESTs 105565 AA27817 Hs.12772 ESTs ESTs; Weakly similar to partial CDS [C.e Homo sapiens done 24606 mRNA sequen ESTs; Weakly similar to KIAA0665 prote ESTs; Weakly similar to partial CDS [C.e Homo sapiens kind to kind kind kind kind kind kind kind kind  | 4.1        |  |           |          |        |     |
| 105546 AA262032 Hs.268281 ESTs; Weakly similar to 62D9.a [D.melan 105549 AA262417 Hs.5415 ESTs   | 8          |  |           |          |        | 45  |
| 105549 AA262417 Hs.5415  | 8.1        |  |           |          |        | 43  |
| 105551 AA262477 Hs.25292 ribonuclease Hl; large subunit ESTs 105565 AA278302 Hs.306915 ESTs; Weakly similar to partial CDS [C.e Homo sapiens done 24606 mRNA sequen ESTs Homo sapiens done 24606 mRNA sequen ESTs ESTs; Weakly similar to KIAA0665 prote ESTs ESTs; Weakly similar to KIAA0665 prote ESTs ESTs; Weakly similar to partial CDS [C.e Homo sapiens done 24606 mRNA sequen ESTs ESTs; Weakly similar to KIAA0665 prote ESTs Weakly similar to to KIAA0665 prote ESTs; Weakly similar to butative pho ESTs  | 4.6        |  |           |          |        |     |
| 105560 AA278323 Hs.306915 ESTs 105565 AA278302 Hs.18349 ESTs; Weakly similar to partial COS [C.e Homo sapiens done 24606 mRNA sequen 105575 AA278717 Hs.12772 105584 AA279712 Hs.3454 105596 AA279418 Hs.18490 ESTs 105610 AA279971 Hs.15467 ESTs; Weakly similar to KIAA0665 prote ESTs 105621 AA280865 Hs.6375 ESTs; Weakly similar to putative pho 105621 AA280865 Hs.6375 Hs.6375 Hs.6375 Hs.6375 Hs.23317 Hs.247817 Hs.23317 Hs.247817 Hs.247817 Hs.25650 AA282347 Hs.25635 ESTs; Highly similar to HSPC003 [H.sap ESTs   | 9.1        |  |           |          |        |     |
| 105565 AA278302 Hs.18349 105566 AA278323 Hs.17481 105575 AA278717 Hs.12772 105584 AA279012 Hs.3454 105596 AA279418 Hs.18490 55 105604 AA279787 Hs.15467 105610 AA279991 Hs.9872 105627 AA281245 Hs.23317 105638 AA281245 Hs.23317 105638 AA282138 Hs.11325 105650 AA282347 Hs.25635 105666 AA283930 Hs.34906 ESTs; Weakly similar to partial CDS [C.e Homo sapiens clone 24606 mRNA sequen ESTs; Weakly similar to KIAA0665 prote ESTs; Weakly similar to KIAA0665 prote ESTs; Weakly similar to partial CDS [C.e Homo sapiens clone 24606 mRNA sequen ESTs; Weakly similar to KIAA0665 prote ESTs; Weakly similar to File John Composition of Composition o | 4.5        |  |           |          |        |     |
| 105566 AA278323 Hs.17481 Homo sapiens done 24606 mRNA sequen 105575 AA278717 Hs.12772 ESTs 105584 AA279012 Hs.3454 ESTs; Weakly similar to KIAA0665 prote 105596 AA2799787 Hs.15467 105610 AA279991 Hs.9872 ESTs; Weakly similar to putative pho 105621 AA280865 Hs.6375 Homo sapiens mRNA; cDNA DKFZp564 105627 AA281245 Hs.23317 ESTs 105638 AA281599 Hs.247817 Homo sapiens mRNA for for histone H2B 105605 AA282347 Hs.25635 ESTs; Highly similar to HSPC003 [H.sap 105666 AA283930 Hs.34906 ESTs  | 4.2        | ESTs; Weakly similar to partial CDS [C.e   |           |          |        | 50  |
| 105584 AA279012 Hs.3454 105596 AA279418 Hs.18490 55 105604 AA2799787 Hs.18490 105621 AA280865 Hs.6375 105627 AA281245 Hs.23317 105638 AA281245 Hs.23317 60 105645 AA282348 Hs.11325 105660 AA283930 Hs.34906 ESTs; Weakly similar to KIAA0665 prote ESTs ESTs; Weakly similar to putative pho ESTs; Weakly similar to thithorax homolo Homo saplens mRNA; cDNA DKFZp564 ESTs Homo saplens mRNA for for histone H2B ESTs ESTs; Highly similar to HSPC003 [H.sap   | 11.9       | Homo sapiens done 24606 mRNA sequen  |           |          |        |     |
| 105596 AA279418 Hs.18490 ESTs 105604 AA279787 Hs.15467 105610 AA279991 Hs.99872 ESTs; Moderately similar to putative pho 105621 AA280865 Hs.6375 105627 AA281245 Hs.23317 105638 AA281245 Hs.23317 105638 AA281249 Hs.247817 105645 AA282348 Hs.11325 ESTs 105650 AA283347 Hs.25635 105666 AA283930 Hs.34906 ESTs  | 5.9        | ESTs   |           |          |        |     |
| 55 105604 AA279787 Hs.15467 105610 AA279991 Hs.99872 105621 AA280865 Hs.6375 Hose 105627 AA281245 Hs.2317 105638 AA281299 Hs.247817 Hose 105645 AA282138 Hs.11325 105650 AA28347 Hs.25635 Hs.34906 ESTs; Weakly similar to putative pho ESTs; Weakly similar to trithorax homolo Homo saplens mRNA; cDNA DKFZp564 ESTs Homo saplens mRNA for for histone H2B ESTs 105666 AA283930 Hs.34906 ESTs  | 4.4        |  |           |          |        |     |
| 105610 AA279991 Hs.99872 ESTs; Weakly similar to trithorax homolo Homo saplens mRNA; cDNA DKFZp564 ESTs  | 4          |  |           |          |        |     |
| 105621 AA280865 Hs.6375 Homo saplens mRNA; cDNA DKFZp564 105627 AA281245 Hs.23317 ESTs 105638 AA281599 Hs.247817 Homo saplens mRNA for for histone H2B 105645 AA282138 Hs.11325 ESTs 105666 AA283930 Hs.34906 ESTs   | 5.6        |  |           |          |        | 22  |
| 105627 AA281245 Hs.23317 ESTs 105638 AA281599 Hs.247817 Homo sapiens mRNA for for histone H2B 105645 AA282347 Hs.25635 ESTs 105666 AA283930 Hs.34906 ESTs: Highly similar to HSPC003 [H.sap  | 5.3        |  |           |          |        |     |
| 105638 AA281599 Hs.247817 Homo sapiens mRNA for for histone H2B ESTs 105650 AA282347 Hs.25635 105666 AA283930 Hs.34906 ESTs  | 4.8<br>7.5 |  |           |          |        |     |
| 60 105645 AA282138 Hs.11325 ESTs<br>105650 AA282347 Hs.25635 ESTs; Highly similar to HSPC003 [H.sap<br>105666 AA283930 Hs.34906 ESTs   | 5.9        |  |           |          |        |     |
| 105650 AA282347 Hs.25635 ESTs; Highly similar to HSPC003 [H.sap<br>105666 AA283930 Hs.34906 ESTs   | 6.4        |  |           |          |        | 60  |
| 105666 AA283930 Hs.34906 ESTs  | 11.3       |  |           |          |        | OU. |
|  | 4.7        |  |           |          |        |     |
| 105674 AA284755 Hs.279789 CDW52 antigen (CAMPATH-1 antigen)  | 8          |  |           |          |        |     |
| 105687 AA286809 Hs.28423 ESTs  | 7.1        |  |           |          |        |     |
| 65 105700 AA287643 Hs.35254 ESTs; Weakly similar to hypothetical pro   | 4.9        |  |           |          |        | 65  |
| 105705 AA290767 Hs.101282 Homo sapiens mRNA; cDNA DKFZp434   | 8          |  |           |          |        |     |
| 105709 AA291268 Hs.26761 DKFZP586L0724 protein   | 6.8        | DKFZP586L0724 protein  | Hs.26761  | AA291268 | 105709 |     |

|     | 105731 A             | Δ292711  | He 20131  | ESTs   | 6.4      |
|-----|----------------------|----------|-----------|--|----------|
|     |                      |          | Hs.110857 | ESTs   | 7        |
|     | 105774 A             |          |           | ESTs   | 7.1      |
|     | 105784 A             |          |           | ESTs   | 13.4     |
| 5   | 105791 A             |          |           | SH3-binding domain glutamic acid-rich p        | 4.3      |
|     | 105807 A             | A393803  | Hs.16869  | ESTs; Moderately similar to COLLAGEN           | 5.3      |
|     | 105808 A             | A393808  | Hs.286131 | KIAA0438 gene product                          | 4.1      |
|     | 105812 A             | A394126  | Hs.20814  | ESTs; Highly similar to CGI-27 protein [H      | 14.6     |
|     | 105813 A             | A394140  | Hs.18585  | ESTs   | 4.9      |
| 10  | 105819 A             | A397920  | Hs.28783  | Homo sapiens mRNA; cDNA DKFZp564               | 4.9      |
|     |                      |          | Hs.101067 | ESTs   | 4.8      |
|     |                      |          | Hs.171118 | ESTs   | 4        |
|     | 105896 A             |          |           | Human ring zinc-linger protein (ZNF127-        | 4.8      |
| 1.5 | 105934 A             |          |           | ESTs   | 5.2      |
| 15  |                      |          | Hs.263727 | ESTs; Weakly similar to bisphosphate 3'-       | 4<br>8.3 |
|     | 105966 A             |          |           | adaptor-related protein complex 1; gamma       | 4.6      |
|     | 105974 A             |          |           | KIAA0895 protein                               | 4.5      |
|     | 105990 A             |          |           | ESTs; Weakly similar to PROBABLE AT            | 4.9      |
| 20  | 105995 A             |          |           | ESTs   | 5.8      |
| 20  | 106000 A             |          |           | ESTs ESTs; Weakly similar to veli 1 [H.sapiens | 6.9      |
|     | 106007 A             |          |           | KIAA0898 protein                               | 5        |
|     | 106016 A<br>106034 A |          |           | ESTs   | 6.6      |
|     |                      |          | Hs.169895 | ubiquitin-conjugating enzyme E2L 6             | 4.6      |
| 25  |                      |          | Hs.289074 | ESTs   | 4.5      |
| 25  | 106057 A             |          |           | ESTs   | 12.3     |
|     | 106000 A             |          |           | Homo sapiens clone 24416 mRNA sequen           | 5        |
|     | 106103 A             |          |           | ESTs   | 15.4     |
|     | 106126 A             |          |           | ESTs; Moderately similar to H5AR (M.m          | 6.4      |
| 30  | 106154 A             |          |           | ESTs   | 5.1      |
| 50  | 106157 A             |          |           | ESTs   | 11.1     |
|     | 106166 A             |          |           | NADH dehydrogenase (ubiquinone) 1 alp          | 19.3     |
|     | 106204 A             |          |           | ESTs   | 4.7      |
|     | 106210 A             |          |           | ESTs   | 5.7      |
| 35  | 106220 A             |          |           | ESTs; Moderately similar to metargidin p       | 7.7      |
|     | 106236 A             |          |           | ESTs   | 8        |
|     | 106240 A             | A430074  | Hs.18552  | ESTs; Weakly similar to Ytr218cp [S.cere       | 4.4      |
|     | 106263 A             | A431462  | Hs.28329  | ESTs   | 4.9      |
|     | 106288 A             |          |           | ESTs   | 8.8      |
| 40  |                      |          | Hs.301444 | signal sequence receptor, gamma (transloc      | 8.7      |
|     | 106310 A             |          |           | ESTs   | 4.5      |
|     |                      |          | Hs.108124 | ESTs   | 4<br>4.4 |
|     | 106328 A             |          |           | KIAA0766 gene product                          | 23.7     |
| 4 ~ | 106341 A             |          |           | ESTs; Moderately similar to plL2 hypoth        | 4.7      |
| 45  |                      |          | Hs.10702  | ESTs   | 6.1      |
|     |                      |          | Hs.194698 | cyclin B2                                      | 6.8      |
|     |                      |          | Hs.170310 | ESTs   | 4.7      |
|     | 106389 A             |          |           | ESTs Homo sapiens clone 25142 mRNA sequen      | 4.4      |
| 50  |                      |          | Hs.25320  | ESTs; Weakly similar to F55C12.5 [C.ele        | 4.5      |
| 20  |                      |          | Hs.16206  | glioma-amplified sequence-41                   | 4.8      |
|     | 106459 A             |          | Hs.30532  | ESTs; Highly similar to CGI-77 protein [H      | 5.2      |
|     |                      |          | Hs.14770  | ESTs   | 6.8      |
|     |                      |          | Hs.75251  | ESTs   | 12.4     |
| 55  |                      |          | Hs.18387  | transcription factor AP-2 alpha (activating    | 4.5      |
| 33  |                      |          | Hs.29679  | ESTs; Highly similar to mediator [H.saple      | 5.1      |
|     |                      |          | Hs.267819 | protein phosphatase 1; regulatory (inhibito    | 4.9      |
|     |                      |          | Hs.145998 | ESTs   | 8.3      |
|     |                      |          | Hs.28285  | patched related protein translocated in ren    | 7.6      |
| 60  |                      |          | Hs.57787  | ESTs   | 8.2      |
|     |                      |          | Hs.28661  | ESTs   | 4.8      |
|     |                      |          | Hs.283437 | Homo sapiens done 23851 mRNA sequen            | 4.4      |
|     |                      |          | Hs.26267  | ESTs; Weakly similar to torsinA [H.sapie       | 7        |
|     | 106614 /             | A458934  | Hs.256150 | ESTs   | 4.5      |
| 65  | 106628               | AA459657 | Hs.12311  | Homo sapiens clone 23570 mRNA sequen           | 6.5      |
|     |                      |          | Hs.250824 | ESTs   | 5.5      |
|     | 106644               | AA460239 | Hs.12680  | ESTs   | 4.4      |

|          |        | AA460969                                |                       | mitogen-activated protein kinase kinase ki                              | 8.4          |
|----------|--------|---|-----------------------|---|--------------|
|          |        | AA463745                                |                       | ESTs; Weakly similar to PROBABLE AT                                     | 5.3          |
|          |        |   | Hs.236844             | ESTs  | 5.6          |
| 5        |        | AA465339                                |                       | ESTs  | 10.1<br>10.4 |
| 3        |        | AA477263                                | Hs.171957             | triple functional domain (PTPRF interacti<br>ESTs                       | 4.2          |
|          |        |   | Hs.306117             | interleukin 13 receptor, alpha 1  | 6.9          |
|          |        |   | Hs.227913             | APIS-like 1   | 5.1          |
|          |        | AA482014                                |                       | centrin; EF-hand protein; 3 (CDC31 yeast                                | 5.1          |
| 10       |        |   | Hs.238707             | ESTs  | 4.8          |
| 10       |        | AA482548                                |                       | ESTs  | 10.3         |
|          |        |   | Hs.285123             | ESTs; Weakly similar to similar to oxyste                               | 6.2          |
| •        |        | AA487228                                |                       | ESTs  | 4.5          |
|          |        | AA488872                                |                       | Homo sapiens mRNA; cDNA DKFZp586  | 7.9          |
| 15       | 106888 | AA489101                                | Hs.24734              | oxysterol binding protein   | 6.4          |
|          |        | AA489665                                |                       | ESTs  | 4.6          |
|          | 106909 | AA490323                                | Hs.250747             | SUMO-1 activaling enzyme subunit 1                                      | 4.2          |
|          | 106919 | AA490885                                | Hs.21766              | ESTs  | 12.3         |
|          | 106920 | AA490899                                | Hs.296323             | ESTs  | 6.2          |
| 20       |        |   | Hs.237971             | ESTs  | 4            |
|          |        | AA496347                                |                       | retinoblastoma-binding protein 7  | 4.8          |
|          |        | AA496788                                |                       | KIAA0532 protein  | 4            |
|          |        | AA504631                                |                       | ESTs; Weakly similar to hypothetical 43.2                               | 4.4          |
| 25       |        | AA505141                                |                       | Human DNA sequence from clone 167A1                                     | 5.4          |
| 25       |        | AA521121                                |                       | bromodomain adjacent to zinc finger dom                                 | 4.1<br>5.7   |
|          |        | AA521157                                |                       | ESTS  | 3.7<br>18.7  |
|          |        |   | Hs.195464             | insulin-like growth factor binding protein ESTs                         | 6.2          |
|          |        | AA598710<br>AA599214                    |                       | ESTS  | 4.1          |
| 30       |        |   | Hs.247309             | succinate-CoA ligase; GDP-forming; beta                                 | 5.3          |
| 50       |        | AA600134                                |                       | glyceronephosphate O-acyltransferase                                    | 4.8          |
|          |        | AA600147                                |                       | ESTs; Weakly similar to NADH-cytochro                                   | 5.8          |
|          |        | AA600310                                |                       | programmed cell death 8 (apoptosis-induc                                | 4.9          |
|          |        | AA609210                                |                       | ESTs  | 8.4          |
| 35       |        | AA609723                                |                       | ESTs  | 8            |
|          |        | AA609943                                |                       | ESTs  | 9.5          |
|          | 107129 | AA620553                                | Hs:4756               | flap structure-specific endonuclease 1                                  | 4.9          |
|          | 107132 | AA620598                                | Hs.9052               | ESTs  | 5.3          |
|          | 107136 | AA620795                                | Hs.8207               | ESTs  | 4_           |
| 40       |        |   | Hs.170088             | ESTs  | 6.7          |
|          |        | AA621169                                |                       | ESTs  | 19           |
|          |        | AA621340                                |                       | ESTs; Weakly similar to ORF YKR081c [                                   | 8.1          |
|          |        | AA621714                                |                       | ESTs  | 8.5<br>7.2   |
| 45       |        | D51095                                  | Hs.35861              | DKFZP586E1621 protein<br>ESTs   | 7.9          |
| 43       |        | D59971                                  | Hs.25925              | UDP-N-acetyl-alpha-D-galactosamine:po                                   | 5.6          |
|          |        | T34527<br>T40327                        | Hs.80120<br>Hs.30661  | lung resistance-related protein   | 8.4          |
|          |        | T81665                                  | Hs.278422             | DKFZP586G1122 protein   | 7.5          |
|          |        | U85625                                  | Hs.8297               | ribonuclease 6 precursor  | 4.7          |
| 50       |        |   | Hs.154695             | phosphomannomutase 2  | 4.8          |
| 50       |        | W58247                                  | Hs.279766             | Homo sapiens kinesin superfamily motor                                  | 6.3          |
|          |        | Y13936                                  | Hs.17883              | protein phosphatase 1G (formerly 2C); ma                                | 8.3          |
|          |        | AA024835                                |                       | potassium voltage-gated channel; delayed                                | 7.3          |
|          | 107890 | AA026030                                | Hs.61311              | ESTs; Weakly similar to CALPAIN 2; LA                                   | 7.3          |
| 55       |        | AA026894                                |                       | ESTs  | 4.9          |
|          |        | AA041341                                |                       | ESTs  | 5.4          |
|          |        |   | Hs.159971             | ESTs  | 8.4          |
|          |        | AA046424                                |                       | ESTs; Weakly similar to HYPOTHETICA                                     | 6.6          |
| <b>~</b> |        | AA058686                                |                       | ESTs  | 7.7          |
| 60       |        |   | Hs.172608             | ESTs  | 4            |
|          |        | AA071514                                |                       | ESTs  | 4            |
|          |        | AA100694                                |                       | Human DNA sequence from BAC 15E1 o                                      | 5.5<br>14.3  |
|          |        | AA112396                                |                       | ESTs; Moderately similar to HOMEOBO<br>Homo sapiens mRNA; cDNA DKFZp564 | 14.3<br>5.2  |
| 65       |        | AA115562<br>AA120785                    | Hs.274417<br>He 54347 | ESTs  | 5.2<br>5.6   |
| U)       |        | AA121315                                |                       | KIAA1077 protein  | 10.5         |
|          |        | AA126422                                |                       | zn84f1.s1 Stratagene lung carcinoma 9372                                | 4,4          |
|          | 100100 | , |                       | and the contract of the   | 4.4          |

PCT/US02/02242

|     | 108774 AA128                 |      |                       | ESTs; Moderately similar to CELL GROW              | 4.6          |
|-----|------------------------------|------|-----------------------|--|--------------|
|     | 108828 AA13                  |      |                       | DKFZP564O0463 protein                              | 5.5<br>7.2   |
|     | 108872 AA134                 |      |                       | ESTs<br>ESTs                                       | 11.3         |
| 5   | 108884 AA134<br>108893 AA135 |      |                       | retinolo acid induced 3                            | 8.9          |
| ,   | 109093 AA150                 |      |                       | ESTs   | 14.7         |
|     | 109010 AA150                 |      |                       | dual specificity phosphatase 12                    | 4.9          |
|     | 109011 AA156                 |      |                       | ESTs   | 4.6          |
|     | 109042 AA15                  |      |                       | Homo sapiens DNA from chromosome 19                | 7.2          |
| 10  | 109086 AA166                 |      |                       | tumor necrosis factor (ligand) superfamily         | 4            |
|     | 109090 AA16                  |      |                       | ESTs   | 5.9          |
|     | 109101 AA16                  | 7708 | Hs.52184              | ESTs   | 4.2          |
|     | 109112 AA169                 |      |                       | ESTs   | 4            |
|     | 109160 AA17                  |      |                       | DKFZP434N126 protein                               | 4            |
| 15  | 109166 AA179                 |      |                       | RAB6 interacting; kinesin-like (rabkinesin         | 13.6<br>11.8 |
|     | 109178 AA18                  |      |                       | ESTs   | 5.4          |
|     | 109179 AA18                  |      |                       | ESTs; Weakly similar to IIII ALU SUBFA             | 6.7          |
|     | 109261 AA19                  |      |                       | ESTs<br>ESTs; Weakly similar to alternatively spli | 4.9          |
| 20  | 109270 AA19<br>109277 AA19   |      |                       | ESTS, YVEANY SHIMAL to alternatively spin          | 5.4          |
| 20  | 109277 AA19                  |      |                       | ESTs; Moderately similar to zinc finger p          | 5.5          |
|     | 109415 AA22                  |      |                       | trinucleotide repeat containing 9                  | 20.1         |
|     | 109454 AA23                  |      |                       | ESTs   | 4.7          |
|     | 109467 AA23                  |      |                       | ESTs   | 6.8          |
| 25  | 109481 AA23                  |      |                       | ESTs; Weakly similar to WD40 protein C             | 10.6         |
|     | 109508 AA23                  |      |                       | ESTs; Weakly similar to IIII ALU SUBFA             | 8            |
|     | 109514 AA23                  | 4087 | Hs.262346             | ESTs; Weakly similar to ORF2: function             | 8.2          |
|     | 109572 F020                  |      | Hs.171937             | ESTs   | 4.8          |
|     | 109632 F041                  |      | Hs.235873             | ESTs; Weakly similar to K11C4.2 [C.eleg            | 5.2<br>6.6   |
| 30  | 109644 F044                  |      | Hs.291531             | ESTs; Moderately similar to GLYCERAL               | 7.1          |
|     | 109703 F096                  |      | Hs.24792              | ESTs; Weakly similar to ORF YOR283w                | 5            |
|     | 109726 F100                  |      | Hs.9196               | ESTs<br>ESTs                                       | 4.7          |
|     | 109747 F101                  |      | Hs.22969<br>Hs.180378 | Homo sapiens clone 669 unknown mRNA                | 4.5          |
| 35  | 109799 F107<br>109814 F109   |      | Hs.153106             | Homo sapiens clone 23728 mRNA sequen               | 8.7          |
| 55  | 110189 H205                  |      | Hs.6278               | DKFZP586B1621 protein                              | 16.6         |
|     | 110240 H255                  |      | Hs.176588             | ESTs; Weakly similar to CYTOCHROME                 | 6.2          |
|     | 110280 H292                  |      | Hs.32468              | ESTs   | 4.5          |
|     | 110520 H569                  |      | Hs.4082               | yr09f06.s1 Soares fetal liver spleen 1NFL          | 5.7          |
| 40  | 110561 H596                  |      | Hs.5199               | ESTs; Weakly similar to UBIQUITIN-CO               | 19.5         |
|     | 110707 H950                  | 79   | Hs.15617              | ESTs; Weakly similar to IIII ALU SUBFA             | 6.2          |
|     | 110734 H987                  |      | Hs.24131              | ESTs   | 30.2         |
|     | 110770 N222                  |      | Hs.131705             | ESTs .   | 5.8<br>8.2   |
| 4.5 | 110780 N231                  |      | Hs.22891              | solute carrier family 7 (cationic amino aci        | 6.7          |
| 45  | 110787 N247                  |      | Hs.12244              | ESTs; Weakly similar to C44B9.1 [C.eleg            | 5.9          |
|     | 110794 N252                  |      | Hs.27931              | ESTs Human ring zinc-finger protein (ZNF127-       | 4            |
|     | 110799 N261<br>110818 N294   |      | Hs.323401<br>Hs.27552 | ESTs; Weakly similar to putative p150 [H           | 4.3          |
|     | 110839 N308                  |      | Hs.30246              | solute carrier family 19 (thiamine transpo         | 12.8         |
| 50  | 110844 N319                  |      | Hs.167531             | Homo sapiens mRNA full length Insert cD            | 10.1         |
| 20  | 110854 N329                  |      | Hs.27931              | ESTs   | 4.7          |
|     | 110856 N330                  |      |                       | ESTs; Weakly similar to S164 [H.sapiens            | 4.2          |
|     | 110860 N334                  |      | Hs.170065             | ESTs   | 12.5         |
|     | 110897 N391                  | 48   | Hs.6880               | DKFZP434D156 protein                               | 4            |
| 55  | 110915 N462                  |      | Hs.29724              | ESTs   | 23.2         |
|     | 110935 N487                  | 787  | Hs.305979             | protease inhibitor 1 (anti-elastase); alpha-       | 4.8          |
|     | 110970 N513                  |      | Hs.96870              | Homo sapiens mRNA full length insert cD            | 5.4<br>4.7   |
|     | 111006 N533                  |      | Hs.166146             | Homer; neuronal immediate early gene; 3            | 13.3         |
| 60  | 111008 N533                  |      | Hs.7222               | ESTs<br>mitogen-activated protein kinase kinase ki | 5.7          |
| 60  | 111018 N540                  |      | Hs.3628               | PDZ domain containing 1                            | 8.3          |
|     | 111084 N595<br>111100 N625   |      | Hs.15456<br>Hs.20450  | ESTs   | 14.3         |
|     | 111100 No23                  |      | Hs.269115             | ESTs   | 7.9          |
|     | 111132 N643                  |      | Hs.83293              | ESTs: Highly similar to unknown function           | 4.4          |
| 65  | 111139 N646                  |      | Hs.290943             | ESTs   | 6            |
| -55 | 111164 N668                  |      | Hs.14808              | ESTs; Weakly similar to IIII ALU CLASS             | 4.1          |
|     | 111172 N67                   |      | Hs.21851              | Homo sapiens mRNA; cDNA DKFZp586                   | 5.5          |
|     |                              |      |                       |  |              |

|    | 111170           | NETTOT | Hs.24633               | ESTs   | 5.7        |
|----|------------------|--------|------------------------|--|------------|
|    | 111178<br>111179 |        | Hs.10760               | ESTs   | 3.7        |
|    | 111181           |        | Hs.171802              | ESTs; Weakly similar to hypothetical pro       | 5.6        |
|    | 111184           |        | Hs.243901              | Homo sapiens mRNA; cDNA DKFZp564               | 8.7        |
| 5  | 111221           |        | Hs.15119               | ESTs   | 7.3        |
| ,  | 111223           |        | Hs.297939              | ESTs; Weakly similar to neogenin (H.sap        | 9          |
|    | 111229           |        | Hs.110855              | ESTs   | 8.9        |
|    | 111241           |        | Hs.288880              | ESTs; Weakly similar to CGI-82 protein [       | 6.9        |
|    | 111268           |        | Hs.26118               | Homo sapiens done 24766 mRNA sequen            | 4.5        |
| 10 | 111295           |        | Hs.21275               | ESTs; Weakly similar to ubiquitin-conjug       | 5.6        |
|    | 111299           |        | Hs.24936               | ESTs   | 8.5        |
|    | 111336           |        | Hs.29894               | ESTs   | 6.7        |
|    | 111357           | N91023 | Hs.87128               | ESTs   | 15         |
|    | 111370           | N92915 | Hs.94631               | brefeldin A-inhibited guanine nucleotide-e     | 5.2        |
| 15 | 111806           | R33468 | Hs.279008              | ESTs   | 10         |
| •  | 111825           | R35885 | Hs.286148              | stromal antigen 1                              | 4.5        |
|    | 111836           | R36228 | Hs.25119               | ESTs   | 7.2        |
|    | 111890           | R38678 | Hs.12365               | ESTs   | 17.3       |
|    | 111923           |        | Hs.25925               | Homo sapiens clone 23860 mRNA sequen           | 7.3        |
| 20 | 111942           |        | Hs.21590               | ESTs   | 9.2        |
|    | 111987           |        | Hs.6763                | KIAA0942 protein                               | 10.6       |
|    | 112101           |        | Hs.296341              | adenytyl cyclase-associated protein 2          | 5.3        |
|    | 112134           |        | Hs.7413                | ESTs   | 17.4       |
| 25 | 112197           |        | Hs.5637                | ESTs   | 4.4        |
| 25 | 112244           |        | Hs.70823               | KIAA1077 protein                               | 11         |
|    | 112253           |        | 11- 20244              | Homo sapiens mRNA; cDNA DKFZp566               | 9.3        |
|    | 112305           |        | Hs.26244               | ESTs   | 4.4<br>6.3 |
|    | 112449<br>112483 |        | Hs.124186<br>Hs.285885 | ring linger protein 2                          | 4.9        |
| 30 | 112519           |        | Hs.11861               | ESTs<br>ESTs                                   | 14.3       |
| 50 | 112610           |        | Hs.23643               | ESTS   | 5.2        |
|    | 112693           |        | Hs.91065               | ESTs; Moderately similar to proliferation      | 4.6        |
|    | 112751           |        | Hs.8207                | ESTs   | 5.6        |
|    | 112801           |        | Hs.157160              | protein kinase; DNA-activated; catalytic p     | 8.7        |
| 35 | 112869           |        | Hs.4747                | dyskeratosis congenita 1; dyskerin             | 5.9        |
| -  | 112871           |        | Hs.12285               | ESTs   | 5.8        |
|    | 112908           |        | Hs.3530                | TLS-associated serine-arginine protein         | 4.1        |
|    | 112966           |        | Hs.102548              | glucocorticoid receptor DNA binding fact       | 5.7        |
|    | 112971           |        | Hs.83883               | ESTs   | 6.4        |
| 40 | 112995           | T23528 | Hs.7155                | ESTs; Weakly similar to TYKi protein [M        | 9.1        |
|    | 113047           | T25867 | Hs.7549                | ESTs   | 5.4        |
|    | 113075           | T34660 | Hs.6986                | ESTs; Weakly similar to IIII ALU SUBFA         | 5.7        |
|    | 113117           | T47819 | Hs.159153              | ESTs   | 5.8        |
|    | 113206           |        | Hs.241471              | ESTs; Moderately similar to IIII ALU SU        | 6.4        |
| 45 | 113248           |        |                        | yc16e1.s1 Stratagene lung (#93721) Homo        | 4.6        |
|    | 113260           |        | Hs.287420              | ESTs   | 6.9        |
|    | 113277           |        | Hs.11774               | protein (peptidyl-proly) cis/trans isomeras    | 5.6        |
|    | 113278           |        | Hs.11135               | yc11h10.s1 Stratagene lung (#937210) Ho        | 4.5        |
| 50 | 113440           |        | Hs.191445              | ESTS   | 6.4        |
| 30 | 113523           |        | Hs.95549               | ESTs   | 6.4<br>8.7 |
|    | 113604           |        | Hs.296083              | ESTs   | 9.5        |
|    | 113702           |        | Hs.7041                | ESTs; Moderately similar to !!!! ALU SU        | 5.2        |
|    | 113783           | W37382 | Hs.11090               | ESTs; Weakly similar to IIII ALU SUBFA<br>ESTs | 11.9       |
| 55 | 113808           |        | Hs.9286                | ESTs   | 16.7       |
| 55 | 113811           |        | Hs.6994                | FSTs   | 4          |
|    | 113822           |        | Hs.17466               | retinoic acid receptor responder (tazaroten    | 4.8        |
|    | 113823           |        | Hs.55099               | rab6 GTPase activating protein (GAP and        | 4          |
|    | 113836           |        | Hs.12040               | ESTs; Weakly similar to KIAA0881 prote         | 4.1        |
| 60 | 113857           |        | Hs.5297                | Homo sapiens mRNA; cDNA DKFZp564               | 4.3        |
|    | 113886           |        | Hs.23920               | ESTs   | 4.6        |
|    | 113895           |        | Hs.12921               | ESTs   | 7.1        |
|    | 113923           |        | Hs.3849                | ESTs; Weakly similar to FK506-binding p        | 6.8        |
|    | 113931           | W81205 | Hs.3496                | ESTs   | 6.1        |
| 65 | 113950           |        | Hs.30504               | Homo saplens mRNA; cDNA DKFZp434               | 14         |
|    | 113970           |        | Hs.8109                | ESTs   | 15         |
|    | 114051           | W94942 | Hs.177534              | dual specificity phosphatase 10                | 5.4        |

|    |                                    |                      |   | 4.8         |
|----|------------------------------------|----------------------|---|-------------|
|    | 114057 W96222                      | Hs.34192             | ESTs  | 5.1         |
|    | 114086 Z38266                      | Hs.288649            | Homo sapiens PAC clone DJ0777023 fro  | 6.2         |
|    | 114098 Z38347                      | Hs.118338            | ESTs; Weakly similar to similar to S. cere  | 4.6         |
| ~  | 114109 Z38435                      | Hs.184108            | ribosomal protein L21   | 22          |
| 5  | 114124 Z38595                      | Hs.125019            | ESTs; Highly similar to KIAA0886 prote<br>amyloid beta (A4) precursor protein-bindi | 8.8         |
|    | 114138 Z38763                      | Hs.15740             | ESTs  | 4           |
|    | 114149 Z38814<br>114162 Z38909     | Hs.27196<br>Hs.22265 | ESTs  | 7.2         |
|    | 114102 Z30909<br>114177 Z39062     | Hs.23740             | ESTs  | 5.3         |
| 10 | 114196 Z39211                      | Hs.150926            | fucose-1-phosphate guanylyltransferase  | 4.4         |
| 10 | 114208 Z39301                      | Hs.7859              | ESTs  | 5.1         |
|    | 114250 Z39897                      | Hs.13297             | ESTs  | 7.2         |
|    | 114251 Z39898                      | Hs.21948             | ESTs  | 14.7        |
|    | 114292 Z40715                      | Hs.184641            | delta-6 fatty acid desaturase   | 19.4        |
| 15 | 114297 Z40758                      | Hs.173091            | DKFZP434K151 protein  | 8.9         |
|    | 114334 Z41342                      | Hs.22941             | ESTs  | 13.7        |
|    | 114460 AA024604                    | Hs.26102             | ESTs .  | 10.1        |
|    | 114471 AA028074                    | Hs.104613            | ESTs  | 5.7         |
| _  | 114480 AA032243                    |                      | UDP-N-acetyl-alpha-D-galactosamine:po   | 7.3         |
| 20 | 114518 AA046407                    |                      | suppressor of var1 (S.cerevisiae) 3-like 1  | 4.3         |
|    | 114542 AA055768                    | Hs.293380            | ESTs  | 11.7<br>7.3 |
|    | 114549 AA056484                    |                      | ESTS  | 7.3<br>6.1  |
|    | 114652 AA101416                    |                      | ESTs; Weakly similar to PTB-ASSOCIAT  | 4.3         |
| 25 | 114673 AA113303                    |                      | transmembrane 4 superfamily member (te  | 7.1         |
| 25 | 114698 AA126951                    |                      | ESTs; Highly similar to putative DNA-dir minichromosome maintenance deficient (S    | 5.3         |
|    | 114767 AA148885<br>114799 AA159323 | HS.154443            | ESTs  | 4.2         |
|    | 114799 AA159323                    | 1 Ha 260066          | ESTS  | 4.8         |
|    | 114811 AA16116                     |                      | multiple inositol polyphosphate phosphata   | 7.1         |
| 30 | 114821 AA165313                    |                      | ESTs  | 4.4         |
| 50 | 114852 AA23503                     |                      | ESTs; Moderately similar to ubiquitin spe   | 5           |
|    | 114901 AA236276                    |                      | ESTs; Weakly similar to R26660_1; parti   | 16.9        |
|    | 114902 AA236359                    |                      | ESTs  | 5.1         |
|    | 114940 AA243012                    |                      | ESTs  | 8.5         |
| 35 | 114965 AA25073                     |                      | ESTs  | 35.1        |
|    | 115047 AA25262                     |                      | homeo box B5  | 5.7         |
|    | 115054 AA25286                     |                      | ESTs  | 6.2         |
|    | 115061 AA25321                     | 7 Hs.41271           | ESTs  | 13          |
|    | 115082 AA25555                     |                      | NADH dehydrogenase (ubiquinone) 1 alp   | 28.2<br>8.8 |
| 40 | 115116 AA25648                     | 6 Hs.62275           | ESTs  | 4.1         |
|    | 115140 AA25803                     | 0 Hs.279938          | ESTs; Weakly similar to supported by GE   | 8.3         |
|    | 115205 AA26247                     |                      | ESTs  | 5.1         |
|    | 115206 AA26249                     |                      | ESTs<br>ESTs; Weakly similar to similar to the bet                                  | 4.6         |
| 15 | 115239 AA27865                     |                      | ESTS Veakly surmar to surmar to the bec   | 8.3         |
| 45 | 115242 AA27875                     |                      | ESTs  | 10.1        |
|    | 115249 AA27896<br>115259 AA27907   |                      | splicing factor 3b; subunit 1; 155kD  | 9.5         |
|    | 115285 AA27979                     |                      | ESTs  | 5.8         |
|    | 115291 AA27994                     |                      | ESTs  | 5.1         |
| 50 | 115357 AA28179                     |                      | ESTs  | 5           |
| 50 | 115377 AA28224                     |                      | ESTs  | 6.1         |
|    | 115400 AA28319                     |                      | ESTs  | 4.9         |
|    | 115439 AA28456                     |                      | ESTs  | 5.8         |
|    | 115471 AA28713                     | 8 Hs.59346           | ESTs; Weakly similar to ASPARTYL-TR   | 11.7        |
| 55 | 115506 AA29253                     | 7 Hs.45207           | Human DNA sequence from clone 620E1   | 6.8         |
|    | 115522 AA33139                     | 3 Hs.47378           | ESTs  | 5.8<br>9.7  |
|    | 115572 AA39839                     | 2 Hs.59594           | ESTs: Weakly similar to F33G12.3 gene p   | 8.7         |
|    | 115587 AA39926                     | 4 HS.28303/          | ESTs; Highly similar to HSPC039 protein   | 4           |
| 60 | 115600 AA40024                     | / HS.427/3           | ESTs<br>ESTs; Weakly similar to zinc finger prote                                   | 8.4         |
| 60 | 115612 AA40094                     |                      | ESTs aveary sittuat to zinc miger prote   | 5.3         |
|    | 115646 AA40435<br>115652 AA40509   |                      | ESTS  | 16.1        |
|    | 115657 AA40562                     | 0 Hs 55158           | ESTs; Weakly similar to weak similarity t   | 4.7         |
|    | 115658 AA40562                     | 5 Hs.183056          | Human DNA sequence from clone 34B21   | 5.1         |
| 65 | 115675 AA40654                     | 6 Hs.82065           | Homo sapiens mRNA; cDNA DKFZp564  | 20.5        |
| 05 | 115721 AA41710                     | 2 Hs.90960           | ESTs  | 4.8         |
|    | 115763 AA42156                     | 50                   | ESTs  | 7           |
|    |                                    |                      |   |             |

|            |        | AA421562             |            | anterior gradient 2 (Xenepus laevis) homo         | 41.6        |
|------------|--------|----------------------|------------|---|-------------|
|            |        | AA428576             |            | ESTs  | 4.2         |
|            |        | AA430124             |            | ESTs  | 11.9        |
| 5          |        | AA433943             |            | ESTs; Weakly similar to Weak similarity           | 33.5        |
| ,          |        | AA435839             |            | KIAA0887 protein                                  | 7.2         |
|            |        | AA441911             |            | ESTs; Weakly similar to KIAA0926 prote            | 5.1         |
|            |        | AA443602             |            | ESTs  | 4.8         |
|            |        | AA443793             |            | ESTs  | 8.3         |
| 10         |        | AA443798             |            | poly(A)-specific ribonuclease (deadenylat         | 13.5        |
| 10         |        |                      | Hs.301048  | cofilin 1 (non-muscle)                            | 7.5         |
|            |        | AA446887<br>AA447687 |            | ESTs<br>ESTs                                      | 8.8<br>13.1 |
|            |        |                      |            |   |             |
|            |        | AA449448             |            | ESTs  | 5.5         |
| 15         |        | AA451748             |            | Human DNA sequence from clone 718J7               | 7.5         |
| 13         |        | AA452112             |            | thloredoxin-like                                  | 12.7        |
|            |        | AA453656             |            | ESTS  | 7.2         |
|            |        |                      | Hs.176376  | ESTs  | 11.8        |
|            |        | AA457566             |            | ESTs  | 4.5         |
| 20         |        | AA459254             |            | ESTs  | 4.5         |
| 20         |        |                      | Hs.279884  | v-myc avian myelocytomatosis viral onco           | 4.3         |
|            |        | AA459956<br>AA460649 |            | ESTs; Highly similar to putative ribonucle        | 7.6<br>4.8  |
|            |        |                      | Hs.108646  | ESTs<br>ESTs                                      | 6.8         |
|            |        |                      |            | ESTs  | 4.9         |
| 25         |        | AA478397<br>AA478415 |            | ESTs  | 4.5         |
| 25         |        |                      |            |   | 4.6         |
|            |        | AA479362             |            | DKFZP586N0819 protein                             | 4           |
|            |        | AA480886             | Hs.250646  | ESTs; Highly similar to ubiquitin-conjuga<br>ESTs | 18.5        |
|            |        | AA480975             |            | ESTS  | 10.5        |
| 30         |        | AA4803/3             |            | ESTs; Weakly similar to OXYSTEROL-B               | 9.1         |
| 50         |        | AA481256             |            | ESTs; Weakly similar to lysophospholipa           | 8.4         |
|            |        |                      | Hs.272239  | Homo sapiens mRNA; cDNA DKFZp586                  | 7.2         |
|            |        | AA482595             |            | ESTs; Weakly similar to F25B5.3 [C.eleg           | 11.1        |
|            |        |                      | Hs.204501  | ESTs; Weakly similar to Wiskott-Aktrich           | 6.2         |
| 35         |        | AA489046             |            | ESTs Veakly suitida to Wiskott-Addikal            | 4.9         |
| 55         |        |                      | Hs.159471  | ESTs; Weakly similar to snRNP protein B           | 4.6         |
|            |        | AA490959             |            | Homo saplens mRNA; cDNA DKFZp564                  | 5.8         |
|            |        | AA491457             |            | ESTs  | 4.3         |
|            |        | AA496127             |            | ESTs  | 8.4         |
| 40         |        | AA504116             |            | Homo sapiens mRNA; cDNA DKFZp434                  | 5.3         |
|            |        | AA504806             |            | Homo sapiens clone 23620 mRNA sequen              | 5.2         |
|            |        | AA609204             |            | KIAA0874 protein                                  | 6.6         |
|            |        |                      | Hs.190488  | ESTs; Weakly similar to KERATIN; TYP              | 4.5         |
|            |        | C13992               | Hs.83484   | ESTs  | 4.5         |
| 45         |        | C14088               | 113.00,101 | glyceraldehyde-3-phosphate dehydrogena            | 5.6         |
| 73         |        | D51272               | Hs.75337   | nucleolar phosphoprotein p130                     | 4.1         |
|            |        | D51276               | Hs.81915   | leukemia-associated phosphoprotein p18            | 5.8         |
| -          |        | F02028               | Hs.81907   | ESTs  | 4.9         |
|            |        | F03069               | Hs.15395   | ESTs; Weakly similar to ARGINYL-TRN               | 6.1         |
| 50         |        | F04816               | Hs.92127   | ESTs  | 10.6        |
| 50         |        | F08813               | Hs.273829  | LINE retrotransposable element 1                  | 4.2         |
|            |        | F09983               | Hs.317589  | ESTs -  | 13          |
|            |        | F13665               | Hs.65641   | ESTs  | 8.5         |
|            |        | F13681               | Hs.53913   | ESTs  | 5.6         |
| 55         |        | F13779               | Hs.165909  | ESTs  | 11.6        |
| 55         |        | F13789               | Hs.93796   | DKFZP586D2223 protein                             | 5.4         |
|            |        | H11054               | Hs.155342  | protein kinase C; delta                           | 4.3         |
|            |        | H22566               | Hs.30098   | ESTs  | 5.7         |
|            |        | H25836               | Hs.301527  | tumor necrosis factor (ligand) superfamily        | 3.7<br>8.8  |
| 60         |        | H28581               | Hs.15641   | ESTs  | 8.6         |
| 00         |        | H29532               | Hs.101174  | microtubule-associated protein tau                | 22.2        |
|            |        | H47357               | Hs.109701  | ESTs; Moderately similar to weak similar          | 6.7         |
|            |        | H68116               | Hs.168732  | ESTs, Midderatery surried to weak surried         | 6.5         |
|            |        | H72948               | Hs.821     | biglycan  | 20.7        |
| 65         |        | N20083               | Hs.42792   | ESTs  | 4.4         |
| <b>U</b> J |        | N20579               | Hs.61153   | ESTs  | 7.4         |
|            |        | N22162               | Hs.183779  | ESTs; Weakly similar to cDNA EST yk33             | 4.1         |
|            | , == 1 |                      |            |   | 7.1         |

|     |          |          |                          |  | ~ .  |
|-----|----------|----------|--------------------------|--|------|
|     | 117344 N |          |                          | 2010   | 7.4  |
|     | 117367 N | 24954    | Hs.42502                 |  | 10.5 |
|     | 117392 N | 26175    | Hs.93405                 |  | 5.8  |
|     | 117394 N | 26257    | Hs.39871                 | ture total protont   | 8.4  |
| 5   | 117412 N | 26722    | Hs.42645                 | 2010   | 18.1 |
|     | 117498 N | 31726    | Hs.44268                 | ESTs; Highly similar to myelin gene expr   | 5.8  |
|     | 117557 N |          | Hs.44532                 | diubiquitin  | 12.3 |
|     | 117634 N |          |                          | ESTs; Weakly similar to SODIUM-AND   | 4.4  |
|     | 117639 N |          |                          | ESTs   | 6 .  |
| 10  |          |          | Hs.59757                 |  | 7.6  |
| 10  | 117754 N |          |                          | 2013   | 5.9  |
|     | 117852 N |          |                          | . to a to a confine  | 7.9  |
|     | 117879 N |          | Hs.303025                | Editor from a formal and the same of the s | 7.9  |
|     | 117924 N |          | Hs.38891                 | 2010   | 5    |
|     | 117950 N |          | Hs.75478                 | 14/01000 protos:   |      |
| 15  | 117992 N |          | Hs.172089                |  | 7    |
|     | 118138 N | 57773    | Hs.93560                 | Editi tropie) omitte to by Emilian Stra  | 4.8  |
|     | 118215 N | 62195    | Hs.77910                 | 3-hydroxy-3-methylglutaryl-Coenzyme A  | 13.4 |
|     | 118229 N | 62339    | Hs.166254                |  | 5.4  |
|     | 118265 N | 62827    | Hs.48645                 |  | 4.2  |
| 20  | 118336 N | 63604    | Hs.47166                 |  | 7.2  |
|     | 118363 N |          | Hs.48938                 |  | 6    |
|     | 118429 N |          | Hs.74649                 | ESTs   | 4.1  |
|     | 118470 N |          | Hs.291033                | ESTs   | 5.4  |
|     | 118472 N |          | Hs.42179                 | ESTs   | 10.8 |
| 25  | 118475 N |          | 113.42173                | ESTs; Weakly similar to IIII ALU CLASS   | 4.5  |
| 23  |          |          | 1 to E044E               | ESTs   | 5.3  |
|     | 118493 N |          | Hs.50115                 |  | 10.4 |
|     | 118528 N | •        | Hs.49397                 | ESTs   | 7.9  |
|     | 118542 N |          | Hs.49427                 | ESTs   | 9.2  |
|     | 118600 N |          |                          | ESTs   |      |
| 30  | 118695 N |          | Hs.50081                 | Homo sapiens mRNA full length insert cD  | 9.8  |
|     | 118698 N | 72113    | Hs.50187                 | ESTs   | 4.3  |
|     | 118901 N | 90719    | Hs.94445                 | ESTs   | 8.1  |
|     | 118952 N | 92956    |                          | ESTs; Highly similar to CGI-90 protein [H  | 12.5 |
|     | 118976 N | 93629    | Hs.93391                 | ESTs   | 5    |
| 35  | 118986 N |          | Hs.125830                | ESTs   | 7.3  |
| -   | 118989 N |          | Hs.45105                 | ESTs   | 8.2  |
|     | 119027 N |          | Hs.114611                | ESTs   | 5    |
|     |          |          | Hs.5472                  | ESTs   | 4    |
|     | 119042 R |          |                          | fibronectin 1  | 6    |
| 40  | 119075 R |          | Hs.287820                |  | 4.1  |
| 40  | 119260 T |          | Hs.102950                | ESTs; Highly similar to coat protein gamm  | 12.1 |
|     | 119271 T |          | Hs.65328                 | ESTs   | 5.6  |
|     | 119298 T |          | Hs.155478                | cyclin T2  | 14.3 |
|     | 119302 T |          |                          | ESTs   |      |
|     | 119341 T | 62571    | Hs.146388                | microtubule-associated protein 7   | 4    |
| 45  | 119495 W | V35390   | Hs.55533                 | ESTs   | 5.3  |
|     | 119580 W | V42451   | Hs.92260                 | high-mobility group protein 2-like 1   | 5.6  |
|     | 119602 W | V46286   | Hs.233694                | ESTs; Weakly similar to ZK1058.5 [C.ele  | 6.5  |
|     | 119620 W |          | Hs.56009                 | 2'-5'oligoadenylate synthetase 3   | 8.1  |
|     | 119676 W |          | Hs.57787                 | ESTs   | 5.5  |
| 50  | 119717 V |          | Hs.57987                 | ESTs   | 4.6  |
| 20  | 119729 V |          | Hs.94806                 | KIAA1062 protein   | 4    |
|     |          |          | Hs.43213                 | ESTs   | 4    |
|     | 119805 V |          |                          | ESTs   | 4.8  |
|     | 119859 V |          | Hs.58461                 |  | 4.2  |
| E E | 119867 V |          | Hs.250696                | KDEL (Lys-Asp-Glu-Leu) endoplasmic re  | 4.8  |
| 55  | 119873 V |          | Hs.44865                 | Homo saplens mRNA; cDNA DKFZp586   |      |
|     | 119899 V |          | Hs.58698                 | ESTs   | 5.9  |
|     | 119940 V | V86779   | Hs.272531                | DKFZP586B0319 protein  | 9    |
|     | 119943 V | V86835   | Hs.14158                 | copine III   | 4.8  |
|     | 119970 V | V87812   | Hs.93581                 | Homo sapiens mRNA; cDNA DKFZp586   | 4    |
| 60  | 120131 Z |          | Hs.75887                 | coatomer protein complex; subunit alpha  | 4.2  |
|     | 120150 Z | 39549    | Hs.153746                | ESTs   | 11   |
|     | 120206 Z |          | Hs.91668                 | ESTs   | 8.2  |
|     | 120241 2 |          | Hs.65946                 | ESTs   | 15.6 |
|     | 120291 2 | A169752  |                          | ESTs; Weakly similar to Similarity to Yea  | 4.2  |
| 65  | 120200 P | 1410416R | Hs.221040                | KIAA1038 protein   | 6.8  |
| U)  | 120314 F | 1.10FCE4 | Hs.104106                | ESTs .   | 15.2 |
|     | 120325 F | M193031  | 113.104100<br>Lic 102172 | ESTs   | 6.8  |
|     | 120352 F | 4AZ714UU | Hs.193172                | ESIS   | 3.0  |

|    | 120428 AA236822 Hs.17                          |  | 5.6         |
|----|--|--|-------------|
|    | 120524 AA261852 Hs.19                          |  | 5.6         |
|    | 120528 AA262107 Hs.10                          |  | 4.5         |
| -  | 120571 AA280738 Hs.34                          |  | 4.9         |
| 5  | 120649 AA287115 Hs.19                          |  | 4.5         |
|    | 120655 AA287347 Hs.23                          |  | 6.7         |
|    | 120668 AA287833 Hs.29                          |  | 8.3         |
|    | 120712 AA292654 Hs.10                          |  | 4.6         |
| 10 | 120713 AA292655 Hs.96                          |  | 10.6        |
| IU | 120724 AA293470 Hs.10                          |  | 5.4         |
|    | 120873 AA358015                                | EST  | 7.1         |
| •  | 120885 AA365515 Hs.30                          |  | 4.6         |
|    | 120919 AA381125 Hs.30                          |  | 8.2         |
| 15 | 120948 AA397822 Hs.10                          |  | 8.6         |
| 15 | 120969 AA398116 Hs.12                          |  | 10.5        |
|    | 120977 AA398155 Hs.97                          |  | 10.9        |
|    | 121103 AA398936 Hs.97                          | and the second s | 7.4         |
|    | 121291 AA401753 Hs.81                          |  | 5.3         |
| 20 | 121320 AA403008 Hs.30                          |  | 13.5        |
| 20 | 121463 AA411745 Hs.23                          |  | 8.9         |
|    | 121596 AA416740 Hs.17                          |  | 22.6        |
|    | 121723 AA419622 Hs.10                          |  | 8           |
|    | 121748 AA421171 Hs.23                          |  | 5.6         |
| 25 | 122125 AA434411 Hs.98                          |  | 5.3         |
| 25 | 122522 AA449444 Hs.98                          |  | 4           |
|    | 122655 AA454756 Hs.97                          |  | 4           |
|    | 122704 AA456326 Hs.99                          |  | 6.2         |
|    | 122782 AA459894 Hs.99                          |  | 5.3         |
| 30 | 122856 AA463740 Hs.75<br>122882 AA465381 Hs.10 |  | 13.1        |
| 30 |  |  | 5.5         |
|    | 122928 AA476578 Hs.10                          |  | 6.3<br>6    |
|    | 122974 AA478625 Hs.19                          |  | -           |
|    | 122997 AA479295 Hs.10                          |  | 12.5        |
| 35 | 123016 AA480103 Hs.32                          |  | 4.4         |
| 22 | 123107 AA486071 Hs.10                          |  | 8.3         |
|    | 123111 AA486273 Hs.19                          |  | 4.2         |
|    | 123114 AA486407 Hs.12                          |  | 5.2<br>4.2  |
|    | 123136 AA487449 Hs.19                          |  | 14.6        |
| 40 | 123137 AA487468 Hs.10                          |  |             |
| 40 | 123169 AA488892                                | ESTs; Weakly similar to Gag-Pol polypro  | 4.5<br>5.2  |
|    | 123176 AA489020 Hs.69                          |  | 5.2<br>4    |
|    | 123338 AA504249 Hs.18                          |  | 7.3         |
|    | 123436 AA598714 Hs.22                          |  |             |
| 45 | 123442 AA598803 Hs.11                          |  | 5.9         |
| 43 | 123449 AA598899 Hs.11                          |  | , 4.1<br>4  |
|    | 123494 AA599786 Hs.11                          |  | - 12.8      |
| -  | 123503 AA600121 Hs.29                          |  |             |
|    | 123533 AA608751                                | ESTs; Weakly similar to !!!! ALU SUBFA   | 7.9<br>23.1 |
| 50 | 123619 AA609200                                | ESTs   |             |
| 30 | 123673 AA609471 Hs.15                          |  | 6.6         |
|    | 123729 AA609778 Hs.27                          |  | 4.7         |
|    | 123819 AA620636 Hs.11                          |  | 4           |
|    | 123960 AA621785 Hs.28                          |  | 7.6         |
| 55 | 124000 D57317 Hs.74                            |  | 4.4<br>20.6 |
| 22 | 124006 D60302 Hs.27                            | 0016 ESTs  |             |
|    | 124012 D80240 Hs.24                            |  | 6.7         |
|    | 124021 F02859 Hs.13                            |  | 4.7         |
|    | 124049 F10523 Hs.74                            |  | 4.7         |
| 60 | 124059 F13673 Hs.28                            |  | 7.7         |
| 60 | 124243 H66710 Hs.13                            |  | 5.5         |
|    | 124308 H93575 Hs.24                            |  | 11.4        |
|    | 124314 H94877 . Hs.21                          |  | 13.7        |
|    | 124315 H94892 Hs.28<br>124350 N21359 Hs.10     |  | 14          |
| 65 | 124350 N21359 Hs.10<br>124352 N21626 Hs.10     |  | 8.6<br>7.2  |
| O) | 124352 N21626 HS.10<br>124357 N22401           | yw37g07.s1 Morton Fetal Cochlea Homo   | 7.2<br>5.2  |
|    | 124390 N29325 Hs.75                            |  | 5.2<br>7.9  |
|    | 124000 142020 (15./0                           | oo Lora, riiginy animai to oobyy-iika piaca  | 1.9         |

PCT/US02/02242

|    |        | N40188                 | Hs.11090               | ESTs  | 9.5<br>4.8  |
|----|--------|------------------------|------------------------|---|-------------|
|    |        | N48000                 | 11-000475              | Homo sapiens mRNA; cDNA DKFZp586  | 6.1         |
|    |        | N50114<br>N63172       | Hs.266175<br>Hs.146409 | ESTs cell division cycle 42 (GTP-binding prote                                | 5.6         |
| 5  |        | N74604                 | Hs.11090               | ESTs  | 12.8        |
| •  |        | N79515                 | Hs.306117              | interleukin 13 receptor, alpha 1  | 6.4         |
|    |        | N91279                 | Hs.109654              | ESTs; Moderately similar to outer membr                                       | 8.3         |
|    | 124676 | R01037                 | Hs.181013              | phosphoglycerate mutase 1 (brain)   | 12.3        |
|    |        | R01073                 |                        | ESTs; Weakly similar to IIII ALU CLASS  | 5.4<br>6.6  |
| 10 |        | R12405                 | Hs.112423              | Homo sapiens mRNA; cDNA DKFZp586  | 4.9         |
|    |        | R40923                 | Hs.106604              | ESTs  | 7.2         |
|    |        | R41933<br>R44357       | Hs.48712               | ESTs<br>ESTs; Weakly similar to cONA EST EMB                                  | 8.6         |
|    |        | R63652                 | Hs.137190              | ESTs  | 4.9         |
| 15 |        | R88992                 | Hs.180612              | ESTs  | 4.7         |
|    |        | T10598                 | Hs.324841              | ESTs; Weakly similar to IIII ALU SUBFA  | 4.4         |
|    |        | T11134                 | Hs.431                 | murine leukemia viral (bmi-1) oncogene h                                      | 12.6        |
|    | 125038 | T78089                 | Hs.270134              | ESTs  | 4.1         |
| 20 |        | T92544                 | Hs.137548              | CD84 antigen (leukocyte antigen)  | 14.8<br>6.7 |
| 20 |        | W15495                 | Hs.129781              | chromosome 21 open reading frame 5  | 4.8         |
|    |        | W37999                 | Hs.24336               | ESTs<br>ESTs  | 5.3         |
|    |        | W38419<br>W86423       | Hs.105413              | ESTs  | 6.6         |
|    |        | W93640                 | Hs.4779                | ESTs; Moderately similar to similar to AD                                     | 5.8         |
| 25 |        | Z39436                 | Hs.102720              | ESTs  | 12.2        |
| 20 |        | Z39821                 | Hs.288193              | ESTs  | 10.2        |
|    | 125304 | Z39833                 | Hs.124940              | GTP-binding protein   | 6.8         |
|    |        | AA151216               |                        | tyrosine 3-monooxygenase/tryptophan 5-m                                       | 8           |
| •• |        |                        | Hs.288967              | ESTs  | 5.4<br>4.1  |
| 30 |        |                        | Hs.267812              | sorting nexin 4   | 11.5        |
|    |        | AA507383               |                        | cytochrome c oxidase subunit VIc<br>CD47 antigen (Rh-related antigen; integri | 4           |
|    |        | AI432621               | Hs.191356              | general transcription factor IIH; polypepti                                   | 9.4         |
|    |        | Al283493               |                        | ribophorin II   | 6.2         |
| 35 |        | H09290                 | Hs.76550               | Homo sapiens mRNA; cDNA DKFZp564  | 25.9        |
|    |        | AA434562               |                        | ESTs  | 4.1         |
|    | 126160 | N90960                 | Hs.265398              | ESTs; Weakly similar to transformation-r                                      | 16.4        |
|    |        | N99638                 | Hs.124084              | tumor necrosis factor receptor superfamily                                    | 9.5<br>5.6  |
| 40 |        | A1066486               |                        | similar to S. cerevisiae RER1   | 7.5         |
| 40 |        | U46278<br>W40262       | Hs.122489              | ESTs<br>ESTs; Weakly similar to putative p150 (H                              | 4.1         |
|    |        | W78968                 | Hs.146310<br>Hs.181307 | H3 histone; family 3A   | 4.5         |
|    |        | AA205862               |                        | ESTs  | 5.2         |
|    |        | T72569                 | Hs.125359              | Thy-1 cell surface antigen  | 4.4         |
| 45 |        |                        | Hs.102178              | ESTs  | 4.6         |
|    | 126804 | Al203334               | Hs.160628              | ESTs  | 11.7        |
|    |        |                        | Hs.279607              | ESTs  | 4<br>7      |
|    |        | A1052047               |                        | ESTs  | ,<br>5.6    |
| 50 |        | R31652                 | Hs.821                 | biglycan<br>collagen; type X; alpha 1 (Schmid melaph                          | 14.3        |
| 50 |        |                        | Hs.179729<br>Hs.204214 | ESTs  | 4.5         |
|    |        | W07286                 | Hs.10340               | ESTs; Weakly similar to weak similarity t                                     | 5.1         |
|    |        |                        | Hs.264190              | ESTs; Highly similar to MEM3 [M.muscu   | 17.3        |
|    |        |                        | · Hs.136713            | ESTs; Weakly similar to V4-1 [H.sapiens                                       | 4.1         |
| 55 | 127997 | A1281549               | Hs.311054              | ESTs  | 5.5         |
|    |        |                        | Hs.166229              | ESTs  | 5.8         |
|    |        | H02682                 | Hs.292154              | ESTs; Moderately similar to recombinatio                                      | 5.8<br>7.4  |
|    |        | D59653                 | Hs.241471              | EST programmed cell death 4   | 5.8         |
| 60 | 128482 | 2 U83908<br>7 AA280617 | Hs.296251<br>Hs.100861 | ESTs; Weakly similar to p60 katanin [H.s                                      | 8.3         |
| 60 |        |                        | Hs.183475              | Homo sapiens clone 25061 mRNA sequen  | 6.6         |
|    |        |                        | Hs.101448              | metastasis associated 1   | 5.2         |
|    |        |                        | Hs.38260               | keratin 8   | 5.1         |
|    | 128595 | 5 U31875               | Hs.152677              | short-chain alcohol dehydrogenase family                                      | 27.1        |
| 65 | 128610 | L38608                 | Hs.10247               | activated leucocyte cell adhesion molecule                                    | 13.2        |
|    | 128629 | AA399187               | 7 Hs.102708            | DKFZP434A043 protein<br>Homo sapiens mRNA for G7b protein (G                  | 6.7<br>4.5  |
|    | 128649 | AA142853               | 3 Hs.103106            | Lighto satheria mizuw ior ovo biorem (o                                       | 7.0         |
|    |        |                        |                        |   |             |

|            |        | AA446990             |           | ESTs  | 6.1<br>4.4 |
|------------|--------|----------------------|-----------|---|------------|
|            |        | R48943               | Hs.10315  | solute carrier family 7 (cationic amino aci                                     | 14.3       |
|            |        | AA458542<br>T30617   | Hs.10320  | coatomer protein complex; subunit epsilon<br>Homo sapiens mRNA; cDNA DKFZp566   | 24.5       |
| 5          |        | M64174               | Hs.50651  | Janus kinase 1 (a protein tyrosine kinase)                                      | 7.3        |
| •          |        | N49308               | Hs.104938 | ESTs: Weakly similar to alpha 1(XVIII) c  | 9.2        |
|            |        | X85372               | Hs.105465 | small nuclear ribonucleoprotein polypepti                                       | 5.4        |
|            |        | W93562               | Hs.105749 | KIAA0553 protein  | 4.6        |
|            | 128835 | W15528               | Hs.106390 | Homo saplens mRNA; cDNA DKFZp586  | 4          |
| 10         |        | AA455658             |           | basement membrane-induced gene  | 6.9        |
|            |        | AA400271             |           | Homo sapiens mRNA for putative Ca2+4  | 4.5        |
|            |        | AA252023             |           | ESTs; Weakly similar to HRIHFB2157 [H   | 6.4        |
|            |        | D61676               | Hs.21851  | Homo sapiens mRNA; cDNA DKFZp586  | 6.4        |
| 15         |        | AA410325             |           | ESTs  | 7<br>5.2   |
| 15         |        | N29353               | Hs.107318 | kynurenine 3-monooxygenase (kynurenin   | 13.1       |
|            |        | AA485655<br>F10290   | Hs.185807 | proteasome (prosome; macropain) subunit<br>Homo saplens clone 24758 mRNA sequen | 5.8        |
|            |        | AA460049             |           | ESTs; Weakly similar to SODIUM-AND  | 12.6       |
|            |        | AA131421             |           | ESTs  | 9.8        |
| 20         |        | H13108               | Hs.107968 | ESTs  | 13.9       |
|            | 129057 | X62466               | Hs.276770 | CDW52 antigen (CAMPATH-1 antigen)   | 10.7       |
|            | 129075 | AA129465             | Hs.83765  | ESTs  | 4.7        |
|            |        | L12350               | Hs.108623 | thrombospondin 2  | 4.4        |
| ~~         |        | AA234530             |           | N-ethylmaleimide-sensitive factor   | 20.7       |
| 25         |        | AA131252             |           | ESTs  | 5.9        |
|            |        | AA282183             |           | ESTs  | 5.8        |
|            |        | R40556               | Hs.318401 | ESTs; Highly similar to HSPC039 protein   | 7.6<br>12  |
|            |        | X89109<br>AA211941   | Hs.109606 | coronin; actin-binding protein; 1A<br>polyadenylate binding protein-interacting | 7.9        |
| 30         |        | W24360               | Hs.237868 | Interleukin 7 receptor  | 5.3        |
| 50         |        | AA435665             |           | ESTs; Moderately similar to HN1 [M.mus  | 8.4        |
|            |        | H88033               | Hs.109727 | KIAA0733 protein  | 7.8        |
|            |        | AA151574             |           | pilin-like transcription factor   | 6.4        |
|            | 129259 | AA090695             | Hs.181385 | ESTs  | 6.2        |
| 35         | 129270 | Z35227               | Hs.109918 | ras homolog gene family; member H   | 5.4        |
|            |        | AA026318             |           | glucose regulated protein; 58kD   | 4.4        |
|            |        | C20976               | Hs.110165 | ESTs; Highly similar to ribosomal protein                                       | 5.7        |
|            |        | N93155               | Hs.285976 | calmodulin 1 (phosphorylase kinase; delta                                       | 7.7        |
| 40         |        | AA037467             |           | ESTS  | 6<br>9.3   |
| 40         |        | AA167268<br>H18027   | Hs.184697 | Human ras inhibitor mRNA; 3' end plexin C1                                      | 18.2       |
|            |        | W92984               | Hs.288224 | ESTs  | 5.9        |
|            |        | AA151621             |           | ESTs  | 4.1        |
|            |        | T80814               | Hs.11101  | discs; targe (Drosophila) homolog 3 (neur                                       | 10.9       |
| 45         |        | AA172056             |           | ESTs  | 5.3        |
|            |        | N23707               | Hs.111138 | KIAA0712 gene product   | 4          |
|            | 129426 | AA412087             | Hs.111323 | EST; Highly similar to protein inhibitor o                                      | - 8 -      |
|            |        | AA421213             | Hs.111632 | Lsm3 protein  | 5.5        |
| <b>5</b> 0 |        | C00225               | Hs.306163 | ESTs; Weakly similar to fos39554_1 [H.s   | 5.5        |
| 50         |        | AA298786             |           | ESTs  | 6.8        |
|            |        | R21443               | Hs.166254 | heat shock 90kD protein 1; alpha  | 5          |
|            |        | AA278243<br>AA447410 |           | ESTs; Weakly similar to IIII ALU SUBFA  | 6.8<br>5.1 |
|            |        | AA258308             |           | Homo sapiens mRNA; cONA DKFZp564  | 5.3        |
| 55         |        | U26727               | Hs.1174   | cyclin-dependent kinase inhibitor 2A (mel                                       | 8.2        |
| 55         |        | R50008               | Hs.11806  | 7-dehydrocholesterol reductase  | 4.3        |
|            |        | AA442768             |           | translocase of inner mitochondrial membr  | 4.4        |
|            |        | M88458               | Hs.118778 | KDEL (Lys-Asp-Glu-Leu) endoplasmic re   | 4          |
|            |        | X06700               | Hs.119571 | collagen; type III; alpha 1 (Ehlers-Danlos                                      | 6          |
| 60         | 129783 | AA454618             |           | associated molecule with the SH3 domain   | 6.4        |
|            |        | AA252436             |           | lysophospholipase I   | 7.7        |
|            |        | AA452161             |           | YME1 (S.cerevislae)-like 1  | 5          |
|            |        | N20593               | Hs.288932 | GDP dissociation Inhibitor 2  | 6.9        |
| 65         |        | AA102520             |           | ESTs; Weakly similar to heat shock prote  | 5          |
| U)         |        | AA043021<br>M87789   | ms. 13223 | UDP-Gal:betaGicNAc beta 1;4- galactosy immunoglobulin gamma 3 (Gm marker)       | 6.6<br>4   |
|            |        |                      | Hs.140452 | cargo setection protein (mannose 6 phosp  | 5.8        |
|            | ,20000 |                      | 170702    | ende concern brasan francisco e break   | 4.0        |

|     | 130029 | AA236412           | Hs.236510              | ESTs; Moderately similar to PFT27 [M.m  | 5.6         |
|-----|--------|--------------------|------------------------|---|-------------|
|     |        | M90696             | Hs.181301              | cathepsin S   | 5.4         |
|     | 130036 | AA195260           | Hs.125849              | ESTs; Moderately similar to IIII ALU SU   | 7.4         |
| _   |        |                    | Hs.146428              | collagen; type V; alpha 1   | 7.6         |
| 5   | 130077 |                    | Hs.91379               | ribosomal protein L26   | 4 4 2 4     |
|     |        | X14850             | Hs.147097              | H2A histone family; member X  | 12.1<br>5   |
|     |        |                    | Hs.197955              | KIAA0704 protein  | 7.8         |
|     |        | AA234717           |                        | ESTs<br>homonovia   | 7.2         |
| 10  |        | M36803<br>M61764   | Hs.1504<br>Hs.21635    | hemopexin<br>tubulin; gamma 1   | 5.6         |
| 10  |        |                    | Hs.151469              | calcium/calmodulin-dependent serine pro   | 7.5         |
|     |        | D43947             | Hs.151761              | KIAA0100 gene product   | 6.4         |
|     |        | AA620556           |                        | peroxisomal D3;D2-enoyl-CoA isomerase   | 6.4         |
|     |        | D50840             | Hs.23703               | UDP-glucose ceramide glucosyltransferas   | 4.5         |
| 15  |        | X14046             | Hs.153053              | CD37 antigen  | 9.1         |
|     |        | S75295             | Hs.169149              | karyopherin alpha 1 (importin alpha 5)  | 8.6         |
|     | 130280 | L13738             | Hs.153937              | activated p21cdc42Hs kinase   | 5           |
|     | 130313 | AA620323           | Hs.154320              | ubiquitin-activating enzyme E1C (homolo   | 6.1         |
|     |        | D86967             | Hs.154332              | KIAA0212 gene product   | 10          |
| 20  |        |                    | Hs.154668              | KIAA0391 gene product   | 6.1         |
|     |        | X84373             | Hs.155017              | nuclear receptor interacting protein 1  | 10.6<br>8.3 |
|     |        | Z38501             | Hs.8768                | ESTs; Weakly similar to IIII ALU SUBFA  | 7.1         |
|     |        | T47333             | Hs.155188              | TATA box binding protein (TBP)-associa  | 5.6         |
| 25  |        | X66364             | Hs.166071<br>Hs.155291 | cyclin-dependent kinase 5<br>KIAA0005 gene product                                      | 4.1         |
| 23  |        | D13630             | Hs. 155356             | Homo saplens mRNA for putative glucosy  | 4.6         |
|     |        | N29888             | Hs.155410              | ESTs  | 7           |
|     |        | M21121             | Hs.241392              | small inducible cytokine A5 (RANTES)  | 4.1         |
|     |        | U58522             | Hs.155485              | huntingtin-interacting protein 2  | 7.9         |
| 30  |        | D21260             | Hs.178710              | clathrin; heavy polypeptide-like 2  | 4           |
|     | 130441 | U35835             | Hs.155637              | protein kinase; DNA-activated; catalytic p  | 6.8         |
|     | 130455 | X17059             | Hs.155956              | N-acetyltransferase 1 (arylamine N-acetyl   | 26.4        |
|     |        | L38951             | Hs.180446              | karyopherin (importin) beta 1   | 4.8         |
| ~ - |        |                    | Hs.158286              | Homo sapiens mRNA for KIAA0446 prot   | 6.1         |
| 35  |        | L32137             | Hs.1584                | cartilage offgomeric matrix protein (pseud  | 8.3<br>7.5  |
|     |        |                    | Hs.252587              | pitultary tumor-transforming 1  | 5.6         |
|     |        | H96654             | Hs.15984               | ESTs; Weakly similar to gene pp21 protei  | 4           |
|     |        | AA232535<br>W24957 | Hs.293907              | ESTs; Highly similar to CGI-13 protein [H<br>ESTs; Moderately similar to similar to C.e | 13.3        |
| 40  |        | H66211             | Hs.16331               | ESTs  | 10.1        |
| 40  |        | X03635             | Hs.1657                | estrogen receptor 1   | 39.9        |
|     |        | AA132007           |                        | ESTs  | 5.1         |
|     |        | AA477739           |                        | ESTs  | 5.9         |
|     |        | AA235247           |                        | ESTs; Weakly similar to cytochrome P45  | 4.1         |
| 45  | 130625 | F03969             | Hs.260720              | matrix metalloproteinase 2 (gelatinase A;   | 8.3         |
|     | 130627 | L23808             | Hs.1695                | matrix metalloproteinase 12 (macrophage   | 10.3        |
|     | 130629 | M60346             | Hs.1697                | ATPase; H+ transporting; lysosomal (vacu  | 7           |
|     |        | M87503             | Hs.1706                | interferon-stimutated transcription factor  | 5.5         |
|     |        | D59711             | Hs.17132               | ESTs  | 7.2<br>13.5 |
| 50  |        | H17861             | Hs.17767               | ESTs  | 6           |
|     |        | D82808             | Hs.17820               | Rho-associated; coiled-coil containing pro  | 6.1         |
|     |        | AA487202           |                        | ESTs  | 4.3         |
|     |        | N63295             | Hs.18103<br>Hs.201673  | ESTs<br>comichon-like   | 4           |
| 55  |        |                    | Hs.279762              | adenylate cyclase 7   | 5.1         |
| 55  |        | X92896             | Hs.18212               | DNA segment on chromosome X (unique)  | 8.4         |
|     |        | T98227             | Hs.171952              | occludin  | 5.7         |
|     |        | AA203527           |                        | POP7 (processing of precursor, S. cerevis   | 6.2         |
|     |        | AA471293           |                        | ESTs  | 8.2         |
| 60  |        | AA435633           |                        | Homo sapiens clone 23965 mRNA sequen  | 8.3         |
| -   |        | R39390             | Hs.19525               | ESTs  | 4.5         |
|     |        | AA223386           |                        | ESTs; Weakly similar to katanin p80 subu  | 7.7         |
|     |        |                    | Hs.143323              | putative DNA/chromatin binding motif  | 4.3         |
|     |        |                    | Hs.20478               | ceroid-lipofuscinosis; neuronal 2; late infa  | 9.8         |
| 65  |        | M58028             | Hs.2055                | ubiquitin-activating enzyme E1 (A1S9T a   | 4.3<br>4.5  |
|     |        | D14678             | Hs.20830               | kinesin-like 2  | 4.5<br>4    |
|     | 130891 | D31891             | Hs.20991               | SET domain; bifurcated; 1   | 7           |

|    |        |                    | Hs.129998             | ESTs  | 8.7         |
|----|--------|--------------------|-----------------------|---|-------------|
|    |        | W03592             | Hs.21198              | translocase of outer milochondrial membr  | . 20.9      |
|    |        | AA291710           |                       | collagen; type IV; alpha 3 (Goodpasture a   | 9           |
| 5  |        | M97935             | Hs.194688<br>Hs.21486 | bromodomain adjacent to zinc finger dom<br>signal transducer and activator of transcrip | 5.3<br>18.8 |
| •  |        | X57985             | Hs.2178               | H2B histone family; member Q  | 13.4        |
|    | 130987 | R45698             | Hs.21893              | ESTs; Weakly similar to cAMP inducible  | 8.5         |
|    |        | N48963             | Hs.21992              | KIAA0689 protein  | 7.2         |
| 10 |        |                    | Hs.169341             | ESTs; Weakly similar to phosphatidic acid   | 5.2         |
| 10 |        | X02530             | Hs.2248               | small inducible cytokine subfamily B (Cy  | 10.1        |
|    |        | T35341             | Hs.22880              | ESTs; Highly similar to dipeptidyl peptid   | 6.3         |
|    |        | H11760<br>M25753   | Hs.23606<br>Hs.23960  | ESTs<br>cyclin B1   | 7.3<br>6.2  |
|    |        |                    | Hs.293732             | ESTs; Moderately similar to !!!! ALU SU   | 4.3         |
| 15 |        | AA044078           |                       | ESTs  | 5.5         |
|    |        | AA430047           |                       | ESTs  | 7.1         |
|    |        |                    | Hs.236522             | DKFZP434P106 protein  | 5.6         |
|    |        | D38076             | Hs.24763              | RAN binding protein 1   | 5.5         |
| 20 |        | AA620599           |                       | DKFZP564E1962 protein   | 6.7         |
| 20 |        | AA256042           |                       | ESTs  | 5.8         |
|    |        | U25997<br>AA463450 | Hs.25590              | stanniocalctn<br>Nijmegen breakage syndrome 1 (nibrin)                                  | 8.9<br>6.5  |
|    |        | R34531             | Hs.92200              | KIAA0480 gene product   | 9.2         |
|    |        | H84658             | Hs.279836             | ESTs  | 12.1        |
| 25 |        | AA608962           |                       | calcyclin binding protein   | 18.1        |
|    | 131475 | Z39053             | Hs.27263              | ESTs  | 7.5         |
|    | 131501 | AA121127           | Hs.8207               | H3 histone; family 3A   | 5.5         |
|    |        | X02152             | Hs.2795               | lactate dehydrogenase A   | 5.1         |
| 20 |        | N39152             | Hs.301804             | ESTs  | 4.3         |
| 30 |        | D60856             | Hs.28309              | UDP-glucose dehydrogenase   | 8.4         |
|    |        | N33236<br>D30946   | Hs.28555<br>Hs.28707  | ESTs; Weakly similar to B0511.8 [C.eleg signal sequence receptor; gamma (transloc       | 5.6<br>8.7  |
|    |        | U90551             | Hs.28777              | H2A histone family; member L  | 18.8        |
| •  |        | AA491465           |                       | ESTs  | 11.8        |
| 35 |        | AA235385           |                       | ESTs; Moderately similar to alternatively   | 4.7         |
|    | 131587 | M15182             | Hs.183868             | glucuronidase; beta   | 5.2         |
|    |        | U52100             | Hs.29191              | epithelial membrane protein 2   | 4.4         |
|    |        | D14533             | Hs.192803             | xeroderma pigmentosum; complementatio   | 4.6         |
| 40 |        | AA136126           |                       | mitogen-activated protein kinase-activated  | 4.3         |
| 40 |        | AA136660<br>U26174 | Hs.3066               | ESTs<br>granzyme K (serine protease; granzyme 3   | 9.4<br>9.7  |
|    |        | L11066             | Hs.3069               | heat shock 70kD protein 9B (mortalin-2)   | 6.2         |
|    |        | AA599653           |                       | transcription factor-like 5 (basic helix-loo  | 8.3         |
|    |        | W60913             | Hs.110796             | ESTs; Weakly similar to cONA EST yk45   | 9           |
| 45 | 131710 | AA233225           |                       | MRS1 protein  | 5.2         |
|    |        | D49738             | Hs.31053              | cytoskeleton-associated protein 1   | 6.6         |
|    |        | D31352             | Hs.31433              | ESTs  | 11          |
|    |        | H46831             | Hs.107767             | ESTs; Moderately similar to CaM-Kil inh   | 4.9         |
| 50 |        | AA460450<br>N32724 | Hs.32317              | DKFZP586G1722 proteIn<br>Sox-like transcriptional factor                                | 9.2<br>4.5  |
| 50 |        | L76517             | Hs.3260               | presenilin 1 (Alzheimer disease 3)  | 5.4         |
|    |        | AA437226           |                       | interleukin 10 receptor, alpha  | 4           |
|    |        | AA091932           |                       | dynamin-like protein  | 6.7         |
|    |        | J04088             | Hs.156346             | topoisomerase (DNA) II alpha (170kD)  | 5           |
| 55 |        | AA044095           |                       | ESTs  | 11.1        |
|    |        | AA158258           |                       | heterogeneous nuclear protein similar to r  | 5.6         |
|    |        | AA248470           |                       | ESTs; Weakly similar to RING finger pro   | 4.5         |
|    |        | AA205460           |                       | ESTS  | 14.3        |
| 60 |        | D62657<br>W90146   | Hs.35086<br>Hs.35962  | ubiquitin-specific protease 1<br>ESTs   | 6.2<br>6.3  |
| 00 |        | D86960             | Hs.3610               | KIAA0205 gene product   | 4.2         |
|    |        | R70167             | Hs.154938             | ESTs  | 4.3         |
|    |        | AA410424           |                       | Homo sapiens mRNA; cDNA DKFZp586  | 4.6         |
|    |        | F09788             | Hs.3622               | procollagen-proline; 2-oxoglutarate 4-diox  | 6.4         |
| 65 |        | AA479515           |                       | Human DNA sequence from clone 703H1   | 12          |
|    |        | D82399             | Hs.136644             | Homo sapiens clone 23714 mRNA sequen  | 10          |
|    | 132017 | W67251             | Hs.267659             | Homo sapiens vav 3 oncogene (VAV3) m  | 4.7         |

|    | 132021 | T68246             | Hs.306079                 | chaperonin containing TCP1; subunit 5 (e   | 5.2        |
|----|--------|--------------------|---------------------------|--|------------|
|    |        | D82226             | Hs.211594                 | proteasome (prosome; macropain) 26S sub  | 8.5        |
|    |        | D44466             | Hs.3887                   | proteasome (prosome; macropain) 26S sub  | 13.5       |
|    |        | AA131971           |                           | ESTs   | 4.8        |
| 5  | 132109 | AA599801           | Hs.40098                  | ESTs   | 6.2        |
|    |        | AA257056           | Hs.7972                   | KIAA0871 protein   | 14.6       |
|    | 132149 | T10822             | Hs.324743                 | ESTs   | 5.3        |
|    |        | N90141             | Hs.41066                  | ESTs; Moderately similar to ELONGATI   | 9.2<br>5.5 |
| 10 |        |                    | Hs.295923                 | seven in absentia (Drosophila) homolog 1   | 8.1        |
| 10 |        | U84573             | Hs.41270                  | procollagen-lysine; 2-oxoglutarate 5-dioxy<br>fibroblast activation protein; alpha; sepras | 15.4       |
|    |        | AA405569<br>L19183 | Hs.199695                 | hypothetical protein   | 12.2       |
|    |        | AA128980           | 115. 199099               | ESTs   | 5.6        |
|    |        | AA412620           | Hs 4248                   | ESTS   | 6.7        |
| 15 |        | F09058             | Hs.42656                  | ESTs   | 6.2        |
|    |        | AA608856           |                           | murine leukemia viral (bmi-1) oncogene h   | 6          |
|    | 132298 | N41849             | Hs.7120                   | Homo sapiens cytokine receptor related p   | 5.6        |
|    | 132314 | AA285290           | Hs.44499                  | small EDRK-rich factor 2   | 6.8        |
|    |        | N37065             | Hs.44856                  | ESTs   | 4.7        |
| 20 |        | AA479933           |                           | Human DNA sequence from clone 167A1  | 4.2<br>9.1 |
|    |        | R70914             | Hs.281434                 | heat shock 70kD protein 1  | 4          |
|    |        | W85888             | Hs.47334                  | ESTs; Moderately similar to IIII ALU SU  | 15         |
|    |        | F09979             | Hs.4774                   | ESTs<br>ESTs   | 8          |
| 25 |        | AA431459           | Hs.260116                 | KIAA1104 protein   | 4          |
| 23 |        | AA426218           |                           | ESTs   | 5.3        |
|    |        | AA047896           |                           | ESTs   | 15.4       |
|    |        |                    | Hs.238126                 | ESTs; Highly similar to CGI-49 protein [H  | 9          |
|    |        | T03749             | Hs.4990                   | KIAA1089 protein   | 8.5        |
| 30 | 132528 | AA283006           |                           | chromosome-associated polypeptide C  | 4.3        |
|    | 132540 | AA488987           | Hs.5097                   | synaptogyrin 2   | 9.8        |
|    |        | AA417152           |                           | protein regulator of cytokinesis 1   | 10.1       |
|    |        | L37042             | Hs.283738                 | casein kinase 1; alpha 1   | 5.9<br>4.2 |
| 25 |        | AA412452           |                           | DKFZP434N024 protein   | 4.2        |
| 35 |        | AA199588           |                           | ARP3 (actin-related protein 3; yeast) hom  | 5.2        |
|    |        |                    | Hs.283558                 | isocitrate dehydrogenase 2 (NADP+); mit carbonic anhydrase XII                             | 10.1       |
|    |        | AA171913           | Hs.279916                 | adaptor-related protein complex 1; gamma   | 4.8        |
|    |        | U33821             | Hs.5437                   | Tax1 (human T-cell leukemia virus type I   | 5.7        |
| 40 |        | AA453614           |                           | KIAA0776 protein   | 4.4        |
| •• |        | M60830             | Hs.5509                   | ecotropic viral integration site 2B  | 15.6       |
|    |        | N47109             | Hs.5521                   | ESTs   | 7          |
|    | 132724 | AA417962           | Hs.55498                  | geranylgeranyl diphosphate synthase 1  | 5.6        |
|    | 132738 | W42674             | Hs.264636                 | ESTs; Moderately similar to neuronal thre  | 4.9        |
| 45 |        |                    | Hs.292812                 | ESTs; Weakly similar to C43H8.1 [C.eleg  | 7.9<br>4.1 |
|    |        | X54326             | Hs.55921                  | glutamyl-prolyl-tRNA synthetase  | 8          |
|    |        | H99152             | Hs.57079                  | ESTs<br>mutL (E. coli) homolog 1 (colon cancer; n  | 8          |
|    |        | AA331777<br>U25435 |                           | transcriptional repressor  | 4          |
| 50 |        | AB004884           | Hs.57419<br>He 57553      | tousled-like kinase 2  | 6.5        |
| 50 |        | N23817             | Hs.5807                   | Homo sapiens clone 23675 mRNA sequen   | 5.6        |
|    |        | D62588             | Hs.5813                   | ESTs   | 12.4       |
|    |        | T48195             | Hs.58189                  | eukaryotic translation initiation factor 3; s  | 7          |
|    |        | W79865             | Hs.58367                  | glypican 4   | 6.2        |
| 55 |        | N26855             | Hs.203961                 | ESTs   | 6.5        |
|    | 132874 | AA425776           |                           | ESTs   | 5.6        |
|    | 132880 | AA444369           | Hs.177537                 | ESTs   | 7.2        |
|    |        | D82422             | Hs.5944                   | ESTs   | 7.5<br>4.4 |
| 60 |        | N56451             | Hs.5978                   | LIM domain only 7 Homo sapiens clone 25186 mRNA sequen                                     | 9.1        |
| 60 |        | AA235404           |                           | Aomo sapiens cione 25 100 mr. NA sequen 3-hydroxy-3-methylglutary)-Coenzyme A              | 10.7       |
|    |        | X83618             | Hs.59889                  | ESTs; Highly similar to geminin [H.sapie   | 10.2       |
|    |        |                    | ' Hs.234896<br>' Hs.60293 | ESTs   | 4.7        |
|    |        | AA490037           |                           | KIAA0616 protein   | 7.1        |
| 65 |        | AB002305           |                           | KIAA0307 gene product  | 8.3        |
| 05 |        | U04209             | Hs.61418                  | microfibrillar-associated protein 1  | 4.3        |
|    |        |                    | Hs.61469                  | Human gene from PAC 753P9; chromoso  | 13.2       |
|    |        |                    |                           |  |            |

|     | 132959 | AA028103 | Hs.61472  | ESTs; Weakly similar to unknown (S.cere  | 18.9 |
|-----|--------|----------|-----------|--|------|
|     | 132968 | N77151   | Hs.61638  | myosin X   | 5.8  |
|     | 132984 | H80409   | Hs.62112  | zinc finger protein 207  | 4.3  |
| _   | 132990 | AA458761 | Hs.18387  | transcription factor AP-2 alpha (activating  | 4.2  |
| 5   | 132994 | AA505133 | Hs.279905 | solute carrier family 2 (facilitated glucose   | 26.4 |
|     | 132998 | Y00062   | Hs.170121 | protein tyrosine phosphatase; receptor typ   | 4.4  |
|     | 133002 | AF006082 | Hs.42915  | ARP2 (actin-related protein 2; yeast) hom  | 4.7  |
|     | 133005 | C21400   | Hs.278605 | KIAA0970 protein   | 6.6  |
|     | 133015 | AA047036 | Hs.246315 | ESTs   | 7.9  |
| 10  | 133016 | W81298   | Hs.6289   | growth factor receptor-bound protein 2   | 5.2  |
|     | 133039 | X62055   | Hs.63489  | protein tyrosine phosphatase; non-recepto  | 4    |
|     |        | S67325   | Hs.63788  | propionyl Coenzyme A carboxylase; beta   | 5.2  |
|     |        | AA071387 |           | jumping translocation breakpoint   | 5    |
|     |        | R33663   | Hs.64056  | ESTs   | 5.4  |
| 15  |        | N70633   | Hs.6456   | chaperonin containing TCP1; subunit 2 (b   | 6    |
| 10  |        | AA122147 |           | KIAA0483 protein   | 5    |
|     |        | AA598749 |           | ESTs   | 5.6  |
|     |        | AA156049 |           | ESTs   | 4.1  |
|     |        | D16469   | Hs.6551   | ATPase; H+ transporting; lysosomal (vacu   | 6.2  |
| 20  |        | R37367   | Hs.6727   | Ras-GTPase activating protein SH3 doma   | 5.1  |
| 20  |        | Y10659   | Hs.285115 | Interleukin 13 receptor, alpha 1   | 6.2  |
|     |        | Z41415   | Hs.6823   | ESTs; Weakly similar to intrinsic factor-B   | 8.3  |
|     |        | N90029   | Hs.6831   | Homo saplens clone 1400 unknown prote  | 4.7  |
|     |        | AA059405 |           | Homo sapiens done 24655 mRNA sequen  | 5.5  |
| 25  |        |          |           | ESTs   | 9    |
| 23  |        | D31161   | Hs.242894 | the contract of the contract o | 7.7  |
|     |        | AF006086 |           | actin related protein 2/3 complex; subunit   | 6.7  |
|     |        | W72187   | Hs.69192  | ESTs; Weakly similar to cDNA EST yk37  | 4.2  |
|     |        | AA488886 |           | ESTs   | 4.2  |
| 20  |        | AA421079 |           | ESTs; Weakly similar to Sox-like transcri  |      |
| 30  |        | AA410507 |           | ESTs   | 4.3  |
|     |        | L15702   | Hs.69771  | B-factor, properdin  | 9.3  |
|     |        | R79723   | Hs.69997  | zinc finger protein 238  | 30.4 |
|     |        | AA600057 |           | KIAA0905 protein   | 10.4 |
| 25  |        | AA256168 |           | ESTs   | 8.5  |
| 35  |        | H06195   | Hs.7194   | ESTs; Highly similar to CGI-59 protein (H  | 14   |
|     |        | AA156897 |           | DKFZP564I1922 protein  | 5    |
|     |        | X57579   | Hs.727    | Inhibin; beta A (activin A; activin AB alp   | 13.9 |
|     |        | AA491296 |           | ESTs   | 4.3  |
| 40  |        | N79516   | Hs.73287  | ESTs; Weakly similar to eyelid [D.melano   | 4.5  |
| 40  |        | AA255438 |           | Homo sapiens mRNA; cDNA DKFZp566   | 8    |
|     |        | T23983   | Hs.323966 | ESTs   | 5    |
|     | 133449 | AA094989 | Hs.7381   | voltage-dependent anion channel 3  | 8.7  |
|     | 133468 | X03068   | Hs.73931  | major histocompatibility complex; class II   | 5    |
|     | 133484 | X78710   | Hs.211581 | metal-regulatory transcription factor 1  | 5.3  |
| 45  | 133506 | AA316868 | Hs.74346  | ESTs; Wealdy similar to 140G11.h [D.me   | 6.8  |
|     | 133517 | X52947   | Hs.74471  | gap junction protein; alpha 1; 43kD (conn  | 5.7  |
|     | 133551 | D63480   | Hs.278634 | KIAA0146 protein   | 4.8  |
|     | 133569 | AA313977 |           | transcription elongation factor B (Sill); po   | 9.5  |
|     | 133572 | W94333   | Hs.279915 | translocase of inner mitochondrial membr   | 5    |
| 50  | 133577 | F03717   | Hs.75063  | human immunodeficiency virus type I enh  | 7.4  |
|     | 133589 | L37368   | Hs.75104  | RNA-binding protein S1; serine-rich dom  | 5    |
|     | 133608 | D13315   | Hs.75207  | glyoxalase I   | 4.2  |
|     | 133617 | AA148318 | Hs.75249  | KIAA0069 protein   | 4.5  |
|     | 133627 | U09587   | Hs.75280  | glycyl-tRNA synthetase   | 10   |
| 55  | 133633 | D21262   | Hs.75337  | nucleolar phosphoprotein p130  | 4.5  |
|     | 133634 | U24166   | Hs.234279 | microtubule-associated protein; RP/EB fa   | 15.2 |
|     |        | D83004   | Hs.75355  | ubiquitin-conjugating enzyme E2N (homo   | 9.1  |
|     |        | D89077   | Hs.75367  | Src-like-adapter   | 6.4  |
|     |        | AA479139 |           | acid phosphatase 1; soluble  | 4.8  |
| 60  |        | AA287383 | Hs.7540   | ESTs   | 4.2  |
|     |        | AA458946 |           | ESTs   | 4.3  |
|     |        | K01396   | Hs.297681 | protease inhibitor 1 (anti-elastase); alpha-   | 8.3  |
|     |        | N21648   | Hs.75659  | MpV17 transgene; murine homolog; glom  | 4.6  |
|     |        | Y00282   | Hs.75722  | ribophorin (I  | 7.5  |
| 65  |        | L27841   | Hs.75737  | pericentriolar material 1  | 9.4  |
| -50 |        | U49278   | Hs.75875  | ubiquitin-conjugating enzyme E2 variant  | 4.5  |
|     |        | D21255   | Hs.75929  | cadherin 11 (OB-cadherin; osteoblast)  | 6.4  |
|     | ,00.00 |          |           |  |      |

|         |        | W73693               | Hs.76038               | Isopentenyl-diphosphate delta Isomerase  | 7.9         |
|---------|--------|----------------------|------------------------|--|-------------|
|         | 133774 |                      | Hs.76067               | heat shock 27kD protein 1  | 4.1         |
|         | 133776 |                      | Hs.177766              | ADP-ribosyltransferase (NAD+; poly (AD   | 13<br>5.2   |
| _       |        | AA214305             |                        | ESTs   | 11.7        |
| 5       |        | M33882<br>AA453783   | Hs.76391               | myxovirus (influenza) resistance 1; homol<br>Homo saplens mRNA; cDNA DKFZp564  | 9.4         |
|         |        | AA453763<br>AA147510 |                        | serine protease; umbilical endothelium   | 4.8         |
|         |        | M59815               | Hs.170250              | complement component 4A  | 6.7         |
|         |        | U73477               | Hs.285013              | putative human HLA class II associated p                                       | 7.1         |
| 10      | 133845 |                      | Hs.76704               | ESTs   | 6.3         |
|         |        | U86782               | Hs.178761              | 26S proteasome-associated pad1 homolog   | 13.7        |
|         |        | D43948               | Hs.76989               | KIAA0097 gene product  | 4.1         |
|         | 133868 | U58090               | Hs.183874              | cuilin 4A  | 4           |
|         |        | AA454597             |                        | ESTs   | 4.7         |
| 15      |        | X01060               | Hs.77356               | transferrin receptor (p90; CD71)   | 8.3<br>5    |
|         |        | N32811               | Hs.77542               | ESTs   | 4.5         |
|         |        | W72783               | Hs.58382               | ESTs; Weakly similar to C13F10.5 [C.ele  | 6.3         |
|         |        | AA045870             |                        | Homo sapiens mRNA; cDNA DKFZp564 4-nitrophenylphosphatase domain and non       | 6.4         |
| 20      | 133963 |                      | Hs.173878<br>Hs.184693 | transcription elongation factor B (SIII); po                                   | 6.3         |
| 20      |        | D00760               | Hs.250811              | proteasome (prosome; macropaln) subunit  | 11.9        |
|         |        | C02374               | Hs.7822                | Homo sapiens mRNA; cDNA DKFZp564   | 8.2         |
|         |        | M28213               | Hs.78305               | RAB2; member RAS oncogene family   | 5.2         |
|         | 134030 |                      | Hs.78575               | prosaposin (variant Gaucher disease and v                                      | 4.6         |
| 25      |        | Z81326               | Hs.78589               | protease inhibitor 12 (neuroserpin)  | 6.5         |
|         |        | S82470               | Hs.78768               | BB1  | 11.9        |
|         | 134046 | D28473               | Hs.172801              | isoleucine-tRNA synthetase   | 5.2         |
|         |        | D87685               | Hs.78893               | KIAA0244 protein   | 7.3         |
| 20      |        | H98621               | Hs.78946               | cullin 3   | 4.7<br>7    |
| 30      |        | U51166               | Hs.173824              | thymine-DNA glycosylase  | 4.5         |
|         |        | M22382               | Hs.79037               | heat shock 60kD protein 1 (chaperonin)<br>ribosomal protein; mitochondrial; L3 | 9.4         |
|         |        | X06323<br>U41060     | Hs.79086<br>Hs.79136   | LIV-1 protein; estrogen regulated  | 4.4         |
|         |        | U32519               | Hs.220689              | Ras-GTPase-activating protein SH3-doma   | 6.6         |
| 35      |        |                      | Hs.181634              | Human Chromosome 16 BAC clone CIT9   | 8.6         |
| 33      |        | M63138               | Hs.79572               | cathepsin D (lysosomal aspartyl protease)                                      | 9.3         |
|         |        | U88871               | Hs.79993               | peroxisomal biogenesis factor 7  | 6.3         |
|         | 134258 | L28010               | Hs.808                 | heterogeneous nuclear ribonucleoprotein F                                      | 4.3         |
|         | 134288 | AA430008             | Hs.8117                | ESTs   | 6.9         |
| 40      |        | AA313414             |                        | Homo saplens clone 24856 mRNA sequen   | 7.4         |
|         |        | U16306               | Hs.81800               | chondroitin sulfate proteoglycan 2 (versic                                     | 6.1<br>8.6  |
|         |        | D38551               | Hs.81848               | RAD21 (S. pombe) homolog   | 6.1         |
|         |        |                      | Hs.111222              | ESTs; Weakly similar to CGI-128 protein  | 4.4         |
| 45      |        | R82074<br>L43575     | Hs.82109<br>Hs.82171   | syndecan 1<br>Human clone 191B7 placenta expressed m                           | 6.6         |
| 40      |        | M37033               | Hs.82212               | CD53 antigen   | 5.3         |
|         |        | X54199               | Hs.82285               | phosphoribosylglycinamide formyltransfe  | 4.8         |
|         |        | D62633               | Hs.8236                | ESTs   | 15.2        |
|         |        | AA412720             |                        | ESTs; Highly similar to CGI-118 protein  | 7.2         |
| 50      | 134376 | X02874               | Hs.82396               | 2';5'-oligoadenylate synthetase 1  | 6.4         |
|         | 134381 | U56637               | Hs.184270              | capping protein (actin filament) muscle Z-                                     | 4           |
|         |        | M15841               | Hs.82575               | small nuclear ribonucleoprotein polypepti                                      | 5.7         |
|         |        | L09717               | Hs.8262                | lysosomal-associated membrane protein 2  | 6.9         |
| <i></i> |        | H99801               | Hs.82689               | tumor rejection antigen (gp96) 1   | 4.5<br>11.2 |
| 55      |        |                      | Hs.211577              | kinectin 1 (kinesin receptor)  | 15.3        |
|         |        | J04177               | Hs.82772<br>Hs.82911   | collagen; type XI; alpha 1 protein tyrosine phosphatase type IVA; m            | 4.1         |
|         |        | AA329274<br>D87969   | Hs.82921               | solute carrier family 35 (CMP-sialic acid t                                    | 4.2         |
|         |        | L08044               | Hs.82961               | trefoil factor 3 (intestinal)  | 5.9         |
| 60      | 134421 | AA122386             | Hs.82985               | collagen; type V; alpha 2  | 5.8         |
| - 0     |        | W96151               | Hs.83006               | ESTs; Highly similar to CGI-139 protein  | 4.4         |
|         | 134438 | AA449984             |                        | ESTs; Highly similar to proteine kinase JN                                     | 7           |
|         |        | T25732               | Hs.83419               | KIAA0252 protein   | 4.6         |
|         |        | X70683               | Hs.83484               | SRY (sex determining region Y)-box 4   | 5.1         |
| 65      |        | X54942               | Hs.83758               | CDC28 protein kinase 2<br>Homo sapiens unknown mRNA                            | 20.3<br>5   |
|         |        | R38185               | Hs.83954<br>Hs.84087   | KIAA0143 protein   | อ<br>16.1   |
|         | 134495 | D63477               | 115.04007              | ואטיס איז איניאון איז איניאון איז איניאון איז איניאון                          | 10.1        |

|    | 10110  |                       |                      |  |             |
|----|--------|-----------------------|----------------------|--|-------------|
|    |        | 3 M63180<br>5 U45328  | Hs.84131<br>Hs.84285 | threonyl-tRNA synthetase   | 6.1         |
|    |        | H24460                | Hs.848               | ubiquitin-conjugating enzyme E2I (homol<br>FK506-binding protein 4 (59kD)          | 4.6<br>6.2  |
|    |        | U66615                | Hs.172280            | SWI/SNF related; matrix associated; actin  | 4.8         |
| 5  | -      | 2 AA234966            |                      | CGG triplet repeat binding protein 1   | 4.7         |
|    |        | R68884                | Hs.86347             | ESTs; Weakly similar to predicted using G  | 5.8         |
|    |        | X74496                | Hs.86978             | prolyl endopeptidase   | 4.5         |
|    |        | W23625                | Hs.8739              | ESTs; Weakly similar to ORF YGR200c [  | 13.7        |
| 10 |        |                       | Hs.123090            | ESTs   | 5.8         |
| 10 |        | AA250745<br>X04011    |                      | protein kinase; cAMP-dependent; catalyti   | 8.9         |
|    |        | U89922                | Hs.88974<br>Hs.890   | cylochrome b-245; beta polypeptide (chro   | 6.8         |
|    |        | W47183                | Hs.284226            | lymphotoxin beta (TNF superfamily; mem<br>ESTs; Weakly similar to neural F box pro | 35.7<br>8.1 |
|    |        | J05582                | Hs.89603             | mucin 1; transmembrane   | 6.2         |
| 15 |        | Z49099                | 'Hs.89718            | spermine synthase  | 4.2         |
|    | 134810 | M27394                | Hs.89751             | membrane-spanning 4-domains; subfamily   | 7           |
|    |        | U51477                | Hs.89981             | diacylglycerol kinase; zeta (104kD)  | 4.1         |
|    |        | H60595                | Hs.90061             | progesterone blinding protein  | 4.7         |
| 20 |        | D82348                | Hs.90280             | 5-aminoimidazole-4-carboxamide ribonuc   | 10.2        |
| 20 |        | U84011                | Hs.904               | amylo-1;6-glucosidase; 4-alpha-glucanotr   | 12.1        |
|    |        | Z39762<br>N27670      | Hs.90419<br>Hs.9071  | KIAA0882 protein   | 6           |
|    |        | N46086                | Hs.92308             | progesterone membrane binding protein<br>ESTs                                      | 5<br>4.1    |
|    |        | AA236324              |                      | Homo saplens mRNA; chromosome 1 spe  | 16.8        |
| 25 |        | H05625                | Hs.5831              | ESTs   | 4           |
|    |        |                       | Hs.301005            | purine-rich element binding protein B  | 4.4         |
|    | 135010 | D59675                | Hs.92927             | ESTs   | 7           |
|    |        | U54999                | Hs.278338            | LGN protein  | 4.8         |
| 20 |        | AA224180              |                      | ESTs; Moderately similar to 17-beta-hydr   | 13.6        |
| 30 |        |                       | Hs.173685            | Human DNA sequence from clone 30M3   | 4           |
|    |        | U77948<br>AA598449    | Hs.278589            | general transcription factor II; i   | 8           |
|    |        | L08069                | Hs.94                | Homo sapiens clone 24483 unknown mRN<br>heat shock protein; DNAJ-like 2            | 5.4<br>9.3  |
|    |        | AA495950              |                      | ESTs   | 9.3<br>6.7  |
| 35 |        | W52493                | Hs.94694             | Homo sapiens clone 24837 mRNA sequen   | 10.2        |
|    |        | AA044842              |                      | Homo sapiens mRNA; cDNA DKFZp586   | 6.6         |
|    | 135154 | AA126433              | Hs.267812            | sorting nextn 4  | 7.4         |
|    |        | D31157                | Hs.324277            | ESTs; Weakly similar to growth factor-res  | 6.2         |
| 40 |        | AA454930              |                      | ESTs   | 19.5        |
| 40 |        | AA215333              |                      | putative G protein-coupled receptor  | 8.8         |
|    |        | H20989<br>D83174      | Hs.198281            | pyruvate kinase; muscle  | 12.4        |
|    |        | AA480109              | Hs.9930              | collagen-binding protein 2 (colligen 2)  | 5.5         |
|    |        | U05237                | Hs.99872             | TYRO protein tyrosine kinase binding pro<br>fetal Alzheimer antigen                | 5.4<br>7.8  |
| 45 |        | M23263                | Hs.99915             | androgen receptor (dihydrotestosterone re  | 9.1         |
|    |        | L10333                | Hs.99947             | reticulon 1  | 5.3         |
|    | 300019 | M97935                |                      | AFFX control: STAT1  | 8.3         |
|    |        | M97935                |                      | AFFX control: STAT1  | 7           |
| 50 |        | M97935                |                      | AFFX control: STAT1  | 14          |
| 50 |        | AI199738              | Hs.208275            | ESTs; Weakly similar to IIII ALU CLASS   | 9.1         |
|    |        | AI694585<br>AW079607  | Hs.270464            | ESTs; Weakly similar to IIII ALU CLASS   | 7.4         |
|    |        | AW015860              |                      | ESTs; Weakly similar to ZnT-3 [H.sapien<br>ESTs                                    | 30.1        |
|    |        | AA699328              |                      | ESTs   | 11.9<br>5.5 |
| 55 |        | Al492179              |                      | ESTs; Weakly similar to cDNA EST yk40  | 11          |
|    | 300921 | AW293224              | Hs.232165            | ESTs   | 11          |
|    |        | T79326                | Hs.298262            | ESTs; Weakly similar to dJ88J8.1 [H.sapi   | 8.8         |
|    |        | N85789                | Hs.150186            | ESTs; Weakly similar to PTERIN-4-ALP   | 6           |
| 60 |        | A1682905              | Hs.270431            | ESTs; Weakly similar to till ALU SUBFA   | 4.7         |
| 60 |        | AA373124              |                      | ESTs; Weakly similar to C17G10.1 [C.ele  | 8           |
|    |        | AA526313              |                      | ESTs   | 4.2         |
|    |        | N99399                | Hs.143046            | EST cluster (not in UniGene) with exon h   | 18          |
|    |        | AA312082<br>NM_004694 |                      | GDNF family receptor alpha 1 EST cluster (not in UniConn) with even b              | 20.7        |
| 65 |        | AF013956              |                      | EST duster (not in UniGene) with exon h<br>chromobox homolog 4 (Drosophila Pc da   | 11.6<br>9.2 |
|    |        | NM_001992             |                      | EST cluster (not in UniGene) with exon h   | 4.3         |
|    |        | H05698                | Hs.222399            | ESTs; Weakly similar to protein-tyrosine   | 7.8         |
|    |        |                       |                      | · · · · · · · · · · · · · · · · · · ·  |             |

|           |  | TOTAL AND A STATE OF THE STATE | 16.1         |
|-----------|--|---|--------------|
|           | 302145 NM_003613Hs.151407<br>302236 AI128606 Hs.6557   | EST cluster (not in UniGene) with exon h zinc finger protein 161  | 15.1<br>25.8 |
|           | 302276 NM_004448Hs.323910                              | EST cluster (not in UniGene) with exon h  | 21.6         |
|           | 302290 AL117607 Hs.175563                              | Homo saplens mRNA; cDNA DKFZp564  | 41.4         |
| 5         | 302326 NM_004271Hs.184018                              | EST cluster (not in UniGene) with exon h  | 8.9          |
|           | 302342 AB023141 Hs.190386                              | KIAA0924 protein  | 5.4<br>8.9   |
|           | 302372 AL117406 Hs.200102<br>302422 AB021227 Hs.3743   | Homo sapiens mRNA; cDNA DKFZp434<br>matrix metalloproteinase 24 (membrane-in  | 5.2          |
|           | 302431 AF129530 Hs.226434                              | EST cluster (not in UniGene) with exon h  | 5.3          |
| 10        | 302501 AF022726 Hs.251446                              | EST cluster (not in UniGene) with exon h  | 9.9          |
|           | 302505 AL049650 Hs.247874                              | multiple UniGene matches  | 4.3          |
|           | 302533 L36149 Hs.248116                                | chemokine (C motif) XC receptor 1   | 4.9<br>5.3   |
|           | 302638 AA463798 Hs.102696<br>302656 AW293005 Hs.70704  | ESTs; Weakly similar to C11D2.4 [C.eleg<br>ESTs   | 8.4          |
| 15        | 302792 AA343696 Hs.46821                               | ESTs; Weakly similar to putative [H.sapie   | 4.5          |
|           | 302820 X04588 Hs.85844                                 | EST cluster (not in UniGene) with exon h  | 6.8          |
|           | 302838 U66049 Hs.82171                                 | EST cluster (not in UniGene) with exon h  | 8.4          |
|           | 302892 N58545 Hs.42346                                 | histone deacetylase 3   | 22.8<br>6.8  |
| 20        | 302977 AW263124 Hs.315111<br>302989 N46406 Hs.84700    | EST cluster (not in UniGene) with exon h EST cluster (not in UniGene) with exon h   | 8.9          |
| 20        | 302989 N46406 Hs.84700<br>303007 AA478876 Hs.317714    | pallid (mouse) homolog; pallidin  | 10.1         |
|           | 303052 AF140242 Hs.279926                              | EST cluster (not in UniGene) with exon h  | 24.4         |
|           | 303131 AW081061 Hs.103180                              | actin-like 6  | 6.3          |
| 0.5       | 303132 Al929819 Hs.4055                                | ESTs  | 17.7         |
| 25        | 303153 U09759 Hs.246857                                | mitogen-activated protein kinase 9  | 11.4<br>15.8 |
|           | 303387 AA908797 Hs.180799<br>303499 Al815990 Hs.293515 | ESTs<br>ESTs  | 7.2          |
|           | 303502 AA488528  | EST cluster (not in UniGene) with exon h  | 5.3          |
|           | 303576 T07216 Hs.301226                                | EST cluster (not in UniGene) with exon h  | 16.2         |
| 30        | 303620 AA397546 Hs.119151                              | ESTs  | 8.9          |
|           | 303634 Al953377 Hs.28444                               | ESTs; Weakly similar to predicted using G   | 12<br>4.2    |
|           | 303642 AW299459 Hs.111977<br>303654 AA436942 Hs.288529 | EST duster (not in UniGene) with exon h ESTs  | 8.4          |
|           | 303733 AW502498 Hs.15220                               | ESTs; Weakly similar to zinc finger prote   | 5.2          |
| 35        | 303780 Al424014 Hs.18995                               | ESTs; Moderately similar to KIAA0456 p  | 28.4         |
|           | 303792 C75094 Hs.199839                                | ESTs; Highly similar to NG22 [H.sapiens   | 4.4          |
|           | 303842 Al337304 Hs.126268                              | ESTs; Weakly similar to similar to PDZ d  | 8.1<br>7.5   |
|           | 303951 AW475081 Hs.172928                              | collagen; type I; alpha 1<br>EST singleton (not in UniGene) with exon   | 7.5<br>6.5   |
| 40        | 304465 AA421948<br>304507 AA456426                     | EST   | 5.4          |
| 70        | 304591 AA505702  | EST singleton (not in UniGene) with exon  | 9.8          |
|           | 304601 AA507875  | EST singleton (not in UniGene) with exon  | 7.5          |
|           | 304659 AA533185  | EST singleton (not in UniGene) with exon  | 7            |
| 4.5       | 305040 AA630582 Hs.169476                              | glyceraldehyde-3-phosphate dehydrogena  | 12.4<br>8.7  |
| 45        | 305134 AA653159 Hs.179661<br>305415 AA725116 Hs.78465  | EST singleton (not in UniGene) with exon<br>EST singleton (not in UniGene) with exon  | 5.3          |
|           | 305453 AA738110  | EST singleton (not in UniGene) with exon  | 4.1          |
|           | 305898 AA872838  | keratin 8   | 7.7          |
|           | 305913 AA876109  | EST singleton (not in UniGene) with exon  | 6.3          |
| 50        | 305950 AA884479  | EST singleton (not in UniGene) with exon  | 5.6<br>13.2  |
|           | 306004 AA889992 Hs.2186                                | EST singleton (not in UniGene) with exon  | 4.4          |
|           | 306009 AA894560 Hs.283370<br>306060 AA906161 Hs.76277  | EST singleton (not in UniGene) with exon<br>EST singleton (not in UniGene) with exon  | 4.6          |
|           | 306398 AA970548 Hs.297681                              | EST singleton (not in UniGene) with exon  | 7.6          |
| 55        | 306505 AA987722 Hs.172928                              | EST singleton (not in UniGene) with exon  | 19.7         |
|           | 306576 AA995761 Hs.276092                              | EST singleton (not in UniGene) with exon  | 5.5          |
|           | 307117 Al184111 Hs.76067                               | heat shock 27kD protein 1   | 7.7<br>8.8   |
|           | 307138 Al185516 Hs.172928<br>307187 Al190870 Hs.276417 | collagen; type I; alpha 1<br>EST singleton (not in UniGene) with exon   | 4.1          |
| 60        | 307542 Al280859 Hs.62954                               | EST singleton (not in UniGene) with exon  | 6            |
| <b>50</b> | 307554 Al281603 Hs.172928                              | EST singleton (not in UniGene) with exon  | 10.8         |
|           | 307806 Al351739 Hs.276726                              | EST singleton (not in UniGene) with exon  | 4.7          |
|           | 308079 AI472733 Hs.270208                              | ESTs  | 4.2<br>5.4   |
| 65        | 308307 Al581398 Hs.172928<br>308511 Al687580 Hs.169476 | collagen; type I; alpha 1<br>EST singleton (not in UniGene) with exon   | 5.4<br>10.1  |
| 65        | 308615 Al738593 Hs.101774                              | EST singleton (not in UniGene) with exon  | 15.1         |
|           | 308677 AI761173  | EST singleton (not in UniGene) with exon  | 4.6          |
|           |  |   |              |

## PCT/US02/02242

|            | 308852 | AI829848             | Hs.182937              | peplidylprolyl isomerase A (cyclophilin A  | 5.9         |
|------------|--------|----------------------|------------------------|--|-------------|
|            | 308974 | A1872290             | Hs.300697              | immunoglobulin gamma 3 (Gm marker)         | 4.5         |
|            |        | A1873242             |                        | EST singleton (not in UniGene) with exon   | 7.6         |
| _          | _      | AI880172             |                        | EST singleton (not in UniGene) with exon   | 6.6         |
| 5          |        | Al951118             |                        | EST singleton (not in UniGene) with exon   | 24.3        |
|            |        | AI952723             | Hs.90207               | EST singleton (not in UniGene) with exon   | 6.1         |
|            |        | Al955915             |                        | major histocompatibility complex; class 1; | 5.6         |
|            |        | AI969897             |                        | EST singleton (not in UniGene) with exon   | 6.2         |
| 10         |        | AI990102<br>AW170035 |                        | EST singleton (not in UniGene) with exon   | 7.9         |
| 10         |        | AW170035<br>AW191929 |                        | EST  | 64.5<br>5.3 |
|            |        | AW192764             |                        |  | 5.5<br>6.9  |
|            |        | AW194230             |                        | collagen; type I; alpha 1<br>EST           | 11.4        |
|            |        | AW238461             |                        | ribosomal protein; large; P0               | 4.3         |
| 15         |        | AW241170             |                        | Homo sapiens clone 24703 beta-tubulin m    | 11.9        |
| ••         |        | AI335004             |                        | ESTs                                       | 4.2         |
|            |        | AW450967             |                        | ESTs                                       | 5.7         |
|            |        | AW080778             |                        | ESTs                                       | 4.8         |
|            |        | AW022192             |                        | ESTs                                       | 39.1        |
| 20         | 310470 | Al281848             | Hs.194691              | ESTs                                       | 4.9         |
|            | 310583 | AW205632             | Hs.211198              | ESTs                                       | 7           |
|            | 310877 | T47784               | Hs.188955              | ESTs                                       | 4.1         |
|            | 311067 | Al587332             | Hs.209115              | ESTs                                       | 11.2        |
| 0.5        |        |                      | Hs.118599              | ESTs                                       | 24.1        |
| 25         |        | T57896               | Hs.191095              | EST cluster (not in UniGene)               | 5.7         |
|            |        | AI758660             | Hs.206132              | ESTs                                       | 15.7        |
|            |        |                      | Hs.271019              | ESTs                                       | 6.4         |
|            |        | AA700870             |                        | ESTs                                       | 6.2         |
| 30         |        | AI056769             | Hs.133512              | ESTs                                       | 5           |
| 30         |        | T60843               | Hs.189679              | ESTs                                       | 5.9         |
|            |        | AA216387             | Lia 400440             | EST cluster (not in UniGene)               | 5.5         |
|            |        | N51511<br>Al435650   | Hs.188449<br>Hs.128778 | ESTs ESTs                                  | 5.2         |
|            |        | AA588275             |                        | ESTs                                       | 4.3<br>14.7 |
| 35         | 312147 |                      | Hs.195648              | EST duster (not in UniGene)                | 9.8         |
| 55         |        | AA759250             |                        | cytochrome b-561                           | 27.1        |
|            | 312168 |                      | Hs.198882              | ESTs                                       | 4.2         |
|            |        |                      | Hs.191168              | ESTs                                       | 6.1         |
|            |        |                      | Hs.199993              | ESTs; Weakly similar to ubiquitous TPR     | 5.5         |
| 40         | 312292 | AW451893             | Hs.151124              | ESTs                                       | 18.4        |
|            | 312312 | AI080505             | Hs.134529              | ESTs ·                                     | 11.9        |
|            | 312369 | AA582039             |                        | Homo sapiens mRNA; chromosome 1 spe        | 4           |
|            |        |                      | Hs.153485              | ESTs                                       | 13.6        |
| 40         |        | AW139117             |                        | ESTs                                       | 4.1         |
| 45         |        | AW451347             |                        | ESTs                                       | 4.6         |
|            |        |                      | Hs.7753                | ESTs                                       | 15.3        |
|            |        | AA033609             |                        | ESTs                                       | 12.5        |
|            |        | A1498371             |                        | ESTs                                       | 14.6        |
| 50         | 312536 | AW439195             |                        | ESTs                                       | 5.3         |
| 50         | 312772 |                      | Hs.250383              | ESTs charter (not in UniCana)              | 8.4         |
|            |        | AA699325             | He 200000              | EST cluster (not in UniGene) ESTs          | 4.3         |
|            |        | AW292286             |                        | ESTs                                       | 8.3<br>7.1  |
|            |        | AA846353             |                        | ESTs                                       | 5.9         |
| 55         |        | AA828713             |                        | EST cluster (not in UniGene)               | 4.1         |
|            |        | AA088446             |                        | ESTs                                       | 7.3         |
|            |        |                      | Hs.163533              | ESTs                                       | 6.1         |
|            |        | AA732534             |                        | ESTs                                       | 4.2         |
|            |        | AA720887             |                        | EST duster (not in UniGene)                | 18.1        |
| 60         | 313136 |                      | Hs.288010              | ESTs                                       | 17          |
|            |        |                      | Hs.222487              | ESTs                                       | 12.9        |
|            | 313219 |                      | Hs.182099              | ESTs                                       | 7.1         |
|            | 313258 | AW068358             | Hs.183918              | ESTs                                       | 13.7        |
| <i>C</i> = |        | AW449211             |                        | ESTs                                       | 27.9        |
| 65         |        | AW292127             |                        | ESTs                                       | 9.8         |
|            |        | AA741151             |                        | ESTs                                       | 8.2         |
|            | 313455 | AW081702             | Hs.98571               | ESTs                                       | 6.9         |


|     | 242500 44004440 11-204677                              | ECT eluctor (not in UniCons)                      | 5.3         |
|-----|--|---|-------------|
|     | 313590 AA804410 Hs.291677                              | EST cluster (not in UniGene)                      | 7.6         |
|     | 313663 Al953261 Hs.169813<br>313667 U69201 Hs.13684    | ESTs<br>ESTs; Weakly similar to choline kinase is | 12.5        |
|     | 313667 U69201 Hs.13684<br>313749 AW450376 Hs.119004    | ESTs  | 5.5         |
| 5   | 313832 AW271022 Hs.133294                              | ESTs  | 4.3         |
| 5   | 313881 AA535580 Hs.16331                               | ESTs  | 7.7         |
|     | 313915 Al969390 Hs.163443                              | ESTs  | 27,1        |
|     | 313955 Al858884 Hs.270647                              | ESTs  | 5.7         |
|     | 313974 Al310151 Hs.173524                              | ESTs  | 4.3         |
| 10  | 314097 AA648744 Hs.269493                              | ESTs  | 14.5        |
| 10  | 314129 AA228366 Hs.115122                              | ESTs  | 9.5         |
|     | 314359 AA205569 Hs.194193                              | ESTs  | 5.4         |
|     | 314384 AA535840 Hs.162203                              | ESTs; Weakly similar to alternatively spli        | 5.3         |
|     | 314394 Al380563 Hs.130816                              | ESTs  | 13.2        |
| 15  | 314462 AA347951 Hs.326413                              | ESTs  | 6.2         |
|     | 314465 AA602917 Hs.156974                              | ESTs  | 18.1        |
|     | 314470 Al934422 Hs.30661                               | ESTs !  | 4.2         |
|     | 314488 AA358265 Hs.182890                              | ESTs  | 6.1         |
|     | 314506 AA833655 Hs.206868                              | ESTs  | 27.8        |
| 20  | 314510 Al204418 Hs.190080                              | ESTs  | 9.5         |
|     | 314558 Al873274 Hs.190721                              | ESTs  | 22.5        |
|     | 314661 AA436432 Hs.324239                              | EST cluster (not in UniGene)                      | 13.3        |
|     | 314691 AW207206 Hs.136319                              | ESTs  | 21.4        |
|     | 314754 AW026761 Hs.134374                              | ESTs  | 4.4         |
| 25  | 314775 AI149880 Hs.188809                              | ESTs  | 4.4         |
|     | 314943 Al476797 Hs.184572                              | cell division cycle 2; G1 to S and G2 to M        | 18.4        |
|     | 314961 AW008061 Hs.231994                              | ESTs  | 10.2        |
|     | 314963 Al689617 Hs.200934                              | ESTs  | 5.3         |
| ••  | 315006 Al538613 Hs.298241                              | ESTs  | 20.7        |
| 30  | 315010 AA531082 Hs.240049                              | ESTs  | 5           |
|     | 315019 AA532807 Hs.105822                              | ESTs  | 6.1<br>12   |
|     | 315033 Al493046 Hs.146133                              | ESTs  | 8.3         |
|     | 315036 AA534953 Hs.163297                              | ESTs  | 6.1         |
| 25  | 315037 AW205863 Hs.133988                              | ESTs; Weakly similar to gene MAC25 pr             | 12.7        |
| 35  | 315051 AW292425 Hs.163484                              | EST   | 7.6         |
|     | 315054 Al968598 Hs.78768                               | ESTs<br>ESTs                                      | 13.9        |
|     | 315073 AW452948 Hs.257631                              | ESTs  | 4.4         |
|     | 315080 AA744550 Hs.136345                              | ESTs  | 5.1         |
| 40  | 315083 Al221325 Hs.205442<br>315088 AA557351 Hs.152448 | ESTs; Moderately similar to MULTIFUN              | 4.7         |
| 40  | 315175 Al025842 Hs.152530                              | ESTs  | 11.9        |
|     | 315196 AA972756 Hs.44898                               | ESTs  | 28.8        |
|     | 315296 AA876905 Hs.125286                              | ESTs  | 16.1        |
|     | 315303 AW194364 Hs.128022                              | ESTs; Weakly similar to FIG-1 PROTEIN             | 25.7        |
| 45  | 315352 AA604799 Hs.136528                              | ESTs; Moderately similar to IIII ALU SU           | 12.3        |
| 73  | 315364 AA643602 Hs.155485                              | ESTs; Highly similar to serine protease [H        | 4.6         |
|     | 315368 AW291563 Hs.104696                              | ESTs  | 4.8         |
|     | 315390 Al801565 Hs.200113                              | ESTs; Wealdy similar to alternatively spli        | 4.4         |
|     | 315408 AW273261 Hs.216292                              | ESTs  | 5           |
| 50  | 315458 AA872000 Hs.116104                              | ESTs  | 7.6         |
| • • | 315472 AA828850 Hs.165469                              | ESTs  | 4.9         |
|     | 315478 AA665612 Hs.120874                              | ESTs  | 5.2         |
|     | 315498 AA628539 Hs.116252                              | ESTs; Moderately similar to IIII ALU SU           | 4.8         |
|     | 315527 Al791138 Hs.116768                              | ESTs  | 4.4         |
| 55  | 315530 Al200852 Hs.127780                              | ESTs ·  | 22.4        |
|     | 315562 AA737415 Hs.152826                              | ESTs  | 5.9         |
|     | 315634 AA837085 Hs.220585                              | ESTs  | 8.8         |
|     | 315647 AA648983 Hs.212911                              | ESTs  | 15          |
|     | 315652 Al521489 Hs.3053                                | ESTs  | 6.3         |
| 60  | 315676 AW002565 Hs.124660                              | ESTs  | 9.2         |
|     | 315680 AA814309 Hs.123583                              | ESTs  | 8.1<br>13.4 |
|     | 315735 Al831760 Hs.155111                              | ESTs  | 13.4<br>5.4 |
|     | 315741 AA812168 Hs.122559                              | ESTs  | 5.4<br>4.4  |
| C = | 315769 AA744875 Hs.189413                              | ESTs  | 4.4<br>10.4 |
| 65  | 315978 AA830893 Hs.119769                              | ESTs  | 5           |
|     | 315984 A1015862 Hs.131793                              | ESTs .  | 14.7        |
|     | 316042 AW297979 Hs.170698                              | roto .  | 17.7        |

|     | 316136 AA830808 Hs.124366                              | ESTs  | 4           |
|-----|--|---|-------------|
|     | 316177 Al908272 Hs.293102                              | EST cluster (not in UniGene)                | 32.6        |
|     | 316313 AA741300 Hs.202599                              | ESTs  | 4.8         |
| 5   | 316405 AA757900 Hs.270823                              | ESTs  | 4.8         |
| ,   | 316480 Al749921 Hs.205377<br>316564 Al743571 Hs.168799 | ESTs ESTs; Weakly similar to IIII ALU SUBFA | 12.9        |
|     | 316714 AA809792 Hs.123307                              | ESTs  | 8.1<br>5    |
|     | 316715 Al440266 Hs.170673                              | ESTs  | 4.2         |
|     | 316828 AA828116 Hs.173076                              | ESTs  | 5.2         |
| 10  | 316869 Al954880 Hs.134604                              | ESTs  | 13.3        |
| - • | 316905 AW138241 Hs.210846                              | ESTs  | 6.2         |
|     | 316943 AW014875 Hs.137007                              | ESTs  | 5.3         |
|     | 316949 AA856749 Hs.124620                              | ESTs  | 7.2         |
|     | 317008 AW051597 Hs.143707                              | ESTs  | 4.1         |
| 15  | 317028 AA962623 Hs.189144                              | ESTs; Weakly similar to RENAL SODIU         | 4.2         |
|     | 317067 Al805392 Hs.325335                              | ESTs  | 4.5         |
|     | 317069 Al732892 Hs.190489                              | ESTs  | 6.4         |
|     | 317210 AA490718  | EST duster (not in UniGene)                 | 4.4         |
|     | 317298 Al922374 Hs.158549                              | ESTs  | 5.9         |
| 20  | 317658 AW139077 Hs.202217                              | ESTs  | 4.6         |
|     | 317674 AW294909 Hs.132208                              | ESTs  | 5.2         |
|     | 317685 AI798630 Hs.149997                              | ESTs  | 4.3         |
|     | 317836 AA983913 Hs.128929                              | ESTs  | 12.4        |
| 25  | 317881 Al827248 Hs.224398                              | ESTs  | 12.1        |
| 25  | 317902 Al828602 Hs.211265                              | ESTs  | 8.8         |
|     | 317916 Al565071 Hs.159983                              | ESTs  | 12.6        |
|     | 318042 AW294522 Hs.149991                              | ESTs  | 5.6         |
|     | 318053 Al074465 Hs.133469<br>318064 AW296888 Hs.170939 | ESTs  | 4           |
| 30  | 318070 Al024594 Hs.248942                              | ESTs<br>ESTs                                | 5.2<br>4.7  |
| 50  | 318073 AW167087 Hs.131562                              | ESTs  | 15.7        |
|     | 318146 Al040125 Hs.150521                              | ESTs  | 5.9         |
|     | 318186 AW016773 Hs.3709                                | ESTs  | 5.3         |
|     | 318481 Al291584 Hs.145921                              | ESTs; Weakly similar to HYPOTHETICA         | 7.6         |
| 35  | 318566 Al335361 Hs.226376                              | ESTs  | 5.8         |
|     | 318617 AW247252 Hs.75514                               | nucleoside phosphorylase                    | 11.1        |
|     | 318662 Al285898 Hs.294014                              | ESTs  | 16.3        |
|     | 318691 AW192139 Hs.181307                              | H3 histone; family 3A                       | 4           |
|     | 318740 NM_002543Hs.77729                               | EST duster (not in UniGene)                 | 21.3        |
| 40  | 318744 AI793124 Hs.144479                              | ESTs  | 35          |
|     | 318948 AA317274 Hs.13996                               | ESTs  | 11.7        |
|     | 319163 F15257 Hs.27                                    | glycine dehydrogenase (decarboxylating;     | 7           |
|     | 319478 R06841 Hs.270307                                | EST duster (not in UniGene)                 | 8.9         |
| AE  | 319545 R83716 Hs.14355                                 | ESTs  | 8.2         |
| 45  | 319668 NM_002731Hs.87773                               | EST cluster (not in UniGene)                | 25.4        |
|     | 319763 AA460775 Hs.6295                                | ESTs  | 7           |
|     | 319913 AA179304 Hs.271586                              | ESTs; Moderately similar to IIII ALU SU     | - 8.7       |
|     | 319936 W22152 Hs.282929<br>319951 AA307665 Hs.14559    | EST cluster (not in UniGene)                | 5.6         |
| 50  | 319962 H06350 Hs.135056                                | ESTs  | 4.9         |
| 50  | 319977 AA632632  | ESTs EST cluster (not in UniGene)           | 9.2         |
|     | 320074 AA321166 Hs.278233                              | EST cluster (not in UniGene)                | 4.6<br>16.7 |
| •   | 320092 AF022799 Hs.113292                              | calpain 9 (nCL-4)                           | 5.4         |
|     | 320107 AA836461 Hs.291712                              | EST cluster (not in UniGene)                | 5.3         |
| 55  | 320133 D63271  | EST cluster (not in UniGene)                | 5.5         |
|     | 320167 AA984373 Hs.90790                               | EST cluster (not in UniGene)                | 15          |
|     | 320187 T99949 Hs.303428                                | EST cluster (not in UniGene)                | 6.7         |
|     | 320211 AL039402 Hs.125783                              | DEME-6 protein                              | 24.3        |
|     | 320401 U90449 Hs.152717                                | nucleoside diphosphate kinase type 6 (Inh   | 10          |
| 60  | 320458 Al884396 Hs.24131                               | ESTs  | 5.4         |
|     | 320488 R31386 Hs.191791                                | EST duster (not in UniGene)                 | 4.9         |
|     | 320521 N31464 Hs.24743                                 | ESTs  | 9.5         |
| 65  | 320661 AA864846 Hs.115175                              | EST duster (not in UniGene)                 | 6.6         |
|     | 320691 R61576 Hs.313951                                | hypothetical protein                        | 5.9         |
|     | 320699 R63161 Hs.118249                                | EST duster (not in UniGene)                 | 4           |
|     | 320727 U96044 Hs.181125                                | EST cluster (not in UniGene)                | 15.3        |
|     | 320993 AL050145 Hs.225986                              | Homo sapiens mRNA; cDNA DKFZp586            | 7.2         |

|     | 321012 | AA737314 | Hs.194324 | EST cluster (not in UniGene)               | 6.1  |
|-----|--------|----------|-----------|--|------|
|     | 321050 | AW393497 |           | EST cluster (not in UniGene)               | 5    |
|     | 321051 | AF134149 | Hs.240395 | EST cluster (not in UniGene)               | 11.4 |
| •   |        | AI769410 | Hs.221461 | ESTs                                       | 7.7  |
| 5   |        | AA295304 |           | ESTs; Weakly similar to neogenin [H.sap    | 5.5  |
| •   |        | AA078493 |           | EST cluster (not in UniGene)               | 16.9 |
|     |        | H68014   | Hs.141278 | ESTs; Weakly similar to IIII ALU SUBFA     | 4.2  |
|     |        | AW366305 |           | EST cluster (not in UniGene)               | 6.3  |
|     |        | AW392474 |           | ESTs; Moderately similar to IIII ALU SU    | 9    |
| 10  |        |          |           |  | 11.3 |
| 10  |        | N98619   | Hs.42915  | ARP2 (actin-related protein 2; yeast) hom  |      |
|     |        | H84762   | Hs.253197 | ESTS                                       | 10.4 |
|     |        | D28390   | Hs.272897 | EST cluster (not in UniGene)               | 19.9 |
|     |        | AW157424 |           | ESTs                                       | 5.6  |
|     |        | H67065   | Hs.271530 | ESTs; Weakly similar to III! ALU SUBFA     | 5.4  |
| 15  | 321953 | AW068268 | Hs.292833 | ESTs; Weakly similar to !!!! ALU CLASS     | 6.5  |
|     | 321978 | N77342   | Hs.21851  | EST cluster (not in UniGene)               | 10.2 |
|     | 322017 | AA310039 | Hs.9192   | ESTs                                       | 9.8  |
|     | 322026 | AA233527 | Hs.283675 | low density tipoprotein receptor (familial | 27.8 |
|     |        | AL137517 |           | EST cluster (not in UniGene)               | 40.2 |
| 20  |        | AF085968 |           | EST cluster (not in UniGene)               | 5.7  |
| 20  |        | AF085975 | 113.10111 | EST cluster (not in UniGene)               | 7.7  |
|     |        |          | He 10/222 |  | 14.4 |
|     |        | AL134970 |           | follistatin-like 1                         |      |
|     |        | W07459   | Hs.157601 | EST cluster (not in UniGene)               | 13.4 |
| 0.5 |        | AA086123 |           | EST cluster (not in UniGene)               | 7.6  |
| 25  |        | AA679082 |           | ESTs                                       | 4.4  |
|     | 322818 | AW043782 | Hs.293616 | EST\$                                      | 21   |
|     | 322882 | AW248508 | Hs.279727 | DiGeorge syndrome critical region gene 2   | 15.3 |
|     | 322975 | C16391   |           | EST cluster (not in UniGene)               | 21.3 |
|     |        | C18965   | Hs.159473 | ESTs                                       | 11.7 |
| 30  |        | AA580288 |           | EST cluster (not in UniGene)               | 8.9  |
| -   |        | AW014094 | Hs 210761 | ESTs                                       | 10.8 |
|     |        | Al301107 | Hs.150790 | ESTs                                       | 6.5  |
|     | -      | AL120351 |           | EST duster (not in UniGene)                | 5.5  |
|     |        |          |           |  | 17.9 |
| 25  |        | AL120862 |           | ESTs                                       |      |
| 35  |        | AI064982 | Hs.117950 | multifunctional polypeptide similar to SA  | 5.8  |
|     |        | AL049370 |           | Homo sapiens mRNA; cDNA DKFZp586           | 11.6 |
|     |        | AA203135 |           | ESTs                                       | 6.4  |
|     |        | W44372   | Hs.110771 | EST cluster (not in UniGene)               | 7.3  |
|     | 323244 | 170731   | Hs.193620 | EST cluster (not in UniGene)               | 15.8 |
| 40  | 323328 | AA228078 | Hs.255096 | EST duster (not in UniGene)                | 4.8  |
|     | 323332 | A1829520 | Hs.227513 | ESTs                                       | 20.2 |
|     | 323333 | AA228883 | Hs.208558 | EST duster (not in UniGene)                | 8.8  |
|     |        | AL038623 |           | ESTs; Weakly similar to IIII ALU SUBFA     | 5    |
|     |        | Al751438 | Hs.41271  | ESTs; Weakly similar to IIII ALU SUBFA     | 6.5  |
| 45  |        | AA344205 |           | EST cluster (not in UniGene)               | 7.1  |
| 1.5 |        | AA327102 |           | EST duster (not in UniGene)                | 6.1  |
|     |        | AA410943 | 110.70200 | EST cluster (not in UniGene)               | 16.8 |
|     |        |          | Hs.41127  |  | 10.1 |
|     |        | A1684674 |           | ESTs; Weakly similar to waclaw [D.melan    | 6.4  |
| 50  |        | AA570698 |           | ESTs                                       |      |
| 50  |        | AA844907 |           | EST cluster (not in UniGene)               | 8    |
|     |        | AA378201 |           | EST cluster (not in UniGene)               | 6.3  |
|     |        | AL044891 |           | EST duster (not in UniGene)                | 50.1 |
|     | 324302 | AA543008 | Hs.292471 | ESTs; Weakly similar to IIII ALU SUBFA     | 5.7  |
|     | 324338 | AL138357 | Hs.145078 | ESTs                                       | 9.5  |
| 55  | 324344 | AW502000 | Hs.46677  | EST duster (not in UniGene)                | 4.4  |
|     | 324432 | AA464510 | Hs.152812 | EST cluster (not in UniGene)               | 16.7 |
|     |        | AW501411 |           | ESTs; Weakly similar to IIII ALU CLASS     | 5.5  |
| 60  |        | AW152624 |           | ESTs                                       | 5.4  |
|     |        | AA502659 |           | ESTs                                       | 8.8  |
|     |        | AW016378 |           |  | 23.1 |
| UU  |        |          |           | ESTs EST cluster (not in UniGene)          | 21.2 |
|     |        | AA448021 |           | · · · · · · · · · · · · · · · · · · ·      |      |
|     |        | AI610425 | Hs.19597  | ESTs                                       | 5    |
| 65  |        | Al031771 | Hs.132586 | ESTs                                       | 5    |
|     |        | AA640770 |           | EST cluster (not in UniGene)               | 4.1  |
|     |        | Al826999 | Hs.224624 | ESTs                                       | 6.3  |
|     |        | AA704806 |           | ESTs                                       | 11.7 |
|     | 324902 | D31323   | Hs.271492 | ESTs                                       | 4.8  |
|     |        |          |           |  |      |

|    | 324961 AA613792                                      | EST cluster (not in UniGene)   | 13.3                                 |
|----|--|--|--------------------------------------|
|    | 324987 T06882 Hs.172634                              | ESTs   | 19.6                                 |
|    | 324988 T06997 Hs.121028                              | EST cluster (not in UniGene)   | 24.5                                 |
| 5  | 325146 Al064690 Hs.171176                            | ESTS   | . 4.6                                |
| ,  | 325622<br>326213                                     | CH.14_hs gi 5867000  | 5.2<br>. 8.1                         |
|    | 326474   | CH.17_hs gi 5867224<br>CH.19_hs gi 5867405                           | 8.1<br>12.7                          |
|    | 326816   | CH.20_hs gij6552458  | 9.4                                  |
|    | 326817   | CH.20_hs gi 6552458  | 11.7                                 |
| 10 | 327110   | CH.21_hs gi 6117842  | 14.7                                 |
|    | 327196   | CH.01_hs gij5867446  | 5.1                                  |
|    | 327283   | CH.01_hs gi 5867478  | 4.3                                  |
|    | 327313   | CH.01_hs gij5867501  | 4.8                                  |
| ٠. | 327450   | CH.02_hs gi 5867766  | 4.1                                  |
| 15 | 328059   | CH.06_hs gi 6117819  | 6.2                                  |
|    | 328304   | CH.07_hs gi 6004478  | 5.4                                  |
|    | 328492   | CH.07_hs gij5868455  | 7                                    |
|    | 328857   | CH.07_hs gi[6381927  | 5.2                                  |
| 20 | 329367   | CH.X_hs gi 5868842   | 7.6                                  |
| 20 | 329373<br>329655                                     | CH.X_hs gij6682537   | 12<br>4                              |
|    | 329899   | CH.14_p2 gi 6448516<br>CH 15_o2 gi 6563505                           | 4                                    |
|    | 329960   | CH.15_p2 gi 6563505<br>CH.16_p2 gi 5091594                           | 7.6                                  |
|    | 330084   | CH.19_p2 gi 6015302  | 4                                    |
| 25 | 330384 M23263  | androgen receptor (dihydrotestosterone re                            | 5.8                                  |
|    | 330385 AA449749                                      | ESTs; Highly similar to secreted apoptosi                            | 10.2                                 |
|    | 330387 H14624  | ESTs; Highly similar to secreted apoptosi                            | 4.4                                  |
|    | 330388 X03363  | HER2 receptor tyrosine kinase (c-erbB-2;                             | 17.7                                 |
|    | 330409 D50692 Hs.78221                               | c-myc binding protein  | 10.1                                 |
| 30 | 330460 TIGR:HT544                                    | Hs.73946   | Endothelial Cell Growth Factor 1 5.5 |
|    | 330486 M13755 Hs.833                                 | interferon-stimulated protein; 15 kDa                                | 67                                   |
|    | 330494 M29696 Hs.237868                              | interleukin 7 receptor   | 6                                    |
|    | 330500 M34423 Hs.79222                               | galactosidase; beta 1  | 13.1                                 |
| 35 | 330510 M75099 Hs.227729                              | FK506-binding protein 2 (13kD)                                       | 29                                   |
| 22 | 330513 M81057 Hs.180884                              | carboxypeptidase B1 (tissue)   | 38.5                                 |
|    | 330541 U22970 Hs.265827<br>330542 U23942 Hs.226213   | multiple UniGene matches<br>cytochrome P450; 51 (lanosterol 14-alpha | 7.4<br>15                            |
|    | 330547 U32989 Hs.183671                              | typlophan 2;3-dioxygenase  | 11                                   |
|    | 330551 U39840 Hs.299867                              | hepatocyte nuclear factor 3; alpha                                   | 6.5                                  |
| 40 | 330562 U49082 Hs.76460                               | transporter protein  | 7.7                                  |
|    | 330573 U62800 Hs.83393                               | cystatin E/M   | 4                                    |
|    | 330673 D57823 Hs.321403                              | Sec23 (S. cerevisiae) homolog A                                      | 10.5                                 |
|    | 330711 AA164687 Hs.177576                            | mannosyl (alpha-1;3-)-glycoprotein beta-1                            | 24.3                                 |
|    | 330814 AA015730 Hs.265398                            | ESTs; Weakly similar to transformation-r                             | 44.1                                 |
| 45 | 330850 AA075298 Hs.322710                            | ESTs   | 4.4                                  |
|    | 330874 AA127474 Hs.191157                            | ESTs; Weakly similar to IIII ALU SUBFA                               | 8.1                                  |
|    | 330884 AA133457 Hs.102548                            | ESTs -   | 5.2                                  |
|    | 330912 AA195936 Hs.82719                             | general transcription factor IIA; 1 (37kD a                          | 5                                    |
| 50 | 330924 AA232136 Hs.159737                            | Homo sapiens mRNA; cDNA DKFZp434                                     | 9.1                                  |
| 20 | 330997 H55762 Hs.9302                                | ESTs   | 7.6                                  |
|    | 331014 H98597 Hs.30340<br>331024 N32919 Hs.27931     | ESTs<br>ESTs   | 13.5                                 |
|    | 331024 N32919 Hs.27931<br>331046 N66563 Hs.191358    | ESTs   | 9.1<br>10.5                          |
|    | 331135 R61398 Hs.4197                                | ESTs   | 7.4                                  |
| 55 | 331145 R72427 Hs.129873                              | ESTs; Weakly similar to CYTOCHROME                                   | 41.9                                 |
|    | 331148 R73816 Hs.17385                               | ESTs   | 4.7                                  |
|    | 331222 T98531 Hs.173904                              | ESTs   | 4.1                                  |
|    | 331230 W69807 Hs.16537                               | hypothetical protein; similar to (U06944)                            | 4.9                                  |
|    | 331306 AA252079 Hs.63931                             | dachshund (Drosophila) hornolog                                      | 15.1                                 |
| 60 | 331327 AA281076 Hs.109221                            | ESTs   | 4.8                                  |
|    | 331337 AA287662 Hs.50495                             | ESTs   | 7.6                                  |
|    | 331341 AA303125 Hs.23240                             | ESTs; Weakly similar to IIII ALU SUBFA                               | 13                                   |
|    | 331344 AA357927 Hs.126550                            | ESTs   | 12.4                                 |
| 65 | 331362 AA417956 Hs.40782                             | ESTs   | 6.5                                  |
| UJ | 331363 AA421562 Hs.91011<br>331376 AA443802 Hs.41007 | anterior gradient 2 (Xenepus laevis) homo                            | 28.2                                 |
|    | 331384 AA456001 Hs.93847                             | ESTs; Weakly similar to cDNA EST yk47<br>ESTs                        | 15.1<br>7.9                          |
|    | 191001 PATOURI (13:3304)                             | COTO   | t.3                                  |

PCT/US02/02242



|            | 333796             | CH22_FGENES.275_3  | 6.8         |
|------------|--------------------|--|-------------|
|            | 333892             | CH22_FGENES.292_14   | 4.4         |
|            | 333904             | CH22_FGENES.294_2  | 6.5         |
| _          | 333905             | CH22_FGENES.294_3  | 9.3         |
| 5          | 333921             | CH22_FGENES.296_12   | 9.6         |
|            | 333968             | CH22_FGENES.307_4  | 15.9        |
|            | 334102             | CH22_FGENES.327_60   | 7.1         |
|            | 334222             | CH22_FGENES.360_3  | 6.7         |
| 10         | 334223             | CH22_FGENES.360_4  | 33.5        |
| 10         | 334264             | CH22_FGENES.367_15   | 18.5        |
|            | 334343             | CH22_FGENES.375_25   | 6.1         |
|            | 334360<br>334784   | CH22_FGENES.378_5  | 6.1         |
|            | 334789             | CH22_FGENES.432_9<br>CH22_FGENES.432_14                          | 4.8         |
| 15         | 334794             | CH22_FGENES.432_14<br>CH22_FGENES.434_2                          | 5.1<br>7    |
| 13         | 334889             | CH22_FGENES.452_3  | 12.4        |
|            | 335004             | CH22_FGENES.472_8  | 7.9         |
|            | 335115             | CH22_FGENES.496_2  | 18.8        |
|            | 335287             | CH22_FGENES.526_11   | 4.5         |
| 20         | 335342             | CH22_FGENES.536_1  | 5.3         |
|            | 335491             | CH22_FGENES.570_23   | 24          |
|            | 335495             | CH22_FGENES.570_28   | 7           |
|            | 335498             | CH22_FGENES.571_7  | 12.2        |
|            | 335544             | CH22_FGENES.576_5  | 8.4         |
| 25         | 335610             | CH22_FGENES.583_4  | 12.9        |
|            | 335653             | CH22_FGENES.590_4  | 6.7         |
|            | 335682             | CH22_FGENES.595_2  | 12.1        |
|            | 335687             | CH22_FGENES.596_2  | 13.9        |
|            | 335755             | CH22_FGENES.604_4  | 11.5        |
| 30         | 335782             | CH22_FGENES.609_4  | 17.9        |
|            | 335791             | CH22_FGENES.611_7  | 27.3        |
|            | 335809             | CH22_FGENES.617_6  | 19.2        |
|            | 335822             | CH22_FGENES.619_7  | 19.1        |
| 25         | 335823             | CH22_FGENES.619_8  | 4.5         |
| 35         | 335824             | CH22_FGENES.619_11   | 40.2        |
|            | 335825             | CH22_FGENES.619_12   | 34.3        |
|            | 335895             | CH22_FGENES.635_3  | 10.2        |
|            | 335917 .<br>335920 | CH22_FGENES.636_13<br>CH22_FGENES.636_16                         | 6<br>8.8    |
| 40         | 336035             | CH22_FGENES.678_6  | 5.9         |
| -          | 336042             | CH22_FGENES.679_4  | 5.8         |
| ·          | 336093             | CH22_FGENES.691_2  | 11.6        |
|            | 336096             | CH22_FGENES.691_5  | 7.6         |
|            | 336150             | CH22_FGENES.706_6  | 6.3         |
| 45         | 336152             | CH22_FGENES.706_9  | 10.5        |
| •          | 336416             | CH22_FGENES.823_38   | 5           |
|            | 336444             | CH22_FGENES.827_10   | 4.8         |
|            | 336449             | CH22_FGENES.829_6  | 13.6        |
|            | 336471             | CH22_FGENES.829_30   | 6.9         |
| 50         | 336512             | CH22_FGENES.834_7  | 21.4        |
|            | 336558             | CH22_FGENES.842_3  | 8.2         |
|            | 336560             | CH22_FGENES.842_5  | 9           |
|            | 336676             | CH22_FGENES.43-4   | 9.4         |
| <i>e e</i> | 336959             | CH22_FGENES.367-13   | 19          |
| 55         | 337968             | CH22_EM:AC005500.GENSCAN.103-2                                   | 13.4        |
|            | 338008             | CH22_EM:AC005500.GENSCAN.127-9                                   | 15.2        |
|            | 338057             | CH22_EM:AC005500.GENSCAN.160-1                                   | 13.9        |
|            | 338410<br>338451   | CH22_EM:AC005500.GENSCAN.341-6<br>CH22_EM:AC005500.GENSCAN.359-3 | 8           |
| 60         | 338588             | CH22_EM:AC005500.GENSCAN.359-3<br>CH22_EM:AC005500.GENSCAN.432-1 | 11.6        |
| UU         | 338665             | CH22_EM:AC005500.GENSCAN.452-1<br>CH22_EM:AC005500.GENSCAN.464-2 | 10.3<br>4.8 |
|            | 338689             | CH22_EM:AC005500.GENSCAN.475-3                                   | 6.7         |
|            | 338832             | CH22_DJ246D7.GENSCAN.6-9   | 4.8         |
|            | 338980             | CH22_DA59H18.GENSCAN.2-4   | 5.1         |
| 65         | 339352             | CH22 BA354I12.GENSCAN.29-7                                       | 6.9         |
|            | 339373             | CH22_BA232E17.GENSCAN.1-29                                       | 4.3         |
|            |                    | _  |             |

# TABLE 13A

Table 13 A shows the accession numbers for those pkeys lacking unigeneID's for Table 13. For each probeset, we have listed the gene cluster number from which the oligonucleotides were designed. Gene clusters were compiled using sequences derived from Genbank ESTs and mRNAs. These sequences were clustered based on sequence similarity using Clustering and Alignment Tools (DoubleTwist, Oakland California). The Genbank accession numbers for sequences comprising each cluster are listed in the "Accession" column.

10

15

5

Pkey: Unique Eos probeset identifier number
CAT number: Gene cluster number
Accession: Genbank accession numbers

Pkev CAT number Accession

|    | Pkey                       | CAT number  | Accession   |
|----|----------------------------|---|---|
| 20 | 103207<br>103349<br>110856 | 371681_1<br>30635_4<br>110522<br>19346_14                               | AA602964 AA609200<br>X72790<br>X89059<br>AA992380 N33063 N21418 H79958 R21911 H79957  |
| 25 |                            | 328626_1<br>44573_2   | T63857 AW971220 AA493469 T63699 AJ50087 N70208 R97040 N36809 AI308119 AW967677 N35320 AI251473 H59397 AW971573 R97278 W01059 AW967671 AA908598 AA251875 AI820501 AI820532 W87891 T85904 U71456 T82391 BE328571 T75102 R34725 AA884922 BE328517 AI219788 AA884444 N92578 F13493 AA927794 AI560251 AW874068 AL134043 AW235363 AA663345 AW008282 AA488964 AA283144 AI890387 AI950344 AI741346 AI689062 AA282915 AW102898 AI872193 AI763273 AW173586 AW150329 AI653832  |
| 30 |                            |   | AI762688 AA988777 AA488892 AI356394 AW103813 AI539642 AA642789 AA856975 AW505512 AI961530 AW629970 BE612881 AW276997 AW513601 AW512843 AA044209 AW856538 AA180009 AA337499 AW961101 AA251669 AA251874 AI819225 AW205862 AI683338 AI858509 AW276905 AI633006 AA972584 AA908741 AW072629 AW513996 AA293273 AA969759 N75628 N22388 H84729 H60052 T92487 AI022058 AA780419 AA551005 W80701 AW613456 AI373032 AI564269 F00531 H83488 W37181 W78802 R66056 AI002839 R67840 AA300207 AW959581 T63226 F04005  |
| 35 | 116480<br>132225<br>125154 | genbank_AA6<br>genbank_C14<br>genbank_AA1<br>genbank_W36<br>genbank_N66 | 088 C14088<br>28980 AA128980 ,<br>3419 W38419   |
| 40 |                            | 25180_2   | M21191 AL035748 AA021266 AA323126 AA180515 AI613029 D28356 NM_000034 M11560 AW401425 AW248248 AA012956 AA323294 W04965 H38759 AA206622 AA580747 AI541172 AA381075 AA354229 AW402353 AW406575 AW404021 AW406207 AA075752 AW176066 AA287222 AA195818 T20243 R87945 AA295539 AA402533 AA232419 AA224515 AW401583 AA331367 AW402140 AW249079 R31488 AA0757575 X05236 AW239490 AA338036 AW239495 AA357262 AA431005 AA306726 R33804 AA216544 AW275288 AA227044 AL038124 AA245300 C03242 AA316615 AL035840 R64336 AA313917 AA018963 AA001385 AA054395 H30840 AW498825 AA086141 AI557324 AA121576 H39128 R77161 AA019688 AA380987 AA348140 AA348257 |
| 45 |                            |   | AW176086 AA362432 AA171389 AA362416 AA299938 AA319093 AA337872 C04921 AA345698 R8960 AA085425 AA461708 AA313637 AL039229 H84490 H86153 F00656 AA326668 AA347304 R65890 H41949 AA339309 AW402002 AW404854 AA192582 AA112802 H09248 N83165 H38367 AA356339 AA455763 R66853 AA294935 H85911 AA310414 H93436 N87014 AA001186 H83640 AA411328 AA317929 C04192 AW406288 U46335 AA323179 AA427649 AJ366131 H14328 AA197161 AA374947 AA311816 AA017206 AA001137 AA017420 AA012990 AW163775 AA021397 AA295513 AA355248 AA374921  |
| 50 |                            |   | AW380419 AA345864 AA318058 AA371711 AA363255 AA057094 R88057 AA394045 AW362741 AA479579 AW362789 AW362779 AW362775 AA223624 AW3622699 AW362746 AW362753 AW380412 AA057104 AA295271 X06352 AW362771 X12447 R59553 R87925 AA292864 R83920 F01120 AA496740 AA852551 AL039209 AA093339 AA333961 N86416 C03325 C03831 AA194750 AA359270 AA359460 AW245492 AA339400 AA330784 AI908970 N89223 AW361938 AI940063 AA134223 AA371741 F01267 AW372970 AA341973 AA346798 AW372969 AA337549 AA337549 AA377342 H93855 AB74079 F29118 AA852940 F35696 AA345963   |
| 55 |                            |   | AA079578 AA113785 C02989 AA095945 C03145 C05199 AA346024 AA190506 AW361659 Al909845 AW374374 AW374382 AW374401 AW374373 AW374370 Al909831 AW374367 AA353658 F01041 C02843 AA375948 AW374414 AA213946 Al525039 H13744 R31007 AA112044 AA134404 H47935 AW177018 AA429768 AA336873 AA112875 H46393 AA191267 D59131 AW406037 AA055244 AA341880 AA179024 AA308537 AW406985 AW327311 H30301 AA300705 H43788 AW364149 AA806213 AA481936 C04941 AW375299 W21190 AA410818 AA250940 Al354547 AA317422 AA250903 Al865497 AA890603  |
| 60 |                            |   | AA366197 AW498538 M78072 AW406461 C03092 F00308 H56488 AA336320 AW406501 AA354102 AA382942 AA096393 AW376830 AA383446 F01259 AW081388 T94036 AA379643 H43842 AI524063 AA621727 AA379099 AA371417 R66811 H44129 N84794 F01135 AA477852 AA293062 AW361595 H27194 AI831650 H43253 H24797 AI564680 AA380090 W20057 AI921586 AI192549 AW090808 H25967 AA918121 AI626060 H20221 AA812572 H42178 AA887222 H96000 C03180 F00946   |

C03986 Al318091 Al860172 AA582179 Al633388 AA557193 R68075 F24105 AW518239 W56622 Al625219 Al925243 AW468046 AI921828 AA339164 AI144391 AA643334 AA459631 AA873247 AW373432 AA604384 H27600 AI680458 AA159956 AA610836 AA364298 AW373435 AA604225 W73754 AW087924 AA599776 N89227 AI630871 AI633128 AW514329 AA010455 AA563928 AI571596 Al128394 W73707 AH23575 AA583809 AA657988 AI950837 AA169782 AA600009 AI885540 AA771884 5 AI978829 AA505408 AA533937 AA481469 AA610869 AA776241 AW273870 AW07099 AI905695 AA480115 AA574051 AI889185 AA773167 AA331375 AA001437 AA194324 AA194300 AA558632 AI038538 AA411329 AA781570 AI833176 AA935520 AW074197 AA583063 AW073099 AW001198 AA948025 AA587857 AA191540 AI460085 AA193244 AI538037 AA935520 AW074197 AA53063 AW073099 AW001198 AA948025 AA567857 AA191540 AH60085 AA193244 AH538037
AA515572 AA758587 AH149311 AA508610 AA206409 AA534004 AA994600 AA827543 AH916349 AW245129 AW517804 D25663
AA781985 AA284536 AH819422 H16040 H27531 AA456564 AA845555 AH423596 AA012908 AA889439 AA716311 AA968868
AA320508 AA726731 AA834202 AA935997 AA724815 AA769353 AA594803 F00827 AH342442 AH003519 AH002503 AH347597
AH040946 AA197162 AA987883 AA292865 AW001944 AH640711 AW244044 AA455784 F30588 AA290829 H24754 AH978683
AA483686 AA583939 AA121382 AA833831 AA477102 AA977322 AA666379 F35456 AA993537 AT749610 AA226934 AA716204
AW513025 AA628543 AA583705 F25702 AH388748 AH24097 AH880086 AA477513 AH758834 AH690753 AA477746 F37761
AA642243 AA159957 AA250844 AA459406 AA427566 F25054 AH569314 AA961665 AH922050 AH759000 AA555236 AA514432
AA293474 AA001129 AA826789 AA641390 AA134405 F35585 AA477416 AW193359 AH361315 AA284988 F36340 AH361322
F26969 AA991922 AA021267 F26973 AH361314 F33591 AH918509 AA250964 AA190992 AAA77139 AA865535 AA134324
AW192842 AH224046 F18975 AA779626 AA856894 AW269997 AW014614 H95554 F31378 AA374868 F26343 AA654007
AH830942 AA113195 F26432 W56652 AA64690 AA055263 AA340654 AA031448 AA976399 AA972526 AA054148 AA857063 AA017259
AA179789 AA088908 H43704 AA194320 F35950 AH880127 F20441 F32878 AA962483 H39094 H56489 H44621 F19390
AH302232 F25162 AA826965 AA086052 AA917410 AA454513 R59554 AA196755 AA086369 AA079530 H28106 AA243301
AH025737 AA101239 AA088887 AH214910 AA974886 F16089 F26054 AA515092 F33436 F33829 M78061 AA235645 F19715
F37529 AH811549 AA665180 AA708200 F01124 F32382 AA346220 AA627361 F30741 F30010 F28543 AA211715 F20245
AA331222 F25634 F21996 W28215 F21911 R65793 AH192566 H20130 H84491 AA719223 AA557435 F16967 F26989 F30353
AA857159 AA291918 F28234 F20840 F25176 F22437 T27904 AA489355 F19528 R87926 H14286 F27532 AW337864 F28411 10 15 20 25 AA857159 AA291918 F28234 F20840 F25176 F22437 T27904 AA480355 F19528 R87926 H14286 F27532 AW337864 F28411 H13692 F25651 AA975454 F24229 F29657 F18024 AA464779 F17588 F34954 AA947328 F18063 AA657777 AA459644 N91455 F27850 F29608 F27206 F18418 F31459 F18564 F33496 F16376 F29740 F29843 F29904 F29866 F19135 AW276602 T40337 F24835 F34672 F26474 AI926215 AA464185 F18217 N26193 AL043256 T41197 F33055 F00386 F29500 F34191 F33297 Al937207 F22724 F15909 F26232 F18889 AA318627 F29085 AA872104 F17509 F23373 F15660 F17552 F17412 F16863 30 F34033 F21515 F17364 F18383 F16546 F17561 F17260 AA292000 F15723 T47438 F16798 F18046 F18319 F17978 F17566 F34230 F33258 F20860 F17998 Al695701 118600 genbank\_N69222 N69222 N92966 118952 genbank\_N92966 120873 genbank\_AA358015 AA358015 35 113702 genbank\_T97307 T97307 Z14221 AW381862 M97920 AW401444 Z66542 M29470 AW406502 X61011 M34024 AA327072 Z14166 Z14167 Z14165 129982 221 267 AW403806 Z14200 AA383972 Z14205 Z14201 M18513 Z14202 AW403684 X14584 AF062221 U43760 X65892 X65883 X62107 Z80847 X65885 X65893 AF062142 X65891 X17675 Z47274 Z47277 Z47276 X65888 Z47275 X62109 AF062140 L01278 AF062134 AF062139 X81723 Z80840 X81733 X81743 X81744 X81732 Z80843 AW402942 AW403516 X65919 AF062190 40 AF062177 AF062222 AF062115 Z47240 AF062263 AF062261 AF062223 AF062211 Z47238 AW401714 AW404008 AW404991 AF062280 M99595 Z47214 Z47232 Z47218 M26995 AF062184 X65895 L38433 X81731 Z11946 Z47226 AF062205 AF174012 L01276 AF062168 AF062136 X81755 X81748 AF174019 AF062285 L06924 L11699 AW402665 L09070 L28049 L08090 AW407843 Z14171 AW402944 L08083 AW405627 L33035 L26907 M17750 L28052 M17751 AJ239360 U19885 L14821 X56526 AB014341 L12087 L12098 U68231 L12184 AF062242 AF022000 U64499 U00570 Al268604 Y15773 X64239 X62969 U00506 45 X73605 X99360 U00577 D83677 AB021539 AF035796 Z33899 U00588 AJ239353 AF174062 Z33901 X98899 AF174058 X63080 D83676 AB021529 Z18318 U00488 L01412 X81746 U21262 U21272 U00560 AF174060 U00547 U00561 Z18321 S73957 M26435 AF115130 AF115117 Z92896 U21254 Z92895 AF115112 AF062290 T28938 Y09386 AF174067 U27189 Y09384 U77373 AF174057 M17749 X69692 AF174038 U64478 U64486 AF174098 X99365 AF174077 AF174083 AF174089 AF015133 AF127792 AJ006171 U00510 U58144 AF004323 AF115109 AF004324 AF015130 AF090414 AF090418 AB021536 AB021519 50 Z96957 AF021986 Z92898 Z96956 L34164 AF062251 AF052524 U00549 U00541 D83687 AF052522 AF087420 AF052520 AF022011 L43085 U00536 L19915 L43083 AF090420 AB021530 AB021534 Z96955 Z96954 Z33903 X62964 AF103282 U00509 AF062298 AF062289 AF062307 AW408326 L33037 L04337 L04328 X81742 L04336 L03385 AF032360 S56184 AF062191 AF191092 A1906954 AF103184 L04343 AW364860 AF001424 AF103163 Z98717 AF103143 AJ008250 L04323 AF103321 AF103332 AF1033321 AF103333 L04342 L03818 L03817 AW404978 AW403690 U66801 AF103150 AJ010334 AF035027 AJ007327 AF103115 AF017458 AJ008207 AJ008183 AJ008196 AJ008241 AJ008208 AF103210 AF068668 AF068670 AF068671 AF068664 AF068669 AF068666 AF068665 AF068672 AW371244 AW403670 AW408074 AW404575 AW362153 AW403803 AW406702 AW351514 D78345 T29140 J00231 NM\_002179 AW405146 AA301091 X04648 H64660 AW402990 AW406534 T93007 55 A1857980 AW368899 A1905833 AW406586 AA482084 A1872299 AA715266 AW404328 A1831674 A1709348 AA603112 AW514864 AA485775 H64492 AW404789 AA487630 AA715498 AA295885 T27613 T98113 60 115763 genbank\_AA421560 AA421560 124357 genbank\_N22401 N22401 108733 504187\_1 AA121022 AA126422 101544 entrez\_M31169 M31169 124447 genbank\_N48000 N48000 65 124677 genbank\_R01073 R01073 124777 genbank R41933 R41933 119302 genbank\_T25725 T25725

PCT/US02/02242 WO 02/059377

```
103680 entrez_Z93784Z93784
                135029 H58818_at H58818
                112253 genbank_R51818
                                                                             R51818
                Pkey
                              CAT number Accession
                322175 46877_1
                                                         AF085975 H53458 H53459
                323011 139750_1
                                                         AA580288 AA315655 AA133031 AA377748
               322975 1510563_1
317210 211994_1
                                                         C16391 C16413
                                                         AW881145 AA490718 M85637 AA304575 T06067 AA331991
                                                         AA410943 AW948953 AA334202 AA332882
                323817 233566_1
                309583 1046029_-2
                                                         AW170035
10
                324961 376239_1
                                                         AA613792 AW182329 T05304 AW858385
                303502 325188_1
                                                         BE174240 AA488528 AL042253
                320133 447553_1
                                                         BE151746 BE336853 D63271 T94955 AA774994
                311935 174129_1
                                                         AA216387 T63548 AA228676
15
                321050 502195_1
                                                         C05928 AW393497
                319977 345248_1
                                                         AA534222 AA632632 T81234
                                                         AW962299 AA310349 AW962294 H63791 H63751
                312772 4380_7
               3121354 116028_2 AA078493
336512 CH22_3941FG_834_7_LINK_DJ
336558 CH22_3992FG_842_3_LINK_DJ
336560 CH22_3994FG_842_5_LINK_DJ
20
                329367 c_x_hs
               329373 c_x_hs
336676 CH22_4154FG_43_4_
338008 CH22_6490FG_LINK_EM:AC00
338057 CH22_6558FG_LINK_EM:AC00
25
                329655 c14_p2
                336959 CH22_4764FG_367_13_
329899 c15_p2
               329990 c15_p2
338410 CH22_7067FG_LINK_EM:AC00
338451 CH22_7124FG_LINK_EM:AC00
338586 CH22_7331FG_LINK_EM:AC00
338665 CH22_7438FG_LINK_EM:AC00
338669 CH22_7464FG_LINK_EM:AC00
308677 AI761173
338832 CH22_7678FG_LINK_DI246D7
30
35
                338832 CH22_7678FG_LINK_DJ246D7
338980 CH22_7859FG_LINK_DA59H18
333009 CH22_233FG_61_1_LINK_EM:A
333010 CH22_234FG_61_2_LINK_EM:A
333013 CH22_237FG_61_5_LINK_EM:A
40
                 308981 Al873242
                 308995 Al880172
                308995 AI8801/2

333108 CH22_336FG_79_14_LINK_EM:

333139 CH22_368FG_83_16_LINK_EM:

333254 CH22_495FG_118_2_LINK_EM:

333305 CH22_550FG_137_2_LINK_EM:

333343 CH22_589FG_139_12_LINK_EM:

333388 CH22_634FG_144_3_LINK_EM:
45
                333586 CH22_93FG_144_5_LINC_EW.
326213 c17_hs
333456 CH22_706FG_157_5_LINK_EM:
333459 CH22_709FG_157_8_LINK_EM:
333517 CH22_773FG_173_2_LINK_EM:
333685 CH22_846FG_203_4_LINK_EM:
333697 CH22_941FG_247_6_LINK_EM:
50
55
                333679 CH22_941FG_247_6_LINK_EM:
326474 c19_ls
333743 CH22_1009FG_264_1_LINK_EM:
333758 CH22_1024FG_268_1_LINK_EM:
333768 CH22_1035FG_271_6_LINK_EM:
333769 CH22_1036FG_271_8_LINK_EM:
333795 CH22_1036FG_275_1_LINK_EM:
333796 CH22_1036FG_275_3_LINK_EM:
335904 CH22_2326FG_472_8_LINK_EM:
335042 CH22_1163FG_292_14_LINK_EM:
335115 CH22_244FG_496_2_LINK_EM:
333904 CH22_1176FG_294_2_LINK_EM:
60
 65
```

333904 CH22\_1176FG\_294\_2\_LINK\_EM

333905 CH22\_1177FG\_294\_3\_LINK\_EM 333921 CH22\_1194FG\_296\_12\_LINK\_E 333968 CH22\_1245FG\_307\_4\_LINK\_EM 328059 c\_6\_hs 335287 CH22\_2629FG\_526\_11\_LINK\_E 326816 c20\_hs 326817 c20\_hs 335342 CH22\_2689FG\_536\_1\_LINK\_EM 335491 CH22\_2843FG\_570\_23\_LINK\_E 10 335495 CH22\_2847FG\_570\_28\_LINK\_E 335498 CH22\_2850FG\_571\_7\_LINK\_EM 328304 c\_7\_hs 305453 AA738110 335544 CH22\_2899FG\_576\_5\_LINK\_EM 15 335610 CH22\_2969FG\_583\_4\_LINK\_EM 335653 CH22\_3013FG\_590\_4\_LINK\_EM 335682 CH22\_3043FG\_595\_2\_LINK\_EM 335687 CH22\_3048FG\_596\_2\_LINK\_EM 328492 c\_7\_hs 20 335755 CH22\_3122FG\_604\_4\_LINK\_EM 335755 CH22\_3125FG\_604\_4\_LINK\_EM 335781 CH22\_3151FG\_609\_4\_LINK\_EM 335791 CH22\_3160FG\_611\_7\_LINK\_EM 335809 CH22\_3181FG\_617\_6\_LINK\_EM 335822 CH22\_3195FG\_619\_7\_LINK\_EM 335823 CH22\_3195FG\_619\_8\_LINK\_EM 335824 CH22\_3195FG\_619\_11\_LINK\_E 335825 CH22\_3195FG\_619\_11\_LINK\_E 25 335895 CH22\_3272FG\_635\_3\_LINK\_EM 335917 CH22\_3294FG\_636\_13\_LINK\_E 30 335920 CH22\_3297FG\_636\_16\_LINK\_E 305898 AA872838 305913 AA876109 305950 AA884479 328857 c\_7\_hs 330084 c19\_p2 35 337968 CH22\_6419FG\_\_LINK\_EM:AC00 309177 AI951118 309198 AI955915 309226 Al969897 40 339352 CH22\_8317FG\_\_LINK\_BA354I1 309279 Al990102 339373 CH22\_8348FG\_LINK\_BA232E1
325622 ct14\_hs
334102 CH22\_1380FG\_327\_60\_LINK\_E
332927 CH22\_148FG\_38\_1\_LINK\_C20H
332930 CH22\_151FG\_38\_4\_LINK\_C20H
332935 CH22\_151FG\_38\_4\_LINK\_EM:
332958 CH22\_179FG\_48\_12\_LINK\_EM:
332958 CH22\_185FG\_48\_15\_LINK\_EM:
332961 CH22\_185FG\_48\_18\_LINK\_EM:
332983 CH22\_207FG\_54\_5\_LINK\_EM:
334222 CH22\_1506FG\_360\_3\_LINK\_EM:
334264 CH22\_1551FG\_367\_15\_LINK\_EM:
327110 c21\_hs 339373 CH22\_8348FG\_\_LINK\_BA232E1 45 50 55 327110 c21\_hs 334343 CH22\_1636FG\_375\_25\_LINK\_E 334360 CH22\_1654FG\_378\_5\_LINK\_EM 327196 c\_1\_hs 327283 c\_1\_hs 60 327313 c\_1\_hs 304465 AA421948 304507 AA456426 327450 c\_2\_hs 304591 AA505702 65 304601 AA507875 304659 AA533185 334784 CH22\_2096FG\_432\_9\_LINK\_EM

334789 CH22\_2101FG\_432\_14\_LINK\_E
334794 CH22\_2106FG\_434\_2\_LINK\_EM
336035 CH22\_3420FG\_678\_6\_LINK\_DJ
336042 CH22\_3427FG\_679\_4\_LINK\_DJ
336093 CH22\_3481FG\_691\_2\_LINK\_DJ
33696 CH22\_3484FG\_691\_5\_LINK\_DJ
334889 CH22\_2366FG\_452\_3\_LINK\_EM
336150 CH22\_3540FG\_706\_6\_LINK\_DA
336152 CH22\_3543FG\_706\_9\_LINK\_DA
336416 CH22\_3833FG\_823\_38\_LINK\_B
336444 CH22\_3804FG\_827\_10\_LINK\_D
33649 CH22\_3894FG\_829\_30\_LINK\_D

## TABLE 13B

Table 13B shows the genomic positioning for those pkeys lacking unigene ID's and accession numbers in Table 13B. For each predicted exon, we have listed the genomic sequence source used for prediction. Nucleotide locations of each predicted exon are also listed.

| 10 | Pkey:<br>Ref:<br>Strand: | Unique number corresponding to an Eos probeset  Sequence source. The 7 digit numbers in this column are Genbank Identifier (GI) numbers. "Dunham I. et al." refers to the publication entitled "The DNA sequence of human chromosome 22." Dunham I. et al., Nature (1999) 402:489-495.  Indicates DNA strand from which exons were predicted. |
|----|--------------------------|---|
|    | Nt_position:             | Indicates nucleofide positions of predicted exons.  |

| 15         |                  |  |              |                                      |
|------------|------------------|--|--------------|--------------------------------------|
|            | Pkey             | Ref                                    | Strand       | Nt_position                          |
|            | 332955           | Dunham, I. et.al.                      | Plus         | 2508896-2508992                      |
|            | 332958           | Ounham, I. et.al.                      | Plus         | 2516164-2516310                      |
| 20         | 332961           | Dunham, I. et.al.                      | Plus         | 2521424-2521555                      |
|            | 333139           | Dunham, I. et.al.                      | Plus         | 3369495-3369571                      |
|            | 333254           | Dunham, I. et.al.                      | Plus         | 2521424-2521555                      |
|            | 333305           | Dunham, I. et.al.                      | Plus         | 4630388-4630645                      |
|            | 333388           | Dunham, I. et.al.                      | Plus         | 4913749-4913805                      |
| 25         | 333517           | Dunham, I. et.al.                      | Plus         | 5570729-5570925                      |
|            | 333585           | Dunham, I. et.al.                      | Plus         | 6234778-6234894                      |
|            | 333679           | Dunham, I. et.al.                      | Plus         | 7068795-7068896                      |
|            | 333767           | Dunham, I. et.al.                      | Plus         | 7694407-7694623                      |
| 20         | 333768           | Dunham, I. et.al.                      | Plus         | 7695440-7695697                      |
| 30         | 333769           | Dunham, I. et.al.                      | Plus         | 7696625-7696707                      |
|            | 333795           | Dunham, I. et al.                      | Plus         | 7807688-7807795                      |
|            | 333796           | Dunham, I. et al.                      | Plus         | 7808253-7808319                      |
|            | 333892           | Dunham, I. et.al.                      | Plus         | 8156825-8157001                      |
| 26         | 333921           | Dunham, I. et.al.                      | Plus         | 8380325-8380441                      |
| 35         | 333968           | Dunham, I. et.al.                      | Plus         | 8681004-8681241                      |
|            | 334102           | Dunham, I. et.al.                      | Plus         | 9995140-9996373                      |
|            | 334264           | Dunham, I. et.al.                      | Plus         | 13234447-13234544                    |
|            | 334343           | Dunham, I. et.al.                      | Pius         | 13655828-13656307                    |
| 40         | 334794           | Dunham, I. et al.                      | Plus         | 16374312-16374458                    |
| 40         | 334889           | Dunham, I. et.al.                      | Plus         | 19286024-19286515                    |
|            | 335287           | Dunham, I. et.al.                      | Plus         | 22299047-22299299                    |
|            | 335491           | Dunham, I. et.al.                      | Plus         | 24128651-24128827                    |
|            | 335495           | Dunham, I. et.al.                      | Plus         | 24140688-24140872                    |
| 45         | 335498           | Dunham, I. et.al.                      | Plus         | 24172082-24172161                    |
| 43         | 335653           | Ounham, I. et.al.                      | Plus         | 25329710-25329802                    |
|            | 335687           | Dunham, I. et.al.                      | Plus         | 25445952-25446064                    |
|            | 335809           | Dunham, I. et.al.                      | Plus         | 26310772-26310909                    |
|            | 335822           | Dunham, I. et.al.                      | Plus         | 26364087-26364196                    |
| 50         | 335823<br>335824 | Dunham, I. et.al.                      | Plus         | 26365925-26366004                    |
| <b>J</b> 0 | 335825           | Dunham, I. et.al.<br>Dunham, I. et.al. | Plus         | 26376860-26376942                    |
|            | 336035           | Dunham, I. et.al.                      | Plus         | 26378175-26378268                    |
|            | 336093           | Dunham, I. et.al.                      | Plus<br>Plus | 29016748-29017410                    |
|            | 336096           | Dunham, I. et.al.                      | Plus         | 29556922-29557002                    |
| 55         | 336444           | Dunham, i. et.al.                      | Plus         | 29578878-29579047                    |
| <i>33</i>  | 336959           | Dunham, I. et.al.                      | Plus         | 34190585-34190718                    |
|            | 338008           | Dunham, I. et.al.                      | Plus         | 13233040-13233126<br>7697068-7697236 |
|            | 338057           | Dunham, I. et.al.                      | Plus         | 8526397-8526522                      |
|            | 338410           | Dunham, I. et.al.                      | Plus         | 19292807-19292916                    |
| 60         | 338588           | Dunham, I. et.al.                      | Plus         | 22896767-22896920                    |
| -          | 338665           | Dunham, I. et.al.                      | Plus         | 24472654-24472853                    |
|            | 338832           | Dunham, I. et.al.                      | Plus         | 27775128-27775290                    |
|            | 338980           | Dunham, I. et.ai.                      | Plus         | 29896789-29896874                    |
|            | 339352           | Ounham, I, et.al.                      | Plus         | 33544784-33545121                    |
|            |                  |  |              |                                      |

|            | 332929 Dunham, I. et.al. | Minus          | 2020758-2020664   |
|------------|--------------------------|----------------|-------------------|
|            | 332930 Dunham, I. et.al. | Minus          | 2022565-2022497   |
|            | 332983 Dunham, I. et.al. | Minus          | 2631933-2631797   |
|            | 333009 Dunham, I. et al. | Minus          | 2766043-2765856   |
| 5          | 333010 Dunham, I. et.al. | Minus          | 2766207-2766119   |
| •          | 333013 Dunham, I. et.al. | Minus          | 2772278-2772039   |
|            | 333108 Dunham, I. et al. | Minus          | 3240494-3240389   |
|            | 333343 Dunham, I. et al. | Minus          | 4692886-4692753   |
|            | 333456 Dunham, I. et al. | Minus          | 2631933-2631797   |
| 10         | 333459 Dunham, I. et al. | Minus          | 5144548-5144344   |
| 10         | 333743 Dunham, I. et al. | Minus          | 7573218-7573060   |
|            | 333758 Dunham, I. et al. | Minus          | 7666413-7666091   |
|            | 333904 Dunham, I. et.al. | Minus          | 8217374-8217261   |
|            | 333905 Dunham, I. et al. | Minus          | 8217796-8217670   |
| 15         | 334222 Dunham, I. et.al. | Minus          | 12732417-12732289 |
| 13         | 334223 Dunham, I. et.al. | Minus          | 12734365-12734269 |
|            | 334360 Dunham, I. et al. | Minus          | 13728850-13728751 |
|            | 334784 Dunham, I. et al. | Minus          | 16294548-16294360 |
|            | 334789 Dunham, I. et al. | Minus          | 16306095-16305996 |
| 20         | 335004 Dunham, I. et al. | Minus          | 20581911-20581794 |
| 20         | 335115 Dunham, I. et al. | Minus          | 21388250-21388146 |
|            | 335342 Dunham, I. et al. | Minus          | 22597448-22597284 |
|            | 335544 Dunham, I. et al. | Minus          | 24650505-24650403 |
|            | 335610 Dunham, I. et.al. | Minus          | 25068943-25068841 |
| 25         | 335682 Dunham, I. et al. | Minus          | 25421215-25421093 |
| 23         | 335755 Dunham, I. et al. | Minus          | 25763806-25763747 |
|            |                          | Minus          | 25908578-25908440 |
|            |                          | Minus          | 25948563-25948411 |
|            | 335791 Dunham, I. et.al. | Minus          | 26975307-26975239 |
| 30         | 335895 Dunham, I. et.al. | Minus          | 27028481-27028377 |
| 30         | 335917 Dunham, I. et.al. | Minus          | 27034927-27034811 |
|            | 335920 Dunham, I. et.al. | Minus          | 29041694-29041500 |
|            | 336042 Dunham, I. et.al. | Minus          | 30150423-30150256 |
|            | 336150 Dunham, I. et.al. | Minus          | 30156053-30155870 |
| 25         | 336152 Dunham, I. et.al. |                | 34047408-34047311 |
| 35         | 336416 Dunham, I. et.al. | Minus<br>Minus | 34204707-34204577 |
|            | 336449 Dunham, I. et.al. | Minus          | 34215091-34214978 |
|            | 336471 Dunham, I. et al. |                | 34278373-34278275 |
|            | 336512 Dunham, I. et al. | Minus<br>Minus | 34375825-34375698 |
| 40         | 336558 Dunham, I. et.al. |                | 34376814-34376596 |
| 40         | 336560 Dunham, I. et al. | Minus          | 2022565-2022497   |
|            | 336676 Dunham, I. et.al. |                | 7095797-7095680   |
|            | 337968 Dunham, I. et.al. |                | 20174286-20174193 |
|            | 338451 Dunham, I. et al. |                | 24893073-24892972 |
| 45         | 338689 Dunham, I. et.al. |                | 33860127-33860047 |
| 45         | 339373 Dunham, I. et.al. |                | 69994-70075       |
|            | 325622 5867000           | Plus           | 35565-35843       |
|            | 329655 6448516           | Minus          | 111058-111783     |
|            | 329899 6563505           | Minus          | 1031-1162         |
| <b>5</b> 0 | 329960 5091594           | Minus          | 60751-60927       |
| 50         | 326213 5867224           | Minus          |                   |
|            | 326474 5867405           | Plus           | 16995-18101       |
|            | 330084 6015302           | Minus          | 57019-59337       |
|            | 326816 6552458           | Plus           | 198354-198436     |
| ~ ~        | 326817 6552458           | Plus           | 199909-200001     |
| 55         | 327110 6117842           | Plus           | 94608-94785       |
|            | 327196 5867446           | Plus           | 180921-181333     |
|            | 327283 5867478           | Minus          | 567-962           |
|            | 327313 5867501           | Minus          | 89734-89838       |
| <b>~</b> 0 | 327450 5867766           | Minus          | 47928-48076       |
| 60         | 328059 6117819           | Plus           | 37052-37204       |
|            | 328492 5868455           | Minus          | 46094-46241       |
|            | 328304 6004478           | Minus          | 3884-3952         |
|            | 328857 6381927           | Minus          | 80557-81051       |
| ~          | 329367 5868842           | Minus          | 87201-87587       |
| 65         | 329373 6682537           | Minus          | 38950-39301       |

# TABLE 14: Table 2 from BRCA 001-5 US

Table 14, a subset of table 13, depicts a preferred group of genes highly upregulated in breast cancer cells.

| 10 | Pkey:<br>ExAccn:<br>UnigeneID:<br>Unigene Title: | Unique Eos probeset identifier number<br>Exemplar Accession number, Genbank accession number<br>Unigene number<br>Unigene gene title |  |
|----|--|--|--|
|    | R1·  | Ratio of humor to pormat breast tissue   |  |

| 15  | Pkey   | ExAccn               | UniGene ID             | Unigene Title                               | R1   |
|-----|--------|----------------------|------------------------|---|------|
|     | 100038 | M97935               |                        | AFFX control: STAT1                         | 16.7 |
|     | 100114 | D00596               | Hs.82962               | thymidylate synthetase                      | 15.9 |
|     | 100975 | J02923               | Hs.76506               | lymphocyte cytosolic protein 1 (L-plastin)  | 30.1 |
| 20  | 101031 | J05070               | Hs.151738              | matrix metalloproteinase 9 (gelatinase B; 9 | 37.2 |
|     | 101104 | L07615               | Hs.169266              | Human neuropeptide Y receptor Y1 (NPYY      | 18.3 |
|     | 101143 | L12723               | Hs.90093               | heat shock 70kD protein 4                   | 17:4 |
|     | 101332 | L47276               | Hs.156346              | Homo sapiens (cell line HL-6) alpha topois  | 18.9 |
| ~ - | 101378 | M13755               | Hs.833                 | interferon-stimulated protein; 15 kDa       | 18.1 |
| 25  |        | M86849               | Hs.323733              | Homo sapiens connexin 26 (GJB2) mRNA        | 22.5 |
|     |        | U65932               | Hs.81071               | extracellular matrix protein 1              | 23.2 |
|     |        | U79241               | Hs.118666              | Human clone 23759 mRNA; partial cds         | 15   |
|     |        | U90904               | Hs.83724               | Human clone 23773 mRNA sequence             | 15.2 |
| 20  |        | X06985               | Hs.202833              | heme oxygenase (decycling) 1                | 22.7 |
| 30  |        | X17644               | Hs.2707                | G1 to S phase transition 1                  | 20.6 |
|     |        | X57766               | Hs.155324              | matrix metalloproteinase 11 (stromelysin 3  | 17.8 |
|     |        | X69433               | Hs.5337                | Isocitrate dehydrogenase 2 (NADP+); mito    | 18.9 |
|     |        | X72755               | Hs.77367               | monokine induced by gamma interferon        | 15.1 |
| 25  |        |                      | Hs.198793              | KIAA0750 gene product                       | 23.3 |
| 35  |        | AA428090             |                        | ESTs  | 28.7 |
|     |        | AA007234             |                        | ESTs  | 16.6 |
|     |        | AA191512             |                        | Homo sapiens mRNA; cDNA DKFZp564G           | 19.3 |
|     |        | AA421104             |                        | ESTs  | 15.4 |
| 40  |        | AA621169             |                        | ESTs  | 19   |
| 40  |        |                      | Hs.110826              | trinucleotide repeat containing 9           | 20.1 |
|     |        | H20543               | Hs.6278                | DKFZP586B1621 protein                       | 16.6 |
|     |        | H59617               | Hs.5199                | ESTs; Weakly similar to UBIQUITIN-CON       | 19.5 |
|     |        | H98714               | Hs.24131               | ESTs  | 30.2 |
| 45  |        | N46252               |                        | ESTs  | 23.2 |
| 43  |        | N67239               | Hs.10760               | ESTs  | 37   |
|     |        | N91023               | Hs.87128               | ESTs  | 15   |
|     |        | R46025               | Hs.7413                | ESTs .                                      | 17.4 |
|     |        | W86748               | Hs.8109                | ESTs  | 15   |
| 50  |        | Z38595               | Hs.125019              | ESTs; Highly similar to KIAA0886 protein    | 22   |
| 50  |        | Z40715               | Hs.184641<br>Hs.196437 | delta-6 fatty acid desaturase               | 19.4 |
|     |        | AA230270<br>AA250737 |                        | ESTs; Weakly similar to R26660_1; partial   | 16.9 |
|     |        | AA405098             |                        | ESTs<br>ESTs                                | 35.1 |
|     |        | AA433943             |                        |   | 16.1 |
| 55  |        | H29532               | Hs.101174              | ESTs; Wealdy similar to Weak similarity t   | 33.5 |
| "   |        | H72948               | Hs.821                 | microtubule-associated protein tau          | 22.2 |
|     |        | N26722               | Hs.42645               | biglycan<br>ESTs                            | 20.7 |
|     | 120241 |                      | Hs.65946               | ESTs  | 18.1 |
|     |        |                      | Hs.104106              | ESTs  | 15.6 |
| 60  |        |                      | Hs.174104              | ESTs  | 15.2 |
| 50  |        | AA609200             | 110.114104             | ESTs  | 22.6 |
|     |        | D60302               | Hs.270016              | ESTs  | 23.1 |
|     |        | H09290               | Hs.76550               |   | 20.6 |
|     | 126160 |                      | Hs.265398              | Homo sapiens mRNA; cDNA DKFZp5648           | 25.9 |
|     | 120100 | 1430300              | 113.203330             | ESTs; Weakly similar to transformation-rel  | 16.4 |

|    | 127677 AA916752 Hs.264190                           | ESTs; Highly similar to MEM3 [M.muscul         | 17.3         |
|----|---|--|--------------|
|    | 128595 U31875 Hs.152677                             | short-chain alcohol dehydrogenase family m     | 27.1         |
|    | 128717 T30617 Hs.104222                             | Homo sapiens mRNA; cDNA DKFZp566L              | 24.5         |
|    | 129124 AA234530 Hs.108802                           | N-ethylmaleimide-sensitive factor              | 20.7         |
| 5  | 129366 H18027 Hs.184697                             | plexin C1                                      | 18.2         |
| 3  |   | N-acetyltransferase 1 (arylamine N-acetylt     | 26.4         |
|    |   | estrogen receptor 1                            | 39.9         |
|    | 130604 X03635 Hs.1657                               | translocase of outer mitochondrial membra      | 20.9         |
|    | 130913 W03592 Hs.21198                              | signal transducer and activator of transcript  | 18.8         |
| 10 | 130944 M97935 Hs.21486                              |  | 18.1         |
| 10 | 131472 AA608962 Hs.27258                            | calcyclin binding protein                      | 18.8         |
|    | 131562 U90551 Hs.28777                              | H2A histone family; member L                   | 15.4         |
|    | 132180 AA405569 Hs.418                              | fibroblast activation protein; alpha; seprase  | 15.4         |
|    | 132406 F09979 Hs.4774                               | ESTs   |              |
|    | 132465 AA047896 Hs.49169                            | ESTs   | 15.4<br>26.4 |
| 15 | 132994 AA505133 Hs.279905                           | solute carrier family 2 (facilitated glucose t |              |
|    | 133294 R79723 Hs.69997                              | zinc finger protein 238                        | 30.4         |
|    | 133634 U24166 Hs.234279                             | microtubule-associated protein; RP/EB fam      | 15.2         |
|    | 134374 D62633 Hs.8236                               | ESTs   | 15.2         |
|    | 134405 J04177 Hs.82772                              | cotlagen; type XI; alpha 1                     | 15.3         |
| 20 | 134470 X54942 Hs.83758                              | CDC28 protein kinase 2                         | 20.3         |
|    | 134495 D63477 Hs.84087                              | KIAA0143 protein                               | 16.1         |
|    | 134714 U89922 Hs.890                                | lymphotoxin beta (TNF superfamily; memb        | 35.7         |
|    | 135237 AA454930 Hs.9691                             | ÉSTs   | 19.5         |
|    | 301884 AA312082 Hs.105445                           | GDNF family receptor alpha 1                   | 20.7         |
| 25 | 302276 NM_004448Hs.323910                           | EST cluster (not in UniGene) with exon hit     | 21.6         |
| 20 | 302290 AL117607 Hs.175563                           | Homo sapiens mRNA; cDNA DKFZp564N              | 41.4         |
|    | 309177 AI951118                                     | EST singleton (not in UniGene) with exon       | 24.3         |
|    | 309583 AW170035                                     | EST  | 64.5         |
|    | 310438 AW022192 Hs.200197                           | ESTs   | 39.1         |
| 20 | 311166 Al821294 Hs.118599                           | ESTs   | 24.1         |
| 30 | 312153 AA759250 Hs.153028                           | cytochrome b-561                               | 27.1         |
|    |   | ESTs   | 27.1         |
|    | 313915 Al969390 Hs.163443                           | ESTs   | 27.8         |
|    | 314506 AA833655 Hs.206868                           | ESTs   | 22.5         |
| 25 | 314558 Al873274 Hs.190721                           | ESTS   | 21.4         |
| 35 | 314691 AW207206 Hs.136319                           | cell division cycle 2; G1 to S and G2 to M     | 18.4         |
|    | 314943 Al476797 Hs.184572                           |  | 28.8         |
|    | 315196 AA972756 Hs.44898                            | ESTs   | 32.6         |
|    | 316177 Al908272 Hs.293102                           | EST cluster (not in UniGene)                   | 15.7         |
| 40 | 318073 AW167087 Hs.131562                           | ESTs   | 16.3         |
| 40 | 318662 Al285898 Hs.294014                           | ESTs   | 21.3         |
|    | 318740 NM_002543Hs.77729                            | EST cluster (not in UniGene)                   | 35           |
|    | 318744 AI793124 Hs.144479                           | ESTs   | 25.4         |
|    | 319668 NM_002731Hs.87773                            | EST duster (not in UniGene)                    | 16.7         |
|    | 320074 AA321166 Hs.278233                           | EST cluster (not in UniGene)                   | 24.3         |
| 45 | 320211 AL039402 Hs.125783                           | DEME-6 protein                                 | 15.3         |
|    | 320727 U96044 Hs.181125                             | EST cluster (not in UniGene)                   |              |
|    | 322818 AW043782 Hs.293616                           | ESTs   | 21           |
|    | 322882 AW248508 Hs.279727                           | DiGeorge syndrome critical region gene 2       | 15.3         |
|    | 324261 AL044891 Hs.269350                           | EST duster (not in UniGene)                    | 50.1         |
| 50 | 324432 AA464510 Hs.152812                           | EST duster (not in UniGene)                    | 16.7         |
|    | 324603 AW016378 Hs.292934                           | ESTs   | 23.1         |
|    | 324620 AA448021 Hs.94109                            | EST cluster (not in UniGene)                   | 21.2         |
|    | 324988 T06997 Hs.121028                             | EST duster (not in UniGene)                    | 24.5         |
|    | 330388 X03363                                       | HER2 receptor tyrosine kinase (c-erbB-2; E     | 17.7         |
| 55 | 330486 M13755 Hs.833                                | Interferon-stimulated protein; 15 kDa          | 67           |
| 33 | 330814 AA015730 Hs.265398                           | ESTs: Weakly similar to transformation-rel     | 44.1         |
|    | 331145 R72427 Hs.129873                             | ESTs; Weakly similar to CYTOCHROME             | 41.9         |
|    | 331306 AA252079 Hs.63931                            | dachshund (Drosophila) homolog                 | 15.1         |
|    |   | succinate dehydrogenase complex; subunit       | 24.3         |
| 60 | 331890 AA432166 Hs.3577<br>332526 AA281753 Hs.77515 | inositol 1;4;5-triphosphate receptor; type 3   | 19           |
| υŲ |   | EST; Highly similar to PHENYLETHANO            | 15.3         |
|    | 332532 N63192 Hs.1892                               | KIAA1067 protein                               | 15.2         |
|    | 332694 AA262768 Hs.243901                           | CH22_FGENES.48_15                              | 17.8         |
|    | 332958  | CH22_FGENES.46_15<br>CH22_FGENES.271_8         | 48.3         |
| 6  | 333769  | CH22_FGENES.307_4                              | 15.9         |
| 65 | 333968  | CH22_FGENES.360_4                              | 33.5         |
|    | 334223  | CH22_FGENES.367_15                             | 18.5         |
|    | 334264  | OFFICE FORMEOWER _ IV                          | .5.0         |
|    |   |  |              |

| 335791 | CH22_FGENES.611_7              | 27.3 |
|--------|--------------------------------|------|
| 336512 | CH22_FGENES.834_7              | 21.4 |
| 338008 | CH22_EM:AC005500.GENSCAN.127-9 | 15.2 |

### TABLE 14A

Table 14A shows the accession numbers for those pkeys lacking unigeneID's for Table 14. For each probeset, we have listed the gene cluster number from which the oligonucleotides were designed. Gene clusters were compiled using sequences derived from Genbank ESTs and mRNAs. These sequences were clustered based on sequence similarity using Clustering and Alignment Tools (DoubleTwist, Oakland California). The Genbank accession numbers for sequences comprising each cluster are listed in the "Accession" column.

10

5

Pkey: Unique Eos probeset identifier number CAT number: Gene cluster number Accession: Genbank accession numbers

15

|          | Pkey   | CAT number Accession  |
|----------|--|---|
| 20<br>25 | 336512<br>338008<br>333769<br>333968<br>335791<br>309177<br>332958 | 10460292 AW170035<br>CH22_3941FG_834_7_LINK_DJ<br>CH22_6490FGLINK_EM:AC00<br>CH22_1036FG_271_8_LINK_EM<br>CH22_1245FG_307_4_LINK_EM<br>CH22_3160FG_611_7_LINK_EM<br>AI951118<br>CH22_182FG_48_15_LINK_EM: |
|          |  | CH22_1507FG_360_4_LINK_EM   |
|          |  | CH22_1551FG_367_15_LINK_E   |
|          | 123619   | 371681_1 AA602964 AA609200  |

# TABLE 14B

Table 14B shows the genomic positioning for those pkeys lacking unigene ID's and accession numbers in Table 14. For each predicted exon, we have listed the genomic sequence source used for prediction. Nucleotide locations of each predicted exon are also listed.

| 10 | Pkey:<br>Ref:<br>Strand:<br>Nt_posit | Sequen<br>ei<br>Indicate   | ce source<br>ntitled "Th<br>s DNA str | orresponding to an Eos probeset . The 7 digit numbers in this column are Genbank Identifier (GI) numbers. "Dunham I. et al." refers to the publication e DNA sequence of human chromosome 22." Dunham I. et al., Nature (1999) 402:489-495. and from which exons were predicted. de positions of predicted exons. |
|----|--------------------------------------|--|---------------------------------------|---|
|    | Pkey                                 | Ref  | Strand                                | Nt_position   |
| 20 | 333769<br>333968                     | Dunham, I. et.al.<br>Dunham, I. et.al.<br>Dunham, I. et.al.<br>Dunham, I. et.al. | Plus<br>Plus                          | 2516164-2516310<br>7696625-7696707<br>8681004-8681241<br>13234447-13234544  |
| 25 | 334223<br>335791                     | Dunham, I. et.al.<br>Dunham, I. et.al.<br>Dunham, I. et.al.<br>Dunham, I. et.al. | Minus                                 | 7697068-7697236<br>12734365-12734269<br>25948563-25948411<br>34278373-34278275  |

# TABLE 15: Table 3 from BRCA 001-5 US

Table 15 shows genes downregulated in breast cancer cells.

5

10

Unique Eos probeset identifier number Exemplar Accession number, Genbank accession number Unigene number Unigene gene title Ratio of normal breast tissue to tumor

Pkey: ExAccn: UnigeneID: Unigene Title: R1:

| 15 | Pkey   | ExAccn           | UniGene II             | OUnigene Title                                 | R1       |
|----|--------|------------------|------------------------|--|----------|
| 13 | 100115 | D00632           | He 172153              | glutathione peroxidase 3 (plasma)              | 1.7      |
|    |        | TIGR:HT1428      |                        |  | 1.5      |
|    |        |                  |                        | Adrenal-Specific Protein Pg2                   | 2.3      |
|    |        | TIGR:HT4268      |                        | L-Glycerol-3-Phosphate:Nad+ Oxidoreduct        | 1.7      |
| 20 |        | L10373           | Hs.82749               | transmembrane 4 superfamily member 2           | 1.5      |
| 20 |        | M12963           | Hs.4                   | alcohol dehydrogenase 1 (class I); alpha po    | 2.9      |
|    |        | M15856           | Hs.180878              |  | 1.6      |
|    |        | M98399           | Hs.75613               | CD36 antigen (collagen type I receptor; thr    | 1.6      |
|    |        | U25138           | Hs.93841               | potassium large conductance calcium-activ      | 1.6      |
| 25 |        | X00129           | Hs.76461               | retinol-binding protein 4; interstitial        | 3        |
|    |        | X73079           | Hs.288579              |  | 1.8      |
|    |        | Y09267           | Hs.132821              |  | 1.5      |
|    |        | Z21966           | Hs.2815                | POU domain; class 6; transcription factor 1    | 1.8      |
|    |        | AA007629         |                        | glycerol-3-phosphate dehydrogenase 1 (sol      | 2.4      |
| 30 | 105083 | AA146619         | Hs.18791               | ESTs; Weakly similar to CALCIUM-BIND           | 1.7      |
|    | 105138 | AA164519         | Hs.15248               | ESTs   | 1.5      |
|    | 106075 | AA417915         | Hs.25930               | ESTs   | 1.5      |
|    | 106870 | AA487576         | Hs.26530               | serum deprivation response (phosphatidyls      | 1.6      |
|    | 107099 | AA609645         | Hs.211568              | eukaryotic translation initiation factor 4 gam | 2.7      |
| 35 | 107616 | AA004901         | Hs.261164              | ESTs   | 1.6      |
|    | 107997 | AA037388         | Hs.82223               | Human DNA sequence from clone 141H5 o          | 1.7      |
|    |        | AA099820         | Hs.49696               | ESTs   | 2.4      |
|    |        | N64265           | Hs.19515               | yz44h12.s1 Morton Fetal Cochlea Homo sa        | 1.7      |
| 40 |        | R36447           | Hs.24453               | ESTs   | 1.6      |
| 40 |        | R70255           |                        | ESTs   | 1.9      |
|    |        | R97970           | Hs.281022              |  | 1.5      |
|    |        | T40652           |                        | DKFZP434C171 protein                           | 1.9      |
|    |        | AA418033         | Hs.283559              |  | 1.6<br>2 |
| 45 |        | AA443800         | Hs.43125               | ESTs   | 2.2      |
| 43 |        | AA446661         | Hs.173233<br>Hs.218707 |  | 1.7      |
|    |        | N20300<br>N32174 | Hs.44317               | SRY (sex-determining region Y)-box 10          | 1.7      |
|    |        | R15436           | Hs.77889               | Friedreich ataxia region gene X123             | 1.7      |
|    |        | R71792           |                        | ESTs; Weakly similar to cell death activato    | 2.8      |
| 50 |        | T71021 .         |                        | ESTs; Highly similar to WS basic-helix-loo     | 1.9      |
| 50 |        | W73386           | Hs.249129              |  | 3        |
|    |        | AA365784         | Hs.97044               | ESTs   | 1.6      |
|    |        | AA405747         | Hs.97984               | ESTs; Weakly similar to WASP-family pro        | 1.8      |
|    |        | AA421184         | Hs.97549               | ESTs   | 1.5      |
| 55 |        | AA434447         | Hs.106771              | <del>-</del>                                   | 2.5      |
|    |        | AA443695         | Hs.293410              | ESTs   | 2.1      |
|    |        | AA448300         | Hs.160318              | phospholemman                                  | 1.5      |
|    |        | AA598841         |                        | natriuretic peptide receptor Alguanylate cy    | 1.8      |
|    |        | AA600135         |                        | ESTs; Moderately similar to IIII ALU SUB       | 1.5      |
| 60 | 125284 | W94688           | Hs.103253              |  | 1.7      |
|    | 126300 | D81972           |                        | HUM427D08B Human fetal brain (TFujiw           | 1.8      |
|    | 126747 | R72515           | Hs.160318              | phospholemman                                  | 1.6      |
|    |        | AA309765         | Hs.116017              |  | 1.5      |
|    | 127357 | AA452788         | Hs.75432               | zx39g11.r1 Soares_total_fetus_Nb2HF8_9         | 1.7      |

|     | 127638 AA6344                     | 05 Hs.122608           | ESTs   | 1.5        |
|-----|-----------------------------------|------------------------|--|------------|
|     | 128213 AA9727                     |                        | ESTs; Weakly similar to IIII ALU SUBFA   | 1.5        |
|     | 128351 Al09239                    |                        |  | 1.5        |
| 5.  | 128842 N44757                     | Hs.20340               | ESTs   | 1.6        |
| ,   | 128870 R71403                     | Hs.75309               | eukaryotic translation elongation factor 2   | 1.7        |
|     | 129146 AA4599-<br>129285 T62068   | Hs.1100924             | DKFZP586P1422 protein<br>ESTs  | 1.5        |
|     | 129331 N93465                     |                        | ESTs; Highly similar to CGI-38 protein [H  | 2.1<br>1.5 |
|     | 130085 M62402                     |                        | Insulin-like growth factor binding protein 6   | 1.7        |
| 10  | 130400 M25079                     |                        | hemoglobin; beta   | 1.7        |
|     | 131267 AA21177                    |                        | myomesin 1 (skelemin) (185kD)  | 3.8        |
|     | 131277 AA13146                    | 6 Hs.23767             | ESTs   | 1.9        |
|     | 131282 M12272                     | Hs.4                   | 'alcohol dehydrogenase 3 (class I); gamma p  | 2.2        |
| 16  | 131304 AA29584                    |                        | aquaporin 7  | 1.7        |
| 15  | 131810 D49487                     |                        | leptin (murine obesity homolog)  | 2.5        |
|     | 132788 AA04550                    |                        | ESTs; Weakly similar to Homo sapiens p2  | 1.6        |
|     | 132931 Z41452<br>133120 X64559    | Hs.6090<br>Hs.65424    | deleted in bladder cancer chromosome regi  | 1.5        |
|     | 133314 U95367                     | Hs.70725               | tetranectin (plasminogen-binding protein)<br>gamma-aminobulyric acid (GABA) A recep  | 1.5        |
| 20  | 133507 X74295                     | Hs.74369               | integrin; alpha 7  | 1.7        |
|     | 133601 S95936                     | Hs.284176              |  | 2.3        |
|     | 133702 N56898                     | Hs.75652               | glutathione S-transferase M5   | 1.9        |
|     | 134111 N79674                     | Hs.8022                | TU3A protein   | 4.6        |
| 0.5 | 134699 U56814                     | Hs.88646               | deoxyribonuclease I-like 3   | 1.5        |
| 25  | 134749 L10955                     | Hs.89485               | carbonic anhydrase IV  | 1.6        |
|     | 135173 M72885                     | Hs.95910               | Human G0S2 protein gene; complete cds  | 1.9        |
|     | 300132 AW0275                     |                        |  | 1.7        |
|     | 300732 Al369956<br>300750 AA51480 |                        |  | 1.5        |
| 30  | 301140 Al807692                   |                        |  | 1.8<br>1.6 |
| •   | 301396 AA92354                    |                        |  | 2.1        |
|     | 302910 N77976                     |                        | hemoglobin; alpha 1  | 1.8        |
|     | 303798 V00505                     | Hs.36977               | hemoglobin; delta  | 1.6        |
| ~ ~ | 303831 T04868                     | Hs.46780               | EST cluster (not in UniGene) with exon hit   | 1.7        |
| 35  | 303844 U94362                     | Hs.58589               | glycogenin 2   | 1.5        |
|     | 304182 H91086                     | •                      | EST singleton (not in UniGene) with exon   | 1.5        |
|     | 304622 AA51638                    |                        | EST singleton (not in UniGene) with exon   | 1.5        |
|     | 304682 AA55099<br>305612 AA78234  |                        | EST singleton (not in UniGene) with exon   | 1.7        |
| 40  | 306193 AA92345                    |                        | EST singleton (not in UniGene) with exon<br>EST singleton (not in UniGene) with exon | 1.5<br>1.5 |
|     | 307206 Al192534                   |                        | EST singleton (not in UniGene) with exon   | 1.6        |
|     | 307377 Al222691                   |                        | EST singleton (not in UniGene) with exon   | 1.5        |
|     | 308023 Al452732                   |                        | EST singleton (not in UniGene) with exon   | 1.9        |
|     | 308359 Al612774                   | Hs.79372               | retinoid X receptor; beta  | 1.5        |
| 45  | 309838 AW29607                    |                        |  | 1.5        |
|     | 310403 Al720978                   |                        | ESTs; Moderately similar to alternatively s  | 1.8        |
|     | 311671 AW24194                    |                        |  | 1.6        |
|     | 311794 AW23809                    |                        |  | 2.1        |
| 50  | 312082 T79860<br>312575 H25237    | Hs.118180<br>Hs.306814 |  | 1.9        |
| 50  | 313076 N49684                     | Hs.143040              |  | 2.3<br>1.8 |
|     | 313283 W32480                     | Hs.157099              |  | 2.2        |
|     | 313374 AW32867                    |                        |  | 1.9        |
|     | 314701 AI754634                   |                        |  | 1.7        |
| 55  | 315391 AA75909                    | 8 Hs.192007            | ESTs   | 1.8        |
|     | 315688 AA68005                    | 5 Hs.264885            | ESTs   | 1.5        |
|     | 316249 AA94861                    |                        |  | 1.6        |
|     | 316586 Al205077                   |                        |  | 1.7        |
| 60  | 316890 AA837079                   |                        | ESTs   | 1.5        |
| UU  | 316983 Al480204                   |                        |  | 1.5        |
|     | 317604 AI650625<br>317951 AW20652 |                        |  | 1.6<br>1.5 |
|     | 319400 W26902                     | Hs.154085              |  | 1.7        |
|     | 320757 H22654                     |                        | EST duster (not in UniGene)  | 1.5        |
| 65  | 321594 AA02140                    |                        | ESTs   | 1.7        |
|     | 322102 H45589                     |                        | EST duster (not in UniGene)  | 1.5        |
|     | 322814 A1824495                   | Hs.211038              | ESTs   | 2.2        |

|    | 322929 | Al365585    | Hs.146246     | ESTs                                  | 2.3 |
|----|--------|-------------|---------------|---------------------------------------|-----|
|    |        | AA335715    | Hs.200299     |                                       | 1.7 |
|    |        | AL045752    | Hs.22350      | ESTs                                  | 1.8 |
|    |        | AW014734    | Hs.157969     |                                       | 2.2 |
| 5  | 325272 | 7,1101-1701 | , 10. 10. 000 | CH.11_hs gij5866902                   | 1.5 |
| •  | 325558 |             |               | CH.12_hs gij6056302                   | 1.6 |
|    | 325656 |             |               | CH.14_hs gi 6056305                   | 1.6 |
|    | 326120 |             |               | CH.17_hs gi 5867194                   | 1.5 |
|    | 326139 |             |               | CH.17_hs gij5867203                   | 1.5 |
| 10 | 326855 |             |               | CH.20_hs gi[6552460                   | 1.5 |
| 10 | 327438 |             |               | CH.02_hs gi[6004454                   | 1.6 |
|    | 329733 |             |               | CH.14_p2 gi 6065783                   | 1.6 |
|    |        | F01443      | Hs.284256     |                                       | 4.6 |
|    | 331591 |             | Hs.42146      | ESTs                                  | 1.9 |
| 15 |        | AA621393    | Hs.112984     | EST                                   | 1.5 |
|    |        | W94688      | Hs.103253     |                                       | 2.1 |
|    | 332502 | H21819      | Hs.14896      | Homo sapiens clone 24590 mRNA sequenc | 1.5 |
|    | 334175 |             |               | CH22_FGENES.349_10                    | 1.5 |
|    | 334347 |             |               | CH22_FGENES.375_31                    | 1.8 |
| 20 | 334737 |             | *             | CH22_FGENES.424_12                    | 1.8 |
|    | 335352 |             |               | CH22_FGENES.539_5                     | 1.5 |
|    | 335639 |             |               | CH22_FGENES.584_19                    | 1.6 |
|    | 336244 |             |               | CH22_FGENES.746_2                     | 1.5 |
|    | 336336 |             |               | CH22_FGENES.814_8                     | 1.7 |
| 25 | 336865 |             |               | CH22_FGENES.305-1                     | 1.6 |
|    | 337494 |             |               | CH22_FGENES.799-12                    | 1.6 |
|    | 337764 |             |               | CH22_EM:AC000097.GENSCAN.119-1        | 1.8 |
|    | 337983 |             |               | CH22_EM:AC005500.GENSCAN.110-1        | 2   |
|    | 338192 |             |               | CH22_EM:AC005500.GENSCAN.228-1        | 1.5 |
| 30 | 339366 |             |               | CH22_BA354I12.GENSCAN.34-2            | 1.5 |

#### TABLE 15A

Table 15A shows the accession numbers for those pkeys lacking unigeneID's for Table 15. For each probeset, we have listed the gene cluster number from which the oligonucleotides were designed. Gene clusters were compiled using sequences derived from Genbank ESTs and mRNAs. These sequences were clustered based on sequence similarity using Clustering and Alignment Tools (DoubleTwist, Oakland California). The Genbank accession numbers for sequences comprising each cluster are listed in the "Accession" column.

10

Pkey: Unique Eos probeset identifier number
CAT number: Gene cluster number
Accession: Genbank accession numbers

15

#### Pkey CAT number Accession

20 126300 250375\_2 D81972 BE003132 112538 504579\_1 AA908813 R70255 123505 genbank\_AA600135 AA600135 104672 6735\_7 AA349096 Al368018 F2139

AA349096 Al368018 F21390 F17759 R48772 Al421485 Al300352 H43971 Al378525 F33652 R47898 Al264177 F22289 N28263 Al276281 R48205 Al245302 Al190036 Al281050 AW242903 H42892 AA910870 AW473816 H25721 AW451438 F19647 F22375 H45809 F33447 AA774528 AA007629 H42537 C01077 F32386

25 322102 46708\_1 H45589 H19807 AF075038 H19808 H42437

336865 CH22\_4590FG\_305\_1\_ 338192 CH22\_6755FG\_LINK\_EM:AC00 329733 c14 p2

326120 c17\_hs 326139 c17\_hs 326855 c20\_hs

335352 CH22\_2699FG\_539\_5\_LINK\_EM 335639 CH22\_2999FG\_584\_19\_LINK\_E

35 307206 Al192534 307377 Al222691

337494 CH22\_5727FG\_799\_12\_ 337764 CH22\_6115FG\_\_LINK\_EM:AC00 337983 CH22\_6438FG\_\_LINK\_EM:AC00

339366 CH22\_8336FG\_\_LINK\_BA354I1 325272 c11 hs

40 325272 c11\_hs 325558 c12\_hs

325656 c14\_hs 334175 CH22\_1455FG\_349\_10\_LINK\_E

304182 H91086 45 334347 CH22\_1640FG\_375\_31\_LINK\_E 327438 c\_2\_hs

304622 AA516384 334737 CH22\_2049FG\_424\_12\_LINK\_E 304682 AA550994

50 336244 CH22\_3642FG\_746\_2\_LINK\_DA 306193 AA923457 336336 CH22\_3746FG\_814\_8\_LINK\_BA

# TABLE 15B

Table 15B shows the genomic positioning for those pkeys lacking unigene ID's and accession numbers in Table 15. For each predicted exon, we have listed the genomic sequence source used for prediction. Nucleotide locations of each predicted exon are also listed.

| 10 | Pkey:<br>Ref:           | Unique number corresponding to an Eos probeset  Sequence source. The 7 digit numbers in this column are Genbank Identifier (GI) numbers. "Dunham I. et al." refers to the publication entitled "The DNA sequence of human chromosome 22." Dunham I. et al., Nature (1999) 402:489-495. |
|----|-------------------------|--|
|    | Strand:<br>Nt_position: | Indicates DNA strand from which exons were predicted. Indicates nucleotide positions of predicted exons.   |

| 15 | Pkey   | Ref               | Strand | Nt_position       |
|----|--------|-------------------|--------|-------------------|
|    | 334347 | Dunham, I. et.al. | Plus   | 13663814-13663926 |
|    | 334737 | Dunham, I. et.al. | Plus   | 15998517-15998685 |
| 20 | 335639 | Dunham, I. et.al. | Plus   | 25173591-25173696 |
|    | 337494 | Dunham, I. et.al. | Plus   | 33339024-33339148 |
|    | 334175 | Dunham, I. et.al. | Minus  | 11668659-11668597 |
|    | 335352 | Dunham, I. et.al. | Minus  | 22681512-22681384 |
|    | 336244 | Dunham, I. et.al. | Minus  | 31402729-31402583 |
| 25 | 336336 | Dunham, I. et.al. | Minus  | 33797209-33797076 |
|    | 336865 | Dunham, I. et.ai. | Minus  | 8622405-8622289   |
|    | 337764 | Dunham, I. et.al. | Minus  | 4035640-4035446   |
|    | 337983 | Dunham, 1. et.al. | Minus  | 7275495-7275271   |
|    | 338192 | Dunham, I. et.al. | Minus  | 13248453-13248277 |
| 30 | 339366 | Dunham, I. et.al. | Minus  | 33647431-33647293 |
|    | 325272 | 5866902           | Minus  | 13247-13312       |
|    | 325558 | 6056302           | Plus   | 70930-71030       |
|    | 325656 | 6056305           | Minus  | 78190-78707       |
|    | 329733 | 6065783           | Plus   | 163237-163450     |
| 35 | 326120 | 5867194           | Plus   | 36116-36276       |
|    | 326139 | 5867203           | Minus  | 218901-218960     |
|    | 326855 | 6552460           | Minus  | 111390-111463     |
|    | 327438 | 6004454           | Minus  | 199569-199692     |

# TABLE 16: Table 4 from BRCA 001-5 US

Table 16, a subset of table 15, depicts a preferred group of genes highly downregulated in breast cancer cells.

|    | Pkey:          | Unique Eos probeset identifier number               |
|----|----------------|---|
| 10 | ExAcon:        | Exemplar Accession number, Genbank accession number |
|    | UnigenelD:     | Unigene number                                      |
|    | Unigene Title: | Unigene gene title                                  |
|    | R1:            | Ratio of normal breast tissue to tumor              |

| 15  | Pkey   | ExAccn      | UniGene ID | Unigene Title                                  | R1  |
|-----|--------|-------------|------------|--|-----|
|     | 100502 | TIGR:HT1496 | Hs.169228  | Adrenal-Specific Protein Pg2                   | 2.3 |
|     | 101367 | M12963      | Hs.4       | alcohol dehydrogenase 1 (class I); alpha       | 2.9 |
| ••  | 102857 | X00129      | Hs.76461   | retinol-binding protein 4; interstitial        | 3   |
| 20  |        | AA007629    |            | glycerol-3-phosphate dehydrogenase 1           | 2.4 |
|     |        | AA609645    | Hs.211568  | eukaryotic translation initiation factor 4 gam | 2.7 |
|     |        | AA099820    | Hs.49696   | ESTs   | 2.4 |
|     |        | AA443800    | Hs.43125   | ESTs   | 2   |
| ~ ~ | 115965 | AA446661    | Hs.173233  | ESTs   | 2.2 |
| 25  | 119175 | R71792      | Hs.301002  | ESTs; Weakly similar to cell death activator   | 2.8 |
|     |        | W73386      | Hs.249129  | ESTs   | 3   |
|     |        | AA434447    | Hs.106771  | ESTs   | 2.5 |
|     |        | AA443695    | Hs.293410  | ESTs   | 2.1 |
|     |        | T62068      | Hs.11006   | ESTs   | 2.1 |
| 30  | 131267 | AA211776    | Hs.2504    | myomesin 1 (skelemin) (185kD)                  | 3.8 |
|     |        | M12272      | Hs.4       | alcohol dehydrogenase 3 (class I); gamma       | 2.2 |
|     |        | D49487      | Hs.194236  | leptin (murine obesity homolog)                | 2.5 |
|     |        | X64559      | Hs.65424   | tetranectin (plasminogen-binding protein)      | 2   |
|     | 133601 |             | Hs.284176  | transferrin                                    | 2.3 |
| 35  | 134111 | N79674      | Hs.8022    | TU3A protein                                   | 4.6 |
|     | 301396 |             | Hs.224121  | ESTs   | 2.1 |
|     |        | AW238092    | Hs.254759  | ESTs   | 2.1 |
|     |        | H25237      | Hs.306814  | ESTs   | 2.3 |
| 40  | 313283 | W32480      | Hs.157099  | ESTs   | 2.2 |
| 40  | 322814 | Al824495    | Hs.211038  | ESTs   | 2.2 |
|     |        | Al365585    | Hs.146246  | ESTs   | 2.3 |
|     |        | AW014734    | Hs.157969  | ESTs   | 2.2 |
|     |        | F01443      | Hs.284256  | ESTs -   | 4.6 |
|     |        | W94688      | Hs.103253  | perilipin                                      | 2.1 |
| 45  | 337983 | -           | -          | CH22_EM:AC005500.GENSCAN.110-1                 | 2   |

#### TABLE 16A

Table 16A shows the accession numbers for those pkeys lacking unigeneID's for Table 16. For each probeset, we have listed the gene cluster number from which the oligonucleotides were designed. Gene clusters were compiled using sequences derived from Genbank ESTs and mRNAs. These sequences were clustered based on sequence similarity using Clustering and Alignment Tools (DoubleTwist, Oakland California). The Genbank accession numbers for sequences comprising each cluster are listed in the "Accession" column.

10

5

Pkey: CAT number: Unique Eos probeset identifier number

Accession:

Gene cluster number Genbank accession numbers

15

20

Pkey CAT number Accession

104672 6735\_7

AA349096 Al368018 F21390 F17759 R48772 Al421485 Al300352 H43971 Al378525 F33652 R47898 Al264177 F22289 N28263 Al276281 R48205 Al245302 Al190036 Al281050 AW242903 H42892 AA910870 AW473816 H25721 AW451438 F19647 F22375

H45809 F33447 AA774528 AA007629 H42537 C01077 F32386

# TABLE 17: Table 1 from BRCA 014 P

Table 17 shows accession numbers representing 759 sequences of breast cancer genes or fragments thereof encoding breast cancer modulating proteins. For each overexpressed gene identified, a ratio of the relative amount of expression in breast tumors versus normal breast tissue.

| 10 |                |   |
|----|----------------|---|
|    | Pkey:          | Unique Eos probeset Identifier number               |
|    | ExAccn:        | Exemplar Accession number, Genbank accession number |
|    | UnigenelD:     | Unigene number                                      |
|    | Unigene Title: | Unigene gene title                                  |
| 15 | R1:            | Ratio of tumor to normal breast tissue              |

|    | Pkey   | ExAccn    | UnigenelD | Unigene Title                            | R1   |
|----|--------|-----------|-----------|--|------|
| 20 | 100227 | AV654694  | Hs.82316  | interferon-induced, hepatitis C-associat | 3    |
|    | 100405 | AW291587  | Hs.82733  | nidogen 2                                | 3.2  |
|    | 100406 | AI962060  | Hs.118397 | AE-binding protein 1                     | 3.6  |
|    | 100420 | D86983    |           | Melanoma associated gene                 | 3.2  |
|    | 100911 | X83300    | Hs.289103 | SMA4                                     | 5.2  |
| 25 | 100960 | J00124    | Hs.117729 | keratin 14 (epidermolysis buliosa simple | 4.3  |
|    | 101011 | BE387036  | Hs.1211   | acid phosphatase 5, tartrate resistant   | 3    |
|    | 101183 | AA442324  | Hs.795    | H2A histone family, member O             | 3.2  |
|    |        | L20971    | Hs.188    | phosphodiesterase 4B, cAMP-specific (dun | 3    |
| 20 |        | U66042    | Hs.82171  | Homo sapiens clone 19187 placenta expres | 4.1  |
| 30 |        | BE563085  | Hs.833    | interferon-stimulated protein, 15 kDa    | 5.3  |
|    |        | R07566    | Hs.73817  | small inducible cytokine A3 (homologous  | 3.9  |
|    |        | M25809    | Hs.64173  | ATPase, H+ transporting, lysosomal (vacu | 4.5  |
|    |        | M29874    | Hs.1360   | cytochrome P450, subfamily IIB (phenobar | 9    |
| 25 |        | AA353776  | Hs.901    | CD48 antigen (B-cell membrane protein)   | 3.4  |
| 35 |        | NM_003528 | Hs.2178   | H2B histone family, member Q             | 5.6  |
|    |        | BE019494  | Hs.79217  | pyrroline-5-carboxylate reductase 1      | 3.6  |
|    |        | M81057    |           | carboxypeptidase B1 (tissue)             | 12   |
|    |        | M89907    |           | SWI/SNF related, matrix associated, acti | 3.2  |
| 40 |        | BE260964  | Hs.82045  | midkine (neurite growth-promoting factor | 4.1  |
| 40 |        | M97815    |           | cellular retinoic acid-binding protein 2 | 6.5  |
|    |        | NM_002038 |           | interferon, alpha-inducible protein (clo | 3    |
|    |        | U23752    | Hs.32964  | SRY (sex determining region Y)-box 11    | 3    |
|    |        | NM_001504 |           | G protein-coupled receptor 9             | 3.7  |
| 15 |        | NM_005824 |           | 37 kDa leucine-rich repeat (LRR) protein | 3.7  |
| 45 |        | NM_005651 |           | tryptophan 2,3-dioxygenase               | 5.2  |
|    |        | AL043202  | Hs.90073  | chromosome segregation 1 (yeast homolog) | 3.5  |
|    | 102369 |           |           | hepatocyte nuclear factor 3, alpha       | 3.9  |
|    |        | U62325    |           | amyloid beta (A4) precursor protein-bind | 4    |
| 50 |        | H16646    |           | hypothetical protein PP591               | 3.5  |
| 20 |        | AA363025  | Hs.155572 | Human clone 23801 mRNA sequence          | 3.2  |
|    |        | AF080229  |           | gb:Human endogenous retrovirus K done 1  | 3    |
|    |        | NM_002318 | Hs.83354  | lysyl oxidase-like 2                     | 3.2  |
|    |        | M73779    |           | retinoic acid receptor, alpha            | 3.3  |
| 55 | 103010 |           |           | tyrosine aminotransferase                | 12.4 |
| ככ | 103042 |           |           | ribosomal protein S3                     | 4.5  |
|    | 103117 |           |           | parvalbumin                              | 3    |
|    | 103207 |           |           | gb:Human endogenous retrovirus mRNA for  | 5.9  |
|    |        | BE390551  |           | steroidogenic acute regulatory protein r | 3.9  |
| 60 |        | AJ751601  | Hs.8375   | TNF receptor-associated factor 4         | 3.3  |
| UU | 103329 |           |           | retinoblastoma-binding protein 5         | 3.1  |
|    | 103364 |           |           | gp25L2 protein                           | 3    |
|    |        | NM_007069 |           | similar to rat HREV107                   | 3.4  |
|    | 103455 | AA496425  | Hs.9629   | papillary renal cell carcinoma (transloc | 3.2  |

|     | 103498 | Y09306   | Hs.30148    | homeodomain-interacting protein kinase 3 | 3.4      |
|-----|--------|----------|-------------|--|----------|
|     | 103558 | BE616547 | Hs.2785     | keratin 17                               | 3.7      |
|     | 103563 |          |             | Activin A receptor, type I (ACVR1) (ALK  | 3.2      |
|     |        | BE336654 | Hs.70937    |  | 4.5      |
| 5   |        | Al571835 | Hs.55468    |  | 4        |
| •   |        | AW779318 | Hs.88417    | ESTs                                     | 3.8      |
|     |        | AW021102 | Hs.21509    |  | 4.3      |
|     |        |          |             | opposite strand to trichorhinophalangeal | 7.6      |
|     |        | AF183810 | Hs.26102    |  | 3.6      |
| 10  |        | AA461618 | Hs.31704    | ESTs, Weakly similar to KIAA0227 [H.sapi | 3.0<br>4 |
| 10  |        | AA084273 | Hs.76561    | ESTs, Weakly similar to S47072 finger pr |          |
|     |        | AF173296 |             | DC6 protein                              | 3        |
|     | 104189 | AB040927 |             | KIAA1494 protein                         | 3.2      |
|     | 104269 | AI559444 | Hs.293960   | ESTs                                     | 4.3      |
|     | 104307 | AI929700 | Hs.111680   | endosulfine alpha                        | 3.1      |
| 15  | 104518 | H20816   | Hs.112423   | Homo sapiens mRNA; cDNA DKFZp586i1420 (f | 3.2      |
|     | 104556 | AV650851 | Hs.96900    | hypothetical protein; KIAA1830 protein   | 4.4      |
|     | 104658 | AA360954 | Hs.27268    | Homo saplens cDNA: FLJ21933 fis, clone H | 3.2      |
|     |        | AA015879 | Hs.33536    | ESTs                                     | 3.2      |
|     | 104755 |          | Hs.9029     | DKFZP434G032 protein                     | 4.5      |
| 20  |        | AA035613 | Hs.141883   | •  | 6.9      |
|     |        | AW294092 | Hs.21594    | hypothetical protein MGC15754            | 11.1     |
|     |        | 179340   | Hs.22575    | B-cell CLL/lymphoma 6, member B (zinc fi | 3.5      |
| •   |        |          |             | protein kinase domains containing protei | 6.5      |
|     |        | BE298684 | Hs.26802    |  | 3.6      |
| 25  |        | H78517   | Hs.33905    | ESTs                                     | 4.5      |
| 25  |        | AW503733 | Hs.9414     | KIAA1488 protein                         |          |
|     |        | H58589   | Hs.35156    | Homo sapiens cDNA FLJ11027 fis, clone PL | 3.8      |
|     |        | AA148982 | Hs.29068    | ESTs                                     | 3        |
|     | 105093 | AL137566 | Hs.32405    | Homo sapiens mRNA; cDNA DKFZp586G0321 (f | 4.8      |
|     | 105304 | AW134924 | Hs.190325   | ESTs                                     | 8.2      |
| 30  | 105397 | AA814807 | Hs.7395     | hypothetical protein FLJ23182            | 3.1      |
|     | 105409 | AW505076 |             | DiGeorge syndrome critical region gene 8 | 4.2      |
|     | 105431 | AA252033 | Hs.242413   | hypothetical protein DKFZp434K1421       | 4.4      |
|     | 105552 | AA256750 | Hs.28802    | centaurin-alpha 2 protein                | 3.2      |
|     |        | AA279439 | Hs.279763   | hypothetical protein FLJ10504            | 3.5      |
| 35  |        | W16741   | Hs.25635    | HSPC003 protein                          | 3.7      |
|     |        | Al299139 | Hs.17517    | ESTs                                     | 5.5      |
|     |        | Al133161 |             | CGI-101 protein                          | 3.5      |
|     |        | AW973653 | Hs.20104    | hypothetical protein FLJ00052            | 3.3      |
|     |        | AA195191 | Hs.5111     | hypothetical protein FLJ20729            | 3.2      |
| 40  |        |          | Hs.23830    | ESTs                                     | 3.3      |
| 40  |        | AA131657 |             | Homo sapiens mRNA; cDNA DKFZp727C191 (fr | 3.2      |
|     |        | AL117474 | Hs.41181    |  | 3.3      |
|     |        | W28948   | Hs.10762    | ESTs                                     |          |
|     |        | N39842   | Hs.301444   |  | 4.1      |
| 4.5 |        | BE397649 | Hs.94109    | Homo sapiens cDNA FLJ13634 fis, clone PL | 3.1      |
| 45  | 106474 | BE383668 | Hs.42484    | hypothetical protein FLJ10618            | 3.2      |
|     | 106484 | AA351978 | Hs.4943     | hepatocellular carcinoma associated prot | 7.8      |
|     | 106533 | AL134708 | Hs.145998   |  | 3        |
|     | 106614 | AA648459 | Hs.335951   | hypothetical protein AF301222            | 3.8      |
|     | 106636 | AW958037 | Hs.286      | ribosomal protein L4                     | 3.3      |
| 50  | 106661 | AW499914 | Hs.7579     | hypothetical protein FLJ10402            | 3        |
|     |        | BE613328 | Hs.21938    | hypothetical protein FLJ12492            | 4.2      |
|     |        | AA485055 |             | sperm associated antigen 6               | 3.4      |
|     |        | Al311928 | 110.1002.10 | gb:qo89h04x1 NCI_CGAP_Kid5 Homo sapiens  | 4.4      |
|     |        | AW192535 | Hs.19479    | ESTs                                     | 3.6      |
| 55  |        |          |             | hypothetical protein MGC2771             | 4.1      |
| ככ  |        | AW472981 |             | retinoblastoma-binding protein 7         | 3.6      |
|     |        | AA995351 | HS.31314    |  |          |
|     |        | AF216751 | Hs.26813    | CDA14                                    | 5.3      |
|     |        | AW963419 |             | stanniocalcin 2                          | 3.4      |
| 60  |        | N32849   | Hs.31844    | hypothetical protein FLJ12586            | 3.1      |
| 60  |        | AW263124 |             | nuclear receptor co-repressor/HDAC3 comp | 5.9      |
|     |        | BE379594 | Hs.49136    | ESTs, Moderately similar to ALU7_HUMAN A | 3.9      |
|     | 107630 | AW961576 | Hs.60178    | ESTs                                     | 4.6      |
|     | 107710 | Al955040 |             | ESTs, Weakly similar to transformation-r | 3        |
|     |        | AA025386 | Hs.61311    | ESTs, Weakly similar to S10590 cysteine  | 3.1      |
| 65  |        | T40064   | Hs.71968    | Homo sapiens mRNA; cDNA DKFZp564F053 (fr | 4.8      |
|     |        | Al263307 |             | H2B histone family, member L             | 3.3      |
|     |        | AA058686 | Hs.62588    | ESTs                                     | 3.8      |
|     | ,,     |          |             |  |          |

|    |        | T82427                |                       | Homo sapiens cDNA: FLJ20869 fis, clone A   | 3          |
|----|--------|-----------------------|-----------------------|--|------------|
|    |        | AB033073              | Hs.43857              | similar to glucosamine-6-sulfatases  | 3.3        |
|    |        | AA121022<br>AF068290  | Hs.79741              | gb:zn84f10.r1 Stratagene lung carcinoma<br>hypothetical protein FLJ10116             | 3.9<br>6.1 |
| 5  |        | AA011449              | Hs.271627             |  | 3.6        |
| -  |        | AA136674              | Hs.118681             |  | 3.9        |
|    |        | AF186114              | Hs.270737             | tumor necrosis factor (ligand) superfami   | 3.7        |
|    |        | AK000684              |                       | hypothetical protein FLJ22104  | 3.1        |
| 10 |        | AI970536              | Hs.16603              | hypothetical protein FLJ13163  | 3.7        |
| 10 |        | N23235<br>AA196443    | Hs.30567              | ESTs, Weakly similar to B34087 hypotheti   | 4.5        |
|    |        | AW504732              | Hs.86043<br>Hs.21275  | Homo sapiens cDNA FLJ13558 fis, clone PL hypothetical protein FLJ11011               | 3.7<br>4.6 |
|    |        | AA232255              |                       | ESTs, Moderately similar to A46010 X-lin   | 6.4        |
|    |        | AA234087              |                       | ESTs, Weakly similar to S72482 hypotheti   | 4.8        |
| 15 |        | R45584                | Hs.23025              | ESTs, Weakly similar to ALU5_HUMAN ALU S   | 3.3        |
|    |        | AA325138              |                       | hypothetical protein FLJ22672  | 3          |
|    |        | AW973964              | Hs.291531             | ESTs, Highly similar to 1203217A dehydro   | 3          |
|    |        | F09609<br>F06838      | Hs.14763              | gb:HSC33H092 normalized infant brain cDN<br>ESTs                                     | 3.2<br>3.2 |
| 20 |        | R43646                | Hs.12422              | ESTs   | 3.8        |
|    |        | AW818436              | Hs.23590              | solute carrier family 16 (monocarboxylic   | 3.3        |
|    | 109895 | AK001680              | Hs.30488              | DKFZP434F091 protein   | 3.6        |
|    |        | AW973152              | Hs.31050              | ESTs   | 4.2        |
| 25 |        | AA379597              | Hs.5199               | HSPC150 protein similar to ubiquitin-con   | 5.1        |
| 23 |        | H89355<br>Al239832    | Hs.249159<br>Hs.15617 | adrenergic, alpha-2A-, receptor ESTs, Weakly similar to ALU4_HUMAN ALU S             | 5.3<br>3.7 |
|    |        | BE092285              | Hs.29724              | hypothetical protein FLJ13187  | 3.7        |
|    |        | N64683                | Hs.290943             |  | 4          |
|    | 111155 | N66563                | Hs.191358             |  | 3.1        |
| 30 |        | AI767435              | Hs.29822              |  | 4.5        |
|    |        | Al457338              | Hs.29894              | ESTS   | 5.4        |
|    |        | R07856<br>R08440      | Hs.16355              | ESTs   | 3.2<br>3.1 |
|    |        | AA602004              | Hs.23260              | gb:yf19f09.s1 Soares fetal liver spleen<br>ESTs                                      | 3.1        |
| 35 |        | R35252                | Hs.24944              | ESTs, Weakly similar to 2109260A B cell  | 3.3        |
| -  |        | R38239                | Hs.293246             | ESTs, Weakly similar to putative p150 [H   | 3.1        |
|    |        | AA421081              | Hs.12388              |  | 3.4        |
|    |        | AF070526              | Hs.13429              |  | 3.3        |
| 40 |        | AW379029<br>BE246743  |                       | ESTs, Weakly similar to unnamed protein  | 4.4        |
| 70 |        | AB033064              |                       | hypothetical protein FLJ22635<br>KIAA1238 protein                                    | 7.3<br>3.2 |
|    |        | H24334                | Hs.26125              | ESTs   | 4.4        |
|    |        | R54797                |                       | gb:yg87b07.s1 Soares infant brain 1NIB H   | 3.4        |
|    |        | R66067                | Hs.28664              | ESTs   | 8.2        |
| 45 |        | AI791493              | Hs.129873             | ESTs, Weakly similar to A36036 cytochrom   | 5.5        |
|    |        | R82040                | 11- 404500            | gb:yj06b06.s1 Soares placenta Nb2HP Homo   | 3.9        |
|    |        | R82331<br>AW844878    | Hs.164599<br>Hs.19769 | hypothetical protein MGC4174   | 5.4<br>3.2 |
|    |        | Al418466              | Hs.33665              | ESTs   | 4.7        |
| 50 |        | AA082465              |                       | choline/ethanolaminephosphotransferase   | 3.7        |
|    |        | AB032977              | Hs.6298               | KIAA1151 protein   | 3.1        |
|    |        | AA828380              | Hs.126733             |  | 3.4        |
|    |        | AW813731              |                       | ESTs, Moderately similar to S65657 alpha   | 3.4        |
| 55 |        | BE613410              | Hs.31575              | SEC63, endoplasmic reticulum translocon<br>ESTs                                      | 3.2        |
| "  |        | T57773<br>BE262470    | Hs.10263<br>Hs.241471 |  | 3.5<br>6.2 |
|    |        | T79925                |                       | ESTs, Weakly similar to ALU1_HUMAN ALU S   | 3.7        |
|    |        | U54727                | Hs.191445             |  | 3          |
|    |        | T91451                | Hs.86538              | ESTs   | 3.4        |
| 60 |        | AW367788              |                       | postmelotic segregation increased 2-like   | 3.1        |
|    |        | A1702609              | Hs.15713<br>Hs.17466  | hypothetical protein MGC2776   | 3.1        |
|    |        | NM_004585<br>Al912410 | Hs.17400<br>Hs.27475  | retinoic acid receptor responder (tazaro<br>Homo sapiens cDNA FLJ12749 fis, clone NT | 3.9<br>3   |
|    |        | W81598                | . 10127 71 0          | gb:zd88g02.s1 Soares_fetal_heart_NbHH19W   | 4.6        |
| 65 |        | W84768                |                       | gb:zh53d03.s1 Soares_fetal_liver_spleen_   | 3.1        |
|    |        | W27249                | Hs.8109               | hypothetical protein FLJ21080  | 6.9        |
|    | 114086 | AA378776              | Hs.288649             | hypothetical protein MGC3077   | 4.3        |
|    |        |                       |                       |  |            |

|    |         | AW470411  |              | neurotrimin                              | 4.1  |
|----|---------|-----------|--------------|--|------|
|    |         | AW780192  | Hs.267596    |  | 3.4  |
|    |         | AW163267  |              | suppressor of var1 (S.cerevisiae) 3-like | 3.1  |
| •  |         | Al979168  | Hs.82226     |  | 4.8  |
| 5  |         | AI733881  | Hs.72472     |  | 10.1 |
|    |         | AA769266  | Hs.193657    |  | 3.6  |
|    |         | AI634549  | Hs.88155     | ESTs                                     | 3.2  |
|    |         | AW968073  |              | ESTs, Highly similar to A55713 inositol  | 4.2  |
| 10 |         | AA749209  | Hs.43728     |  | 3    |
| 10 |         | BE149845  |              | hypothetical protein MGC4126             | 3.6  |
|    |         | AA814100  | Hs.86693     | ESTs                                     | 3.9  |
|    |         | N46436    | Hs.109221    | ESTs                                     | 3.4  |
|    | 115354  | AA281636  | Hs.334827    |  | 4.8  |
|    | 115657  | AA405620  | Hs.55158     |  | 3.5  |
| 15 | 115676  | AA953006  | Hs.88143     |  | 9.3  |
|    | 115709  | AW293849  | Hs.58279     | ESTs, Weakly similar to ALU7_HUMAN ALU S | 3.4  |
|    | 115729  | AA417812  | Hs.38775     | ESTs                                     | 4    |
|    | 115787  | Al126772  | Hs.40479     | ESTs                                     | 3.1  |
|    | 115830  | AW970529  | Hs.86434     | hypothetical protein FLJ21816            | 3.6  |
| 20 | 115835  | AA521410  | Hs.41371     | ESTs                                     | 3.1  |
|    | 115850  | NM_014937 | Hs.52463     | KIAA0966 protein                         | 3    |
|    | 115900  | AK001500  | Hs.165186    | hypothetical protein FLJ13852            | 3.2  |
|    | 115935  | AA354549  | Hs.41181     | Homo sapiens mRNA; cDNA DKFZp727C191 (fr | 3    |
|    | 115948  | AL042465  | Hs.43445     | poly(A)-specific ribonuclease (deadenyla | 3.1  |
| 25 | 116092  | AB041035  | Hs.93847     | NM_016931:Homo sapiens NADPH oxidase 4 ( | 6.7  |
|    | 116115  | AL042355  | Hs.70202     | WD repeat domain 10                      | 3.6  |
|    | 116184  | AW450737  | Hs.128791    | CGI-09 protein                           | 3.1  |
|    |         | AA464976  | Hs.62528     | ESTs, Moderately similar to A46010 X-lin | 3.3  |
|    |         | AJ219083  | Hs.42532     | ESTs, Moderately similar to ALU8_HUMAN A | 3.2  |
| 30 |         | AF265555  |              | baculoviral IAP repeat-containing 6      | 3.6  |
|    |         | AW962196  | Hs.321264    | LBP protein 32                           | 4.1  |
|    |         | AJ272141  | Hs.83484     | SRY (sex determining region Y)-box 4     | 4.1  |
|    |         | AK001114  | Hs.53913     | hypothetical protein FLJ10252            | 8.6  |
|    |         | AA649530  |              | gb:ns44f05.s1 NCI_CGAP_Alv1 Homo sapiens | 3.2  |
| 35 |         | H88256    | Hs.50456     | ESTs, Moderately similar to ZN75_HUMAN Z | 3.5  |
| -  |         | AI569804  | Hs.42792     |  | 3.1  |
|    |         | AL133427  | Hs.42506     |  | 3.2  |
|    |         | H84455    | Hs.40639     | ESTs                                     | 4.7  |
|    |         | AB040959  | Hs.93836     | DKFZP434N014 protein                     | 3    |
| 40 |         | AW968941  |              | hypothetical protein DKFZp566l133        | 3.3  |
|    |         | AI183838  | Hs.48938     | hypothetical protein FLJ21802            | 4.3  |
|    |         | N66028    | Hs.49105     | FKBP-associated protein                  | 3.1  |
|    |         | AW970584  | Hs.291033    |  | 3.4  |
|    |         | AL157488  | Hs.50150     |  | 5.2  |
| 45 |         | AK000465  | Hs.50081     | KIAA1199 protein                         | 3.4  |
|    |         | N92293    |              | ESTs, Moderately similar to ALU8_HUMAN A | 3.3  |
|    |         | BE003760  | Hs.55209     |  | 19.7 |
|    |         | R95872    |              | chemokine binding protein 2              | 3.7  |
|    |         | R16833    |              | ESTs, Moderately similar to ALU1_HUMAN A | 4.1  |
| 50 |         | M10905    |              | fibronectin 1                            | 3.2  |
| 50 |         | W47620    | Hs.56009     |  | 3.3  |
|    |         | AF041853  | Hs.43670     | kinesin family member 3A                 | 3.1  |
|    |         | A1970797  | Hs.64859     | ESTs                                     | 5    |
|    |         | AL037824  |              | ras homolog gene family, member l        | 3.8  |
| 55 |         | AW449064  |              | collagen, type III, alpha 1 (Ehlers-Dani | 3.1  |
| 55 |         | W94472    | Hs 59529     | ESTs, Moderately similar to ALU1_HUMAN A | 8.4  |
|    |         | AA825686  | Hs 321176    | ESTs, Weakly similar to S65824 reverse t | 3.6  |
|    |         | AA196300  | Hs.21145     |  | 3.2  |
|    |         | AA225084  | 113,21140    | gb:nc21d06.r1 NCI_CGAP_Pr1 Homo sapiens  | 3.6  |
| 60 |         | AA357172  | He 202581    | ESTs, Moderately similar to ALU1_HUMAN A | 5.8  |
| 00 |         | AA365515  |              | hypothetical protein MGC4840             | 3    |
|    |         | AA393118  | Hs.97579     | ESTs, Weakly similar to A46010 X-linked  | 3.7  |
|    |         | AW976570  | Hs.97387     | ESTs                                     | 5.3  |
|    |         | AA320134  | Hs 196029    | Homo sapiens mRNA for KIAA1657 protein,  | 4 .  |
| 65 |         | AA398936  | Hs.97697     | EST                                      | 3.5  |
| 05 |         | AA399371  |              | similar to SALL1 (sal (Drosophila)-like  | 6.3  |
|    |         | AW885727  | Hs.301570    |  | 4.7  |
|    | 12 1007 |           | . 10.00 1010 |  |      |

|            |        | AW206227              |            | hypothetical protein FLJ23132   | 5   |
|------------|--------|-----------------------|------------|---|-----|
|            |        | M31669<br>AA640987    | Hs.1735    | Inhibin, beta 8 (activin AB beta polypep  | 3.6 |
|            |        | NM 015902             |            |   |     |
| 5          |        | AK000492              |            |   |     |
| •          |        | AA443311              | Hs.98998   |   |     |
|            |        | AA446965              |            |   |     |
|            | 122513 | A1767879              | Hs.99214   | ESTs  | 3.8 |
|            | 122544 | AW973253              | Hs.292689  | ESTs  | 3   |
| 10         |        | AA323296              | Hs.97837   |   | 5.6 |
|            |        | AA526911              | Hs.82772   | •   |     |
|            |        | AW205931              | Hs.99598   |   |     |
|            |        | AA487809<br>AA228776  |            |   |     |
| 15         |        | AA371307              |            |   |     |
| 13         |        | AA491253              |            |   |     |
|            |        | BE149685              |            |   |     |
|            |        | T66087                |            |   |     |
|            | 123485 | A1308876              |            |   | 3.1 |
| 20         | 123645 | AI675944              | Hs.188691  | Homo sapiens cDNA FLJ12033 fis, clone HE  | 3.8 |
|            |        | AA580082              |            |   |     |
|            |        | AA352723              |            |   |     |
|            |        | H69125                | Hs.133525  |   |     |
| 25         |        | N22401<br>N22508      | Un 120215  |   |     |
| 23         |        | AW451645              |            |   |     |
|            |        | N34151                |            |   |     |
|            |        | R41396                |            |   |     |
|            |        | BE065136              |            |   | 6   |
| 30         | 125042 | T78906                | Hs.269432  | ESTs, Moderately similar to ALU1_HUMAN A  | 8.1 |
|            |        | W60326                | Hs.288684  | Homo sapiens cDNA FLJ11750 fis, clone HE  | 4.7 |
|            |        | AW970536              |            | ·   |     |
|            |        | AF086534              |            |   |     |
| 25         |        | AL359573              |            |   |     |
| 35         |        | AW880562<br>AI422996  |            |   |     |
|            |        | AI924630              |            |   |     |
|            |        | N99638                | 113.7070   |   |     |
|            |        | AW975814              | Hs.326714  |   | 4   |
| 40         |        | AA648886              |            |   | 3.8 |
|            | 126872 | AW450979              |            | gb:UI-H-BI3-ala-a-12-0-UI.s1 NCI_CGAP_Su  | 3   |
|            |        | AW771958              |            |   | 3.6 |
|            |        | AA961459              |            |   |     |
| 15         |        | AW068311              |            |   |     |
| 45         |        | AA650274<br>NM_003616 |            |   |     |
|            |        | Y13153                |            |   |     |
|            |        | AA775076              |            | \$.193767 ESTs \$.277842 progestin induced protein \$.278428 progestin induced protein \$.98998 ESTs \$.98908 ESTs \$.99214 ESTs \$.99214 ESTs \$.99214 ESTs \$.99214 ESTs \$.99214 ESTs \$.99217 collagen, type XI, alpha 1 hypothetical protein MGC5338 \$.19207 ESTs \$.17207 collagen, type XI, alpha 1 hypothetical protein MGC5338 \$.194712 ESTs \$.12508 ESTs \$.12509 ESTs \$.12508 ESTs \$.12509 ESTs |     |
|            |        | D56365                | Hs.63525   |   |     |
| 50         |        | AA357185              |            |   |     |
|            | 129301 | AF182277              |            |   | 3.9 |
|            |        | AA172106              |            |   |     |
|            |        | AA209534              |            |   |     |
| <i>E E</i> |        | AK000398              | Hs.11747   |   |     |
| 55         | 400000 | X56411                | Hs.1219    |   |     |
|            |        | X03363                |            |   |     |
|            |        | Al347487              |            |   |     |
|            |        | NM_003450             |            |   |     |
| 60         |        | AI582291              | Hs.16846   |   |     |
|            |        | R77776                | Hs.18103   |   |     |
|            |        | AA809875              | Hs.25933   | ESTs .  | 4.2 |
|            |        | AB014544              | Hs.21572   |   |     |
| <i>c</i>   |        | AI399653              | Hs.22917   |   |     |
| 65         |        | H09048                | Hs.23606   |   |     |
|            |        | R71802<br>AW293399    |            |   |     |
|            | 101012 | U11737733             | 113.144304 | unnear renaturi couchiessor r   | J.0 |

|   | 131507 | A1826268                 | Hs.27769               | ESTs, Weakly similar to MCAT_HUMAN MITOC   | 3.2         |
|---|--------|--------------------------|------------------------|--|-------------|
|   | 131587 | Al695549                 | Hs.183868              | glucuronidase, beta  | 3.1         |
|   | 131739 | AF017986                 | Hs.31386               | secreted frizzled-related protein 2  | 3.2         |
| _   |        | BE501849                 | Hs.32317               | high-mobility group 20B  | 3.2         |
| 5   |        | D86960                   | Hs.3610                | KIAA0205 gene product  | 3.6         |
|   |        | NM_002314                | Hs.36566               | LIM domain kinase 1  | 3.2         |
|   |        | AA400091                 | Hs.39421               | ESTs   | 3.2<br>3    |
|   |        | AA426202                 | Hs.40403               | Cbp/p300-interacting transactivator, wit   | 3.2         |
| 10  |        | D76435                   | Hs.41154               | Zic family member 1 (odd-paired Drosophi   | 3.5         |
| 10  |        | AA192669                 | Hs.45032               | ESTs Homo sapiens mRNA; cDNA DKFZp761C1712 (f  | 9.2         |
|   |        | AL133731                 | Hs.4774                | CGI-49 protein   | 8.2         |
|   |        | AV660345                 | Hs.5101                | protein regulator of cytokinesis 1   | 3.4         |
|   |        | BE568452<br>AA326108     | Hs.33829               | bHLH protein DEC2  | 3.2         |
| 15  |        |                          | Hs.5521                | ESTs   | 4.8         |
| 13  |        | NM_006276                |                        | splicing factor, arginine/serine-rich 7  | 3.6         |
|   |        | W73311                   |                        | SAC2 (suppressor of actin mutations 2, y   | 3.2         |
|   |        | T48195                   | Hs.58189               | eukaryotic translation initiation factor   | 3.5         |
|   |        | Y00272                   |                        | cell division cycle 2, G1 to S and G2 to   | 4.4         |
| 20  |        | AL120659                 | Hs.6111                | aryl-hydrocarbon receptor nuclear transl   | 4.8         |
|   | 133130 | Al128606                 | Hs.6557                | zinc finger protein 161  | 3.3         |
|   | 133142 | AW952412                 | Hs.65874               | ESTs, Weakly similar to A40348 Elav/Sex-   | 3.5         |
|   | 133167 | AW162840                 | Hs.6641                | kinesin family member 5C   | 4.5         |
|   |        | AW600291                 | Hs.6823                | hypothetical protein FLJ10430  | 3.3<br>3    |
| 25  |        | AA085191                 | Hs.6949                | hypothetical protein MGC11275  | 3<br>4.5    |
|   |        | Z93241                   |                        | CGI-96 protein   | 4.1         |
|   |        | AW797437                 | Hs.69771               | B-factor, properdin  | 5.1         |
|   |        | BE618768                 | Hs.7232                | acetyl-Coenzyme A carboxylase alpha<br>fumarylacetoacetate hydrolase (fumarylac  | 3           |
| 20  |        | AW675064<br>AW162919     | Hs.73875               | RAB2, member RAS oncogene family-like  | 3.4         |
| 30  |        | BE274552                 | Hs.76578               | protein inhibitor of activated STAT3   | 3.9         |
| 331<br>332<br>333<br>330<br>338<br>338<br>338<br>334<br>341<br>344<br>355<br>35<br>35<br>35<br>35<br>35<br>35<br>35<br>40 |        | Al908165                 |                        | GATA-binding protein 3 (T-cell receptor  | 6.2         |
|   |        | BE391929                 | Hs.8752                | transmembrane protein 4  | 3.1         |
|   |        | Al433797                 | Hs.8889                | serine hydroxymethyltransferase 1 (solub   | 3           |
| 35  |        | D89377                   | Hs.89404               | msh (Drosophila) homeo box homolog 2   | 5.8         |
| 55  |        | J05582                   | Hs.89603               | mucin 1, transmembrane   | 4           |
|   |        | AF064804                 | Hs.96757               | suppressor of Ty (S.cerevislae) 3 homolo   | 3.2         |
|   | 135303 | R61253                   | Hs.98265               | KIAA1877 protein   | 3.3         |
|   | 135400 | X78592                   | Hs.99915               | androgen receptor (dihydrotestosterone r   | 4.8         |
| 40  |        | L10333                   | Hs.99947               | reticulon 1  | 3.8         |
|   |        | Al199738                 |                        | ESTs, Weakly similar to ALUA_HUMAN IIII  | 3.8<br>4.2  |
|   |        | AW614220                 | Hs.189402              |  | 9.9         |
|   |        | AW183618                 | Hs.55610               | solute carrier family 30 (zinc transport   | 4.9         |
| 45  |        | AW591433                 |                        | Transmembrane protease, serine 3   | 3.4         |
| 45  |        | Z45270                   |                        | hypothetical protein FLJ22672  | 3.5         |
|   |        | AA572949                 | Hs.207566<br>Hs.191990 |  | 3.8         |
|   |        | R10799<br>AA887801       |                        | G protein-coupled receptor   | 13.9        |
|   |        | Al091631                 |                        | two pore potassium channel KT3.3   | 4.4         |
| 50  |        | AA312082                 |                        | GDNF family receptor alpha 1   | 5.7         |
| 50  |        | U79745                   |                        | solute carrier family 16 (monocarboxylic   | 8.6         |
|   |        | T97905                   |                        | gb:ye54c10.r1 Soares fetal liver spleen  | 3.9         |
|   |        | AB020711                 | Hs.278346              | KIAA0904 protein   | 7.7         |
|   |        | BE542706                 | Hs.222399              | CEGP1 protein  | 7.3         |
| 55  | 302094 | AW749321                 | Hs.6786                | ESTs   | 3.3         |
|   | 302099 | AL049670                 | Hs.137576              | ribosomal protein L34 pseudogene 1   | 4.2         |
|   | 302145 | NM_003613                | Hs.151407              | cartilage intermediate layer protein, nu   | 7.9         |
|   | 30223  | AL049987                 | Hs.166361              | Homo sapiens mRNA; cDNA DKFZp564F112 (fr   | 5.6         |
|   |        | AW057736                 | Hs.323910              | HER2 receptor tyrosine kinase (c-erb-b2,   | 5.4<br>34.1 |
| 60  |        | AA179949                 | Hs.175563              | Homo sapiens mRNA; cDNA DKFZp564N0763 (f   | 6.7         |
|   | 30237  | 2 AL117406               | MS.200102              | 2 ATP-binding cassette transporter MRP8<br>5 Homo sapiens mRNA full length Insert cDN  | 4           |
|   | 30237  | 8 AL109712               | MS.290000              | S synaptonemal complex protein 2   | 4.3         |
|   |        | 4 Al678059               | FIS.202070             | S synaptonema complex protein 2<br>5 lipophilin B (uteroglobin family member)  | 13.8        |
| 65  | 30238  | 5 AJ224172<br>5 AW192334 | Hs.38218               |  | 9.6         |
| 65  | 30200  | 0 Al038997               | Hs.132921              |  | 5           |
|   |        | 7 AF282265               | Hs.44836               | inner centromere protein antigens (135kD   | 3.4         |
|   | 20702  | , 14 505500              | 110.77000              | The second secon |             |

|    |         |                      |                        |   | •           |
|----|---------|----------------------|------------------------|---|-------------|
|    | 302892  | AW176909             | Hs.42346               | calcineurin-binding protein calsarcin-1   | 3.4         |
|    | 302970  | W05608               |                        | ESTs, Weakly similar to A49019 dynein he  | 5.1         |
|    |         | AA652687             | Hs.96151               | Human DNA sequence from clone RP5-1103G7  | 3.7         |
| 5  |         | AL121460             |                        | hypothetical protein FLJ20508   | 4.1         |
| 5  |         | AW006352             |                        | ESTs, Weakly similar to T32554 hypotheti  | 4.2         |
|    |         | AA355607             |                        | ESTs, Weakly similar to putative WHSC1 p  | 4.3         |
| •  |         | AA367699             | Hs.10082               | potassium intermediate/small conductance  | 3.3         |
|    | _       | AW299459<br>Al424014 | Hs.18995               | gbxs50d08.x1 NCI_CGAP_Kid11 Homo saplen   | 4.2         |
| 10 |         | AW629759             | 115.10333              | KIAA1304 protein<br>gb:hh70e05.y1 NCI_CGAP_GU1 Homo saplens                         | 3.6<br>4.9  |
|    |         | R53434               | Hs.90207               | hypothetical protein MGC11138   | 3.7         |
|    |         | AA149951             | Hs.62112               | zinc finger protein 207   | 3.7         |
|    |         | AA582081             |                        | gb:nn32h08.s1 NCI_CGAP_Gas1 Homo sapiens  | 4.1         |
|    |         | AA876109             |                        | gb:nx24h01.s1 NCI_CGAP_GC3 Homo sapiens   | 3           |
| 15 | 305917  | AA876469             |                        | gb:oe48b04.s1 NCI_CGAP_Pr25 Homo sapiens  | 3.1         |
|    |         | Al140014             |                        | gb:qa68f09.x1 Soares_fetal_heart_NbHH19W  | 3.5         |
|    |         | Al144243             |                        | gb:qb85b12.x1 Soares_felal_heart_NbHH19W  | 3.9         |
|    |         | AI476803             |                        | gb:tj77e12.x1 Soares_NSF_F8_9W_OT_PA_P_S  | 4.3         |
| 20 |         | Al581398             |                        | collagen, type I, alpha 1   | 4.6         |
| 20 |         | AK000142             |                        | hypothetical protein FLJ23045   | 4.4         |
|    |         | Al951118             |                        | Homo sapiens breast cancer antigen NY-BR  | 17.3        |
|    |         | AW024348<br>AW168083 | HS.233191              | EST, Weakly similar to A27217 glucose tr  | 3.2         |
|    |         | AW170035             | He 226726              | gb:xg59g04.x1 NCl_CGAP_Ut4 Homo sapiens<br>Homo sapiens breast cancer antigen NY-BR | 3.1         |
| 25 |         | Al199712             |                        | ESTs, Weakly similar to 1917210A Pro/Arg  | 57.6<br>4.6 |
|    |         | Al685841             | Hs.161354              |   | 3.6         |
|    |         | AW022192             | Hs.200197              |   | 4.6         |
|    |         | AI939456             | Hs.160870              |   | 3.2         |
|    | 310727  | AK000703             | Hs.323822              | Homo sapiens mRNA for KIAA1551 protein,   | 3.6         |
| 30 | 310781  | AI380797             | Hs.158992              | ESTs  | 10.2        |
|    |         | AI955121             | Hs.165724              | N-acetylgalactosamine-4-O-sulfotransfera  | 3.4         |
|    |         | AI476732             | Hs.263912              |   | 10.9        |
|    |         | Al671439             |                        | Homo sapiens mRNA for KIAA1657 protein,   | 3.1         |
| 35 |         | AI821005             | Hs.118599              |   | 10.8        |
| 33 |         | AA641098             |                        | ESTs, Moderately similar to ALU1_HUMAN A  | 4.3         |
|    |         | AI758660<br>AI828254 | Hs.206132              |   | 4.4         |
|    |         | AW023595             | Hs.232048              | ESTs, Weakly similar to A47582 B-cell gr  | 5.1         |
|    |         | AA700870             | Hs.14304               |   | 5.8<br>3.3  |
| 40 |         | A1056769             | Hs.133512              |   | 3.9         |
|    |         | R12375               | Hs.194600              |   | 3.3         |
|    |         | AA767342             |                        | ESTs, Weakly similar to PSF_HUMAN PTB-AS  | 3           |
|    | 311913  | AI358522             | Hs.270188              |   | 3           |
|    | 311923  | T60843               | Hs.189679              | ESTs  | 5.6         |
| 45 | 311935  | AA216387             |                        | gb:nc16b02.s1 NCI_CGAP_Pr1 Homo sapiens   | 5.2         |
|    |         | AA373630             | Hs.188750              | ESTs  | 3           |
| _  |         | AA759263             |                        | ESTs  | 3.4         |
|    |         | T78968               |                        | ESTs  | 3.5         |
| 50 | 312090  |                      |                        | similar to rat nuclear ubiquitous casein  | 3.8         |
| 20 |         | Al633744             |                        | ESTs, Weakly similar to 138022 hypotheti  | 4.4         |
|    | 312168  | BE261944             |                        | hexokinase 1  | 5.2         |
|    | 312182  |                      | Hs.198882<br>Hs.326263 |   | 3.3         |
|    |         | AA700439             | Hs.188490              |   | 3.3<br>3.4  |
| 55 |         | AW438602             | Hs.191179              |   | 3.9         |
| 55 | 312219  |                      | Hs.117874              |   | 4           |
|    |         | AA315703             |                        | ESTs, Weakly similar to ALUB_HUMAN !!!!   | 4.9         |
|    |         | AA972712             | Hs.269737              |   | 5.7         |
|    | 312544  | AA516420             |                        | ESTs, Weakly similar to I38022 hypotheti  | 6.3         |
| 60 |         | AW439195             |                        | ESTs, Weakly similar to S65657 alpha-1C-  | 4.9         |
|    |         | AW291545             | Hs.185018              | ESTs  | 4.9         |
|    |         | AW292286             | Hs.255058              |   | 4.4         |
|    |         | AA497043             | Hs.115685              |   | 3.1         |
| 65 |         | AI422023             | Hs.161338              |   | 4.3         |
| 65 | 313079  |                      |                        | proteolipid protein 1 (Pelizaeus-Merzbac  | 3.3         |
|    |         | AF026944<br>AW073310 | Hs.293797              |   | 5.8         |
|    | 3 13030 | V4401 22 ID          | 115.103533             | Homo sapiens cDNA FLJ14142 fis, clone MA  | 4.5         |

|            | 313126 | AA746503             | Hs.283313              | ESTs                                     | 10          |
|------------|--------|----------------------|------------------------|--|-------------|
|            |        | Al801098             | Hs.151500              |  | 3.5         |
|            |        | AW979008             | Hs.222487              |  | 3.3         |
|            |        | AW960454             | Hs.222830              | ESTs                                     | 4.7         |
| 5          |        | Al420611             | Hs.127832              | ESTs                                     | 3.4         |
|            |        | AW449211             | Hs.105445              | GDNF family receptor alpha 1             | 12.4        |
|            | 313352 | AW150945             | Hs.144758              | ESTs                                     | 4.1         |
|            | 313385 | AI032087             | Hs.269819              | ESTs                                     | 3           |
|            | 313393 | AI674685             | Hs.200141              | ESTs                                     | 5.2         |
| 10         |        | AA741151             | Hs.137323              | ESTs                                     | 3.5         |
|            |        | W92070               |                        | gb:zh48g05.r1 Soares_fetal_liver_spleen_ | 3.7         |
|            |        | Al273419             | Hs.135146              | hypothetical protein FLJ13984            | 3           |
|            |        | AA046309             |                        | gb:zf12f01.s1 Soares_fetal_heart_NbHH19W | 5.6         |
| 1.5        |        | Al540978             | Hs.301997              | hypothetical protein FLJ13033            | 3.2         |
| 15         |        | C18863               |                        | Homo sapiens cDNA FLJ11576 fis, clone HE | 26.3<br>3   |
|            |        | AW175896             | Hs.65114               |  | 4.9         |
|            |        | Al535895             | Hs.221024              |  | 3.9         |
|            |        | AV657317             | Hs.291872              | hypothetical protein MGC3077             | 3.1         |
| 20         |        | AA827082             | Hs.329700              |  | 8.3         |
| 20         |        | AW129357<br>AA648744 | Hs.269493              |  | 6.6         |
|            |        | A1732083             | Hs.187619              |  | 6.2         |
|            |        | AA228366             | Hs.115122              |  | 4           |
|            |        | AA740616             | 113.110122             | gb:ny97f11.s1 NCI_CGAP_GCB1 Homo sapiens | 5.9         |
| 25         |        | AA743396             | Hs.189023              |  | 3.1         |
| ~~         |        | AL036450             | Hs.103238              | ESTs                                     | 4           |
|            |        | AI280112             | Hs.125232              | Homo sapiens cDNA FLJ13266 fis, clone OV | 8           |
|            |        | Al697901             | Hs.192425              |  | 3.7         |
|            |        | AA907153             | Hs.190060              | ESTs                                     | 3.3         |
| 30         | 314394 | AW961597             | Hs.130816              | ESTs, Moderately similar to I38022 hypot | 4.2         |
|            | 314401 | Al660412             | Hs.234557              |  | 3.3         |
|            | 314465 | AA602917             | Hs.156974              | ESTs                                     | 4.7         |
|            |        | AA833655             | Hs.206868              | Homo sapiens cDNA FLJ14056 fis, clone HE | 8.5         |
| 0.5        |        | Al204418             | Hs.190080              |  | 4           |
| 35         |        | AW007211             | Hs.16131               |  | 3.4         |
|            |        | AA399272             | Hs.144341              |  | 6.7<br>27.4 |
|            |        | AI873274             | Hs.190721              | ESTS, Weakly similar to A47582 B-cell gr | 4.4         |
|            |        | AA425310<br>AW979268 | HS. 100700             | gb:EST391378 MAGE resequences, MAGP Homo |             |
| 40         |        | AW207206             | Hs.136319              |  | 20.7        |
| 70         |        | AA457367             | Hs.191638              |  | 3.6         |
|            |        | AW026761             | Hs.134374              |  | 3.6         |
|            |        | BE350122             | Hs.157367              | ESTs, Weakly similar to I78885 serine/th | 4.9         |
|            |        | AW971198             | Hs.294068              |  | 4.3         |
| 45         |        | Al095087             | Hs.152299              | ESTs, Moderately similar to S65657 alpha | 3.7         |
|            |        | AA828032             | Hs.189076              |  | 3.1         |
|            |        | AW972359             | Hs.293334              | ESTs                                     | 3           |
|            | 315006 | AJ538613             | Hs.298241              | Transmembrane protease, serine 3         | 10.9        |
|            |        | AA533447             | Hs.312989              | ESTs                                     | 5.3         |
| 50         |        | AW292425             | Hs.163484              | ESTs                                     | 12.9        |
|            |        | AA551104             |                        | ESTs, Moderately similar to ALUC_HUMAN ! | 5.8         |
|            |        | AW452948             | Hs.257631              |  | 4.2         |
|            |        | AA744550             | Hs.136345              |  | 3.7         |
| <i>-</i> - |        | A1025842             | Hs.152530              |  | 6<br>3.9    |
| 55         | 315183 | AW136134             | Hs.220277              | ESTs, Moderately similar to I38937 DNA/R | 4.4         |
|            |        | AI241331             |                        |  | 8.2         |
|            |        | AI367347             | 115.44030<br>He 165000 | ESTs, Weakly similar to ALU1_HUMAN ALU S | 3.6         |
|            | 215740 | AI741506<br>R38772   | Hs 177610              | myelin transcription factor 1-like       | 3.4         |
| 60         |        | AW510994             | Hs.220740              |  | 3.4         |
| 00         |        | Al222165             | Hs.144923              |  | 4.9         |
|            |        | AA876905             | Hs.125286              |  | 4           |
|            |        | AB037745             |                        | KIAA1324 protein                         | 4.7         |
|            |        | AA218940             |                        | fidgetin-like 1                          | 3.1         |
| 65         |        | AI378817             | Hs.191847              | ESTs                                     | 3.1         |
|            | 315498 | AA628539             | Hs.116252              | ESTs. Moderately similar to ALU1_HUMAN A | 3.2         |
|            |        | AI193043             | Hs.128685              | ESTs, Weakly similar to T17226 hypotheti | 4.1         |

|            |        | AW015415             | Hs.127780                |  | 8.9        |
|------------|--------|----------------------|--------------------------|--|------------|
|            |        | AA737415             | Hs.152826                |  | 5.5        |
|            |        | AA837085             | Hs.220585                |  | 6.3<br>3.6 |
| 5          |        | AA648983<br>Al418055 | Hs.212911<br>Hs.161160   |  | 5.1        |
| ,          |        | AW515373             |                          | Homo sapiens cDNA FLJ13580 fis, clone PL   | 3.1        |
|            |        | AW270550             | Hs.116957                |  | 3.8        |
|            |        | AA737345             | Hs.294041                |  | 5          |
|            |        | AA683336             | Hs.189046                |  | 3.1        |
| 10         | 315977 | AW865916             | Hs.151206                | ESTs   | 4.7        |
|            | 315978 | AA830893             | Hs.119769                | ESTs   | 4.1        |
|            |        | Al217477             | Hs.194591                |  | 4.1        |
|            |        | AA764950             | Hs.119898                |  | 7          |
| 1.5        |        | AI469960             | Hs.170698                |  | 4.9        |
| 15         |        | A1962796             | Hs.136754                |  | 4.1<br>3.2 |
|            |        | AW517524<br>AW975114 | Hs.293273                | NOD2 protein   | 3.8        |
|            |        | AW203986             | Hs.213003                |  | 3.2        |
|            |        | Al187742             | Hs.125562                |  | 3.7        |
| 20         |        | Al904982             |                          | ESTs, Moderately similar to ALU1_HUMAN A   | 30.7       |
|            |        | AI433540             |                          | gb:ti69g05.x1 NCI_CGAP_Kid11 Homo sapien   | 3.1        |
|            |        | AI640761             | Hs.224988                |  | 3.5        |
|            | 316303 | AA740994             | Hs.209609                |  | 3.8        |
|            |        | AA741300             |                          | ESTs, Weakly similar to 138022 hypotheti   | 4.4        |
| 25         |        | AA747807             | Hs.149500                |  | 3.2        |
|            |        | AA938198             |                          | poly(A) polymerase gamma   | 9.4        |
|            |        | AW293174             | Hs.252627                |  | 4.4<br>3   |
|            |        | A1440266<br>A1660898 | Hs. 170673<br>Hs. 195602 | ESTs, Weakly similar to T24832 hypotheti   | 3.2        |
| 30         |        | A1954880             | Hs.134604                |  | 3.2        |
| 50         |        | AA836331             | Hs.134981                |  | 4.4        |
|            |        | AA838114             | Hs.221612                |  | 3.7        |
|            |        | AW014875             | Hs.137007                | ESTs   | 4.6        |
|            |        | A1732892             | Hs.190489                |  | 5.9        |
| 35         |        | AW445167             | Hs.126036                |  | 4.1        |
|            |        | AJ125252             | Hs.126419                |  | 3.5        |
|            |        | A1806867             | Hs.126594                |  | 5.1        |
|            |        | AA972965             | Hs.135568<br>Hs.137097   |  | 6.9<br>4.6 |
| 40         |        | AJ822034<br>AW294909 | Hs.132208                |  | 4.3        |
| 40         |        | AW664964             | Hs.128899                |  | 6.1        |
|            |        | X56348               |                          | ret proto-oncogene (multiple endocrine n   | 3.1        |
|            |        | AI681545             |                          | hypothetical protein FLJ13117  | 3.4        |
|            |        | AI827248             |                          | Homo sapiens cDNA FLJ11469 fis, clone HE   | 9.6        |
| 45         | 317902 | AW102941             | Hs.211265                | ESTs   | 4.1        |
|            | 317916 | Al565071             | Hs.159983                |  | 10.3       |
|            |        | AW294522             | Hs.149991                |  | - 3.1      |
|            |        | AI077540             | Hs.134090                |  | 3.9        |
| 50         |        | AW294013             | Hs.200942                | Homo sapiens cDNA: FLJ21000 fis, clone C   | 3<br>4.4   |
| 30         |        | AI093930<br>AF107493 |                          | Homo sapiens LUCA-15 protein mRNA, splic   | 5.4        |
|            |        | AW402677             |                          | RNA binding motif protein, X chromosome  | 4.4        |
|            |        | AA526235             |                          | Homo sapiens cDNA FLJ11983 fis, clone HE   | 5.9        |
|            |        | T49598               | Hs.156832                |  | 4          |
| 55         |        | NM_002543            |                          | oxidised low density Ilpoprotein (lectin   | 7.3        |
|            |        | AI793124             | Hs.144479                | ESTs   | 17.8       |
|            | 318781 | F11802               | Hs.6818                  | ESTs   | 3          |
|            |        | NM_012391            | Hs.79414                 | prostate epithelium-specific Ets transcr   | 3.6        |
| <b>~</b> 0 |        | AL524124             | Hs.270307                |  | 4.6        |
| 60         |        | W88532               | Hs.254562                |  | 3.3        |
|            |        | AA761668             | Un 1000F0                | gb:nz24c08.s1 NCI_CGAP_GCB1 Homo saplens   | 3.2<br>3.3 |
|            |        | T79366<br>AA071267   | 115.100230               | actin binding protein; macrophin (microf<br>gb:zm61g01.r1 Stratagene fibroblast (937 | 6.2        |
|            |        | C19035               | Hs.164259                |  | 3.3        |
| 65         |        | AA534222             |                          | gb:nj21d02.s1 NCI_CGAP_AA1 Homo sapiens  | 4.3        |
|            | 320074 | AA321166             | Hs.278233                | ESTs   | . 3.4      |
|            |        | AA984373             | Hs.90790                 | Homo sapiens cDNA: FLJ22930 fis, clone K   | 4.1        |
|            |        |                      |                          |  |            |

|            | 320187 | T99949     | Hs.303428   | Homo sapiens cDNA FLJ14832 fis, clone OV       | 5.3  |
|------------|--------|------------|-------------|--|------|
|            |        | AL039402   |             | DEME-6 protein                                 | 9.2  |
|            |        | Al026984   | Hs.293662   |  | 3.1  |
|            |        | U78082     | He 167738   | RNA polymerase II transcriptional regula       | 3.1  |
| 5          |        |            | Hs.80506    | small nuclear ribónucleoprotein polypept       | 6.1  |
| )          |        | N50617 .   | Hs.118112   |  | 3.5  |
|            |        | Al160015   |             |  | 3    |
|            |        | A1601188   | Hs.120910   |  | 3.7  |
|            |        | AA214584   | Hs.290167   | ESIS   | 3.1  |
|            | 320915 | Al359144   | Hs.143688   | Homo sapiens cDNA: FLJ23031 fis, done L        |      |
| 10         | 321016 | BE144167   | Hs.49994    | hypothetical protein similar to RNA-bind       | 3.3  |
|            | 321107 | A1732643   | Hs.144151   |  | 12.3 |
|            | 321171 | AI769410   | Hs.221461   | ESTs   | 3.3  |
|            |        | AA610649   | Hs.333239   | ESTs   | 3    |
|            |        | AB033041   | Hs.137507   | vang (van gogh, Drosophila)-like 2             | 3.9  |
| 15         |        | Al432199   | Hs.247084   |  | 3    |
| 10         |        | AW975944   | Hs.237396   |  | 11.7 |
|            |        | AI471598   | Hs.197531   |  | 3.8  |
|            |        |            | Hs.196151   |  | 4.4  |
|            |        | U29112     | 113.130131  | gb:HUM091D02B Human fetal brain (TFujiwa       | 3.2  |
| 20         |        | D80630     | 11- 00000   | go.noivios roozo ridinali leza biali (ir apiro | 3.1  |
| 20         |        | R59890     | Hs.83623    | nuclear receptor subfamily 1, group 1, m       | 4.7  |
|            |        | H67065     | Hs.271530   | ESTs. Weakly similar to ALU7_HUMAN ALU S       | 3.5  |
|            |        | AL049351   |             | Homo sapiens mRNA; cDNA DKFZp566C093 (fr       |      |
|            | 321978 | N77342     | Hs.21851    | Homo saplens cDNA FLJ12900 fis, clone NT       | 5    |
|            | 322035 | AL137517   | Hs.334473   | hypothetical protein DKFZp564O1278             | 19   |
| 25         | 322136 | AF075083   |             | gb:Homo sapiens full length insert cDNA        | 3.6  |
|            |        | BE265745   | Hs.194359   | ESTs, Weakly similar to ALUC_HUMAN IIII        | 3    |
|            |        | W76326     |             | gb:zd60d04.r1 Soares_fetal_heart_NbHH19W       | 4.4  |
|            |        | Al357412   | Hs.157601   | <b>~</b> .                                     | 11.5 |
|            |        | AW963372   | Hs.46677    | PRO2000 protein                                | 3    |
| 30         |        | T55958     | 110.100.1   | gb:yb35f05.r1 Stratagene fetal spleen (9       | 3    |
| 20         |        | AF147347   |             | gb:Homo sapiens full length insert cDNA        | 4.2  |
|            |        |            | Un DEC1ED   | Homo sapiens, Similar to RIKEN cDNA 2810       | 4    |
|            |        | AF155108   |             |  | 5.4  |
|            |        | W92147     | Hs.118394   |  | 3.1  |
| ~ ~        |        | AA017656   |             | gb:ze39h01.r1 Soares retina N2b4HR Homo        | 5.2  |
| 35         |        | AW068805   |             | Homo sapiens cDNA FLJ12280 fis, clone MA       |      |
|            | 322818 | AW043782   | Hs.293616   | ESTS   | 7.6  |
|            | 322882 | AW248508   | Hs.279727   | Homo sapiens cDNA FLJ14035 fis, clone HE       | 5.9  |
|            | 322975 | C16391     |             | gb:C16391 Clontech human aorta polyA mRN       | 16.5 |
|            | 323091 | Al902456   | Hs.210761   | ESTs, Weakly similar to 138022 hypotheti       | 4    |
| 40         |        | AK002088   | Hs.270124   | Homo sapiens cDNA FLJ11226 fis, clone PL       | 3.3  |
|            |        | AL120862   | Hs.124165   | programmed cell death 9 (PDCD9)                | 6.3  |
|            |        | AW675572   | Hs.193620   |  | 4.6  |
|            |        | AL133990   | Hs.190642   |  | 10.5 |
|            |        | A1829520   | 110.1000 12 | gb:wl19c06.x1 NCI_CGAP_Ut1 Homo sapiens        | 6.2  |
| 45         |        |            | Hs.208558   |  | 4.3  |
| 43         |        | AV651680   |             |  | 9.2  |
|            |        | AI655499   | Hs.161712   |  | 3.1  |
|            |        | AW445014   | Hs.197746   |  | 4    |
|            |        | BE081058   | Hs.243023   | ESIS   | 3    |
|            |        | AA317962   |             | ESTs, Moderately similar to PC4259 ferri       | 3.2  |
| 50         | 323782 | AW961560   | Hs.97600    | ESTs   |      |
|            | 323817 | AA410943   |             | BMP-R1B  | 8.4  |
|            | 323930 | ) AL043683 | Hs.8173     | hypothetical protein FLJ10803                  | 3.3  |
|            |        | AI825204   | Hs.211408   | ESTs   | 4.5  |
|            |        | AL044949   | Hs.116298   | ESTS   | 4.5  |
| 55         |        | A1472078   | Hs.303662   | P ESTs   | 8.4  |
| 33         |        | BE069341   |             | gb:QV3-BT0381-270100-073-c08 BT0381 Homo       | 49.4 |
|            | 22420  | AA431159   | Hs.122954   |  | 3    |
|            | 224200 | AI524039   | Hs.192524   |  | 3    |
|            | 224230 | * AAGA2007 | Hs.116369   |  | 3.3  |
| <u>د</u> ۸ | 324303 | AA642007   | Hs.152812   |  | 16.5 |
| 60         | 32443  | 2 AA464510 | Hs.132678   |  | 3.3  |
|            | 32458  | 5 Al823969 | Us. 1320/0  | 6 Homo sapiens cDNA: FLJ22765 fis, clone K     | 5    |
|            | 32459  | 8 AW972227 |             |  | 10.4 |
|            | 32460  | 3 AW993522 | Hs.292934   | COT Marks delicate 154274 cons ME2             | 3.3  |
|            | 32463  | 1 AA937116 |             | BSTs, Weakly similar to I54374 gene NF2        | 3.2  |
| 65         | 32471  | 6 BE169746 | Hs.12504    | likely ortholog of mouse Arkadia               |      |
| -          | 32474  | 8 AW974941 |             | 5 ESTs, Weakly similar to I78885 serine/th     | 3    |
|            | 32477  | 1 AA631739 | Hs.335440   | ) EST  | 3    |

|    | 324774 AI031771                    | Hs.132586              |  | 4.2                      |     |
|----|------------------------------------|------------------------|--|--------------------------|-----|
|    | 324823 AW516704                    | Hs.208726              |  | 3.4                      |     |
|    | 324824 AI826999                    | Hs.224624              |  | 3.1                      |     |
| 5  | 324826 AA704806                    | HS.143842              | ESTs, Wealdy similar to 2004399A chromos   | 4.4                      |     |
| ,  | 324961 AA613792<br>324987 Al375572 | Un 47000A              | gb:no97h03.s1 NCI_CGAP_Pr2 Homo sapiens  | 3.9                      |     |
|    | 324994 AI805416                    | Hs.172634<br>Hs.213897 |  | 18.8<br>3.3              |     |
|    | 325146 AI064690                    |                        |  | 3.3<br>4.2               |     |
|    | 325372                             | Hs.171176              |  | 4.2<br>4.4               |     |
| 10 | 325544                             |                        | Phase 2 & 3 Exons Phase 2 & 3 Exons  | 4.4<br>5.7               |     |
| 10 | 327075                             |                        | Phase 2 & 3 Exons  | 3.8                      |     |
|    | 332798                             |                        |  |                          |     |
|    |                                    |                        | C22000007:gi 12314195 emb CAB99338.1  (A   | 4.3<br>26.2              |     |
|    | 334223                             |                        | NM_005080*:Homo sapiens X-box binding pr   | 3.9                      |     |
| 15 | 334447<br>335809                   |                        | NM_012429*:Homo sapiens SEC14 (S. cerevl<br>NM_014509*:Homo sapiens kraken-like (BK1 | 10.1                     |     |
| 13 | 335824                             |                        | ENSP00000249072*:DJ222E13.1 (N-TERMINAL  | 20                       |     |
|    | 338255                             |                        | NM_014323*:Homo saplens zinc finger prot   | 9                        |     |
|    | 409430 R21945                      | Ue 166076              | splicing factor, arginine/serine-rich 5  | 4                        |     |
|    | 428046 AW812795                    |                        | ESTs, Moderately similar to I38022 hypot   | 4.6                      |     |
| 20 | 432558 R97268                      | Hs.177269              |  | 3.2                      |     |
| 20 | 436808 AA731602                    | Hs.120266              |  | 3.9                      |     |
|    | 448569 BE382657                    |                        | signal transducer and activator of trans   | 4.1                      |     |
|    | 453542 AW836724                    |                        | Homo sapiens mRNA expressed only in plac   | 3.7                      |     |
|    | M97935                             | 113.000000             | AFFX control: STAT1  | 3.2                      |     |
| 25 | M97935                             |                        | AFFX control: STAT1  | 3                        |     |
| 23 | M55150                             |                        | fumarylacetoacetate  | 3                        |     |
|    | M13755                             |                        | interferon stimulated protein; 15 kDa  | 4.5                      |     |
|    | AI052047                           |                        | ESTs   | 6.7                      |     |
|    | AA252033                           |                        | ESTs; Weakly similar to !!!! ALU SUBFAMILY J   | 3.2                      |     |
| 30 | AA401739                           |                        | ESTs   | 3.3                      |     |
| 50 | H18459                             |                        | hepatocellular carcinoma associated protein;   | 3                        |     |
|    | R48744                             |                        | ESTs   | 4.2                      |     |
|    | M31682                             |                        | inhibin; beta B (activin AB beta polypeptide)  | 3                        |     |
|    | AA416873                           |                        | ESTs   | 3                        |     |
| 35 | D80240                             |                        | HUM5G11A Human fetal brain (TFujiwara) Homo  | 4                        |     |
| 55 | R49590                             |                        | ESTs   | 3.2                      |     |
|    | 1113030                            |                        | CH22_FGENES.678_5  | 16.8                     |     |
|    |                                    |                        | CH22_FGENES.619_7  | 12.9                     |     |
|    |                                    |                        | CH22_FGENES.619_12   | 11.3                     |     |
| 40 |                                    |                        | CH22_EM:AC005500.GENSCAN.127 9   | 9.2                      |     |
|    |                                    |                        | CH22_EM:AC005500.GENSCAN.304 2   | 8.5                      |     |
|    |                                    |                        | CH22_FGENES.271_8  | 8.4                      |     |
|    |                                    |                        | CH22_FGENES.619_13   | 8                        |     |
|    |                                    |                        | CH22_FGENES.271_7  | 7.3                      |     |
| 45 |                                    |                        | CH22_FGENES.617_7  | 7.2                      |     |
| •• |                                    |                        | CH.07_hs gij6004473  | 7.1                      |     |
|    |                                    | -                      | CH22_FGENES.264_1  | 6.8                      | _   |
|    | X03363                             |                        | HER2 receptor tyrosine kinase (c erb8 2; ERBB2;                                      |                          |     |
|    |                                    |                        | CH22_FGENES.617_9  | 6.5                      |     |
| 50 |                                    |                        | CH.07_hs gij5868264  | 5.8                      |     |
|    |                                    |                        | CH.19_hs gij5867439  | 5.7                      |     |
|    |                                    |                        | CH22_FGENES.63   | 5.3                      |     |
|    |                                    |                        | CH.17_hs gl[5867230  | 5.1                      |     |
|    |                                    |                        | CH.20_hs gij6552458  | 5.1                      |     |
| 55 |                                    |                        | CH22_EM:AC005500.GENSCAN.148 22  | 4.7                      |     |
|    | •                                  |                        | CH22_FGENES.669_10   | 4.6                      |     |
|    | AA034918                           |                        | KIAA1028 protein   | 4.6                      |     |
|    |                                    |                        | CH22_FGENES.48_12  | 4.5                      |     |
|    |                                    |                        | CH22_FGENES.118_2  | 4.5                      |     |
| 60 | AF049569                           |                        | ESTs   | 4.4                      |     |
|    | M13955                             |                        | multiple UniGene matches   | 4.3                      |     |
|    |                                    |                        | CH22_FGENES.619_8  | 4.3                      |     |
|    |                                    |                        | CH22_FGENES.13 7   | 4.3                      |     |
| _  | HG4126 HT4:                        | 396                    |  | Zinc Finger Protein Hzf4 | 4.3 |
| 65 |                                    |                        | CH22_FGENES.360_3  | 4.3                      |     |
|    |                                    |                        | CH22_FGENES.706_9  | 4.3                      |     |
|    |                                    |                        | CH.21_hs gi[6531965  | 4.2                      |     |
|    |                                    |                        | <del>,</del> ,   |                          |     |

|    |                   | CH.17_hs gi 5867215                             | 4.1<br>4.1                              |     |
|----|-------------------|---|---|-----|
|    | 11000441170740    | CH22_FGENES.669_8                               | Collagen, Type Viii, Alpha 1 4.1        |     |
|    | HG2614 HT2710     | CH22 FGENES.48_18                               | 4.1                                     |     |
| 5  | X83535            | matrix metalloproteinase 14 (membrane inserted) | 4                                       |     |
| J  | V00000            | CH22 FGENES.271_6                               | 3.9                                     |     |
|    |                   | CH22_FGENES.617_3                               | 3.9                                     | •   |
|    |                   | CH22_FGENES.290_8                               | 3.8                                     |     |
|    | HG4716 HT5158     | 01122_1 GLINES.230_0                            | Guanosine 5' Monophosphate Synthase     | 3.8 |
| 10 | NG47 10 IT 13 130 | CH22 FGENES.135                                 | 3.8                                     |     |
| 10 |                   | CH22_FGENES.13 2                                | 3.8                                     |     |
|    |                   | CH.14_hs gij6682474                             | 3.8                                     |     |
|    |                   | CH.02_hs gi[5867750                             | 3.8                                     |     |
|    |                   | CH22_FGENES.617_8                               | 3.7                                     |     |
| 15 | HG4677 HT5102     | OHZZ GENEBUSTI _O                               | Oncogene Ret/Ptc2, Fusion Activated     | 3.7 |
| 13 | 11040711113102    | CH22_DJ32I10.GENSCAN.23 39                      | 3.7                                     |     |
|    |                   | CH22_FGENES.543_20                              | 3.7                                     |     |
|    |                   | CH22_EM:AC005500.GENSCAN.96 1                   | 3.7                                     |     |
|    |                   | CH22_FGENES.204_2                               | 3.5                                     |     |
| 20 |                   | CH22_FGENES.619_4                               | 3.5                                     |     |
| 20 |                   | CH.16_hs gi 5867087                             | 3.5                                     |     |
|    | AA714311          | EST cluster (not in UniGene)                    | 3.4                                     |     |
|    | 7011 71011        | CH22_EM:AC005500.GENSCAN.1499                   | 3.4                                     |     |
|    |                   | CH22_EM:AC005500.GENSCAN.421 5                  | 3.4                                     |     |
| 25 |                   | CH22 FGENES.134                                 | 3.3                                     |     |
| 23 |                   | CH.07_hs qil6004478                             | 3.3                                     |     |
|    |                   | CH22_FGENES.360_1                               | 3.3                                     |     |
|    | HG2465 HT4871     |   | Ona Binding Protein Ap 2, Alt. Splice 3 | 3.3 |
|    |                   | CH22_FGENES.6_2                                 | 3.3                                     |     |
| 30 |                   | CH22_C20H12.GENSCAN.16 2                        | 3.2                                     |     |
| •  |                   | CH22_C65E1.GENSCAN.8 1                          | 3.2                                     |     |
|    | AA707750          | ESTs; Weakly similar to cis Golgi matrix        | 3.1                                     |     |
|    |                   | CH22_FGENES.307_4                               | 3.1                                     |     |
|    |                   | CH22_EM:AC005500.GENSCAN.248 14                 | 3.1                                     |     |
| 35 |                   | CH.06_hs gi 5902482                             | 3.1                                     |     |
|    |                   | CH22_FGENES.669_5                               | 3.1                                     |     |
|    |                   | CH22_DJ32I10.GENSCAN.19 8                       | 3.1                                     |     |
|    |                   | CH22_FGENES.527_6                               | 3.1                                     |     |
|    |                   | CH22_FGENES.330_10                              | 3.1                                     |     |
| 40 |                   | CH22_FGENES.14 2                                | 3.1                                     |     |
|    | AA976074          | ESTs  | 3                                       |     |
|    |                   | CH22_FGENES.226 7                               | 3                                       |     |
|    |                   | CH22_FGENES.133                                 | 3                                       |     |
|    |                   | CH22_EM:AC005500.GENSCAN.209 12                 | 3                                       |     |
| 45 |                   | CH22_FGENES.271_3                               | J                                       |     |
|    |                   |   |   |     |

#### TABLE 17A

Table 17A shows the accession numbers for those pkeys lacking unigeneID's for Table 17. For each probeset, we have listed the gene cluster number from which the oligonucleotides were designed. Gene clusters were compiled using sequences derived from Genbank ESTs and mRNAs. These sequences were clustered based on sequence similarity using Clustering and Alignment Tools (DoubleTwist, Oakland California). The Genbank accession numbers for sequences comprising each cluster are listed in the "Accession" column.

10

Pkey: Unique Eos probeset identifier number CAT number: Gene cluster number

Genbank accession numbers

15

Accession:

25 AW003247 AW496808 A1080480 A1631703 A1651023 A1857418 AW818140 AA502500 Al206199 A1671282 A1352545 BE501030 A1652535 BE465762 AA206331 AW451866 AA471088 AA206342 AA204334 AA206100 AW021661 AA332922 N66048 AA703396 H92278 AW139734 H92683 U87589 U87595 H69001 U87594 BE466420 A1624817 BE466611 A1206344 AA574397 AA348354 A1493192 AW450979 AA136656 AW419381 AA984358 AA492073 BE168945 AA809054 AW238038 BE011212 BE011359

30 126872 142696\_1 AW450979 AA136653 AA136656 AW419381 AA984358 AA492073 BE168945 AA809054 AW238038 BE011212 BE01135 BE011367 BE011368 BE011362 BE011365 BE011365 BE011363 112631 1746257\_1 R82040 R70934

120742 176835\_1 AA225084 AA302713 106864 324239\_1 Al311928 AA336030 T51931 AA609816 AA487195 AA664207 109700 genbank\_F09609 F09609 35 111532 genbank\_R08440 R08440 113938 genbank\_W81598 W81598 113947 genbank\_W84768 W84768

40 124357 genbank\_N22401 N22401 108733 504187\_1 AA121022 AA126422 112303 genbank\_R54797 R54797 322136 46802\_1 AF075083 H52291 H52528 322296 47334\_1 W76326 AF086341 W72300

321811 1527481\_1 D80630 D80896 D80895 314648 293660\_1 AW979268 AA878419 AA431342 AA431628 45 322520 38916\_1 T55958 T57205 AF147346

322521 38917\_1 AF147347 T55426 T55503 322675 86787\_1 AA017656 AA017374 AA019761 323332 179142\_1 AI829520 AI791832 AA228414 AI791823 AA229211 AA229315

316186 425440\_1 Ak33540 AA728984 AA804981 ) 322975 1510563\_1 C16391 C16413

324261 273265\_1 BE069341 AW748403 AL044891 AI908240 AA393080 323817 233566\_1 AA410943 AW948953 AA334202 AA332882 301976 128835\_1 797905 AA101672 324961 376239 1 AA613792 AW182329 T05304 AW858385

55 303642 284260\_1 AA613792 AW182329 105304 AW858385 3036797 386364\_1 AW299459 AA417112 AW629759 AW749955 AA633408 AI651005 319551 357371\_1 AA761668 AA573621 R92814 R09670 319834 112523\_1 AA071267 T65940 T64515 AA071334

60 319977 345248\_1 AA534222 AA632632 T81234 314138 179960\_1 AA740616 AA654854 AA229923 313591 103087\_1 AA046309 Al263500 AA046397

308106 Al476803
338255 CH22\_6856FG\_\_LINK\_EM:AC00
335809 CH22\_3181FG\_617\_6\_LINK\_EM
335842 CH22\_3197FG\_619\_11\_LINK\_E

5 307010 Al140014
307041 Al144243
305917 AA876469
309574 AW168083

10 325372 c12\_hs
325544 c12\_hs
332798 CH22\_14FG\_6\_5\_LINK\_C4G1.G
334223 CH22\_1507FG\_360\_4\_LINK\_EM
327075 c21\_hs
15 334447 CH22\_1746FG\_387\_7\_LINK\_EM
304762 AA582081
313434 441798\_1 W92070 AW019952 W92053

# **TABLE 17B**

Table 17B shows the genomic positioning for those pkeys lacking unigene ID's and accession numbers in Table 17. For each predicted exon, we have listed the genomic sequence source used for prediction. Nucleotide locations of each predicted exon are also listed.

| 10 | Pkey:<br>Ref:           | Unique number corresponding to an Eos probeset Sequence source. The 7 digit numbers in this column are Genbank Identifier (GI) numbers. "Dunham I, et al." refers to the publication                            |
|----|-------------------------|---|
|    | Strand:<br>Nt_position: | entitled *The DNA sequence of human chromosome 22.* Dunham I. et al., Nature (1999) 402:489-495.<br>Indicates DNA strand from which exons were predicted.<br>Indicates nucleotide positions of predicted exons. |
| 15 |                         |   |

| 15 | Pkey   | Ref               | Strand | Nt_position       |
|----|--------|-------------------|--------|-------------------|
|    |        | Dunham, I. et al. |        | 14308764-14308824 |
|    |        | Dunham, I, et.ai. |        | 26310772-26310909 |
| 20 | 335824 | Dunham, I. et.al. | Plus   | 26376860-26376942 |
|    | 332798 | Dunham, I. et.al. | Minus  | 232147-231974     |
|    | 334223 | Dunham, I. et al. | Minus  | 12734365-12734269 |
|    | 338255 | Dunham, I. et.al. | Minus  | 15242294-15242231 |
|    | 325372 | 5866920           | Minus  | 1117061-1117304   |
| 25 | 325544 | 6682452           | Plus   | 171228-171286     |
|    | 327075 | 6531965           | Plus   | 4041318-4041431   |

PCT/US02/02242 WO 02/059377

# TABLE 18: Table 2 from BRCA 014 P

Table 18 shows genes with atleast five times the expression in breast tumor tissue than is expressed in normal body tissues. 5

Unique Eos probeset identifier number Exemplar Accession number, Genbank accession number

UnigenelD: Unigene Title: R1: 10 Unigene number

Unigene gene title Ratio of tumor to normal body tissue

| 15         | Pkey   | ExAcon   | UnigenelD | Unigene Title                            | R1          |
|------------|--------|----------|-----------|--|-------------|
|            | 101278 | BE563085 | Hs.833    | interferon-stimulated protein, 15 kDa    | 5.3         |
|            |        | M29874   | Hs.1360   | monoral camerates processing as a second | 9           |
|            |        | M81057   | Hs.180884 |  | 12          |
| 20         |        | M97815   | Hs.183650 |  | 6.5         |
| 20         |        | X52509   | Hs.161640 |  | 12.4        |
|            |        | AF183810 |           |  | 7.6         |
|            |        | AA035613 |           | ESTs                                     | 6.9         |
|            |        | AW963419 |           |  | 5.3         |
| 25         |        | AA011449 |           |  | 6.1         |
| 23         |        | AB033064 | Hs.334806 |  | 7.3         |
|            |        | AI791493 | Hs.129873 |  | 8.2         |
|            |        | R82331   | Hs.164599 | ESTs                                     | 5.4         |
|            |        | BE262470 |           | -0.0                                     | 6.2         |
| 30         |        | W27249   | Hs.8109   | 14100                                    | 6.9         |
| 50         |        | A1733881 | Hs.72472  | in pour out out in the contract          | 10.1        |
|            |        | N92293   | Hs.206832 |  | 19.7        |
|            |        | AW449064 |           | collagen, type III, alpha 1 (Ehlers-Dani | 8.4         |
|            |        | M31669   | Hs.1735   | inhibin, beta B (activin AB beta polypep | 5.6         |
| 35         |        | AF182277 |           |  | 6.2         |
|            |        | Al908165 | Hs.169946 | GATA-binding protein 3 (T-cell receptor  | 6.2         |
|            |        | D89377   | Hs.89404  |  | 5.8         |
|            |        | AW183618 |           |  | 9.9         |
|            |        |          | Hs.105445 |  | 5.7         |
| 40         |        | AB020711 |           | KIAA0904 protein                         | 7.7         |
|            | 302067 | BE542706 | Hs.222399 | CEGP1 protein                            | 7.3         |
|            | 302276 | AW057736 | Hs.323910 |  | 5.4         |
|            | 302290 | AA179949 | Hs.175563 | Homo sapiens mRNA; cDNA DKFZp564N0763 (f | 34.1        |
|            | 302372 | AL117406 | Hs.200102 | ATP-binding cassette transporter MRP8    | 6.7         |
| 45         | 302385 | AJ224172 | Hs.204096 | Ilpophilin B (uteroglobin family member) | 13.8        |
|            | 309177 | A1951118 | Hs.326736 | Homo sapiens breast cancer antigen NY-BR | 17.3        |
|            | 309583 | AW170035 | Hs.326736 | Homo sapiens breast cancer antigen NY-BR | 57.6        |
|            | 310781 | A1380797 | Hs.158992 | ESTs                                     | 10.2        |
|            |        | Al821005 | Hs.118599 | ESTs                                     | 10.8        |
| 50         |        | AA216387 |           | gb:nc16b02.s1 NCI_CGAP_Pr1 Homo sapiens  | 5.2         |
|            |        | BE261944 |           | hexokinase 1                             | 5.2         |
|            |        |          | Hs.105445 | GDNF family receptor alpha 1             | 12.4        |
|            |        | C18863   | Hs.163443 | Homo sapiens cDNA FLJ11576 fis, clone HE | 26.3        |
|            |        | AA648744 | Hs.269493 | ESTs                                     | 6.6         |
| 55         |        | AA740616 |           | gb:ny97f11.s1 NCL_CGAP_GCB1 Homo saplens | 5.9<br>8.5  |
|            |        |          | Hs.206868 | Homo sapiens cDNA FLJ14056 fis, clone HE | 8.5<br>27.4 |
|            |        | AI873274 | Hs.190721 | ESTs                                     | 20.7        |
|            |        |          | Hs.136319 | ESTs                                     | 10.9        |
| <b>C</b> O |        | AI538613 | Hs.298241 | Transmembrane protease, serine 3         | 5.3         |
| 60         |        |          | Hs.312989 | ESTs                                     | 12.9        |
|            | 315051 |          | Hs.163484 | ESTS                                     | 5.8         |
|            | 315060 | AA551104 | Hs.189048 | ESTs, Moderately similar to ALUC_HUMAN!  | J.0         |

|    | 315196 | AI367347  | Hs.44898   | Homo sapiens clone TCCCTA00151 mRNA sequ | 18.2 |   |
|----|--------|-----------|------------|--|------|---|
|    | 315530 | AW015415  | Hs.127780  | ESTs                                     | 8.9  |   |
|    | 315634 | AA837085  | Hs.220585  | ESTs                                     | 6.3  |   |
|    | 316012 | AA764950  | Hs.119898  | ESTs                                     | 7    |   |
| 5  |        | Al904982  |            | ESTs, Moderately similar to ALU1_HUMAN A | 30.7 |   |
|    | 316580 | AA938198  | Hs.146123  | poly(A) polymerase gamma                 | 9.4  |   |
|    | 317803 | AW664964  | Hs. 128899 | ESTs                                     | 6.1  |   |
|    | 317881 | AI827248  | Hs.224398  | Homo sapiens cDNA FLJ11469 fis, clone HE | 9.6  |   |
|    |        | NM_002543 |            | oxidised low density lipoprotein (lectin | 7.3  |   |
| 10 |        | AI793124  |            | ESTs                                     | 17.8 |   |
|    | 320211 | AL039402  | Hs.125783  | DEME-6 protein                           | 9.2  |   |
|    | 321107 | AI732643  | Hs.144151  | ESTs                                     | 12.3 |   |
|    | 321644 | AW975944  | Hs.237396  | ESTs                                     | 11.7 |   |
|    | 321978 | N77342    | Hs.21851   | Homo sapiens cONA FLJ12900 fis, clone NT | 5    |   |
| 15 | 322035 | AL137517  | Hs.334473  | hypothetical protein DKFZp564O1278       | 19   |   |
|    |        | AW068805  |            | Homo sapiens cDNA FLJ12280 fis, clone MA | 5.2  |   |
|    | 322818 | AW043782  | Hs.293616  | ESTs                                     | 7.6  |   |
|    | 322975 | C16391    |            | gb:C16391 Clontech human aorta polyA mRN | 16.5 |   |
|    | 323262 | AL133990  | Hs.190642  | ESTs                                     | 10.5 |   |
| 20 | 323332 | AI829520  |            | gb:wl19c06.x1 NCI_CGAP_Ut1 Homo sapiens  | 6.2  |   |
|    | 323817 | AA410943  |            | BMP-R1B                                  | 8.4  |   |
|    | 324261 | BE069341  |            | gb:QV3-BT0381-270100-073-c08 BT0381 Homo | 49.4 |   |
|    | 324432 | AA464510  | Hs.152812  | ESTs                                     | 16.5 |   |
|    | 324598 | AW972227  | Hs.163986  | Homo sapiens cDNA: FLJ22765 fis, clone K | 5    |   |
| 25 | 324603 | AW993522  | Hs.292934  | ESTs                                     | 10.4 |   |
|    | 324987 | AI375572  | Hs.172634  | ESTs                                     | 18.8 |   |
|    | 325544 |           |            | Phase 2 & 3 Exons                        | 5.7  |   |
|    | 330388 |           | Hs.46      | HER2 receptor tyrosine kinase (c-erb-b2, | 6.6  |   |
|    | 334223 |           |            | NM_005080*:Homo sapiens X-box binding pr | 26.2 |   |
| 30 | 335809 |           |            | NM_014509*:Homo sapiens kraken-like (BK1 | 10.1 |   |
|    | 335824 |           | •          | ENSP00000249072*:DJ222E13.1 (N-TERMINAL  | 20   | į |
|    |        | AI052047  |            | ESTs; Weakly similar to CYTOCHROME P450  | 6.7  |   |
|    |        | R72427    |            | CH22_EM:AC005500.GENSCAN.127 9           | 5.5  |   |
|    |        |           |            | CH22_FGENES.619_13                       | 9.2  |   |
| 35 |        |           |            |  | 8    |   |
|    |        |           |            | CH22_FGENES.271_7                        | 6.5  |   |
|    |        |           |            | CH22_FGENES.619_7                        | 7.3  |   |
|    |        |           |            | CH22_FGENES.271_8                        | 12.9 |   |
| 40 |        |           |            | CH22_FGENES.619_12                       | 8.4  |   |
| 40 |        |           |            | CH22_EM:AC005500.GENSCAN.304 2           | 11.3 |   |
|    |        |           |            |  | 8.5  |   |
|    |        |           |            | CH22_FGENES.617_7                        | 7.1  |   |
|    |        |           |            |  | 7.2  |   |
|    |        |           |            | CH22_FGENES.678_5                        | 16.8 |   |

PCT/US02/02242 WO 02/059377

# TABLE 18A

Table 18A shows the accession numbers for those pkeys lacking unigeneID's for Table 18. For each probeset, we have listed the gene cluster number from which the oligonucleotides were designed. Gene clusters were compiled using sequences derived from Genbank ESTs and mRNAs. These sequences were clustered based on sequence similarity using Clustering and Alignment Tools (DoubleTwist, Oakland California). The Genbank accession numbers for sequences comprising each cluster are listed in the "Accession" column.

10

5

Pkey: CAT number: Unique Eos probeset identifier number

Gene cluster number Accession: Genbank accession numbers

15

|    | Pkey   | CAT number    | Accession   |
|----|--------|---------------|---|
| •  |        | 179142_1      | Al829520 Al791832 AA228414 Al791823 AA229211 AA229315 |
| 20 | 322975 | 1510563_1     | C16391 C16413   |
|    | 324261 | 273265_1      | BE069341 AW748403 AL044891 Al908240 AA393080          |
|    | 323817 | 233566_1      | AA410943 AW948953 AA334202 AA332882                   |
|    | 311935 | 174129_1      | AA216387 T63548 AA228676                              |
|    | 314138 | 179960_1      | AA740616 AA654854 AA229923                            |
| 25 | 335809 | CH22_3181FG_6 | 17_6_LINK_EM  |
|    | 335824 | CH22_3197FG_6 | 19_11_LINK_E  |
|    | 325544 | c12 hs        |   |
|    | 334223 | CH22_1507FG_3 | 60_4_LINK_EM  |

# **TABLE 18B**

Table 18B shows the genomic positioning for those pkeys lacking unigene ID's and
 accession numbers in Table 18. For each predicted exon, we have listed the genomic sequence source used for prediction. Nucleotide locations of each predicted exon are also listed.

| 10 | Ref: Sequence source. 1    |  |        | responding to an Eos probeset The 7 digit numbers in this column are Genbank Identifier (GI) numbers. "Dunham I. et al." refers to the publication DNA sequence of human chromosome 22." Dunham I. et al., Nature (1999) 402:489-495. |  |  |
|----|----------------------------|--|--------|---|--|--|
| 15 | Nt_position: Indicates nuc |  |        | and from which exons were predicted.<br>de positions of predicted exons.  |  |  |
|    | Pkey                       | Ref  | Strand | Nt_position   |  |  |
| 20 | 335824<br>334223           | Ounham, I. et.al.<br>Ounham, I. et.al.<br>Ounham, I. et.al.<br>6682452 | Plus   | 26310772-26310909<br>26376860-26376942<br>12734365-12734269<br>171228-171286  |  |  |

# TABLE 19: 1045 GENES UP-REGULATED IN BREAST CANCER COMPARED TO NORMAL ADULT TISSUES

Table 19 shows 1045 genes up-regulated in breast cancer compared to normal adult tissues. These were selected from 59680 probesets on the Affymetrix/Eos-Hu03 GeneChip array such that the ratio of "average" breast cancer to "average" normal adult tissues was greater than or equal to 2.5. The "average" breast cancer level was set to the 90<sup>th</sup> percentile value. The "average" normal adult tissue level was set to the 90<sup>th</sup> percentile value amongst 144 nonmalignant tissues. In order to remove gene-specific background levels of non-specific hybridization, the 15<sup>th</sup> percentile value amongst the 144 non-malignant tissues was subtracted from both the numerator and the denominator before the ratio was evaluated.

| 15 | Pkey:          | Unique Eos probeset identifier number               |
|----|----------------|---|
|    | ExAccn:        | Exemplar Accession number, Genbank accession number |
|    | UnigeneID:     | Unigene number                                      |
|    | Unigene Title: | Unigene gene title                                  |
|    | R1:            | Ratio of tumor to normal body tissue                |
| 20 |                | ·   |

| 20 |        |           |           |  |       |
|----|--------|-----------|-----------|--|-------|
|    | Pkey   | ExAccn    | UnigenelD | UnigeneTitle                             | R1    |
|    | 408591 | AF015224  | Hs.46452  | mammaglobin 1                            | 137.6 |
| 25 | 406964 | M21305    |           | gb:Human alpha satellite and satellite 3 | 71.0  |
|    | 400291 | AA401369  | Hs.190721 | ESTs                                     | 68.4  |
|    | 407277 | AW170035  | Hs.326736 | Homo sapiens breast cancer antigen NY-BR | 54.2  |
|    | 449746 | Al668594  | Hs.176588 | ESTs, Weakly similar to CP4Y_HUMAN CYTOC | 46.4  |
|    | 426878 | BE069341  |           | gb:QV3-BT0381-270100-073-c08 BT0381 Homo | 44.8  |
| 30 | 400292 | AA250737  | Hs.72472  | BMP-R1B                                  | 37.4  |
|    | 427585 | D31152    | Hs.179729 | collagen, type X, alpha 1 (Schmid metaph | 32.9  |
|    | 408045 | AW138959  | Hs.245123 |  | 31.9  |
|    | 407178 | AA195651  | Hs.104106 |  | 30.4  |
|    | 407377 | C16391    |           | gb:C16391 Clontech human aorta polyA mRN | 27.7  |
| 35 |        | U90304    | Hs.25351  | Iroquois homeobox protein 5              | 24.8  |
|    | 407212 | AA412108  | Hs.269350 |  | 22.0  |
|    | 428848 | NM_000230 | Hs.194236 | leptin (murine obesity homolog)          | 21.9  |
|    | 404561 |           |           | trichorhinophalangeal syndrome I (TRPS1) | 21.8  |
|    | 407980 | AA046309  |           | gb:zf12f01.s1 Soares_fetal_heart_NbHH19W | 19.8  |
| 40 | 447350 | AI375572  | Hs.172634 |  | 17.3  |
|    | 450375 | AA009647  | Hs.8850   | a disintegrin and metalloproteinase doma | 16.6  |
|    | 422109 | S73265    | Hs.1473   | gastrin-releasing peptide                | 16.5  |
|    |        | AW840171  |           | ESTs, Weakly similar to transformation-r | 16.0  |
|    | 453160 | Al263307  |           | H28 histone family, member L             | 15.8  |
| 45 |        | X51501    | Hs.99949  | prolactin-induced protein                | 15.8  |
|    |        | A1267700  | Hs.317584 |  | 15.5  |
|    |        | AL120862  | Hs.124165 |  | 14.8  |
|    |        | Al905687  | Hs.2533   | aldehyde dehydrogenase 9 family, member  | 14.5  |
|    |        | C18863    | Hs.163443 |  | 13.7  |
| 50 |        | AJ224172  |           | lipophilin B (uteroglobin family member) | 13.6  |
|    |        | AL133990  | Hs.190642 |  | 13.5  |
|    |        | AB014544  | Hs.21572  | KIAA0644 gene product                    | 13.0  |
|    |        | AA399272  | Hs.144341 |  | 12.8  |
|    | 402578 |           |           | C1001134:gi[2117372[pir]][65981 fatty ac | 12.6  |
| 55 |        | AA436989  |           | H2A histone family, member A             | 12.2  |
|    |        | NM_003613 | Hs.151407 | cartilage intermediate layer protein, nu | 12.0  |
|    |        | AA193450  |           | gb:zr40e07.r1 Soares_NhHMPu_S1 Homo sapi | 11.9  |
|    |        | Al351010  | Hs.102267 | lysyl oxidase                            | 11.9  |
|    | 459587 | AA031956  |           | gb:zk15e04.s1 Soares_pregnant_uterus_NbH | 11.5  |

|     |        | AW291168              | Hs.41295             | ESTs, Weakly similar to MUC2_HUMAN MUCIN  |            |
|-----|--------|-----------------------|----------------------|---|------------|
|     |        | NM_001394             | Hs.2359              | dual specificity phosphatase 4  | 11.5       |
|     |        | Al951118              |                      | Homo sapiens breast cancer antigen NY-BR  | 11.4       |
| 5   |        | AW137148              |                      | Homo sapiens cDNA FLJ11382 fis, clone HE  | 11.3       |
| ,   |        | AL035414<br>NM_007115 | Hs.21068<br>Hs.29352 | hypothetical protein<br>tumor necrosis factor, alpha-induced pro                  | 11.1       |
|     |        | Al684808              |                      | programmed cell death 9 (PDCD9)   | 10.9       |
|     |        | N78223                |                      | transcription factor  | 10.7       |
|     |        | AW873596              |                      | calmodulin 2 (phosphorylase kinase, delt  | 10.6       |
| 10  |        | H87879                |                      | lysyl oxidase   | 10.5       |
|     | 402606 | 1.01 07 5             |                      | NM_024626:Homo saplens hypothetical prot  | 10.4       |
|     |        | AA576953              | Hs.22972             | hypothetical protein FLJ13352   | 10.4       |
|     | 447268 | Al370413              | Hs.36563             | hypothetical protein FLJ22418   | 10.3       |
|     | 447033 | Al357412              | Hs.157601            |   | 10.2       |
| 15  | 400295 | W72838                | Hs.2533              | aldehyde dehydrogenase 9 family, member   | 10.1       |
|     |        | NM_002497             |                      | NIMA (never in mitosis gene a)-related k  | 10.1       |
|     |        | AW292425              | Hs.163484            |   | 9.9        |
|     |        | AI873274              | Hs.190721            |   | 9.9        |
| 20  |        | H23789                | Hs.144530            |   | 9.8        |
| 20  |        | BE218705              |                      | metallothionein-like 5, testis-specific   | 9.7        |
|     |        | D90041<br>W20027      | Hs.23439             | N-acetyltransferase 1 (arylamine N-acety  | 9.7<br>9.6 |
|     |        | AL360204              |                      | Homo sapiens mRNA full length insert cDN  | 9.6        |
|     |        | AI624342              | Hs.170042            |   | 9.5        |
| 25  |        | AI907673              | 110.170072           | gb:IL-BT152-080399-004 BT152 Homo sapien  | 9.3        |
|     |        | Al267652              | Hs.30504             | Homo sapiens mRNA; cDNA DKFZp434E082 (fr  |            |
|     |        | AJ224741              | Hs.278461            |   | 9.1        |
|     |        | AI127076              | Hs.334473            | hypothetical protein DKFZp564O1278  | 9.1        |
|     | 449448 | D60730                | Hs.57471             | ESTs  | 9.1        |
| 30  |        | AA410943              |                      | gb:zt32h03.r1 Soares ovary tumor NbHOT H  | 9.1        |
|     | 406348 |                       |                      | Target Exon   | 9.0        |
|     |        | U31875                |                      | short-chain alcohol dehydrogenase family  | 9.0        |
|     |        | U23752                | Hs.32964             | SRY (sex determining region Y)-box 11   | 9.0        |
| 35  | 405654 | AF026944              | Hs.293797            | C12001521:gi]7513934 pir  T31081 cca3 pr  | 8.8<br>8.8 |
| 55  |        | AA279490              | Hs.86368             | calmegin  | 8.8        |
|     |        | AI955040              |                      | ESTs, Weakly similar to transformation-r  | 8.7        |
|     |        | AW732573              | Hs.47584             | potassium voltage-gated channel, delayed  | 8.5        |
|     |        | AB033025              | Hs.50081             | KIAA1199 protein  | 8.4        |
| 40  | 442353 | BE379594              | Hs.49136             | ESTs, Moderately similar to ALU7_HUMAN A  | 8.3        |
|     | 451561 | N52812                | Hs.177403            | ESTs  | 8.2        |
|     | 424001 | W67883                | Hs.137476            | paternally expressed 10   | 8.2        |
|     |        | NM_007050             |                      | protein tyrosine phosphatase, receptor t  | 8.1        |
| 4.5 |        | AL080207              | Hs.134585            | DKFZP434G232 protein  | 8.1        |
| 45  | 405095 |                       |                      | Target Exon   | 8.1        |
|     |        | AA236115              | Hs.120785            |   | 8.0        |
|     |        | AF026941<br>BE242870  | Hs.17518<br>Hs.75379 | Homo sapiens cig5 mRNA, partial sequence solute carrier family 1 (glial high affi | 8.0<br>8.0 |
|     |        | AW876523              | Hs.15929             | hypothetical protein FLJ12910   | 8.0        |
| 50  |        | R17798                | Hs.7535              | COBW-like protein   | 7.9        |
| •   |        | AI811202              |                      | Homo sapiens cDNA: FLJ23523 fis, done L   | 7.9        |
|     |        | AF044197              |                      | small inducible cytokine B subfamily (Cy  | 7.9        |
|     | 406687 | M31126                |                      | matrix metalloproteinase 11 (MMP11; stro  | 7.8        |
|     | 400285 | NA                    |                      | Eos Control   | 7.7        |
| 55  | 437207 | T27503                | Hs.15929             | hypothetical protein FLJ12910   | 7.6        |
|     |        | AW880562              | Hs.114574            |   | 7.5        |
|     |        | AW976987              |                      | ESTs, Weakly similar to 2109260A B cell   | 7.5        |
|     |        | H69125                | Hs.133525            |   | 7.5        |
| 60  |        | AI222020              |                      | CocoaCrisp  | 7.4        |
| 60  |        | H59846                | Hs. 158992           | ESTs. Moderately similar to ALU7_HUMAN A  | 7.4<br>7.3 |
|     |        | AJ380797<br>AA948033  | Hs. 130853           |   | 7.2        |
|     |        | AW602166              |                      | CEGP1 protein   | 7.2        |
|     |        | AW368397              |                      | Homo sapiens cONA FLJ14438 fis, clone HE  | 7.1        |
| 65  |        | AW242243              |                      | peroxisomal famesylated protein   | 7.0        |
|     |        | AK001468              | Hs.62180             |   | 6.9        |
|     | 445885 | AI734009              | Hs.127699            | KIAA1603 protein  | 6.9        |
|     |        |                       |                      |   |            |

|     | 429432 | Al678059           |                      | synaptonemal complex protein 2   | 6.9        |
|-----|--------|--------------------|----------------------|--|------------|
|     | 410781 | Al375672           | Hs.165028            |  | 6.9        |
|     | 443788 | A1732643           | Hs.144151            | ESTs   | 6.9        |
| _   | 421373 | AA808229           | Hs.167771            | ESTs   | 6.8        |
| 5   |        | Al793124           | Hs.144479            |  | 6.8        |
|     | 404253 |                    |                      | NM_021058*:Homo sapiens H2B histone fami                                 | 6.8        |
|     |        | Al015591           |                      |  | 6.7        |
|     | 426215 | AW963419           | Hs.155223            | stanniocalcin 2  | 6.6        |
|     | 428227 | AA321649           | Hs.2248              | small inducible cytokine subfamily B (CX                                 | 6.6        |
| 10  | 422956 | BE545072           | Hs.122579            | hypothetical protein FLJ10461  | 6.6        |
|     |        | AW818127           |                      | gb:CM1-ST0277-061299-059-b07 ST0277 Homo                                 |            |
|     | 434988 | Al418055           | Hs.161160            |  | 6.6        |
|     | 442580 | A1733682           | Hs.130239            | ESTs   | 6.6        |
|     | 449611 | Al970394           | Hs.197075            | ESTs   | 6.6        |
| 15  | 408000 | L11690             | Hs.620               | bullous pemphigoid antigen 1 (230/240kD)                                 | 6.5        |
|     | 420757 | X78592             | Hs.99915             | androgen receptor (dihydrotestosterone r                                 | 6.5        |
|     | 431089 | BE041395           | Hs.283676            | ESTs, Weakly similar to unknown protein                                  | 6.5        |
|     | 400301 | X03635             | Hs.1657              | estrogen receptor 1  | 6.5        |
|     | 427356 | AW023482           | Hs.97849             | ESTs   | 6.5        |
| 20  | 425704 | U79293             | Hs.159264            | Human clone 23948 mRNA sequence  | 6.4        |
|     | 441134 | W29092             | Hs.7678              | cellular retinoic acid-binding protein 1                                 | 6.4        |
|     | 424902 | NM_003866          | Hs.153687            | inositol polyphosphate-4-phosphatase, ty                                 | 6.4        |
|     | 448693 | AW004854           |                      | hypothetical protein FLJ23537  | 6.4        |
|     | 431448 | AL137517           | Hs.334473            | hypothetical protein DKFZp564O1278                                       | 6.2        |
| 25  | 444342 | NM_014398          | Hs.10887             |  | 6.1        |
|     | 422168 | AA586894           | Hs.112408            | S100 calcium-binding protein A7 (psorias                                 | 6.1        |
|     | 453331 | A1240665           | Hs.8895              | ESTs   | 6.1        |
|     | 418007 | M13509             | Hs.83169             | matrix metalloproteinase 1 (MMP1; Inters                                 | 6.0        |
| 20  |        | AA972965           | Hs.135568            |  | 6.0        |
| 30  |        | R45154             | Hs.106604            |  | 6.0        |
|     |        | AA464510           | Hs.152812            |  | 5.9        |
|     |        | AA310693           | Hs.87329             | HSPC072 protein  | 5.9        |
|     |        | AW975944           | Hs.237396            |  | 5.9        |
| 2.5 |        | H39960             |                      | Homo sapiens cDNA FLJ12280 fis, clone MA                                 | 5.9        |
| 35  |        | AF115402           | Hs.11713             | E74-like factor 5 (ets domain transcript                                 | 5.9        |
|     |        | AW803341           | 4=0000               | gb:lt_2-UM0079-090300-050-D03 UM0079 Homo                                |            |
|     |        | AL049689           |                      | hypothetical protein similar to tenascin                                 | 5.9        |
|     |        | X72755             | Hs.77367             | monokine induced by gamma interferon                                     | 5.8<br>5.8 |
| 40  |        | R20991             | Un 425404            | gb:yg06h01.r1 Soares infant brain 1NIB H                                 | 5.8        |
| 40  |        | N28519             |                      | ESTs, Weakly similar to unnamed protein                                  | 5.8        |
|     |        | AL031224           | Hs.33102<br>Hs.27099 | transcription factor AP-2 beta (activati                                 | 5.7        |
|     |        | W52854<br>AW162916 |                      | hypothetical protein FLJ23293 similar to<br>hypothetical protein PRO2577 | 5.7        |
|     |        | AI733881           | Hs.72472             | BMP-R18  | 5.6        |
| 45  |        | AW016531           | Hs.122147            |  | 5.6        |
| 47  |        | AW067903           | Hs.82772             | collagen, type XI, alpha 1   | 5.5        |
|     |        | AA463893           | Hs.220933            |  | 5.5        |
|     |        | R41396             |                      | hypothetical protein FLJ23045  | 5.5        |
|     |        | AW299598           |                      | homeo box C4   | 5.4        |
| 50  |        | AW748078           | Hs 214410            | ESTs, Weakly similar to MUC2_HUMAN MUCIN                                 |            |
| 50  |        | AI742605           | Hs.193696            |  | 5.4        |
|     |        | AL121278           | Hs.25144             | ESTs   | 5.4        |
|     |        | BE246919           | Hs.10290             | U5 snRNP-specific 40 kDa protein (hPrp8-                                 | 5.4        |
|     |        | BE167434           | Hs.98471             | ESTs, Weakly similar to T18712 hypotheti                                 | 5.4        |
| 55  |        | Al879148           | Hs.26770             | fatty acid binding protein 7, brain                                      | 5.4        |
| -   |        | AW067800           |                      | stanniocalcin 2  | 5.3        |
|     |        | AA291553           | Hs.190086            |  | 5.3        |
|     |        | AW970060           |                      | gb:EST382140 MAGE resequences, MAGK Hom                                  |            |
|     |        | AA421081           | Hs.12388             | ESTs   | 5.3        |
| 60  |        | U65011             | Hs.30743             | preferentially expressed antigen in mela                                 | 5.3        |
|     | 445424 | AB028945           | Hs.12696             | cortactin SH3 domain-binding protein                                     | 5.3        |
|     |        | X52509             | Hs.161640            | tyrosine aminotransferase  | 5.3        |
|     |        | L32137             | Hs.1584              | cartilage oligomeric matrix protein (COM                                 | 5.2        |
|     |        | R28363             | Hs.24286             | ESTs   | 5.2        |
| 65  |        | AW207084           | Hs.132816            | hypothetical protein MGC14801  | 5.2        |
|     | 449765 | N92293             |                      | ESTs, Moderately similar to ALU8_HUMAN A                                 | 5.2        |
|     | 416276 | U41060             | Hs.79136             | LIV-1 protein, estrogen regulated  | 5.2        |
|     |        |                    |                      |  |            |

|    |        |                        |              | ,  |     |
|----|--------|------------------------|--------------|--|-----|
|    | 400300 | X03363                 |              | HER2 receptor tyrosine kinase (c-erb-b2,   | 5.2 |
|    |        | U37519                 | Hs.87539     | aldehyde dehydrogenase 3 family, member  | 5.2 |
|    |        | AW449211               |              | GDNF family receptor alpha 1   | 5.2 |
|    |        | AB028992               |              | KIAA1069 protein   | 5.2 |
| 5  |        | AW852530               |              | gb:PM1-CT0243-071099-001-g06 CT0243 Homo   |     |
| •  |        | AW851980               | Hs 262346    | ESTs, Weakly similar to S72482 hypotheti   | 5.2 |
|    |        | AJ916269               |              | ESTs, Weakly similar to ALU5_HUMAN ALU S   | 5.1 |
|    |        | AA032279               | Hs.61635     | · · · · · · · · · · · · · · · · · · ·  | 5.1 |
|    |        | Al283133               | Hs.297420    |  | 5.1 |
| 10 |        | Al791495               |              | calmodulin-like skin protein   | 5.1 |
| 10 |        | AI798680               | Hs.25933     | ESTs   | 5.1 |
|    |        | AA642007               | Hs.116369    |  | 5.1 |
|    |        | AW207206               | Hs.136319    |  | 5.1 |
|    | 405494 |                        | 115. 1303 15 |  | 5.1 |
| 15 |        | AW195285               | Un 104007    | C2001837*:gi 12697903 db  BAB21770.1  (A<br>ESTs, Weakly similar to l38022 hypotheti | 5.1 |
| 13 |        | AVV 153263<br>Al201849 | ns. 154051   | gb:qs76g04.x1 NCI_CGAP_Pr28 Homo saplens   |     |
|    |        | X70697                 | Hs.553       | solute carrier family 6 (neurotransmitte   | 5.0 |
|    |        | BE387335               |              | ESTs, Weakly similar to S64054 hypotheti   | 5.0 |
|    |        | R43646                 | Hs.12422     |  | 5.0 |
| 20 |        | W02414                 | Hs.38383     |  | 5.0 |
| 20 |        | AW665281               | Hs.224625    |  | 5.0 |
|    |        | AA236776               |              | MAD2 (mitotic arrest deficient, yeast, h   | 5.0 |
|    |        | AK000713               |              | hypothetical protein FLJ20706  | 5.0 |
|    |        | AW512260               | Hs.87767     | ESTs   | 4.9 |
| 25 |        | X82125                 | Hs.25040     | zinc finger protein 239  | 4.9 |
| 23 |        | AJ003029               | Hs.65792     | syntrophin, gamma 2  | 4.9 |
|    |        | M30703                 |              |  | 4.9 |
|    |        | AI655499               | Hs.161712    | amphiregulin (schwannoma-derived growth  | 4.8 |
|    |        | A1820662               | Hs.129598    |  | 4.8 |
| 30 |        | AF220050               |              | uncharacterized hematopoletic stem/proge   | 4.8 |
| 50 | 400286 |                        | 115.101303   | C16000922:gi[7499103]piri[T20903 hypothe   | 4.8 |
|    |        | U71600                 |              | gb:Human zinc finger protein zfp31 (zf31   | 4.8 |
|    |        | AI831190               | Hs.166676    |  | 4.8 |
|    |        | BE218239               | Hs.202656    |  | 4.8 |
| 35 |        | AI217477               | Hs.194591    |  | 4.8 |
| 55 |        | AW997556               | Hs.78521     | KIAA1717 protein   | 4.8 |
|    |        | BE440042               | Hs.83326     | matrix metalloproteinase 3 (stromelysin  | 4.7 |
|    |        | Al349764               | Hs.217081    |  | 4.7 |
|    |        | AA191493               | Hs.48778     | niban protein  | 4.7 |
| 40 | 400284 |                        |              | estrogen receptor 1  | 4.7 |
|    | 410102 | AW248508               | Hs.279727    | Homo saplens cDNA FLJ14035 fis, clone HE   | 4.7 |
|    | 407819 | R42185                 | Hs.274803    |  | 4.7 |
|    | 430486 | BE062109               | Hs.241551    | chloride channel, calcium activated, fam   | 4.7 |
|    | 422896 | AW961489               | Hs.154116    | ESTs   | 4.7 |
| 45 | 453616 | NM_003462              | Hs.33846     | dynein, axonemal, light intermediate pol   | 4.7 |
|    | 427427 | AF077345               | Hs.177936    |  | 4.6 |
|    | 421751 | AW813731               | -Hs.159153   | ESTs, Moderately similar to S65657 alpha   | 4.6 |
|    | 454074 | R63503                 | Hs.28419     | ESTs   | 4.6 |
|    | 405718 |                        |              | C4000799*:gij6330365 dbj BAA86508.1  (AB   | 4.6 |
| 50 | 444649 | AW207523               | Hs.197628    | ESTs   | 4.6 |
|    | 429431 | Z40313                 | Hs.106330    | Homo sapiens done IMAGE:23371, mRNA seq  | 4.6 |
|    | 427811 | M81057                 | Hs.180884    | carboxypeptidase B1 (tissue)   | 4.6 |
|    | 447342 | Al199268               | Hs.19322     | Homo saplens, Similar to RIKEN cDNA 2010   | 4.6 |
|    | 430345 | AK000282               | Hs.239681    | hypothetical protein FLJ20275  | 4.6 |
| 55 | 454307 | AW855717               |              | gb:RC1-CT0279-081299-013-b01 CT0279 Homo   | 4.6 |
|    | 400303 | AA242758               | Hs.79136     | LIV-1 protein, estrogen regulated  | 4.6 |
|    | 438180 | AA808189               | Hs.272151    | ESTs   | 4.6 |
|    | 451340 | AW936273               |              | gb:QV0-DT0020-090200-107-g07 DT0020 Homo   | 4.6 |
|    | 458711 | AL036877               | Hs.282878    | ESTs   | 4.6 |
| 60 |        | AA514660               | Hs.128443    |  | 4.6 |
|    | 416030 | H15261                 | Hs.21948     | ESTs   | 4.6 |
|    | 447233 | AW246333               | Hs.17901     | Homo sapiens, clone IMAGE:3937015, mRNA,   | 4.6 |
|    | 445537 | AJ245671               | Hs.12844     | EGF-like-domain, multiple 6 (EGFL6)  | 4.5 |
| ~~ | 424590 | AW966399               | Hs.46821     | hypothetical protein FLJ20086  | 4.5 |
| 65 |        | W68815                 | Hs.301885    | Homo saplens cDNA FLJ11346 fis, clone PL   | 4.5 |
|    |        | AW503329               |              | gb:UI-HF-BN0-alx-e-02-0-UI_r1 NIH_MGC_50   | 4.5 |
|    | 406747 | A1925153               | HS.217493    | annexin A2   | 4.5 |
|    |        |                        |              |  |     |

PCT/US02/02242

### WO 02/059377

|    | 412102            | H56435               |                      | gb:yq98e09.r1 Soares fetal liver spleen  | 4.5        |
|----|-------------------|----------------------|----------------------|--|------------|
|    | 431716            | D89053               | Hs.268012            | fatty-acid-Coenzyme A ligase, long-chain   | 4.5        |
|    |                   | AW814902             |                      | gb:MR1-ST0206-120400-022-608 ST0206 Homo   | 4.5        |
| _  | 401418            |                      |                      | C14000338*:gi[7459502 plr  S74665 outer  | 4.5        |
| 5  |                   | AK001074             | HS.333435            | Homo sapiens cDNA FLJ10212 fis, clone HE hypothetical protein FLJ10719; KIAA1794 | 4.4        |
|    |                   | AK001581<br>AA135257 |                      | B aggressive lymphoma gene   | 4.4        |
|    |                   | AA335497             | He 203965            | ESTs, Weakly similar to 138022 hypotheti   | 4.4        |
|    |                   | AW419196             | Hs 257924            | hypothetical protein FLJ13782  | 4.4        |
| 10 |                   | AW664964             | Hs.128899            |  | 4.4        |
| •• |                   | BE463857             | Hs.151258            | hypothetical protein FLJ21062  | 4.4        |
|    | 432731            |                      | Hs.287820            | fibronectin 1  | 4.4        |
|    | 410534            | AW905138             |                      | gb:QV0-NN1071-280400-207-g07 NN1071 Home   | 34.4       |
|    | 405196            |                      |                      | C2000662*:gi]7512792[pir][T12482 hypothe   | 4.4        |
| 15 |                   | N47863               | Hs.336901            | ribosomal protein S24  | 4.4<br>4.4 |
|    | 401793            |                      |                      | C17001545:gij5360127 gb AAD42882.1 AF155   | 4.4        |
|    |                   | AA381209             | 11- 404454           | gb:EST94257 Activated T-cells I Homo sap   | 4.4        |
|    | -                 | AB007975             | ris. 13 1434         | KIAA0506 protein<br>C19000274*:gij12741327jref[XP_008833.2]                      | 4.4        |
| 20 | 400238            | AF019612             | He 207007            | membrane-bound transcription factor prot   | 4.4        |
| 20 | 400608            | AF0 150 12           | 113.231 001          | C10001899:gi[7508633]pir[]T25392 hypothe   | 4.4        |
|    |                   | AV657310             | Hs.282898            |  | 4.3        |
|    |                   | AL138272             | Hs.62713             | ESTs   | 4.3        |
|    | 405906            |                      |                      | Target Exon  | 4.3        |
| 25 | 405925            | NA                   |                      | Target Exon  | 4.3        |
|    |                   | BE247684             | Hs.103070            |  | 4.3<br>4.3 |
|    |                   | H57646               | Hs.42586             | KIAA1560 protein   | 4.3        |
|    |                   | N63855               | HS.142634            | zinc finger protein<br>gb:np12d11.s1 NCI_CGAP_Pr3 Homo sapiens                   | 4.3        |
| 20 |                   | AA603305             |                      | gb:za36e03.s1 Soares fetal liver spleen  | 4.3        |
| 30 |                   | N71277<br>AA102670   | Hs.70725             | gamma-aminobutyric acid (GABA) A recepto   | 4.2        |
|    |                   | A1266484             | Hs.31570             | ESTs, Weakly similar to KIAA1324 protein   | 4.2        |
|    |                   | AA291377             | Hs.50831             | ESTs   | 4.2        |
|    |                   | AA033714             | Hs.287629            | hypothetical protein FLJ14260  | 4.2        |
| 35 |                   | NM_001898            | Hs.123114            | cystatin SN  | 4.2        |
|    |                   | BE158766             |                      | gb:IL2-HT0397-071299-024-F02 HT0397 Homo   | 4.2        |
|    |                   | BE144884             |                      | gb:CM0-HT0182-041099-065-e11 HT0182 Hom  | 4.2<br>4.2 |
|    |                   | BE538082             | Hs.8172              | ESTs, Moderately similar to A46010 X-lin   | 4.2        |
| 40 |                   | AF123050             | Hs.44532             | diubiquitin<br>gb:beta -pol=DNA polymerase beta (exon a                          | 4.2        |
| 40 | 404285            | S82472               |                      | C6001909:gij704441 dbjjBAA18909.1  (D298   | 4.2        |
|    |                   | NM_005940            | Hs.155324            | matrix metalloproteinase 11 (MMP11; stro   | 4.2        |
|    |                   | AW812795             | Hs.155381            | ESTs, Moderately similar to 138022 hypot   | 4.2        |
|    |                   | AA026880             | Hs.25252             | prolactin receptor   | 4.2        |
| 45 | 421147            | AW592167             | Hs.293299            |  | 4.2        |
|    |                   | AI908165             |                      | GATA-binding protein 3 (T-cell receptor  | 4.2<br>4.2 |
|    |                   | AW821113             | Hs.72402             | ESTS   | 4.2        |
|    |                   | AA024538             |                      | Human DNA sequence from done RP1-28H20<br>ESTs                                   | 4.2        |
| 50 |                   | AW378065             | Hs.8687<br>Hs.164226 |  | 4.2        |
| 30 |                   | AI085198<br>AB007948 |                      | KIAA0479 protein   | 4.1        |
|    |                   | J05070               |                      | matrix metalloproteinase 9 (gelatinase B   | 4.1        |
|    |                   | AA894564             | Hs.22242             | ESTs   | 4.1        |
|    |                   | AA634806             |                      | gb:ab28c02.r1 Stratagene lung (937210) H   | 4.1        |
| 55 |                   | BE241831             |                      | hypothetical protein MGC2705   | 4.1        |
|    | 450229            | R18717               | Hs.8929              | hypothetical protein FLJ11362  | 4.1<br>4.1 |
|    | 455700            | BE068115             |                      | gb:CM1-BT0368-061299-060-g07 BT0368 Hom  | 4.1        |
|    | 431924            | AK000850             |                      | 3 Homo sapiens cDNA FLJ20843 fis, clone AD                                       | 4.1        |
| 60 | 438885            | AI886558             | Hs.184987            | NM_004496*:Homo sapiens hepatocyte nucle   | 4.1        |
| Oυ | 401451            | A1685464             |                      | gb:tt88f04.x1 NCI_CGAP_Pr28 Homo sapiens   | 4.1        |
|    | 43 10/0<br>400000 | A1735283             | Hs.172608            |  | 4.1        |
|    | 429270            | W60379               | Hs.57773             | ESTs   | 4.1        |
|    | 443903            | 3 AI220547           | Hs.135223            | B ESTs ·   | 4.1        |
| 65 | 427122            | 2 AW057736           |                      | HER2 receptor tyrosine kinase (c-erb-b2,   | 4.1        |
|    | 410275            | 5 U85658             | Hs.61796             | transcription factor AP-2 gamma (activat   | 4.°        |
|    | 422041            | DE007371             | Hs 200313            | 3 FOIS   | ٠,         |

|     | 400506           |                    |               | Templ Fuen                                       |                   |
|-----|------------------|--------------------|---------------|--|-------------------|
|     | 403585           | Al394151           | Hs.37932      | Target Exon<br>ESTs                              | 4.1               |
|     |                  | AA640891           | Hs.102406     |  | 4.1               |
|     |                  | BE264901           |               | carbonic anhydrase VIII                          | 4.1               |
| 5   |                  | NM_004354          | Hs.79069      |  | 4.1               |
| -   |                  | AA296520           | Hs.89546      | selectin E (endothelial adhesion molecul         | 4.1               |
|     | 400555           |                    |               | Target Exon                                      | 4.1               |
|     | 410079           | U94362             | Hs.58589      | glycogenin 2                                     | 4.0               |
| _   | 427674           | NM_003528          | Hs.2178       | H2B histone family, member Q                     | 4.0               |
| 10  | 427131           | AA448460           | Hs.112017     | GE36 gene  | 4.0               |
|     |                  | AL359055           | Hs.67709      |  | 4.0               |
|     |                  | AL117406           |               | ATP-binding cassette transporter MRP8            | 4.0               |
|     |                  | NM_002666          | Hs.103253     |  | 4.0               |
| 15. |                  | AA228776           | Hs.191721     |  | 4.0               |
| 15  |                  | AW954552           | MS.142034     | zinc finger protein                              | 4.0               |
|     | 404142           | AW938484           |               | gb:CM0-DT0057-290200-253-d06 DT0057 Home         | 4.0               |
|     |                  | Al027604           | Hs.159650     | Target Exon                                      | 4.0               |
|     |                  | AI693927           | Hs.265165     |  | 4.0               |
| 20  |                  | AA165232           | Hs.222069     |  | 4.0               |
| 20  |                  | N75582             |               | ESTs, Weakly similar to DYH9_HUMAN CILIA         | 4.0               |
|     |                  | BE390440           |               | gb:601283601F1 NIH_MGC_44 Homo sapiens c         | 4.0               |
|     | 452281           | T93500             | Hs.28792      | Homo sapiens cDNA FLJ11041 fis, clone PL         | 4.0               |
|     | 417801           | AA417383           | Hs.82582      | integrin, beta-like 1 (with EGF-like rep         | 4.0               |
| 25  | 446232           | A1281848           |               | retinolc acid induced 3                          | 4.0               |
|     |                  | X77343             | Hs.334334     | transcription factor AP-2 alpha (activat         | 4.0               |
|     |                  | AL119723           |               | gb:DKFZp761A2124_r1 761 (synonym: hamy2)         | 4.0               |
|     |                  | AA356170           | Hs.26750      | hypothetical protein FLJ21908                    | 4.0               |
| 30  |                  | AI591147           | Hs.61232      | ESTs<br>Homo sapiens cDNA FLJ14232 fis, clone NT | 4.0<br>4.0        |
| 30  |                  | AI741122<br>N99626 | rts. 10 10 10 | gb:za39d11.r1 Soares fetal liver spleen          | 4.0               |
|     |                  | Al199738           | He 208275     | ESTs, Weakly similar to ALUA_HUMAN IIII          | 4.0               |
|     |                  | AI948607           | Hs.264680     |  | 4.0               |
|     |                  | AF153330           | Hs.30246      | solute carrier family 19 (thiamine trans         | 3.9               |
| 35  |                  | AA263143           | Hs.24596      | RAD51-interacting protein                        | 3.9               |
|     | 406554           | NA                 |               | Target Exon                                      | 3.9               |
|     | 416259           | AA573006           | Hs.19173      | ESTs   | 3.9               |
|     |                  | Z42023             | Hs.106576     | alanine-glyoxylate aminotransferase 2-li         | 3.9               |
| 40  |                  | AA442176           |               | gb:zw63b08.r1 Soares_total_fetus_Nb2HF8_         | 3.9               |
| 40  |                  | M86153             | Hs.75618      | RAB11A, member RAS oncogene family               | 3.9<br>3.9        |
|     | 401781           | EUEU0C             | Hs.328142     | Target Exon                                      | 3.9               |
|     |                  | F05086<br>AA026777 | NS.320142     | gb:ze93c11.r1 Soares_fetal_heart_NbHH19W         | 3.9               |
|     |                  | AI819068           | Hs.209122     |  | 3.9               |
| 45  |                  | Z21336             |               | actin related protein                            | 3.9               |
|     |                  | Al472106           | Hs.49303      |  | 3.9               |
|     |                  |                    |               | ESTs, Moderately similar to ALU1_HUMAN A         | 3.9               |
|     |                  | AA419529           | Hs.76391      | myxovirus (influenza) resistance 1, homo         | 3.9               |
|     | 452501           | AB037791           | Hs.29716      | hypothetical protein FLJ10980                    | 3.9               |
| 50  | 453049           | BE537217           | Hs.30343      | ESTs   | 3.9               |
|     |                  | BE568414           |               | Homo sapiens cDNA: FLJ22097 fis, done H          | 3.9               |
|     |                  | A1073512           | Hs.133916     |  | 3.9               |
|     |                  | BE152428           |               | gb:CM0-HT0323-151299-126-b04 HT0323 Homo         |                   |
| 55  | 401785           | 1490000            | 11- 4C0040    | NM_002275*:Homo saplens keratin 15 (KRT1         | 3.9<br>3.9        |
| 55  |                  | M86699             | Hs.231926     | TTK protein kinase                               | 3.9               |
|     |                  | AI989885<br>H75391 | Hs.255748     |  | 3.9               |
|     |                  | BE172186           | 113.2331 40   | gb:MR0-HT0559-110300-005-h11 HT0559 Homo         |                   |
|     |                  | AA236645           | Hs.98274      | ESTs   | 3.8               |
| 60  |                  | Al184268           | Hs.339665     |  | 3.8               |
|     |                  | AA219691           | Hs.73625      | RAB6 interacting, kinesin-like (rabkines         | 3.8               |
|     | 403593           | NA                 |               | Target Exon                                      | 3.8               |
|     |                  | AW016669           | Hs.29190      | ESTs   | 3.8               |
|     | 440004           | AW664873           | Hs.87836      | Homo sapiens PAC done RP5-1087M19 from           | 3.8               |
| 65  |                  |                    |               |  | 2 ^               |
| 65  | 433871           | W02410             | Hs.205555     | ESTs   | 3.8               |
| 65  | 433871<br>445253 |                    |               | ESTs<br>ESTs                                     | 3.8<br>3.8<br>3.8 |

|    | 443162 | T49951                 | Hs.9029                |   | 3.8        |
|----|--------|------------------------|------------------------|---|------------|
|    |        | AW383618               | Hs.265459              | ESTs, Moderately similar to ALU2_HUMAN A            | 3.8        |
|    | 422475 | AL359938               | Hs.117313              | Meis (mouse) homolog 3                              | 3.8        |
|    | 440705 | AA904244               | Hs.153205              |   | 3.8        |
| 5  |        | Al476732               | Hs.263912              |   | 3.8<br>3.8 |
|    | 403426 |                        |                        | Target Exon   | 3.8        |
|    |        | AA470158               | Hs.98202               | ESTS  | 3.8        |
|    |        | BE222648               |                        | ESTs, Highly similar to c380A1.1b [H.sap            | 3.8        |
| 10 |        | AW206942               | Hs.253594<br>Hs.192035 |   | 3.8        |
| 10 |        | AW105231<br>AW794600   | NS. 192033             | gb:RC6-UM0014-170300-022-C05 UM0014 Hom             |            |
|    |        | NM_005756              | Hs 184942              | G protein-coupled receptor 64                       | 3.8        |
|    |        | BE622641               | Hs.38489               | ESTs, Weakly similar to 138022 hypotheti            | 3.8        |
|    |        | Al742618               | Hs.181733              | ESTs, Weakly similar to nitrilase homolo            | 3.7        |
| 15 | 401747 |                        |                        | Homo sapiens keratin 17 (KRT17)                     | 3.7        |
|    |        | NM_014581              | Hs.274480              | odorant-binding protein 2A                          | 3.7        |
|    | 423545 | AP000692               |                        | chromosome 21 open reading frame 5                  | 3.7        |
|    |        | AB029496               | Hs.59729               | semaphorin sem2                                     | 3.7        |
|    |        | BE005346               | Hs.116410              |   | 3.7<br>3.7 |
| 20 |        | AK001666               |                        | similar to SALL1 (sal (Drosophila)-like             | 3.7        |
|    |        | AA018534               | Hs.103334              | C3002523:gi[6686211 sp]Q27533 YH2M_CAEEL            |            |
|    | 402696 |                        | Hs.135100              | F9Te  | 3.7        |
|    |        | AV660737<br>AW816379   | Hs.335018              |   | 3.7        |
| 25 |        | U80736                 | Hs 110826              | trinucleotide repeat containing 9                   | 3.7        |
| 23 |        | AB020689               |                        | KIAA0882 protein                                    | 3.7        |
|    |        | AA312082               |                        | GDNF family receptor alpha 1                        | 3.7        |
|    |        | N62840                 | Hs.48648               | ESTs  | 3.7        |
|    | 401508 |                        |                        | NM_024817:Homo sapiens hypothetical prot            | 3.7        |
| 30 |        | AA324597               | Hs.21851               | Homo sapiens cDNA FLJ12900 fis, clone NT            | 3.7<br>3.7 |
|    |        | U79734                 | Hs.97206               |   | 3.7        |
|    |        | Al021992               | Hs.124244              |   | 3.7        |
|    |        | AA629065               | Hs.116301              | ESTs  | 3.7        |
| 35 |        | R55373<br>BE623004     | Hs.20864               | gb:601441282F1 NIH_MGC_72 Homo sapiens of           |            |
| 33 |        | Al347502               | He 107872              | hypothetical protein FLJ20761                       | 3.7        |
|    |        | T32982                 | Hs.102720              | ESTs  | 3.7        |
|    | 405232 |                        |                        | NM 015832:Homo sapiens methyl-CpG bindln            | 3.7        |
|    |        | AL109791               | Hs.241559              | Homo sapiens mRNA full length insert cDN            | 3.7        |
| 40 |        | BE011668               |                        | gb:CM3-BN0223-100500-177-a04 BN0223 Hom             | 03.7       |
|    | 450164 | Al239923               | Hs.30098               | ESTs  | 3.7        |
|    |        | A1970797               | Hs.64859               | ESTs  | 3.7<br>3.7 |
|    |        | Al248584               | Hs.190745              | Homo sapiens cDNA: FLJ21326 fis, clone C            | 3.6        |
| 15 | 401049 |                        | Ha 90404               | Target Exon<br>msh (Drosophila) homeo box homolog 2 | 3.6        |
| 45 |        | 7 D31771<br>9 N74530   | Hs.89404<br>Hs.21168   | ESTs  | 3.6        |
|    |        | AV658444               | Hs 280776              | tankyrase, TRF1-interacting ankyrin-rela            | 3.6        |
|    |        | Al377755               | Hs.120695              | ESTs  | 3.6        |
|    |        | M97815                 | Hs.183650              | cellular retinoic acid-binding protein 2            | 3.6        |
| 50 |        | 2 A1698839             |                        | gb:wd31f02.x1 Soares_NFL_T_GBC_S1 Homo              | s 3.6      |
|    |        | 2 AL120173             | Hs.301663              | ESTs  | 3.6        |
|    | 412209 | AW901456               |                        | gb:RC0-NN1012-270300-031-c07 NN1012 Hom             | 103.5      |
|    |        | AA352111               |                        | gb:EST60061 Activated T-cells XX Homo sa            | 3.6<br>3.6 |
|    |        | Al142095               | Hs.143273              | ESIS<br>gb:RC4-HT0469-230300-014-e10 HT0469 Hom     |            |
| 55 |        | 5 BE164500             | 11-04470               | ubinudein 1   | 3.6        |
|    |        | AA157291               | Hs.141883              |   | 3.6        |
|    |        | 4 AA062954<br>1 Y12735 | Hs.38018               | dual-specificity tyrosine-(Y)-phosphoryl            | 3.6        |
|    | 40112  | 5 AK000054             | Hs.12347               | hypothetical protein FLJ20047                       | 3.6        |
| 60 | 40409  |                        | 1 70. 16.0 (1          | Tamei Exon  | 3.6        |
| 00 |        | 1 AA125985             | Hs.56145               | thymosin, beta, Identified in neuroblast            | 3.6        |
|    | 40515  | 3                      |                        | Target Exon   | 3.6        |
|    | 42324  | 8 AA380177             | Hs.125845              | ribulose-5-phosphate-3-epimerase                    | 3.6        |
|    | 40363  |                        |                        | ENSP00000233023*:CDNA FLJ12662 fis, clon            | 3.6<br>3.6 |
| 65 | 40436  |                        | 11-00000               | C7001385:gi 12082809 gb AAG48618.1 AF315            | 3.6        |
|    |        | 2 AA766296             | Hs.99200               | ESTs<br>3 KIAA0492 protein                          | 3.6        |
|    | 47333  | 8 AB007961             | ma. (2/ 33)            | 1 MANAGE PROPERTY                                   |            |

|         | 424202 | BE350295              | Hs.15032    | RAN binding protein 17  | 3.6        |
|---------|--------|-----------------------|-------------|---|------------|
|         | 431750 | AA514986              | Hs.283705   |   | 3.6        |
|         | 439907 | AA853978              | Hs.124577   | ESTs  | 3.6        |
|         | 453596 | AA441838              | Hs.62905    | hypothetical protein FLJ14834   | 3.6        |
| 5       | 406446 | NA                    |             | Target Exon   | 3.6        |
|         | 418454 | AA315308              |             | hypothetical protein FLJ14991   | 3.6        |
|         | 434360 | AW015415              | Hs.127780   | ESTs  | 3.6        |
|         |        | W87707                | Hs.82065    | interleukin 6 signal transducer (gp130,   | 3.6        |
|         | 440132 | A1697121              | Hs.202466   | ESTs, Weakly similar to S65824 reverse t  | 3.6        |
| 10      | 448706 | AW291095              | Hs.21814    | Interleukin 20 receptor, alpha  | 3.6        |
|         |        | AW297920              | Hs.130054   |   | 3.5        |
|         |        | AW860158              |             | gb:RC0-CT0379-290100-032-b04 CT0379 Homo  |            |
|         |        | AW968226              | Hs.60798    | ESTs  | 3.5        |
|         | 402820 |                       |             | NM_017646*:Homo sapiens tRNA isopentenyl  | 3.5        |
| 15      |        | AA191719              | Hs.314714   |   | 3.5        |
|         |        | AW393080              |             | hypothetical protein FLJ23537   | 3.5        |
|         |        | A1806335              |             | ESTs, Weakly similar to T30171 ninein -   | 3.5        |
|         |        | AA420683              | Hs.98321    | hypothetical protein FLJ14103   | 3.5        |
| 20      |        | NM_015368             | Hs.30985    | pannexin 1  | 3.5        |
| 20      | 400610 |                       |             | Target Exon   | 3.5        |
|         |        | W07361                | Hs.22545    | Homo sapiens cDNA FLJ12935 fis, done NT   | 3.5        |
|         |        | AW960146              |             | hypothetical protein FLJ12888   | 3.5        |
|         |        | A1805416              | Hs.213897   |   | 3.5<br>3.5 |
| 25      |        | NM_004272<br>AW392342 |             | Homer, neuronal immediate early gene, 1B centrosomal P4.1-associated protein; unc   | 3.5        |
| 23      |        | AW448937              | Hs.197030   |   | 3.5        |
|         |        | AW753967              | ns.197030   | gb:RC2-CT0304-080100-011-h12 CT0304 Homo  |            |
|         |        | NM_000288             | Hs.79993    | peroxisomal biogenesis factor 7   | 3.5        |
|         |        | R20893                |             | ESTs, Moderately similar to ALU5_HUMAN A  | 3.5        |
| 30      |        | AL043002              |             | ESTs, Moderately similar to unnamed prot  | 3.5        |
| 50      |        | H84847                | Hs.49391    | hypothetical protein LOC54149   | 3.5        |
|         |        | AW316843              | Hs.66309    | hypothetical protein MGC11061   | 3.5        |
|         |        | N32536                | Hs.42645    | solute carrier family 16 (monocarboxylic  | 3.5        |
|         |        | AI917494              | Hs.9812     | Homo sapiens cDNA FLJ14388 fis, clone HE  | 3.5        |
| 35      |        | AI057094              | Hs.96867    | Homo sapiens cDNA: FLJ23155 fis, clone L  | 3.5        |
| -       |        | Al370876              | Hs.79090    | exportin 1 (CRM1, yeast, homolog)   | 3.5        |
|         |        | AW850178              |             | gb:IL3-CT0219-271099-022-H12 CT0219 Homo  |            |
|         |        | AA314337              | Hs.301547   | ribosomal protein S7  | 3.5        |
|         | 421106 | AA877124              | Hs.172844   |   | 3.5        |
| 40      | 431291 | N25521                | Hs.25275    | Kruppel-type zinc finger protein  | 3.5        |
|         | 440623 | AI935016              | Hs.216639   | ESTs  | 3.5        |
|         | 455838 | BE145808              |             | gb:MR0-HT0208-101299-103-f11 HT0208 Homo  | 3.5        |
|         | 458771 | AW295151              | Hs.163612   |   | 3.5        |
|         | 442942 | AW167087              | Hs.131562   | ESTs  | 3.5        |
| 45      | 436550 | Z50158                | Hs.270235   | ESTs, Weakly similar to MMHUB1 laminin b  | 3.5        |
|         | 418849 | AW474547              | Hs.53565    | Homo sapiens PIG-M mRNA for mannosyltran  | 3.5        |
|         |        | BE614743              |             | prostaglandin E synthase _  | 3.5        |
|         |        | AW505021              | Hs.88414    | BTB and CNC homology 1, basic leucine zi  | 3.5        |
|         |        | AI908400              | Hs.143789   |   | 3.5        |
| 50      |        | AF086224              | Hs.55238    | ESTs  | 3.5        |
|         | 405917 |                       |             | C17000675:gij7290703 gb AAF46150.1  (AE0  | 3.5        |
|         |        | AW993582              | Hs.176220   |   | 3.5        |
|         |        | W47595                |             | transforming growth factor, bela 2  | 3.4        |
| <i></i> |        | AA283185              | Hs.19327    | ESTs  | 3.4        |
| 55      |        | AW904466              |             | PDZ domain protein (Drosophila inaD-like  | 3.4        |
|         | 428508 | BE252383              | rts. 184000 | SBBI31 protein  | 3.4        |
|         | 455651 | BE064962              | Un 04944    | gb:RC1-BT0313-130400-016-c02 BT0313 Homo  | 3.4        |
|         |        | U92649                | Hs.64311    | a disintegrin and metalloproteinase doma<br>Homo sapiens cDNA FLJ14142 fis, done MA | 3.4        |
| 60      |        | AW073310              | ns. 103333  | gb:QV4-BT0534-281299-053-c05 BT0534 Homo  |            |
| 60      | 418535 | AW749855              |             | C5000242*:gi[9369379 gb AAF87128.1 AC006  | 3,4        |
|         |        | NA<br>AF119861        | He 283033   | hypothetical protein PRO2015  | 3.4        |
|         |        | Al215069              | Hs.89113    | ESTs  | 3.4        |
|         | 402421 |                       |             | C1001578*:gij6759903[gb]AAF28099.1] (AF1  | 3.4        |
| 65      | 405248 |                       |             | Target Exon   | 3.4        |
|         |        | AJ404672              | Hs.334483   | hypothetical protein FLJ23571   | 3.4        |
|         |        | DE2/727E              |             | HE coDND consider ambie 116 kD  | 3 /        |

|    | 433393 | AF038564           | Hs.98074              | itchy (mouse homolog) E3 ubiquitin prote   | 3.4        |
|----|--------|--------------------|-----------------------|--|------------|
|    | 432239 | X81334             | Hs.2936               | matrix metalloproteinase 13 (collagenase   | 3.4        |
|    | 458747 | BE618395           | Hs.257391             | hypothetical protein DKFZp761J1523         | 3.4        |
|    | 442082 | R41823             | Hs.7413               | ESTs; calsyntenin-2                        | 3.4        |
| 5  | 417974 | AA210765           |                       | gb:zr90c06.r1 NCI_CGAP_GCB1 Homo saplens   | 3.4        |
|    | 446002 | AI346468           | Hs.145789             |  | 3.4        |
|    | 448995 | Al613276           | Hs.5662               | guanine nucleotide binding protein (G pr   | 3.4        |
|    | 436007 | Al247716           | Hs.232168             |  | 3.4        |
|    | 424698 | AA164366           |                       | hypothetical protein FLJ23511              | 3.4        |
| 10 | 435202 | AI971313           | Hs.170204             | KIAA0551 protein                           | 3.4        |
|    | 410467 | AF102546           | Hs.63931              | dachshund (Drosophila) homolog             | 3.3        |
|    | 405460 | NA                 |                       | Target Exon                                | 3.3        |
|    | 441826 | AW503603           | Hs.129915             | phosphotriesterase related                 | 3.3        |
|    | 453472 | AL037925           |                       | gb:DKFZp564M037_r1 564 (synonym: hfbr2)    | 3.3        |
| 15 | 447078 | AW885727           | Hs.301570             |  | 3.3        |
|    | 441690 | R81733             | Hs.33106              |  | 3.3        |
|    | 420092 | AA814043           | Hs.88045              | ESTs                                       | 3.3        |
|    | 418478 | U38945             | Hs.1174               | cyclin-dependent kinase inhibitor 2A (me   | 3.3        |
|    | 408908 | BE296227           |                       | serine/threonine kinase 15                 | 3.3        |
| 20 | 414737 | Al160386           | Hs.125087             |  | 3.3        |
|    |        | AF055575           | Hs.23838              |  | 3.3        |
|    | 418912 | NM_000685          | Hs.89472              |  | 3.3        |
|    |        | AA160079           |                       | Homo sapiens mRNA for partial 3'UTR, seq   | 3.3        |
|    | 453911 | AW503857           | Hs.4007               | Sarcolemmal-associated protein             | 3.3        |
| 25 |        | NM_005982          | Hs.54416              | sine oculis homeobox (Drosophila) homolo   | 3.3        |
|    |        | AW138872           | Hs.135288             |  | 3.3        |
|    |        | AA280627           | Hs.57846              |  | 3.3        |
|    |        | AA296961           |                       | gb:EST112514 Adrenal gland tumor Homo sa   | 3.3        |
| •• |        | A1936450           | Hs.147482             |  | 3.3        |
| 30 | 402892 |                    |                       | Target Exon                                | 3.3        |
|    |        | AA994896           | Hs.22514              | ESTs                                       | 3.3        |
|    |        | AA741545           |                       | ESTs, Weakly similar to T24961 hypotheti   | 3.3<br>3.3 |
|    |        | R21945             |                       | splicing factor, arginine/serine-rich 5    | 3.3        |
| 25 |        | AI954968           | Hs.279009             | matrix Gla protein                         | 3.3        |
| 35 |        | AV653771           |                       | gb:AV653771 GLC Homo sapiens cDNA clone    | 3.3        |
|    |        | AA121686           | Hs.10592              | ESTs                                       | 3.3        |
|    | 406151 |                    |                       | Target Exon                                | 3.3        |
|    |        | AW511956           | Hs.293261             | gb:QV2-ST0296-150200-040-c10 ST0296 Homo   |            |
| 40 |        | AW820260           | 11 000044             | gp;QV2-510290-150200-040-010 510250 110110 | 3.3        |
| 40 |        | T16971             |                       | ESTs, Weakly similar to A43932 mucin 2 p   | 3.3        |
|    |        | AF086120           | Hs.102793             |  | 3.3        |
|    | 401575 |                    | 11- 44000             | Target Exon                                | 3.3        |
|    |        | AL045633           | Hs.44269              |  | 3.3        |
| 15 |        | AI344166           | Hs.155743             |  | 3.3        |
| 45 |        | AW369771           | Hs.52620              |  | 3.3        |
|    |        | AW204610           | Hs.22270              |  | 3.3        |
|    |        | AA976718           | Hs.202242             |  | 3.3        |
|    |        | AA206186           | Hs.79889<br>Hs.130526 |  | 3.3        |
| 50 |        | AW043921           | Hs.207636             |  | 3.2        |
| 20 |        | T70874             |                       | gycosyltransferase                         | 3.2        |
|    |        | T10213             | Hs.44577              | ESTs                                       | 3.2        |
|    |        | A1824009           |                       | Homo sapiens mRNA; cDNA DKFZp586i1823 (f   |            |
|    |        | R60336             | Hs.52792<br>Hs.118370 |  | 3.2        |
| 55 |        | W88774<br>BE336654 | Hs.70937              | H3 histone family, member A                | 3.2        |
| 55 |        |                    |                       | ESTs, Weakly similar to fatty acid omega   | 3.2        |
|    |        | AA863360           | Hs.26040<br>Hs.15830  | hypothetical protein FLJ12691              | 3.2        |
|    |        | BE311926           | F15.13030             | C3001106*:gij10047201 dbjjBAB13394.1  (A   | 3.2        |
|    | 403637 |                    |                       | NM_018833*:Homo sapiens transporter 2, A   | 3.2        |
| 60 | 405547 |                    | Un 181022             | CGI-07 protein                             | 3.2        |
| 60 |        | C05766             | Hs.118599             |  | 3.2        |
|    |        | AI821005<br>R10305 | Hs.185683             |  | 3.2        |
|    |        | N27833             |                       | ESTs, Weakly similar to 138022 hypotheti   | 3.2        |
|    |        | AI652777           | Hs.197069             |  | 3.2        |
| 65 |        | NM_004460          | Hs.418                | fibroblast activation protein, alpha       | 3.2        |
| 03 |        | AI253123           |                       | ESTs, Highly similar to S21424 nestin [H   | 3.2        |
|    |        | N23235             | Hs.30567              |  | 3.2        |
|    | 7,3000 | .,                 |                       |  | _          |

|            |        | H26735               | Hs.91668    | Homo sapiens done PP1498 unknown mRNA   | 3.2        |
|------------|--------|----------------------|-------------|---|------------|
|            |        | AA489732             | Hs.154918   |   | 3.2        |
|            | 405394 | DE400040             | 11- 47007   | Target Exon   | 3.2        |
| 5          |        | BE169810             | Hs.47557    | ESTs  | 3.2<br>3.2 |
| ,          |        | H03556<br>AA765917   | Hs.122840   | ESTs, Weakly similar to thyroid hormone   | 3.2        |
|            |        | AK000684             |             | hypothetical protein FLJ22104   | 3.2        |
|            |        | AL121282             | Hs.257786   |   | 3.2        |
|            |        | AW856552             |             | gb:RC1-CT0294-080100-012-a04 CT0294 Homo  |            |
| 10         | 416283 | NM_005429            | Hs.79141    |   | 3.2        |
|            |        | AA758239             | Hs.180330   |   | 3.2        |
|            |        | AI249368             | Hs.98558    | ESTs  | 3.2        |
|            |        | H38857               |             | •   | 3.2        |
| 15         |        | AI904743<br>AI016377 | Hs.131693   | hypothetical protein FLJ10292   | 3.2<br>3.2 |
| 13         |        | AB033052             | Hs.22151    |   | 3.2        |
|            |        | A1198719             | Hs.176376   |   | 3.2        |
|            | 404580 |                      |             |   | 3.2        |
|            | 447046 | AA326187             | Hs.17170    |   | 3.2        |
| 20         |        | AW974903             | Hs.291231   |   | 3.1        |
|            |        | AW904907             | Hs.30732    |   | 3.1        |
|            |        | AI204995             |             | 5   | 3.1<br>3.1 |
|            | 400195 | AW408557             | He 235408   |   | 3.1        |
| 25         |        | AW974175             |             | ESTs, Weakly similar to MAPB_HUMAN MICRO  |            |
|            |        | AA312735             | Hs.30512    |   | 3.1        |
|            | 435870 | AA701327             | Hs.17949    |   | 3.1        |
|            |        | AA906366             | Hs.190535   |   | 3.1        |
| 20         |        | D38122               | Hs.2007     |   | 3.1        |
| 30         |        | AW891294<br>R82331   | Hs.164599   |   | 3.1<br>3.1 |
|            |        | A1638627             |             |   | 3.1        |
|            |        | AA503653             |             |   | 3.1        |
|            | 417576 | AA339449             | Hs.82285    |   | 3.1        |
| 35         | 430264 | AA470519             |             |   | 3.1        |
|            |        | BE327311             | Hs.47166    |   | 3.1        |
|            |        | AW806906             | No 400060   | gb:QV4-ST0023-160400-172-d12 ST0023 Homo  |            |
|            | 420209 | H15302               | HS. 10090U  | Homo sapiens mRNA; cDNA DKFZp566A1046 (f<br>Target Exon                           | 3.1        |
| 40         |        | A1683150             | Hs.201550   |   | 3.1        |
|            |        | AI583052             | Hs.270058   |   | 3.1        |
|            | 455945 | BE160636             |             | gb:PM1-HT0422-291299-002-c08 HT0422 Homo  |            |
|            |        | AI768801             | Hs.169943   |   | 3.1        |
| 45         | 405848 |                      |             |   | 3.1        |
| 45         |        | BE066976<br>M29994   |             | gb:PM0-BT0340-211299-003-c12 BT0340 Homo gb:Human alpha-I spectrin gene, exon 12. | 3.1        |
|            |        | W26713               | Hs.256972   |   | 3.1        |
|            |        | D45027               |             |   | 3.1        |
|            | 425653 | AI065104             |             |   | 3.1        |
| 50         |        | BE165753             |             |   | 3.1        |
|            |        | AA706910             | Hs.112742   |   | 3.1        |
|            |        | AL050027             | 11- 40770   | gb:Homo saplens mRNA; cDNA DKFZp566C0324  |            |
|            |        | AI541305<br>AW407181 | Hs.48778    |   | 3.1<br>3.1 |
| 55         |        | AF026942             | 113.2 10077 |   | 3.1        |
| •          |        | AW807227             |             | gb:MR4-ST0062-180200-001-e10 ST0062 Homo  |            |
|            |        | NM_002914            | Hs.139226   |   | 3.1        |
|            |        | R83066               | Hs.7043     |   | 3.1        |
| <i>6</i> 0 |        | BE295866             | Hs.94382    |   | 3.1        |
| 60         |        | W94997               | Hs.189917   |   | 3.1        |
| •          |        | U07616<br>AL117431   |             |   | 3.1<br>3.1 |
|            |        | BE466639             | Hs.61779    |   | 3.1        |
| <b>.</b>   |        | AW138413             |             | ATP-binding cassette, sub-family C (CFTR  | 3.1        |
| 65         |        | AA382814             |             | gb:EST96097 Testis I Homo sapiens cDNA 5  | 3.1        |
|            |        | A1248013             |             |   | 3.1        |
|            | 40/993 | AW135274             | Hs.12433    | ESTs  | 3.1        |

|            | 446466 | H38026                   | Hs.308    |  | 3.1        |
|------------|--------|--------------------------|-----------|--|------------|
|            |        | BE219794                 | Hs.293471 |  | 3.1        |
|            |        | AK001423                 | Hs.94694  | LIGHTO achierra opticiti de recent met   | 3.0<br>3.0 |
| _          |        | AB033035                 | Hs.51965  | taretteo proton  | 3.0        |
| 5          |        | BE153855                 | Hs.61460  | ig auparum rooopier  | 3.0        |
|            |        | AA232658<br>Al830417     | Hs.44143  | polybromo 1  | 3.0        |
|            |        | N93266                   | Hs.40747  | ESTs   | 3.0        |
|            |        | AL133731                 | Hs.4774   | Homo sapiens mRNA; cDNA DKFZp761C1712 (f   | 3.0        |
| 10         |        | NM_005357                | Hs.95351  | lipase, hormone-sensitive  | 3.0        |
| 10         | 405609 |                          |           | ENSP00000241065*:CDNA  | 3.0        |
|            | 404274 |                          |           | NM_002944*:Homo sapiens v-ros avian UR2  | 3.0        |
|            | 449777 | AI971362                 | Hs.231945 | ESTs   | 3.0        |
|            | 415459 | H07118                   | Hs.6099   | ESTs   | 3.0        |
| 15         |        | N59650                   | Hs.27252  | ESTs   | 3.0<br>3.0 |
|            | 406291 |                          |           | Target Exon gb:601297871F1 NIH_MGC_19 Homo sapiens c                                   |            |
|            |        | BE383592                 | Hs.293334 |  | 3.0        |
|            |        | AW972359                 | Hs.129115 |  | 3.0        |
| 20         |        | A1791988<br>N21043       | Hs.42932  | ESTs   | 3.0        |
| 20         |        | Al969716                 | Hs.13034  | ESTs   | 3.0        |
|            |        | BE379727                 | Hs.83213  | fatty acid binding protein 4, adipocyte  | 3.0        |
|            | 401326 |                          |           | C10000447*:gij1168375 sp P43467 AGA1_PED   | 3.0        |
|            |        | BE169746                 | Hs.12504  | likely ortholog of mouse Arkadia   | 3.0        |
| 25         | 432887 | AI926047                 | Hs.162859 |  | 3.0        |
|            | 411789 | AF245505                 | Hs.72157  | DKFZP564I1922 protein  | 3.0<br>3.0 |
|            | 401045 |                          |           | C11001883*:gi 6753278 ref NP_033938.1  c   | 3.0        |
|            |        | AA584062                 |           | hypothetical protein FLJ20413  | 3.0        |
| 20         |        | A1221894                 | Hs.39311  | ESTs<br>hypothetical protein DKFZp761B1514   | 3.0        |
| 30         |        | BE077155<br>AW958879     | Hs.270535 |  | 3.0        |
|            |        | H91882                   | Hs 118569 | Dvt-binding protein IDAX (inhibition of  | 3.0        |
|            |        | NM_014711                | Hs.279912 | KIAA0419 gene product  | 3.0        |
|            |        | R13474                   | Hs.290263 | ESTs. Weakly similar to 138022 hypotheti   | 3.0        |
| 35         |        | R52782                   |           | gb:yg99d09.r1 Soares infant brain 1NIB H   | 3.0        |
|            |        | AB014528                 | Hs.43133  | KIAA0628 gene product  | 3.0        |
|            |        | AW004683                 | Hs.78934  | mutS (E. coli) homolog 2 (colon cancer,  | 3.0<br>3.0 |
|            |        | AI754212                 | Hs.21951  | Homo sapiens Xq pseudoautosomal region;<br>Homo sapiens cDNA: FLJ21909 fis, clone H    | 3.0        |
| 40         |        | AW021173                 | Hs.18612  |  | 3.0        |
| 40         |        | AW901879                 | Hs.314453 | hypothetical protein MGC10520  | 3.0        |
|            |        | D31118<br>AW294795       | Hs.198529 |  | 3.0        |
|            |        | AA878939                 | Hs.125406 |  | 3.0        |
|            |        | Al375957                 |           | F-box only protein 22  | 3.0        |
| 45         |        | AA281279                 | Hs.23317  | hypothetical protein FLJ14681  | 3.0        |
|            |        | NM_014400                | Hs.11950  | GPI-anchored metastasis-associated prote   | 3.0        |
|            |        | 3 AA701259               | Hs.189299 |  | 3.0        |
|            |        | 1 Al041793               | Hs.42502  | ESTS   | 3.0        |
| <b>~</b> 0 |        | 2 BE175605               | 11-055476 | gb:RC5-HT0580-100500-022-H07 HT0580 Hom  | 3.0        |
| 50         |        | 2 AW295923               | HS.2554/2 | 2 KIAA1843 protein<br>3 solute carrier family 25 (mitochondrial                        | 3.0        |
|            |        | 1 M31659<br>2 AA397658   | Hs.60257  |  | 3.0        |
|            |        | 6 W01938                 | Hs 33724  | 3 ESTs, Weakly similar to ALU7_HUMAN ALU S   | 2.9        |
|            |        | 3 W57554                 | Hs.12501  | Nonhoid nuclear protein (LAF-4) mRNA   | 2.9        |
| 55         |        | 2 U22376                 | Hs.1334   | v-myb avian myeloblastosis viral oncogen   | 2.9        |
| -          |        | 5 BE246743               | Hs.28852  | 9 hypothetical protein FLJ22635  | 2.9        |
|            | 40367  | 7 NA                     |           | C4001462:ail4887715lab(AAA/9329.2[ (LU00   | 2.9        |
|            |        | 3 BE067650               |           | gb:MR4-BT0358-090300-003-e01 BT0358 Hom  | 2.9        |
| <b>~</b> ^ |        | 5 W87434                 | Hs.10601  | 5 ESTs, Moderately similar to ALU1_HUMAN A   | 2.         |
| 60         |        | 7 BE568102               | HS.18031  | 2 mitochondrial ribosomal protein S16<br>3 Homo sapiens cDNA FLJ11375 fis, clone HE    | 2.         |
|            |        | 4 Al674818<br>5 AA179949 | He 17550  | 3 Homo sapiens conta FL3 11373 is, dono 112<br>3 Homo sapiens mRNA; cDNA DKFZp564N0763 |            |
|            |        | 5 AA179949<br>4 AW365665 | Hs.12038  | 8 ESTs   | `2         |
|            |        | 0 Al633559               | Hs.31035  |  | 2.         |
| 65         |        | 2 N34128                 | Hs.14526  |  | 2.         |
| <b></b>    |        | 9 NA                     |           | Target Exon  | 2.         |
|            |        | 9 BE501732               | Hs.30622  | Homo sapiens cDNA FLJ13010 fis, clone NT   | 2.         |

| •          | 442295 | A1827248  | Hs.224398            | Homo sapiens cDNA FLJ11469 fis, clone HE   | 2.9        |
|------------|--------|-----------|----------------------|--|------------|
|            | 419752 | AA249573  | Hs.152618            | ESTs, Moderately similar to ZN91_HUMAN Z   | 2.9        |
|            | 404721 |           |                      | NM_005596*:Homo sapiens nuclear factor I   | 2.9        |
|            | 445107 | AJ208121  | Hs.147313            | ESTs, Weakly similar to 138022 hypotheti   | 2.9        |
| 5          | 401987 |           |                      | The Court of the C | 2.9        |
|            | 430566 | AA481282  | Hs.190149            |  | 2.9        |
|            | 444517 | Al939339  | Hs.146883            |  | 2.9        |
|            | 445563 | AW873606  | Hs.149006            |  | 2.9        |
|            | 427691 | AW194426  | Hs.20726             |  | 2.9        |
| 10         | 456561 | AI868634  | Hs.246358            |  | 2.9        |
|            | 401458 |           |                      |  | 2.9        |
|            | 421039 | NM_003478 | Hs.101299            |  | 2.9        |
|            | 459504 | BE514127  |                      | gb:601315974F1 NIH_MGC_8 Homo sapiens cD   |            |
|            | 424962 | NM_012288 | Hs.153954            |  | 2.9        |
| 15         | 409617 | BE003760  | Hs.55209             | Homo sapiens mRNA; cDNA DKFZp434K0514 (f   |            |
|            | 416931 | D45371    | Hs.80485             |  | 2.9        |
|            | 413221 | BE161151  |                      | gb:PM0-HT0425-141299-001-F08 HT0425 Homo   |            |
|            | 409732 | NM_016122 | Hs.56148             |  | 2.9        |
|            | 433687 | AA743991  |                      | gb:ny57g01.s1 NCI_CGAP_Pr18 Homo sapiens   |            |
| 20         | 434340 | AI193043  |                      | ,,   | 2.9        |
|            |        | Z45439    | Hs.270425            |  | 2.9        |
|            |        | Y15221    |                      |  | 2.9        |
|            |        | AF015592  | Hs.28853             |  | 2.9        |
|            |        | AW452648  |                      |  | 2.9        |
| 25         |        | AW961400  |                      |  | 2.9        |
|            | 408761 | AA057264  | Hs.238936            |  | 2.9        |
|            | 401093 |           |                      |  | 2.9        |
|            |        | AI651474  | Hs.163944            |  | 2.9        |
| ••         |        | AI681475  | Hs.200949            | ==:=   | 2.9        |
| 30         |        | AW235786  |                      | .,,,   | 2.9        |
|            |        | A1472078  | Hs.303662            | ESTS   | 2.9        |
|            |        | BE265067  |                      | gb:601193893F1 NIH_MGC_7 Homo sapiens cD   |            |
|            | 405953 |           |                      | Target Exon  | 2.8        |
| 0.5        |        | AW296927  |                      | gb:UI-H-BW0-ajc-c-07-0-UI.s1 NCI_CGAP_Su   | 2.8        |
| 35         |        | AA846811  |                      |  | 2.8        |
|            |        | AA295331  |                      | Homo sapiens cDNA FLJ20042 fis, clone CO   | 2.8        |
|            |        | AA243837  | Hs.57787             | ESTs   | 2.8        |
|            |        | AW206453  | Hs.3782              | ESTS   | 2.8        |
| 40         |        | AW452434  | Hs.58006             | ESTs, Weakly similar to ALU5_HUMAN ALU S   | 2.8        |
| 40         |        | BE176480  | 11 40400             | gb:RC3-HT0585-160300-022-c02 HT0585 Homo   |            |
|            |        | AL039852  | Hs.49136             | ESTs, Moderately similar to ALU7_HUMAN A   | 2.8        |
|            |        | A1038997  | Hs.132921            |  | 2.8        |
|            |        | T97490    | Hs.50002             | small inducible cytokine subfamily A (Cy   | 2.8        |
| 15         |        | AW806899  | 11. 400440           | gb:QV4-ST0023-160400-172-c12 ST0023 Homo   |            |
| 45         |        | Al910896  | Hs.132413            |  | 2.8        |
|            |        | Y00272    |                      | cell division cycle 2, G1 to S and G2 to   | 2.8        |
|            |        | AL035588  | MS.153203            | MyoD family inhibitor  |            |
|            |        | BE070800  |                      | gb:RC3-BT0502-251199-011-c07 BT0502 Homo   | 2.8        |
| 50         | 400250 |           | 11- 00440            | Eos Control  | 2.8        |
| 50         |        | NM_016206 | Hs.23142             | colon carcinoma related protein  |            |
|            |        | AA485224  | 11- 220000           | gb:aa41b12.s1 NCI_CGAP_GCB1 Homo sapiens   |            |
|            |        | AA502490  | Hs.336695            |  | 2.8<br>2.8 |
|            |        | AA383550  | HS.2/1099            | polymerase (DNA directed) iota   |            |
| 55         | 405873 |           | 41- 400504           | Target Exon  | 2.8        |
| 55         |        | AA994364  | HS.125594            | ESTs, Weakly similar to T25472 hypotheti   | 2.8        |
|            |        | AIU/53/5  | MS.128193            | ESTs, Weakly similar to IRX2_HUMAN IROQU   | 2.0        |
|            |        | BE158791  | 11- 07000            | gb:IL2-HT0397-091299-025-D02 HT0397 Homo   |            |
| •          |        | AA398155  | Hs.97600             | ESTs   | 2.8<br>2.8 |
| <b>6</b> 0 |        | AI754813  |                      | collagen, type V, alpha 1  |            |
| 60         |        | AW294631  | Hs.11325             |  | 2.8        |
|            |        | AA298758  | rts. 183/4/          | ESTs, Moderately similar to CALB_HUMAN C   | 2.8        |
|            |        | R64719    |                      | gb:EST22d11 WATM1 Homo sapiens cDNA don<br>C1003621*:gij12407405[gb]AAG53491,1]AF22  | 2.8        |
|            | 402765 |           | He torce             |  | 2.8        |
| 65         |        | R41339    | Hs.12569<br>Hs.22120 | ESTs<br>ESTs   | 2.8        |
| U)         |        | AW338625  | NS.22120             |  | 2.8        |
|            | 401497 |           |                      | Target Exon<br>C19000763*:gi[1363912 pir  JC4296 ring f  | 2.8        |
|            | 402376 |           |                      | t bus next adjudict contribe commercial  | ٠.٧        |

|          | 405041 | NA                       |                       |   | 2.8        |
|----------|--------|--------------------------|-----------------------|---|------------|
|          | 408758 | NM_003686                |                       | EXOTIGOROUS 1   | 2.8<br>2.8 |
|          | 431917 |                          |                       | benbuora milora brown a   | 2.0<br>2.8 |
| _        |        | AA761190                 | Hs.244627             |   | 2.8        |
| 5        |        | AA744862                 | Hs.194293             | CO10, 110did, ditting to 10 to 1  | 2.8        |
|          |        | AF086325                 |                       | Ant lough anhiers in londer treat the                                     | 2.8        |
|          | 401283 |                          |                       | Target Exon<br>gb:IL2-UM0077-070500-080-E06 UM0077 Homo                   |            |
|          |        | AW803201                 | Hs.82292              | KIAA0215 gene product   | 2.8        |
| 10       |        | NM_014735                | Hs.337534             | Id-Moz to gotto product   | 2.8        |
| 10       |        | AW994005<br>AW291488     | He 117305             | Homo sapiens, done IMAGE:3682908, mRNA                                    | 2.8        |
|          |        | AW815098                 | 113.117.000           | gb:QV4-ST0212-091199-023-f10 ST0212 Homo                                  | 2.8        |
|          |        | BE247550                 | Hs.86859              | growth factor receptor-bound protein 7                                    | 2.8        |
|          |        | Al651930                 | Hs.135684             |   | 2.8        |
| 15       |        | AK000375                 | Hs.88820              | HDCMC28P protein  | 2.8        |
| ••       |        | T97401                   | Hs 21929              |   | 2.8        |
|          |        | A1650633                 | Hs.143688             | Homo supicits obtain i salesse i in i                                     | 2.8        |
|          | 429638 | AI916662                 |                       | kinectin 1 (kinesin receptor)   | 2.7        |
|          | 428824 | W23624                   | Hs.173059             | ESTs  | 2.7<br>2.7 |
| 20       |        | NM_000399                | Hs.1395               | early growth response 2 (Krox-20 (Drosop                                  |            |
|          |        | BE386870                 |                       | gb:601275271F1 NIH_MGC_20 Homo sapiens c                                  | 2.7        |
|          |        | R79707                   |                       | ESTs, Moderately similar to 138022 hypot<br>hypothetical protein FLJ10525 | 2.7        |
|          |        | BE247449                 | Hs.31082<br>Hs.282872 |   | 2.7        |
| 25       |        | AV646449                 | Hs.159585             |   | 2.7        |
| 25       |        | A1378562<br>AW371048     | Hs.93758              | H4 histone family, member H   | 2.7        |
|          | 406504 |                          | H3.331 30             | C5000558:gl 4504675 ref NP_002175.1  int                                  | 2.7        |
|          |        | AW959861                 | Hs.290943             |   | 2.7        |
|          |        | NM_004525                | Hs.153595             | low density lipoprotein-related protein                                   | 2.7        |
| 30       |        | H87648                   | Hs.33922              | Homo sapiens, clone MGC:9084, mRNA, comp                                  | 2.7        |
| 50       |        | D13666                   | Hs.136348             | osteoblast specific factor 2 (fasciclin                                   | 2.7        |
|          |        | N34524                   |                       | gb:yy56d10.s1 Soares_multiple_sclerosis_                                  | 2.7        |
|          |        | BE314524                 | Hs.78776              | putative transmembrane protein  | 2.7        |
|          | 419987 | NM_005014                | Hs.94070              | osteomodulin  | 2.7<br>2.7 |
| 35       | 406182 |                          |                       | Target Exon   | 2.7        |
|          |        | X69970                   | Hs.79350              | RYK receptor-like tyrosine kinase   | 2.7        |
|          |        | AJ916512                 | Hs.198394             | ESIS  | 2.7        |
|          |        | AA301228                 | Hs.43299              | hypothetical protein FLJ12890   | 2.7        |
| 40       |        | AW968128                 | Hs.336679             | hypothetical protein FLJ14917   | 2.7        |
| 40       |        | AA128978                 | Hs.77439              | protein kinase, cAMP-dependent, regulato                                  | 2.7        |
|          |        | M31158<br>BE563085       | Hs.833                | interferon-stimulated protein, 15 kDa                                     | 2.7        |
|          |        | AB026264                 | He 284245             | hypothetical protein IMPACT   | 2.7        |
|          |        | AA742577                 | Hs.303781             | EST   | 2.7        |
| 45       |        | AF075079                 |                       | ob:Homo sapiens full length insert cDNA                                   | 2.7        |
| 72       |        | W74653                   | Hs.271593             | ESTs, Moderately similar to A47582 B-cel                                  | 2.7        |
|          | 406153 |                          |                       | Target Exon   | 2.7        |
|          | 406625 | 5 Y13647                 | Hs.119597             | stearoyl-CoA desaturase (delta-9-desatur                                  | 2.7<br>2.7 |
|          |        | 3 Al188139               | Hs.147050             | ESTS  | 2.7        |
| 50       |        | 3 Al572739               |                       | 6-phosphofructo-2-kinase/fructose-2,6-bi                                  | 2.7        |
|          |        | 3 H09604                 | Hs.13268              |   | 2.7        |
|          |        | 9 AA255920               | Hs.88095              | ESTs  | 2,7        |
|          |        | 7 AA495925               | Hs.9394               | ESTs peptidylprolyl isomerase (cyclophilin)-l                             | 2,7        |
| <i>E</i> |        | 4 BE379623               | Hs.27693<br>Hs.13533  |   | 2.7        |
| 55       |        | 4 A1050073<br>0 A1741320 | He 11412              | 1 Homo saplens cDNA: FLJ23228 fis, clone C                                | 2.7        |
|          | 42100  | 0 AN41320<br>0 AA054726  | He 28557              | 4 FSTs  | 2.7        |
|          | 41651  | 5 N91716                 | Hs.19414              | 0 ESTs, Weakly similar to 138022 hypotheti                                | 2.7        |
|          | 42992  | 2 Z97630                 | Hs.22611              | 7 H1 histone family, member 0   | 2.7        |
| 60       | 41820  | 3 X54942                 | Hs.83758              |   | 2.7        |
|          | 43950  | 9 AF086332               | Hs.58314              | FSTs  | 2.7        |
|          | 40218  | 4 NA                     |                       | ENSP00000245238*:CDNA FLJ10922 fis, clon                                  | 2.7        |
|          | 45049  | 6 AW449251               | Hs.25713              |   | 2.7        |
|          | 45196  | 3 A1825440               | Hs.22495              |   | 2.7        |
| 65       | 45793  | 8 AI373638               | Hs.13390              |   | 2.         |
|          | 44154  | 1 AA938663               | Hs.19982              |   | 2.         |
|          | 44444  | a auxilinan/             | ms. L/039             | M LUIJ  |            |

|     |        | AA383092  | Hs.1608    | replication protein A3 (14kD)              | 2.7 |
|-----|--------|-----------|------------|--|-----|
|     | 445354 | AV653485  | Hs.6390    | Homo sapiens clone FLB3344 PRO0845 mRNA,   | 2.7 |
|     | 427961 | AW293165  | Hs.143134  | ESTs                                       | 2.7 |
|     | 410889 | X91662    | Hs.66744   | twist (Drosophila) homolog (acrocephatos   | 2.7 |
| 5   | 445234 | AW137636  | Hs.146059  |  | 2.7 |
|     |        | AA496493  | Hs.23136   | ESTs                                       | 2.7 |
|     | 406069 |           |            | Target Exon                                | 2.7 |
|     |        | AI470235  | Hs.172698  |  | 2.7 |
|     | 401256 |           | 113.112030 | NM_024089*:Homo sapiens hypothetical pro   | 2.7 |
| 10  |        | AW975942  | Hs.48524   | ESTs                                       | 2.7 |
| 10  |        | AW958037  | Hs.286     |  | 2.7 |
|     |        | BE144762  | 113.200    |  |     |
|     |        | BE327427  | U- 700E3   | gb:CM0-HT0180-041099-065-b04 HT0180 Homo   |     |
|     |        |           | Hs.79953   | ESTs                                       | 2.6 |
| 1.5 |        | AA045857  | Hs.54943   | fracture callus 1 (rat) homolog            | 2.6 |
| 15  |        | AL121053  | Hs.5534    | Homo saplens cDNA FLJ12961 fls, clone NT   | 2.6 |
|     |        | AF160477  | Hs.61460   | Ig superfamily receptor LNIR               | 2.6 |
|     |        | AK001122  |            | hypothetical protein FLJ10260              | 2.6 |
|     | 453279 | AW893940  | Hs.59698   | ESTs                                       | 2.6 |
|     | 430785 | Z30201    |            | gb:HHEA22G Atrium cDNA library Human hea   | 2.6 |
| 20  | 456986 | D38299    | Hs.170917  | prostaglandin E receptor 3 (subtype EP3)   | 2.6 |
|     | 433068 | NM_006456 | Hs.288215  | sialyltransferase                          | 2.6 |
|     | 421952 | AA300900  | Hs.98849   | ESTs, Moderately similar to AF161511 1 H   | 2.6 |
|     |        | AA447990  | Hs.190478  |  | 2.6 |
| •   |        | AW975920  | Hs.283361  |  | 2.6 |
| 25  |        | AI346487  | Hs.28739   |  | 2.6 |
| 40  |        | AI123555  | Hs.81796   | ESTs                                       | 2.6 |
|     |        | AW451645  |            | Homo saplens cDNA FLJ11973 fis, clone HE   | 2.6 |
|     |        | AW754311  | 113.101001 | gb:CM1-CT0337-141299-068-07 CT0337 Homo    |     |
|     |        | AI675944  | He 188601  | Homo sapiens cDNA FLJ12033 fis, clone HE   | 2.6 |
| 30  |        | M25809    | Hs.64173   | ATPase, H transporting, tysosomal (vacuo   | 2.6 |
| 20  |        |           |            |  | 2.6 |
|     |        | AK002016  |            | Homo sapiens, clone MGC:16327, mRNA, com   |     |
|     |        | NM_013989 |            | deiodinase, lodothyronine, type II         | 2.6 |
|     |        | AW292286  | Hs.255058  |  | 2.6 |
| 26  |        | AA018311  | Hs.114762  |  | 2.6 |
| 35  | 405822 |           |            | Target Exon                                | 2.6 |
|     | 418301 | AW976201  | Hs.53913   | hypothetical protein FLJ 10252             | 2.6 |
|     | 417315 | AI080042  | Hs.336901  | ribosomal protein S24                      | 2.6 |
|     | 434699 | AA643687  | Hs.149425  | Homo sapiens cDNA FLJ11980 fls, clone HE   | 2.6 |
|     | 443204 | AW205878  | Hs.29643   | Homo sapiens cDNA FLJ13103 fis, clone NT   | 2.6 |
| 40  | 405638 |           |            | Target Exon                                | 2.6 |
|     |        | AW812256  |            | gb:RC0-ST0174-191099-031-a07 ST0174 Homo   | 2.6 |
|     | 403943 |           |            | C5000355:gi 4503225 ref NP_000765.1  cyt   | 2.6 |
|     |        | Z25884    | Hs.121483  | chloride channel 1, skeletal muscle (Th    | 2.6 |
|     | 402800 |           |            | Target Exon                                | 2.6 |
| 45  |        | Al989503  | Hs.233405  |  | 2.6 |
| 1.5 |        | AW846080  | Hs.314324  |  | 2.6 |
|     |        | H03754    |            | wingless-type MMTV integration site fami   | 2.6 |
|     |        | AW974476  |            | regulator of G-protein signalling 16       | 2.6 |
|     |        | AA418187  | Hs.330515  |  | 2.6 |
| 50  |        |           |            |  | 2.6 |
| 50  |        | AK001826  | Hs.25245   | hypothetical protein FLJ11269              |     |
|     |        | BE246010  | H\$.2/1468 | Homo sapiens mRNA for FLJ00038 protein,    | 2.6 |
|     |        | AW855802  |            | gb:RC1-CT0279-170200-023-d08 CT0279 Homo   |     |
|     |        | AB028955  |            | KIAA1032 protein                           | 2.6 |
|     |        | NM_015434 | Hs.48604   | DKFZP434B168 protein                       | 2.6 |
| 55  |        | Z47542    |            | small nuclear RNA activating complex, po   | 2.6 |
|     | 423201 | NM_000163 | Hs.125180  | growth hormone receptor                    | 2.6 |
|     | 406271 |           |            | Target Exon                                | 2.6 |
|     | 442696 | BE566962  | Hs.7063    | Homo sapiens cDNA: FLJ20913 fls, clone A   | 2.6 |
|     | 454018 | AW016892  | Hs.100855  | ESTs                                       | 2.6 |
| 60  | 435420 | AI928513  | Hs.59203   | ESTs                                       | 2.6 |
|     |        | AA121098  | Hs.3838    | serum-inducible kinase                     | 2.6 |
|     |        | BE069326  |            | gb:QV3-BT0381-170100-060-g03 BT0381 Homo   |     |
|     |        | W24320    | Hs.102941  | Homo sapiens cDNA: FLJ21531 fis, clone C   | 2.6 |
|     |        | X64984    |            | gb:H.saplens mRNA HTPCRX10 for offactory   | 2.6 |
| 65  |        | AA830431  | Hs.180811  |  | 2.6 |
| 05  |        | AA668763  | Hs.291939  |  | 2.6 |
|     |        | A1681917  | Hs.3321    | ESTS, Highly similar to IRX1_HUMAN IROQU   | 2.6 |
|     | 403133 | VI001311  | 113.3321   | CO19* URAIN STRINGS OF BLACK TONNERS BLOCK | 2.0 |

|     |                  |                          |             | 1 014 1 F70442 040000 050 F02 UT0442 Home                                 | 26         |
|-----|------------------|--------------------------|-------------|---|------------|
|     |                  | BE160198                 |             | gb:QV1-HT0413-010200-059-h03 HT0413 Homo                                  | 2.6        |
|     |                  | BE274552                 |             | protogrammontor or addressed a constant                                   | 2.6        |
|     |                  | A1732892                 | Hs.190489   | 2010  | 2.6        |
| ~   |                  | AA831267                 | Hs.12244    | hypothetical protein FLJ20097<br>ESTs, Weakly similar to S65824 reverse t | 2.6        |
| 5   |                  | AA825686                 | MS.321170   | NM_021048:Homo sapiens melanoma antigen,                                  | 2.6        |
|     | 404440           | A1A                      |             | C3001398*:gij12248917 dbj BAB20375.1  (A                                  | 2.6        |
|     | 403388<br>403775 |                          |             | Target Exon   | 2.6        |
|     | 405037           |                          |             | NM_021628*:Homo sapiens arachidonate lip                                  | 2.6        |
| 10  |                  | AF290544                 |             | gb:Homo sapiens aminopeptidase mRNA, par                                  | 2.6        |
| 10  |                  | AA282067                 | Hs.88972    | ESTs, Moderately similar to A46010 X-lin                                  | 2.6        |
|     |                  | AI872932                 |             | gb:wm72e03.x1 NCI_CGAP_Ut2 Homo saplens                                   | 2.6        |
|     |                  | AW516211                 |             | ring finger protein 21, interferon-respo                                  | 2.6        |
|     |                  | AI702885                 | Hs.145568   | ESTs  | 2.6        |
| 15  |                  | BE391727                 | Hs.102910   | general transcription factor IIH, polype                                  | 2.6        |
|     | 414870           | N72264                   |             | KIAA1204 protein  | 2.6        |
|     | 457411           | AW085961                 | Hs.130093   | ESTs  | 2.6        |
|     | 424676           | Y08565                   | Hs.151678   | UDP-N-acetyl-alpha-D-galaclosamine:polyp                                  | 2.6        |
|     | 404443           |                          |             | C8001428*:gi 6572242 emb CAB62951.1  (Z9                                  | 2.6        |
| 20  | 452268           | NM_003512                | Hs.28777    | H2A histone family, member L  | 2.6        |
|     |                  | Al073913                 |             | ESTs, Weakly similar to JE0350 Anterior                                   | 2.6<br>2.6 |
|     |                  | Al192105                 | Hs.147170   |   | 2.6        |
|     |                  | AW963372                 | Hs.46677    | PRO2000 protein<br>Homo sapiens mRNA; cDNA DKFZp564O1763 (                |            |
| 25  |                  | F13036                   | Hs.27373    | gb:yh88b01.s1 Soares placenta Nb2HP Homo                                  | 2.6        |
| 25  |                  | R36075                   | H° 360064   | ESTs, Weakly similar to T42689 hypotheti                                  | 2.6        |
|     |                  | AW081681                 | Hs.69089    | galactosidase, alpha  | 2.6        |
|     |                  | NM_000169<br>S70284      | 113.03000   | gb:stearoyl-CoA desaturase [human, adipo                                  | 2.6        |
|     |                  | H62943                   | Hs.154188   |   | 2.6        |
| 30  |                  | BE065837                 |             | ab:RC2-BT0318-110100-012-g12 BT0318 Homo                                  | 2.6        |
| 50  |                  | NM_012247                | Hs.124027   | SELENOPHOSPHATE SYNTHETASE; Human   | selen2.6   |
|     |                  | Al538613                 | Hs.298241   | Transmembrane protease, serine 3  | 2.5        |
|     |                  | AF012023                 | Hs.173274   | integrin cytopiasmic domain-associated p                                  | 2.5        |
|     |                  | AK001058                 | Hs.12680    | Homo sapiens cDNA FLJ10196 fis, clone HE                                  | 2.5        |
| 35  |                  | BE245652                 | Hs.118281   | zinc finger protein 266   | 2.5        |
|     |                  | L22524                   | Hs.2256     | matrix metalloproteinase 7 (MMP7; uterin                                  | 2.5        |
|     | 410011           | AB020641                 | Hs.57856    | PFTAIRE protein kinase 1  | 2.5        |
|     |                  | NM_000909                | Hs.169266   | neuropeptide Y receptor Y1  | 2.5<br>2.5 |
| 40  |                  | AW973708                 |             | Homo sapiens cDNA FLJ13446 fis, clone PL                                  | 2.5        |
| 40  |                  | AA767881                 | Hs.122897   |   | 2.5        |
|     |                  | AK001741                 | Hs.8739     | hypothetical protein FLJ10879   | 2.5        |
|     |                  | AL042306                 | Hs.97689    | VASA protein<br>ESTs, Weakly similar to I38022 hypotheti                  | 2.5        |
|     |                  | AW628666                 | Hs.98440    | Homo sapiens cDNA FLJ11170 fis, clone PL                                  | 2.5        |
| 45  |                  | AK002032<br>BE080908     | 115.27 2245 | gb:QV1-BT0631-280200-084-h07 BT0631 Home                                  | 2.5        |
| 40  |                  | Al362790                 | Hs 278639   | KIAA1684 protein; likely homolog of mous                                  | 2.5        |
|     |                  | BE394723                 | Hs.275243   | S100 calcium-binding protein A6 (calcycl                                  | 2.5        |
|     |                  | NM_002318                | Hs.83354    | tysyt oxidase-like 2  | 2.5        |
|     |                  | AW375610                 | Hs.117102   | hypothetical protein FLJ13046 similar to                                  | 2.5        |
| 50  |                  | A1424899                 | Hs.188211   | FSTs  | 2.5        |
|     | 422998           | BE091089                 |             | gb:PM4-BT0724-130400-006-c07 BT0724 Hom                                   | 0 2.5      |
|     | 410804           | U64820                   | Hs.66521    | Machado-Joseph disease (spinocerebellar                                   | 2.5        |
|     |                  | AW972565                 | Hs.32399    | ESTs, Weakly similar to S51797 vasodilat                                  | 2.5<br>2.5 |
| ~ ~ |                  | AW089705                 |             | ESTs, Weakly similar to S64329 probable                                   | 2.5        |
| 55  |                  | AI471598                 | Hs.197531   | gb:zm13a03.s1 Stratagene pancreas (93720                                  | 2.5        |
|     | 409163           | AA065081                 | He 11000    | membrane-spanning 4-domains, subfamily A                                  | 2.5        |
|     |                  | BE178536                 | Hs.11090    | prostate cancer associated protein 1                                      | 2.5        |
|     |                  | AF109298                 | Hs.6793     | platelet-activating factor acetylhydrola                                  | 2.5        |
| 60  |                  | 3 AW247529<br>5 BE158687 | 110.0100    | gb:CM0-HT0395-280100-169-b09 HT0395 Hon                                   |            |
| OU  |                  | 5 AW953168               | Hs.12407    | FSTs  | 2.5        |
|     |                  | AA652687                 | Hs,96151    | Human DNA sequence from clone RP5-1103G                                   | 7 2.5      |
|     | 40482            |                          |             | Target Exon   | 2.5        |
|     | 42293            | 8 NM_001809              | Hs.1594     | centromere protein A (17kD)   | 2.5        |
| 65  | 42199            | 1 NM_014918              | Hs.11048    | 3 KIAA0990 protein  | 2.5        |
| -   | 41740            | 4 NM_007350              | Hs.82101    | pleckstrin homology-like domain, family                                   | 2.5        |
|     | 44851            | 6 AW898595               |             | gb:RC1-NN0073-260400-011-g09 NN0073 Hor                                   | IUZ.J      |
|     |                  |                          |             | 207   |            |

|           | 403356 | NA                   |            |   | 2.5        |
|-----------|--------|----------------------|------------|---|------------|
|           | 404983 |                      |            |   | 2.5        |
|           | 418282 | AA215535             | Hs.98133   |   | 2.5        |
| _         |        | AW467143             |            |   | 2.5        |
| 5         |        | AF186114             |            |   | 2.5        |
|           |        | AW071349             | Hs.215937  |   | 2.5        |
|           |        | AW582962             |            |   | 2.5        |
|           |        | AF086041             | Hs.42975   |   | 2.5        |
| 10        | 400925 |                      |            | Target Exon   | 2.5        |
| 10        | 404552 |                      |            | ENSP00000220888*:ZINC FINGER TRANSCRIP  |            |
|           |        | AL133117             | Hs.81376   | Homo sapiens mRNA; cDNA DKFZp586L1121 (f  |            |
|           |        | NM_002332            | Hs.89137   | low density lipoprotein-related protein   | 2.5        |
|           |        | U32974               |            | baculoviral IAP repeat-containing 4   | 2.5        |
| 16        |        | NM_000318            |            | peroxisomal membrane protein 3 (35kD, Ze  | 2.5        |
| 15        |        | AA501760             | Hs.15806   | Homo sapiens mRNA; cDNA DKFZp434H2019 (f  | 2.5        |
|           |        | AI271898<br>AW813428 | Hs.164866  | gb:MR3-ST0192-010200-210-c05 ST0192 Homo  |            |
|           |        | AA641876             | Hs.191840  |   | 2.5        |
|           | 402077 |                      | NS. 131040 | Target Exon   | 2.5        |
| 20        |        | X07820               | Hs.2258    | matrix metalloproteinase 10 (MMP10; str   | 2.5        |
| 20        |        | AW885757             | Hs.257862  |   | 2.5        |
|           |        | T27308               | Hs.16986   | hypothetical protein FLJ11046   | 2.5        |
|           |        | A1807894             | Hs.47274   | Homo sapiens mRNA; cDNA DKFZp564B176 (fr  |            |
|           |        | A1024353             |            | hypothetical prolein FLJ14298   | 2.5        |
| 25        |        | AA059013             | Hs.22607   | ESTs  | 2.5        |
|           |        | AA122393             | Hs.70811   | hypothetical protein FLJ20516   | 2.5        |
|           |        | AW162919             |            | RAB2, member RAS oncogene family-like   | 2.5        |
|           |        | AI126772             | Hs.40479   |   | 2.5        |
|           | 408813 | AI580090             | Hs.48295   | RNA helicase family   | 2.5        |
| 30        | 423504 | N80077               | Hs.24792   | chromosome 12 open reading frame 5  | 2.5        |
|           | 425441 | AA449644             | Hs.193063  | Homo sapiens cDNA FLJ14201 fis, clone NT  | 2.5        |
|           | 443066 | AW297921             | Hs.255703  |   | 2.5        |
|           | 443556 | AA256769             | Hs.94949   |   | 2.5        |
|           | 428943 | AW086180             | Hs.37636   | ESTs, Weakly similar to KIAA1392 protein  | 2.5        |
| 35        |        | U29344               | Hs.83190   | fatty acid synthase   | 2.5        |
|           |        | AA356923             |            | nuclear cap binding protein subunit 2, 2  | 2.5        |
|           |        | AL039402             |            | DEME-6 protein  | 2.5        |
|           |        | N52639               | Hs.32683   |   | 2.5        |
| 40        |        | AI743977             | Hs.205144  |   | 2.5<br>2.5 |
| 40        |        | AA740875             | Hs.44307   |   | 2.5        |
|           |        | AW500507             |            | KIAA1600 protein  | 2.5        |
|           |        | AI920783             | Hs.191435  | ESTs, Weakly similar to A47582 B-cell gr  | 2.5        |
|           |        | AA479033             |            | olfactory receptor, family 7, subfamily   | 2.5        |
| 45        |        | A1446747<br>AA116021 | Hs.38260   |   | 2.5        |
| 43        |        | NM_007069            | Hs.37189   | similar to rat HREV107  | 2.5        |
|           |        | H00820               | Hs.30977   |   | 2.5        |
| -         |        | AA236255             | Hs.298419  |   | 2.5        |
|           |        | H20669               | Hs.35406   |   | 2.5        |
| 50        |        | AL046412             | Hs.202151  |   | 2.5        |
| •         |        | AI640355             | Hs.312691  |   | 2.5        |
|           |        | AW298631             | Hs.27721   | Wolf-Hirschhom syndrome candidate 1-lik   | 2.5        |
|           |        | AI937547             | Hs.124915  | hypothetical protein MGC2601  | 2.5        |
|           | 411337 | AW837349             |            | gb:QV2-LT0038-270300-108-d12 LT0038 Homo  | 2.5        |
| 55        | 438290 | AA843719             | Hs.122341  | ESTs  | 2.5        |
|           | 406414 |                      |            | C5000506*:gi[124941[sp[P18614]ITA1_RAT I  | 2.5        |
|           | 424498 | AB033043             |            | hypothetical protein DKFZp761L0424  | 2.5        |
|           |        | BE548446             | Hs.5167    | Homo sapiens mRNA; cDNA DKFZp434F152 (fr  | 2.5        |
| <b>60</b> |        | AA347746             | Hs.9521    | ESTs, Weakly similar to ZN43_HUMAN ZINC   | 2.5        |
| 60        |        | BE159984             | Hs.125395  |   | 2.5        |
|           |        | AA635062             | Hs.50094   | Homo saplens mRNA; cDNA DKFZp434O0515 (   |            |
|           |        | D86983               |            | Melanoma associated gene  | 2.5        |
|           |        | AL135623             |            | KIAA0575 gene product   | 2.5        |
| 65        |        | AA442324             | Hs.795     | H2A histone family, member O  | 2.5<br>2.5 |
| 65        |        | D13752               |            | cytochrome P450, subfamily XIB (steroid<br>Homo sapiens cDNA FLJ10366 fis, clone NT | 2.5        |
|           |        | AA081395             | Hs.42173   | Target Exon   | 2.5        |
|           | 403133 |                      |            | i digot exert   | _,         |

| 400346<br>435509 | AI458679 | Hs.272263<br>Hs.181915<br>Hs.130794 | — • · · | 2.5 |
|------------------|----------|-------------------------------------|---------|-----|
|------------------|----------|-------------------------------------|---------|-----|

#### TABLE 19A

Table 19A shows the accession numbers for those pkeys lacking unigeneID's for Table 19. For each probeset, we have listed the gene cluster number from which the oligonucleotides were designed. Gene clusters were compiled using sequences derived from Genbank ESTs and mRNAs. These sequences were clustered based on sequence similarity using Clustering and Alignment Tools (DoubleTwist, Oakland California). The Genbank accession numbers for sequences comprising each cluster are listed in the "Accession" column.

5

| Pkey:       | Unique Eos probeset identifier number |
|-------------|---------------------------------------|
| CAT number: | Gene cluster number                   |
| Accoccion:  | Conhank accession numbers             |

| 15  | Accession:       |                        |  |  |  |  |  |
|-----|------------------|------------------------|--|--|--|--|--|
|     | Pkey             | CAT number             | Accessions   |  |  |  |  |
| 20  | 407647<br>407980 | 1007366_1<br>103087_1  | AW860158 AW862385 AW860159 AW862386 AW862341 AW821869 AW821893 AW062660 AW062656 AA046309 Al263500 AA046397  |  |  |  |  |
|     | 408254           | 1049346_1              | AW807227 AW807576 AW807137 AW807157 AW807495 AW807494 AW807417 AW807083 AW845786 AW845801 AW807130 AW807335 AW807081 AW807349 AW807339 AW807164 AW807341 AW807224 AW845903 AW177424 AW807159 AW807123 BE141576 AW807340 AW807334 AW807520 AW807205 AW807505 BE141574 AW807390 AW807395 AW807395 AW807101 AW807395 AW807395 AW807395 AW807395 AW807395 AW807395 AW807396 AW807396 AW807398 AW807395 AW807395 AW807395 AW807395 AW807395 AW807398 AW807395 AW807495 AW8 |  |  |  |  |
| 25  |                  |                        | AW807307 AW807153 AW807295 AW807313 AW807322 AW807265 AW807513 AW807516 AW807166 AW807501  |  |  |  |  |
|     |                  |                        | AW807120 AW807168 AW807121 AW807527 AW807151 AW807203 AW807489 AW807511 AW807158 AW845800 AW807507 AW845793 AW845796 AW807296 AW845781 AW807444 AW845871 AW807512 AW807242 AW807141 AW807522 AW807487 AW807514 AW807514 AW807232 AW807379 AW807114 AW807518 AW807199 AW807211 AW807498 AW807086 AW807492 AW807218 AW807082 AW807525 AW807493 AW807523 AW807087 AW845784  |  |  |  |  |
| 30  |                  |                        | AW807037 AW807128 AW807080 AW807118 AW845807 AW807524 AW845803 AW807249 AW845795 AW807160 AW807343 AW807515 AW807233 AW807289 AW177102 AW807352 AW807394 AW177105 AW807176 AW177103 AW845870 AW177099 AW177101 AW807528 AW807338 AW807038 AW177100 AW807411 AW807088 AW845865 AW807226 AW807517 AW807397 AW807303 AW807177 AW807136 AW807136 AW807146 AW807085 AW807521 AW807488 AW807385 AW807551 AW807253 AW807155   |  |  |  |  |
| 35  | 409163           | 110418_1               | AA065081 AA075017 AA084791 AA071015 AA081560 AA071459 AA545727 AA083100 AA085366 AA115845 AA075457 AA064704 AA082878 AA075742 AA069162   |  |  |  |  |
|     | 409695           | 114876_1               | AA296961 AA296889 AA076945 AA077528 AA077497   |  |  |  |  |
|     | 410534           | 1207247_1              | AW905138 AW753008 R13818 Z43519  |  |  |  |  |
| 4.0 | 410672           | 1214882_1              | AW794600 AW794730  |  |  |  |  |
| 40  | 410784           | 1221005_1              | AW803201 BE079700 BE062940   |  |  |  |  |
|     | 410785           | 1221055_1              | AW803341 AW803265 AW803403 AW803466 AW803402 AW803413 AW803268 AW8033396 AW803334 AW803355   |  |  |  |  |
|     | 410835           | 1223785_1              | AW806906 AW806915 AW866460 AW866475 AW866462 AW866448 AW866372 AW866604  |  |  |  |  |
|     | 411050           | 1230330_1              | AW814902 BE156656 BE156667 BE156590 BE156441 BE156447  |  |  |  |  |
| 4.5 | 411086           | 1231500_1              | BE070800 AW875226 BE149115   |  |  |  |  |
| 45  | 411093           | 1231970_1              | BE067650 AW817053  |  |  |  |  |
|     | 411111           | 1232669_1              | AW818127 AW818161 R09719   |  |  |  |  |
|     | 411171           | 1234393_1              | AW820260 AW820332 R94406   |  |  |  |  |
|     | 411337           | 1239217_1              | AW837349 AW837355 AW882717<br>AW850178 AW850233 AW850445 AW850446  |  |  |  |  |
| 50  | 411514<br>411670 | 1248638_1<br>1253680_1 | AW856552 AW861101 AW856574 AW861099 AW861100 AW856573 AW856576 AW856562  |  |  |  |  |
| 50  | 411905           | 1265181 1              | BE265067 BE264978 AW875420   |  |  |  |  |
|     | 412102           | 1277395_1              | H56435 H56572 AW892929   |  |  |  |  |
|     | 412209           | 1283610_1              | AW901456 AW901450 AW901441   |  |  |  |  |
|     | 412248           | 1285000_1              | BE176480 AW903298 AW903313   |  |  |  |  |
| 55  | 413043           | 1346556 1              | BE158766 BE061699 BE147360 BE147362 BE061666 BE061697 BE061647 BE061678  |  |  |  |  |
| 55  | 413111           | 1349546 1              | BE065837 BE065805 BE065799 BE065818 BE065839 BE065831 BE065894 BE065789 BE065792   |  |  |  |  |
|     | 413189           | 1352723 1              | BE070231 BE070229 BE070255   |  |  |  |  |
|     | 413221           | 1353887 1              | BE161151 BE162495 BE161002 BE072205 BE160989 BE162482  |  |  |  |  |
|     | 413499           | 1373910 1              | BF144884 H97942  |  |  |  |  |
| 60  | 413708           | 1384140 1              | BE158791 BE158806 BE158748 BE158744 BE158740 BE158739 BE158811 BE158700 BE158741 BE158683 BE158685   |  |  |  |  |
| -   | 414210           | 1426051_1              | BE383592 BE261671  |  |  |  |  |
|     | 414596           | 1465004_1              | BE386870 Z41986 H08501   |  |  |  |  |

|     | 414605           | 14657901             | BE390440  |
|-----|------------------|----------------------|---|
|     | 415747           | 155189_1             | AA381209 AA381245 AA167683  |
|     | 416173           | 1574973_1            | R52782 R17313 H24192 R19876   |
| _   | 417742           | 1696282_1            | R64719 Z44680 R12451  |
| 5   | 417974           | 171237_1             | AA210765 T95700 H94407<br>AW749855 AA225995 AW750208 AW750206   |
|     | 418636           | 177402_1             | AW/49855 AAZZSSS AW/3020 AW/3020  |
|     | 419536           | 185688_1             | AA603305 AA244095 AA244183<br>AW296927 AI684514 AI263168 AA281079   |
|     | 420854           | 197072_1             | AW295927 AI684514 AI253166 AA261075<br>N34524 AA305071 AW954803 AA502335 AI433430 AI203597 AW026670 AW265323 AW850787 AA317554 AW993643 |
| • • | 422156           | 212379_1             | AW835572 AW385512 Al334966 W32951 H62656 H53902 R88904 AW835732   |
| 10  |                  |                      | BE091089 BE091123 AA319959  |
|     | 422996           | 223666_1             |   |
|     | 423833           | 232451_1             | AW503329 N46610 AA331571<br>AW753967 AA370795 AA331630 AW962550   |
|     | 423841           | 232507_1             | AA410943 AW948953 AA334202 AA332882   |
|     | 423945           | 233566_1             | AA352111 AW962247 AA429695  |
| 15  | 425201           | 247933_1             | AA382814 AA402411 AA412355  |
|     | 426650           | 270283_1             | BE069341 AW748403 AL044891 AI908240 AA393080  |
|     | 426878           | 273265_1             | AA470519 BE303010 BE302954 BE384120   |
|     | 430264           | 315008_1             | Z30201 AA486132 T72025  |
| 20  | 430785           | 323486_1             | AI685464 AW971336 AA513587 AA525142   |
| 20  | 431676           | 336411_1             | AA743991 AA604852 AW272737  |
|     | 433687           | 373061_1             | AW754311 AA630185 AW803285  |
|     | 434338           | 383982_1             | AA634806 C18732 AA729161 AA729860   |
|     | 434469           | 387447_1             | A1872932 AA682306 BE220163 W88695 T81307 H91447   |
| 0.6 | 435447           | 406400_1             | AL050027 BE089051   |
| 25  | 437152           | 43386_1              | AL119723 AL119874 AI909018 U50537   |
|     | 437854           | 44418_1              | AF075079 H48601 H48795  |
|     | 439031           | 46798_1              | BE164500 AA832198 BE164502  |
|     | 439255           | 470321_1             | AI201849 BE069007 AW946544  |
| 20  | 444910           | 624951_1             | AV653771 BE089370   |
| 30  | 445432           | 63943_1              | BE175605 Z43529 F06610 BE175602 AV661027  |
|     | 446922           | 69865_1              | R36075 Al366546 R36167  |
|     | 447197           | 711623_1             | BE623004 AA380669 BE263627 BE246433   |
|     | 448420           | 76273_1              | AW898595 AW898588 AW898590 AW898663 AW898592 Al525093   |
| 25  | 448516           | 766241_1             | A1698839 A1909260 A1909259  |
| 35  | 450522           | 837264_1<br>844652_1 | AW970060 AI732366 AI792313 AW839644   |
|     | 450736           | 85565_1              | AA442176 AA259181   |
|     | 451024<br>451067 | 85759_1              | BE172186 AA059279 AA020815 AA013437   |
|     | 451340           | 86640_1              | AW936273 AW340350 AA017208  |
| 40  | 451540<br>452542 | 921410_1             | AW812256 AW812257 AI906423 AI906422   |
| 40  | 452542<br>452564 | 92227_1              | AA026777 N50065 R09961 N54721   |
|     |                  | 968371_1             | AL037925 AL037931 AL037957  |
|     | 453472           | 1106070_1            | AW855717 AW362452 AW362443  |
|     | 454307<br>454359 | 1130674_1            | N74277 AW390764   |
| 45  |                  | 1223779_1            | AMBRESON AMBERAS1 AMBRES393 AMB66297 AMB17869   |
| 43  | 454545<br>454693 | 1229132_1            | AW813428 AW813444 AW813367 AW813368 AW813429 AW813424   |
|     | 454693<br>454714 | 1230493_1            |   |
|     | 455047           | 1250536_1            | AW852530 AW852527 AW852526  |
|     | 455092           | 1252971_1            | OC450400 AWREST2 AWRS5607   |
| 50  | 455097           | 1253130_1            | AMRSSR02 AMRSS794 AWRS5797 AWRS5806 AWRS5796 AWRS5808 AWRS5793 AWRS5707   |
| 50  | 455100           | 1253334_1            | BE160198 AW935898 T11520 AW935930 AW856073 AW861034   |
|     | 455431           | 1289854_1            |   |
|     | 455511           | 1321229_1            |   |
|     | 455609           | 1337548_1            |   |
| 55  | 455651           | 1348732_1            |   |
| 23  | 400001           | 1010/02_/            | BE064816 BE064850 BE064806 BE064796 BE064818 BE004975 BE064619 BE004616 BE004000 BE004000   |
|     | 455685           | 1350393_1            | process RE066928 RE066927   |
|     | 455700           | 1351264_1            | BE068115 BE068104 BE068102 BE068096 BE068103 BE068134 BE006 130   |
|     | 455708           | 1352232_1            | BE069396 BE069290 BE069352  |
| 60  | 455732           | 1353874_1            | BE080908 BE072258 BE072190 BE072236   |
| 50  | 455838           | 1374605_1            |   |
|     | 455935           | 1384144_1            | BF158687 BE158688   |
|     | 455945           | 1385588_1            |   |
|     | 456207           | 1650781              | AA193450  |
| 65  | 456482           |                      | AA485224 AA287308 AA258121  |
| 0,5 | 458094           |                      | AF086325 W72956 W73221 AA219112   |
|     | 458673           |                      | N99626 Al302701   |
|     |                  | =                    |   |

PCT/US02/02242 WO 02/059377

# TABLE 19B

Table 19B shows the genomic positioning for those pkeys lacking unigene ID's and accession numbers in Table 19. For each predicted exon, we have listed the genomic sequence source used for prediction. Nucleotide locations of each predicted exon are also listed.

| 10 | Pkey:<br>Ref: | s       | equence so | number corresponding to an Eos probeset<br>urce. The 7 digit numbers in this column are Genbank Identifier (GI) numbers. "Dunham I. et al." refers to the publication<br>I "The DNA sequence of human chromosome 22." Dunham I. et al., Nature (1999) 402:489-495. |
|----|---------------|---------|------------|--|
|    | Strand:       |         | Indicat    | es DNA strand from which exons were predicted.   |
| 15 | Nt_posi       | uon:    | indicati   | es nudeolide positions of predicted exons.   |
|    | Pkey          | Ref     | Strand     | Nt_position  |
|    | 400555        | 9801191 | Minus      | 134694-134817  |
| 20 |               | 9887666 | Minus      | 96756-97558  |
|    |               | 9887671 | Minus      | 117606-117928,124040-124147  |
|    |               | 7651921 | Plus       | 38183-38391,43900-44086  |
|    |               | 8117619 | Plus       | 90044-90184,91111-91345  |
|    |               | 7232177 | Plus       | 149157-150692  |
| 25 |               | 8516137 | Minus      | 22335-23166  |
|    |               | 9796573 | Minus      | 45482-45620  |
|    | 401283        | 9800093 | Minus      | 47256-47456  |
|    |               | 9212516 | Minus      | 226246-227505  |
|    |               | 7452889 | Minus      | 124865-125075  |
| 30 |               | 6634068 | Minus      | 119926-121272  |
| 50 |               | 9187886 | Plus       | 76485-77597  |
|    |               | 7381770 | Plus       | 92607-92813  |
|    |               | 7534110 | Minus      | 110779-110983  |
|    |               | 7229804 | Minus      | 76253-76364  |
| 35 |               | 9789672 | Minus      | 118596-118816,119119-119244,119609-119761,120422-120990,130161-130381,130468-130593,131097-  |
|    |               | 0.000.2 |            | 131258,131866-131932,132451-132575,133580-134011   |
|    | 401781        | 7249190 | Minus      | 83215-83435,83531-83656,83740-83901,84237-84393,84955-85037,86290-86814  |
|    |               | 7249190 | Minus      | 165776-165996,166189-166314,166408-166569,167112-167268,167387-167469,168634-168942  |
|    |               | 7263888 | Minus      | 102945-103083  |
| 40 |               | 4406829 | Minus      | 72893-73021,76938-77049  |
|    |               | 8117414 | Plus       | 65014-65195  |
|    | 402109        | 8131678 | Minus      | 171722-171859,173197-173303  |
|    | 402184        | 8576001 | Minus      | 112844-112986, 113505-113636   |
|    |               | 9625329 | Minus      | 21753-22385  |
| 45 | 402421        | 9796341 | Minus      | 46609-46662.46758-46811,86293-86346,89776-89829,90048-90101,102817-102924  |
|    | 402578        | 9884928 | Plus       | 66350-66496  |
|    |               | 9909429 | Minus      | 81747-82094  |
|    |               | 7328818 | Minus      | 23600-23731  |
|    |               | 9367757 | Plus       | 109588-109726  |
| 50 |               | 6010175 | Plus       | 43921-44049,46181-46273  |
|    |               | 6456853 | Minus      | 82274-82443  |
|    |               | 8086844 | Minus      | 194384-194645  |
|    |               | 7331427 | Plus       | 38314-38634  |
|    |               | 8569930 | Plus       | 92839-93036  |
| 55 |               | 9438331 | Plus       | 112733-113001,114599-114735  |
| •  |               | 9719529 | Minus      | 157156-158183  |
|    |               | 8101208 | Minus      | 131266-131769  |
|    |               | 6862650 | Minus      | 62554-62712,69449-69602  |
|    |               | 8671936 | Minus      | 142647-142771,145531-145762  |
| 60 | 403639        | 8671948 | Plus       | 113234-113326,115186-115287,119649-119786  |
| -  | 403677        | 7331517 | Minus      | 55008-55083,62860-63051  |
|    |               | 7770580 | Minus      | 102247-102326,103095-103148  |
|    |               | 7711864 | Plus       | 100742-100904,101322-101503  |
|    | ,555 10       |         | ,          |  |

|    |           |        |       | 2014 2000  |
|----|-----------|--------|-------|--|
|    | 404091 76 |        | Minus | 82121-83229  |
|    | 404097 77 |        | Plus  | 55512-55781  |
|    | 404142 98 |        | Minus | 80316-80459  |
| _  | 404253 93 |        | Minus | 55675-56055  |
| 5  | 404274 98 |        | Plus  | 104127-104318  |
|    | 404285 23 | 26514  | Plus  | 32282-32416  |
|    | 404360 98 |        | Minus | 122873-122966,151324-151469,153093-153253  |
|    | 404440 75 | 28051  | Plus  | 80430-81581  |
|    | 404443 75 | 79073  | Minus | 87198-87441  |
| 10 | 404552 72 | 43881  | Plus  | 19854-20010  |
|    | 404561 97 | 95980  | Minus | 69039-70100  |
|    | 404580 65 | 39738  | Minus | 240588-241589  |
|    | 404721 98 | 356648 | Minus | 173763-174294  |
|    | 404826 65 | 72184  | Plus  | 47726-48046  |
| 15 | 404983 44 | 32779  | Minus | 51178-51374,52000-52173  |
|    | 405037 75 | 543748 | Minus | 127374-127578  |
|    | 405041 75 | 547195 | Plus  | 121230-121714  |
|    | 405095 80 | 72599  | Plus  | 138877-139066  |
|    | 405153 99 |        | Minus | 175317-175500  |
| 20 | 405196 72 | 230083 | Minus | 135716-135851  |
|    | 405232 72 |        | Plus  | 125904-126063  |
|    | 405248 72 | 259728 | Plus  | 637-777  |
|    | 405336 60 |        | Plus  | 33267-33563  |
|    | 405394 66 | 524123 | Minus | 31900-32373  |
| 25 | 405460 76 |        | Minus | 52223-52389  |
|    | 405494 80 | 050952 | Minus | 70284-70518  |
|    | 405547 10 | 054740 | Plus  | 124361-124520,124914-125050  |
|    | 405609 57 |        | Minus | 42814-43010,43583-43783,44863-45033,46429-46554,47815-48018,49961-50153,51624-51727,51823-51959,52702- |
|    |           |        |       | 52918,55469-55601,57111-57307,58169-58296,60215-60332,61482-61727                                      |
| 30 | 405638 62 | 289229 | Plus  | 199260-199372,199826-199929  |
|    | 405654 48 | 895155 | Minus | 53624-53759  |
|    | 405718 97 | 795467 | Plus  | 113080-113266  |
|    | 405822 62 |        | Minus | 154660-154974,155203-155379  |
|    | 405848 7  | 651809 | Minus | 28135-28244  |
| 35 | 405873 6  |        | Minus | 32129-32764  |
|    | 405906 7  | 705124 | Minus | 10835-11059  |
|    | 405917 7  |        | Minus | 106829-107213  |
|    | 405925 6  |        | Plus  | 129935-130282  |
|    | 405953 7  | 960374 | Minus | 65101-65574  |
| 40 | 406069 9  | 117732 | Plus  | 68880-69374  |
|    | 406151 7  |        | Minus | 94087-94285  |
|    | 406153 9  |        | Minus | 12902-13069  |
|    | 406182 5  |        | Minus | 28256-28935  |
|    | 406271 7  | 534217 | Plus  | 36179-36692  |
| 45 | 406291 5  |        | Plus  | 9562-9867  |
| •• | 406348 9  |        | Minus | 71754-71944  |
|    | 406414 9  |        | Plus  | 49593-49850  |
|    | 406446 9  |        | Minus | 116424-116527,118721-118859,121187-121364  |
|    | 406504 7  |        | Minus | 107068-107277  |
| 50 | 406554 7  |        | Plus  | 106956-107121  |
|    |           |        |       |  |

# TABLE 20: 544 GENES UP-REGULATED IN BREAST CANCER COMPARED TO NORMAL ADULT TISSUES THAT ARE LIKELY TO ENCODE EXTRACELLULAR OR CELL-SURFACE PROTEINS

Table 20 shows 544 genes up-regulated in breast cancer compared to normal adult tissues that are likely to encode extracellular or cell-surface proteins. These were selected as for Table 19, except that the ratio was greater than or equal to 3.0, the "average" normal adult tissue level was set to the 85<sup>th</sup> percentile value amongst 144 non-malignant tissues, and the 96<sup>th</sup> percentile value amongst the 73 breast cancer specimens was greater than or equal 100 units, and the predicted protein contained a structural domain that is indicative of extracellular localization (e.g. ig, fn3, egf, 7tm domains, signal sequences, transmembrane domains). The predicted protein domains are noted.

15

10

5

Pkey: Unique Eos probeset Identifier number

ExAcon: Exemplar Accession number, Genbank accession number

UnigenelD: Unigene number

20 Pred.Prot.Domains: Predicted Protein Domains

Unigene Title: Unigene gene title

R1: Ratio of 93rd percentile of tumor to 85th percentile of normal body tissue

| 25 | Pkey   | ExAccn   | UnigenelD  | Pred.Prot.Domains                            | UnigeneTitle                             | R1     |
|----|--------|----------|------------|--|--|--------|
|    | 408591 | AF015224 | Hs.46452   | SS,Uteroglobin,SS,Uteroglobin                | mammaglobin 1                            | 168.6  |
|    | 400291 | AA401369 | Hs.190721  | TM   | ESTs                                     | 73.2   |
|    | 449746 | A1668594 | Hs.176588  | ,SS,p450                                     | ESTs, Weakly similar to CP4Y_HUMAN CYTOC | 65.7   |
| 30 | 407277 | AW170035 | Hs.326736  | TM   | Homo sapiens breast cancer antigen NY-BR | 57.6   |
| -  | 400292 | AA250737 | Hs.72472   | death,ZU5,TM,Activin_recp,pkinase,           | BMP-R1B .                                | 55.9   |
|    | 424735 | U31875   | Hs.272499  | ,SS,TM                                       | short-chain alcohol dehydrogenase family | 53.8   |
|    | 426878 | BE069341 |            | TM   | gb:QV3-BT0381-270100-073-c08 BT0381 Homo | 50.3   |
|    | 428848 | NM_00023 | DHs.194236 | SS,Leptin,SS,Leptin,                         | leptin (murine obesity homolog)          | 40.8   |
| 35 | 407178 | AA195651 | Hs.104106  | .SS.Dihydroorotase,                          | ESTs                                     | 39.3   |
|    | 408000 | L11690   | Hs.620     | Plectin_repeat, SH3, spectrin, SS, Plectin_r | bullous pemphigoid antigen 1 (230/240kD) | 37.3   |
|    |        | D31152   | Hs.179729  | SS,C1q,Collagen,SS,C1q,Collagen,             | collagen, type X, alpha 1 (Schmid metaph | 35.2   |
|    | 429441 | AJ224172 | Hs.204096  | ,SS,Uteroglobin,                             | lipophilin B (uteroglobin family member) | 30.0   |
|    | 450375 | AA009647 | Hs.8850    | ,SS,TM,disintegrin,Pep_M12B_propep,Repro     | a disinlegrin and metalloproteinase doma | 25.7   |
| 40 | 420931 | AF044197 | Hs.100431  | SS,IL8,SS                                    | small inducible cytokine B subfamily (Cy | 25.2   |
|    | 422109 | \$73265  | Hs.1473    | SS,Bombesin,SS                               | gastrin-releasing peptide                | . 24.8 |
|    | 445730 | AI624342 | Hs.170042  | ,SS,TM,Cation_efflux                         | ESTs                                     | 24.1   |
|    | 451110 | AI955040 | Hs.265398  | SS   | ESTs, Weakly similar to transformation-r | 24.0   |
|    | 400297 | AI127076 | Hs.334473  | TM   | hypothetical protein DKFZp564O1278       | 23.8   |
| 45 | 420813 | X51501   | Hs.99949   | SS,SS  | prolactin-induced protein                | 22.8   |
|    | 452744 | A1267652 | Hs.30504   | SS.TM.GNS1_SUR4,cNMP_binding,Rlla            | Homo sapiens mRNA; cDNA DKFZp434E082 (fr | 22.6   |
|    | 424634 | NM_00361 | 3Hs.151407 | lg,tsp_1,SS,AAA                              | cartilage intermediate layer protein, nu | 21.7   |
|    | 420757 | X78592   | Hs.99915   | hormone_rec,Androgen_recep,zf-C4,            | androgen receptor (dihydrotestosterone r | 21.7   |
|    | 424399 | AI905687 | Hs.2533    | SS   | aldehyde dehydrogenase 9 family, member  | 20.3   |
| 50 | 447350 | AI375572 | Hs.172634  | ,pkinase,                                    | ESTs                                     | 19.2   |
|    | 456207 | AA193450 |            | SS,TM,p450,p450                              | gb:zr40e07.r1 Soares_NhHMPu_S1 Homo sapl | 18.3   |
|    | 431448 | AL137517 | Hs.334473  | TM   | hypothetical protein DKFZp564O1278       | 18.2   |
|    | 427217 | AA399272 | Hs.144341  | SS   | ESTs                                     | 18.2   |
|    | 456938 | X52509   | Hs.161640  | ,SS,TM,aminotran_1_2,Cadherin_C_term,cad     | tyrosine aminotransferase                | 18.1   |
| 55 | 435496 | AW840171 | Hs.265398  | SS   | ESTs, Weakly similar to transformation-r | 17.9   |
|    | 402578 |          |            | SS,p450,SS,TM,p450                           | C1001134:gij2117372 pir  l65981 fatty ac | 17.8   |
|    | 453160 | A1263307 | Hs.239884  | SS   | H2B histone family, member L             | 17.8   |
|    |        |          | Hs.124165  | SS   | programmed cell death 9 (PDCD9)          | 17.7   |
|    | 444342 | NM_01439 | 8Hs.10887  | Lamp,SS,TM,Lamp,                             | similar to lysosome-associated membrane  | 17.5   |

|    |        |                      |             |   |  | 47.0         |
|----|--------|----------------------|-------------|---|--|--------------|
|    | 449765 | N92293               | Hs.206832   | SS  | ESTs, Moderately similar to ALU8_HUMAN A   | 17.3         |
|    |        | AA321649             |             | SS,IL8,   | small inducible cytokine subfamily B (CX   | 17.0         |
|    |        |                      | Hs.155956   |   | N-acetyltransferase 1 (arylamine N-acety   | 16.7<br>16.5 |
|    | 424001 | W67883               | Hs.137476   |   | paternally expressed 10  | 16.3         |
| 5  | 448595 | AB014544             | Hs.21572    |   | KIAA0644 gene product  | 16.2         |
|    |        |                      | Hs.57471    | SS  | ESTs — striv metallanminings 1 (MMP1: inters   | 15.7         |
|    |        |                      | Hs.83169    | SS,hemopexin,Peptidase_M10,SS,Peptidase_                      | selectin E (endothelial adhesion molecul   | 15.5         |
|    |        | AA296520             |             | SS,lectin_c,sushl,EGF,SS,EGF,lectin_c,su                      | hypothetical protein FLJ14834  | 15.5         |
| 10 |        | AA441838             |             | SS SUD VII-k  | tumor necrosis factor, alpha-induced pro   | 15.0         |
| 10 |        | NM_007115            |             | ,SS,CUB,Xlink,  | PDZ domain containing 1  | 14.9         |
|    |        |                      | Hs. 15456   | PDZ,SS<br>SS  | ESTs   | 14.8         |
|    |        | AA236115             | Hs.30743    | SS,SS   | preferentially expressed antigen in meta   | 14.7         |
|    |        | U65011<br>AA436989   |             | histone,SS,histone,histone                                    | H2A histone family, member A   | 14.3         |
| 15 |        | AL035414             |             | SS  | hypothetical protein   | 14.2         |
| 13 |        | Al199268             |             | ,SS,lipocalin   | Homo saplens, Similar to RIKEN cDNA 2010   | 14.2         |
|    |        | W20027               | Hs.23439    | ,SS,Peptidase_M1,   | ESTs   | 13.9         |
|    |        | AI082692             |             | ,SS,TM,SNF  | ESTs   | 13.7         |
|    |        | AA031956             |             | ,SS,LIM,  | gb:zk15e04.s1 Soares_pregnant_uterus_NbH   | 13.7         |
| 20 |        | AI733682             | Hs.130239   | 99  | ESTs   | 13.5         |
| 20 |        | X07820               | Hs.2258     | hemopexin,Peptidase_M10,SS,Peptidase_M1                       | Omatrix metalloproteinase 10 (MMP10; str   | 13.5         |
|    |        | BE336654             | Hs.70937    | histone, SS, histone, histone                                 | H3 histone tamily, member A  | 13.3<br>13.2 |
|    |        | AA948033             |             | ,SS,histone,histone,linker_histone                            | ESTs   | 13.1         |
|    | 433805 | AA706910             | Hs.112742   | ,SS,Ribosomat_L7Ae,   | ESTs   | 13.1         |
| 25 |        | Al951118             |             | TM  | Homo sapiens breast cancer antigen NY-BR calmodulin 2 (phosphorylase kinase, delt    | 13.0         |
|    |        | AW873596             |             | ,SS,DENN  | programmed cell death 9 (PDCD9)  | 12.9         |
|    | 421037 | A1684808             | Hs.197653   | SS  | lysyl oxidase  | 12.8         |
|    |        | AI351010             |             | ,SS,Lysyl_oxidase   | aldehyde dehydrogenase 9 family, member  | 12.7         |
|    |        | W72838               | Hs.2533     | SS<br>20 CO - DUD   | transcription factor   | 12.5         |
| 30 |        | N78223               | Hs.108106   | ,SS,G9a,PHD,  | ESTs   | 12.4         |
|    |        | A1873274             |             | TM<br>,SS,TPR   | ESTs   | 12.3         |
|    |        | AF026944             |             | SS,TM,UPF0016,SS,TM,UPF0016                                   | hypothetical protein FLJ13352  | 12.0         |
|    |        | AA576953<br>AJ224741 |             | SS,EGF,vwa,SS,TM,vwa,   | matrilin 3   | 11.9         |
| 35 |        | AW732573             |             | TM,K_tetra,ion_trans,SS,TM,K_tetra,ion_t                      | potassium voltage-gated channel, delayed   | 11.9         |
| 33 |        | BE007371             |             | ,SS,TM,Folate_carrier   | ESTs   | 11.9         |
|    |        | Al357412             |             | SS  | ESTs   | 11.8         |
|    |        | H87879               | Hs.102267   | SS,Lysyl_oxidase,Aldose_epim,Epimerase,S                      | lysyl oxidase  | 11.8         |
|    |        | NM_00249             |             | pkinase,SS,TM,pkinase,polyprenyl_synt,                        | NIMA (never in millosis gene a)-related k  | 11.7<br>11.6 |
| 40 |        | AL049689             |             | SS  | hypothetical protein similar to tenascin   | 11.5         |
|    | 438167 | R28363               | Hs.24286    | ,SS,TM,7tm_1,p450,rrm   | ESTs<br>gb:IL-BT152-080399-004 BT152 Homo sapien                                     | 11.5         |
|    | 459583 | A1907673             |             | ,pkinase,   | gb:zt32h03.r1 Soares ovary tumor NbHOT H   | 11.4         |
|    |        | AA410943             |             | death,ZU5,TM,Activin_recp,pkinase,                            | Homo sapiens mRNA full length insert cDN   | 11.4         |
|    |        | AL360204             | Hs.283853   | SS  | NM_024626:Homo sapiens hypothetical prot   | 11.3         |
| 45 | 402606 |                      |             | SS<br>SS 4 - Norwerformer                                     | KIAA1560 protein   | 11.2         |
|    |        | H57646               | Hs.42586    | ,SS,Acyltransferase,<br>,SS,RNA_pol_A,RNA_pol_A2,Ribosomal_S2 | Me ribosomal protein S24   | 11.1         |
|    |        | N47863               | Hs.336901   |   | Homo sapiens cig5 mRNA, partial sequence   | 11.1         |
|    |        | AF026941             |             | ,TM,IBR<br>,SS,TM   | membrane-spanning 4-domains, subfamily A   | 11.1         |
| 50 |        | BE178536<br>AL080207 |             | ,SS,TM,BRCT,ank,ABC_tran,ABC_tran                             | DKFZP434G232 protein   | 10.9         |
| 50 |        | R17798               | Hs.7535     | SS.Fork_head,   | COBW-like protein  | 10.9         |
|    |        | U79293               | Hs.159264   | SS  | Human clone 23948 mRNA sequence  | 10.7         |
|    |        | NM_00705             |             | SS TM Y phosphatase, MAM, fn3,                                | protein tyrosine phosphatase, receptor t   | 10.4         |
|    |        | AB007948             |             | ee laminin R laminin EGE laminin Nterm                        | KIAA0479 protein   | 10.3         |
| 55 |        | BE440042             |             | SS Pentidase M10.hemopexin,SS,Peptidase                       | e_matrix metalloproteinase 3 (stromelysin  | 10.3         |
| 33 |        | NM_00068             |             | SS,TM,7tm_1,SS,TM,7tm_1,                                      | angiotensin receptor 1   | 10.3         |
|    |        | U80736               | Hs.110826   | SS  | trinucleotide repeat containing 9  | 10.3         |
|    |        |                      | Hs.301663   | ,SS,pkinase,  | ESTs   | 10.3<br>10.2 |
|    |        |                      | 1 Hs.122147 | ,SS,ArfGap,   | ESTs   | 10.2         |
| 60 | 40060  | В                    |             | SS,TM,SS,TM   | C10001899:gi[7508633[plr] T25392 hypothe   | 10.1         |
|    | 41347  | 2 BE242870           |             | SS  | solute carrier family 1 (glial high affi<br>Homo sapiens cDNA FLJ11346 fis, clone PL | 9.9          |
|    |        | 4 W68815             | Hs.301885   | SS  | NM 030920*:Homo sapiens hypothetical pro   | 9.8          |
|    | 40240  | B NA                 | 11- 40044   | ,SS,carb_anhydrase  | EGF-like-domain, multiple 6 (EGFL6)  | 9.7          |
| CE | 44553  | 7 AJ245671           | HS.12844    | ,SS,TM,ras<br>SS,lipocalin,lipocalin,                         | fatty acid binding protein 7, brain  | 9.6          |
| 65 |        | 1 AI879148           | Hs.26770    | BTB,SS  | C12001521:gi 7513934 pir [T31081 cca3 pr   | 9.6          |
|    | 40565  |                      | Hs.161160   | SS  | ESTs   | 9.6          |
|    | 43430  | G 144 10000          | 110.101100  |   |  |              |

|     | 416220 | N49776             | Hs.170994  | ,SS,TM                                   | hypothetical protein MGC10946                           | 9.5        |
|-----|--------|--------------------|------------|--|---|------------|
|     |        |                    | Hs.270833  | SS,TM,EGF,SS                             | amphiregulin (schwannoma-derived growth                 | 9.5        |
|     | 414142 | AW368397           | Hs.150042  | ,SS,UDPGT                                | Homo sapiens cDNA FLJ14438 fis, clone HE                | 9.4        |
|     | 400298 | AA032279           |            | TM                                       | six transmembrane epithelial antigen of                 | 9.4        |
| 5   | 418601 | AA279490           | Hs.86368   |  | calmegin  | 9.4        |
|     |        | Al733881           |            |  | BMP-R1B   | 9.4        |
|     |        | AA291377           |            | TM                                       | ESTs  | 9.3        |
|     |        | AI678059           |            | SS                                       | synaptonemal complex protein 2                          | 9.3        |
| - ^ |        | AI820662           |            | SS                                       | ESTs  | 9.1        |
| 10  |        |                    | Hs.169849  | ,SS,TM,fn3,lg,                           | myosin-binding protein C, slow-type                     | 9.1<br>9.1 |
|     |        |                    |            | SS,Peptidase_M10,hemopexin,SS,Peptidase_ | mainx metalloproteinase 11 (MMP 11; SUO                 | 9.1        |
|     |        | AW004854           |            | SS to the total                          | hypothetical protein FLJ23537                           | 9.1        |
|     |        | AB041035           |            | Ferric_reduct, TM, Ferric_reduct,        | NM_016931:Homo sapiens NADPH oxidase 4 (                | 9.0        |
| 1.5 |        |                    | Hs.128355  | SS COMMISSION CONTRACTOR CONTRACTOR      | ESTs, Moderately similar to ALU7_HUMAN A                | 8.9        |
| 15  |        | A1798680           |            | ,SS,TM,histone,Sec1,histone,sugar_tr     | ESTs  | 8.8        |
|     |        |                    | Hs.77367   | SS,ILB,SS,ILB                            | monokine induced by gamma interferon  Eos Control       | 8.8        |
|     | 400285 |                    | 11- 440000 | ,TM,ABC_tran,ABC_membrane,               | epiregulin  | 8.8        |
|     |        |                    | Hs.115263  | SS,TM,EGF,SS,TM                          | cyclin G2   | 8.8        |
| 20  |        | NM_004354          |            | cyclin,SS<br>SS                          | ESTs  | 8.7        |
| 20  |        | AW512260<br>T93500 | Hs.28792   | ,SS,TGF-beta,TGFb_propeptide,            | Homo sapiens cDNA FLJ11041 fis, clone PL                | 8.7        |
|     |        | AA642007           |            | SS                                       | ESTs  | 8.6        |
|     |        | AF123050           |            | ,SS,TM,ubiquitin,7tm_3,ANF_receptor,sush | diubiquitin   | 8.6        |
|     |        | AI732643           |            | TM                                       | ESTs  | 8.6        |
| 25  |        | A1222020           |            | SS,SS                                    | CocoaCrisp  | 8.5        |
| 23  |        | BE622641           |            | SS SS ENTH I LWEQ.ENTH.I LWEQ.DNA r      | nis_reESTs, Weakly similar to I38022 hypotheti          | 8.5        |
|     |        | H69125             | Hs.133525  | ,SS,TM                                   | ESTs  | 8.5        |
|     |        | NM_00452           |            | SS,EGF,ldl_recept_a,ldl_recept_b,SS,TM,E | low density lipoprotein-related protein                 | 8.4        |
|     |        | AW963419           |            | SS                                       | stannlocalcin 2   | 8.4        |
| 30  |        | AA635062           |            | TM                                       | Homo saplens mRNA; cDNA DKFZp434O0515 (f                | 8.4        |
|     |        | AI831297           |            | TM                                       | ESTs  | 8.3        |
|     |        | AA780473           |            | SS,p450,SS,p450                          | cytochrome P450, subfamily IVB, polypept                | 8.3        |
|     |        | NM_003866          |            | SS,SS                                    | inositol polyphosphate-4-phosphatase, ty                | 8.3        |
|     | 431725 | X65724             | Hs.2839    | SS,Cys_knot,SS                           | Norrie disease (pseudoglioma)                           | 8.3        |
| 35  |        | R45154             | Hs.106604  | ,death,ZU5,pkinase,Activin_recp,         | ESTs  | 8.3        |
|     | 439840 | AW449211           |            | SS                                       | GDNF family receptor alpha 1                            | 8.2        |
|     |        | M81057             | Hs.180884  | SS,Zn_carbOpept,Propep_M14,SS,Propep_N   |   | 8.2        |
|     |        | AA280627           |            | SS,cpn10                                 | ESTs  | 8.2<br>8.2 |
| 40  |        | W47595             | Hs.169300  | SS,TGF-beta,TGFb_propeptide,SS           | transforming growth factor, beta 2                      | 8.1        |
| 40  |        | AW885727           |            | ,SS,kazal,                               | ESTs  | 8.1        |
|     |        | AW419196           |            | SS                                       | hypothetical protein FLJ13782                           | 8.0        |
|     |        | AW248508           | Hs.2/9/2/  | SS                                       | Homo saplens cONA FLJ14035 fis, clone HE                | 8.0        |
|     | 404347 |                    |            | SS                                       | Target Exon<br>gb:ny57g01.s1 NCI_CGAP_Pr18 Homo sapiens | 8.0        |
| 45  |        | AA743991           | 11- 407774 | TM CRC                                   | ESTs  | 8.0        |
| 43  |        | AA808229           |            | ,SS,IMPDH_C,IMPDH_N,CBS                  | CGI-62 protein  | 7.9        |
|     |        | NM_016016          | Hs.553     | SS<br>TM,SNF,SS,TM,SNF.                  | solute carrier family 6 (neurotransmitte                | 7.9        |
|     |        | X70697<br>N39015   | Hs.190368  | ,SS.TM                                   | ESTs  | 7.8        |
|     |        | AL138272           |            | ,TM,cpn60_TCP1,Sema,                     | ESTs  | 7.8        |
| 50  |        | AI085198           |            | ,TSPN,vwc,tsp_1,EGF,thiored,             | ESTS  | 7.8        |
| 50  |        | AI754693           |            | ,TM,cadherin,Cadherin_C_term,            | ESTs  | 7.7        |
|     |        | AW207523           |            | ,SS,mm,                                  | ESTs  | 7.6        |
|     |        | AL133731           |            | ,TM,SDF,UPAR_LY6,                        | Homo saplens mRNA; cDNA DKFZp761C1712 (f                | 7.6        |
|     |        | A1742605           |            | TM                                       | ESTs  | 7.6        |
| 55  |        | AW207206           |            | SS                                       | ESTs  | 7.6        |
| 55  |        | AK000713           |            | SSUDPGT                                  | hypothetical protein FLJ20706                           | 7.5        |
|     |        | AL031224           |            | SS,SS                                    | transcription factor AP-2 beta (activati                | 7.5        |
|     |        | R41396             | Hs.101774  | SS                                       | hypothetical protein FLJ23045                           | 7.5        |
|     |        | AA157291           |            | SS                                       | ublnuclein 1  | 7.5        |
| 60  |        | U41060             | Hs.79136   | SS,TM,TM                                 | LIV-1 protein, estrogen regulated                       | 7.5        |
|     |        | AW378065           |            | ,SS,Pep_M12B_propep,Reprolysin,tsp_1,    | ESTS  | 7.4        |
|     |        | AI742170           | Hs.31297   | .SS.TM                                   | duodenal cytochrome b                                   | 7.4        |
|     |        | A1240665           | Hs.8895    | .SS,TM,disIntegrin,Pep_M12B_propep,Repro | ESTs  | 7.3        |
|     | 420802 | U22376             | Hs.1334    | SS,NA,myb_DNA-binding                    | v-myb avian myeloblastosis viral oncogen                | 7.3        |
| 65  |        | R43646             | Hs.12422   | SS                                       | ESTs  | 7.2        |
|     |        | L32137             | Hs.1584    | SS,EGF,tsp_3,SS,E2F_TDP,                 | cartilage oligomeric matrix protein (COM                | 7.2        |
|     | 418004 | U37519             | Hs.87539   | SS,aldedh,SS,aldedh,                     | aldehyde dehydrogenase 3 family, member                 | 7.2        |

|           |                   |            |  |  | 7.4        |
|-----------|-------------------|------------|--|--|------------|
|           | 426451 AI908165 H | Hs.169946  | SS,GATA,   | GATA-binding protein 3 (T-cell receptor                                    | 7.1<br>7.1 |
|           |                   | Hs.288467  |  | Homo sapiens cDNA FL)12280 fis, clone MA                                   | 7.1        |
|           | 419519 Al198719 I | Hs.176376  | 33   | ESTs   | 7.1<br>7.1 |
|           |                   | Hs.64311   | ,TM,disIntegrin,Reprolysin,                                    | a disintegrin and metalloproteinase doma                                   | 7.0        |
| 5         | 433138 AB029496 I |            |  | semaphorin sem2  | 7.0        |
|           | 411558 AA102670   |            |  | gamma-aminobutyric acid (GABA) A recepto                                   | 7.0        |
|           |                   | Hs.82065   |  | interleukin 6 signal transducer (gp130,                                    | 7.0        |
|           |                   | Hs.295449  | SS,efhand,SS,efhand,ras  | parvalbumin  | 6.9        |
|           |                   | Hs.287820  | ,SS,fn3,fn1,fn2,fn2,fn1  | fibronectin 1  | 6.9        |
| 10        | 442818 AK001741 I | Hs.8739    | WD40,SS  | hypothetical protein FLJ 10879<br>gb:Homo sapiens cig33 mRNA, partial sequ | 6.8        |
|           | 407366 AF026942   |            | ,TM,IBR  |  | 6.8        |
|           | 427427 AF077345   | Hs.177936  | SS,lectin_c,SS   | ESTs<br>gb:lL2-UM0079-090300-050-D03 UM0079 Homo                           | 6.7        |
|           | 410785 AW803341   |            | SS   | BD:IFX-DM001-0-00-0-0-0-0-0-0-0-0-0-0-0-0-0-0-0-                           | 0.1        |
|           | 401045            |            | ICE_p20,SS,ICE_p10,ICE_p20,ICE_p10,ICE_                        | С.7  |            |
| 15        |                   |            | fNP_033938.11 c  | 6.7<br>EST:  | 6.7        |
|           | 418986 Al123555   |            | ,SS,Reprolysin,tsp_1,  | ESTs enterestants 2  | 6.7        |
|           |                   | Hs.7413    | ,TM,EPH_lbd,pkinase,SAM,fn3,                                   | ESTs; calsyntenin-2<br>ESTs  | 6.6        |
|           | 442861 AA243837   |            | SS   | ESTs   | 6.6        |
| 20        | 418836 Al655499   |            | ,TM,Activin_recp,pkinase,death,ZU5,                            | ESTs, Moderately similar to ALU5_HUMAN A                                   | 6.6        |
| 20        |                   | Hs.325823  | ,SS,TM,CD36  | ESTs, Woderately similar to S64054 hypotheti                               | 6.6        |
|           | 444381 BE387335   | Hs.283/13  | ,SS,mito_carr  | Target Exon  | 6.6        |
|           | 404091 NA         |            | ,TM,7tm_3,ANF_receptor,  | collagen, type XI, alpha 1   | 6.6        |
|           | 417866 AW067903   |            | SS,Collagen,COLFI,TSPN,SS,TSPN                                 | KIAA0575 gene product  | 6.5        |
| 0.5       | 428819 AL135623   |            | SS,SS  | transcription factor AP-2 gamma (activat                                   | 6.4        |
| 25        |                   | Hs.61796   | ,SS,Ribosomal_S4e  | stanniocalcin 2  | 6.2        |
|           | 425236 AW067800   |            | SS   | serine (or cysteine) proteinase inhibito                                   | 6.2        |
|           | 415669 NM_005025  |            | ,SS,serpin,  | CD83 antigen (activated B lymphocytes, i                                   | 6.2        |
|           | 416319 AI815601   |            | SS,TM,ig,SS,TM   | RAB6 interacting, kinesin-like (rabkines                                   | 6.2        |
| 20        | 412140 AA219691   |            | ,SS,kinesin,   | ESTs   | 6.2        |
| 30        | 442942 AW167087   |            | ,SS,ig,Sema,pkinase,   | prolactin receptor   | 6.1        |
|           | 446163 AA026880   |            | ,SS,TM,fn3,  | DKFZP434G032 protein   | 6.1        |
|           |                   | Hs.9029    | filament,SS,filament,filament                                  | ESTs   | 6.1        |
|           |                   | Hs.256972  | ,SS,TM,DAGKa,DAGKc,  | cell division cycle 2, G1 to S and G2 to                                   | 6.1        |
| 25        |                   | Hs.184572  | "SS,pkinase,pkinase<br>"SS,TM,pkinase,Recep_L_domain,SH2,PH,Fe | urHER2 recentor fyrosine kinase (c-erb-b2.                                 | 6.1        |
| 35        | 400300 X03363     | 11. 400700 |  | ESTs   | 6.1        |
|           |                   | Hs.102720  | SS<br>Chara transf 8 SS  | glycogenin 2   | 6.1        |
|           |                   | Hs.58589   | Glyco_transf_8,SS<br>,SS,filament,Pribosyltran,filament,Armad  | Target Exon  | 6.1        |
|           | 401781            | NI- 40000  |  | adenylate kinase 5   | 6.1        |
| 40        | 447359 NM_012093  | 3HS.18268  | SS,adenylatekinase,  | Target Exon  | 6.1        |
| 40        | 402230 NA         | 11 - 0470  | ,SS,TM,p450,   | H2B histone family, member Q   | 6.1        |
|           | 427674 NM_003528  |            | histone, SS, histone,  | ESTs   | 6.0        |
|           | 428398 Al249368   |            | ,SS,TM   | metallothionein 1E (functional)  | 6.0        |
|           | 458098 BE550224   |            | SS   | Interleukin 6 (interferon, beta 2)   | 6.0        |
| 15        |                   | Hs.93913   | SS,IL6,IL6,  | solute carrier family 16 (monocarboxytic                                   | 6.0        |
| 45        |                   | Hs.42645   | ,SS,TM   | ESTs   | 5.8        |
|           | 419703 Al793257   |            | ,SS,zf-C2H2,<br>SS,Peptidase_M10,fn2,hemopexin,SS,TM,Pe        | enmatrix metallooroteinase 9 (gelatinase B                                 | 5.8        |
|           |                   | Hs.151738  |  | tofloid-like 1   | 5.8        |
|           | 449679 Al823951   |            | SS   | perilipin  | 5.8        |
| 50        | 421296 NM_002666  |            | SS<br>CC TM  | ESTs   | 5.7        |
| 50        | 442117 AW664964   |            | ,SS,TM   | LIV-1 protein, estrogen regulated  | 5.7        |
|           | 400303 AA242758   |            | ,SS,TM   | KIAA0882 protein   | 5.7        |
|           | 419440 AB020689   |            | SS   | ESTs, Weakly similar to ALUA_HUMAN !!!!                                    | 5.7        |
|           | 444858 Al199738   |            | SS<br>SS,Peptidase_M10,hemopexin,SS,Peptidase                  | matrix metalloproteinase 13 (collagenase                                   | 5.6        |
| c &-      | 432239 X81334     | Hs.2936    |  | ESTs   | 5.6        |
| 55        | 440705 AA904244   | MS. 153205 | TM<br>SS,TM,ABC_tran,ABC_membrane,SS                           | C16000922:gij7499103 pir  T20903 hypothe                                   | 5.6        |
|           | 400286 NA         |            |  | arrestin 3, relinal (X-arrestin)   | 5.5        |
|           | 446466 H38026     | Hs.308     | arrestin,SS  | growth hormone receptor  | 5.5        |
|           | 423201 NM_00016   |            | SS,TM,fn3,SS   | lymphoid nuclear protein (LAF-4) mRNA                                      | 5.5        |
| <b>CO</b> | 433043 W57554     | Hs.125019  | SS<br>SS TM Symtoxia   | ESTs   | 5.4        |
| 60        | 439509 AF086332   |            | ,SS,TM,Syntaxin  | matrix metalloproteinase 11 (MMP11; stro                                   | 5.4        |
|           | 425247 NM_00594   |            | SS,Peptidase_M10,hemopexin,SS                                  | cystatin SN  | 5.4        |
|           | 409757 NM_00189   |            | ,SS,cystatin,  | 37 kDa leucine-rich repeat (LRR) protein                                   | 5.4        |
|           | 425292 NM_00582   |            | SS   | prostate stem cell antigen   | 5.4        |
| ~~        | 448045 AJ297436   |            | ,SS,TM   | solute carrier family 19 (thiamine trans                                   | 5.3        |
| 65        | 452681 AF153330   |            | ,SS,TM   | programmed cell death 9  | 5.3        |
|           | 452243 AL355715   |            | SS<br>,SS,TM,UDPGT,casein_kappa                                | ESTs   | 5.2        |
|           | 439310 AF086120   | Hs.102793  | ,55,1M,UUPG I,CaseII_kappa                                     |  |            |

|      |        | A1806867             |                            | ,SS,TM,Phosphodiest,                         | ESTs   | 5.2        |
|------|--------|----------------------|----------------------------|--|--|------------|
|      |        |                      | Hs.29202                   | TM,7tm_1,TM                                  | G protein-coupled receptor 34  | 5.2        |
|      |        |                      | Hs.180408                  | SS   | solute carrier family 25 (mitochondrial  | 5.2        |
| _    |        | AW749855             |                            | ,SS,TM,HECT                                  | gb:QV4-BT0534-281299-053-c05 BT0534 Homo   | 5.2        |
| 5    |        | AL117406             |                            | ,SS,TM,ABC_tran,ABC_membrane,                | ATP-binding cassette transporter MRP8  | 5.1        |
|      |        |                      | Hs.33106                   | ,SS,HECT,zf-UBR1,PABP,14-3-3,                | ESTs   | 5.1<br>5.1 |
|      |        |                      | Hs.332848                  | SS<br>.SS.ras.                               | SWI/SNF related, matrix associated, acti   | 5.1<br>5.1 |
|      | 425325 | AI685086             | Hs.1892                    | ,55,185,<br>SS,NNMT_PNMT_TEMT,SS,NNMT_PNMT_1 | ESTs, Weakly similar to S21348 probable  | 3.1        |
| 10   | 423323 |                      | ns. 1092<br>Iolamine N-met |  | 5.1  |            |
| 10   | 423E00 | Al633559             |                            | SS<br>International Section 1990             | ESTs   | 5.1        |
|      |        | A1160386             |                            | SS   | ESTs   | 5.1        |
|      | 403593 |                      | 113.123007                 | ,CIDE-N,pkinase                              | Target Exon  | 5.1        |
|      |        |                      | Hs.38365                   |  | KIAA0125 gene product  | 5.0        |
| 15   |        | AW137636             |                            | ,SS,TM                                       | ESTs   | 5.0        |
| 13   |        | NM_000169            |                            | SS.Melibiase,BTK,PH,pkinase,SH2,SH3,Ribo     |  | 4.9        |
|      |        | NM_014581            |                            | SS, lipocalin, SS, lipocalin                 | odorant-binding protein 2A   | 4.9        |
|      |        |                      | Hs.1787                    | ,TM,ion_trans,K_tetra,                       | proteolipid protein 1 (Pelizaeus-Merzbac   | 4.9        |
|      |        | AA206186             |                            | SS,TM,TM                                     | monocyte to macrophage differentiation-a   | 4.9        |
| 20   | 401093 | 741240100            | 110.1 4000                 | TM,LRRCT,TM,LRRCT,                           | C12000586*:gij6330167 dbj BAA86477.1  (A   | 4.9        |
|      | 411096 | 1180034              | Hs.68583                   | Peptidase_M3,                                | mitochondrial intermediate peptidase   | 4.9        |
|      |        | AW085961             |                            | SS   | ESTs   | 4.9        |
|      |        | Al247716             |                            | ,SS,adh_zinc,                                | ESTs   | 4.9        |
|      |        | NM_004460            |                            | SS,DPPIV_N_term,Peptidase_S9,SS,DPPIV_       | N_fibroblast activation protein, alpha   | 4.9        |
| 25   |        | AA641836             |                            | ,SS,trypsin                                  | hypothetical protein FLJ23186  | 4.9        |
|      |        | AI215069             |                            | SS   | ESTs   | 4.8        |
|      |        | AF012023             |                            | ,SS,14-3-3                                   | Integrin cytoplasmic domain-associated p   | 4.8        |
|      |        |                      | Hs.105938                  | SS,transferrin,7tm_1,transferrin,            | lactotransferrin   | 4.8        |
|      | 403199 | NA                   |                            | SS.TM.Folate carrier.SS.TM.Folate carrie     | NM_025243*:Homo saplens solute carrier f   | 4.8        |
| 30   | 427122 | AW057736             | Hs.323910                  | ,SS,TM,pkinase,Recep_L_domain,SH2,PH,Fu      | rHER2 receptor tyrosine kinase (c-erb-b2,  | 4.8        |
|      | 445900 | AF070526             | Hs.13429                   | ,SS,Ca_channel_B,                            | Homo sapiens clone 24787 mRNA sequence   | 4.7        |
|      | 413048 | M93221               | Hs.75182                   | SS,TM,lectin_c,fn2,Ricin_B_lectin,SS,TM      | mannose receptor, C type 1   | 4.7        |
|      | 419563 | AA526235             | Hs.193162                  | SS   | Homo saplens cDNA FLJ11983 fis, clone HE   | 4.7        |
|      |        | BE093589             |                            | SS   | hypothetical protein FLJ23468  | 4.6        |
| 35 - |        | AA447453             |                            | ,SS,TM,7tm_1,                                | Homo sapiens mRNA; cDNA DKFZp586M0723 (f   | 4.6        |
|      |        | AW016669             |                            | ,SS,TM,CBS,voltage_CLC                       | ESTs   | 4.6        |
|      |        | A1668605             |                            | ,TM,Glyco_hydro_1                            | ESTs, Moderately similar to ALU6_HUMAN A   | 4.6        |
|      |        | AA687376             |                            | ,SS,pkinase,RhoGEF,lg,PH,SH3,                | ESTs   | 4.6        |
| 40   |        | AA339449             |                            | AIRS,formyl_transf,GARS,SS,GARS,AIRS,for     | phosphoribosylglycinamide formyltransfer   | 4.6        |
| 40   |        | A1860021             |                            | ,pkinase                                     | ESTs, Moderately similar to A47582 B-cel   | 4.6        |
|      |        | AA151342             |                            | SS,UPF0099,SS,UPF0099,                       | CGI-147 protein  | 4.6        |
|      |        | BE614743             |                            | ,SS,TM,MAPEG,                                | prostaglandin E synthase   | 4.5        |
|      |        | Al493046             |                            | ,SS,TM,UDPGT                                 | ESTS   | 4.5        |
| 15   |        |                      | Hs.91668                   |  | Homo sapiens clone PP1498 unknown mRNA   | 4.5        |
| 45   |        | AA831879             |                            | ,SS,Hist_deacetyl,                           | ESTS   | 4.5<br>4.5 |
|      |        | AI345455             |                            | pkinase, OPR,                                | GA-binding protein transcription factor,   | 4.5        |
| •    |        | Al910275             |                            | SS,trefoil,SS,TM,IdL_recept_a,SRCR,tryps     | trefoil factor 1 (pS2)   | 4.5        |
|      |        | BE391804             |                            | SS,TM,GBP,TM,GBP                             | guanylate binding protein 1, Interferon-<br>Homo sapiens clone TCCCTA00151 mRNA sequ | 4.5        |
| 50   |        |                      | Hs.44898                   | SS<br>cc cc h                                | gb:Human T-cell receptor (V beta 18.1, J   | 4.5        |
| 50   |        | M97711               | LIA 10ECCE                 | SS,SS,ig,<br>,SS,DEAD,Fork_head              | KIAA1688 protein   | 4.5        |
|      |        | AI638627<br>AA179949 |                            | SS   | Homo sapiens mRNA; cDNA DKFZp564N0763 (f   | 4.4        |
|      |        | AA863360             |                            | ,SS,TM,p450,                                 | ESTs, Weakly similar to fatty acid omega   | 4.4        |
|      |        | AA976718             |                            | ig,Sema,                                     | ESTs   | 4.4        |
| 55   |        | AA312082             |                            |  | GDNF family receptor alpha 1   | 4.4        |
| 55   |        |                      |                            | ,SS,ras,Y_phosphatase,ras                    | hypothetical protein MGC15754  | 4.4        |
|      |        | AW294092<br>BE466639 |                            | ,SS,HMG_box,filament,                        | Homo sapiens cONA FLJ13591 fis, clone PL   | 4.4        |
|      |        | AK000136             |                            | SS,LRR,SS                                    | asporin (LRR class 1)  | 4.4        |
|      | 453619 |                      | Hs.33922                   | SS   | Homo sapiens, clone MGC:9084, mRNA, comp   | 4.3        |
| 60   |        | NM_000246            |                            | SS,LRR,                                      | MHC class II transactivator  | 4.3        |
| ~~   |        | AI472078             |                            | "SS AfGap.                                   | ESTs .   | 4.3        |
|      |        | AW935490             |                            | SS,BIR                                       | Human chromosome 5q13.1 clone 5G8 mRNA   | 4.3        |
|      | 416931 |                      | Hs.80485                   | SS,C1q,Collagen,SS,C1q,                      | adipose most abundant gene transcript 1  | 4.3        |
|      |        | AW296927             |                            | SS,TM,Peptidase_M1,                          | ab:ULH-BW0-aic-c-07-0-UI.s1 NCI_CGAP_Su  | 4.3        |
| 65   | 418867 |                      | Hs.89404                   | SS,homeobox,homeobox,                        | msh (Drosophila) homeo box homolog 2   | 4.3        |
|      | 443514 | BE464288             | Hs.141937                  | ,SS,TM,MIP,                                  | ESTs   | 4.3        |
|      | 447499 | AW262580             | Hs.147674                  | SS,TM,cadherin,cadherin                      | protocadherin beta 16  | 4.3        |
|      |        |                      |                            |  | •  |            |

|         |        | T.0000 11 7000                              | attana   | Homo sapiens clone 23736 mRNA sequence  | 4.3        |
|---------|--------|---|--|---|------------|
|         |        | F13386 Hs.7888<br>AA062954 Hs.141883        | ,pkinase,<br>,SS,CUB,                                    | ESTs  | 4.3        |
|         |        | H25642 Hs.133471                            | ,SS,TM,FMO-like  | ESTs  | 4.3        |
|         |        | W31790 Hs.194293                            | ,SS,TM   | ESTs, Weakly similar to I54374 gene NF2   | 4.3        |
| 5       |        | Al984317 Hs.122589                          | TM   | ESTs  | 4.3        |
| -       | 401747 | 7.1100 10 11 11011                          | ,SS,filament,filament                                    | Homo sapiens keratin 17 (KRT17)   | 4.3        |
|         |        | NM_013257Hs.279696                          | pkinase,pkinase_C,                                       | serum/glucocorticoid regulated kinase-li  | 4.2        |
|         |        | Al571514 Hs.133022                          | ,SS,TM   | ESTs  | 4.2        |
|         | 447754 | AW073310 Hs.163533                          | ,pkinase,  | Homo saplens cDNA FLJ14142 fis, clone MA  | 4.2        |
| 10      | 443194 | Al954968 Hs.279009                          | ,SS,TM   | matrix Gla protein  | 4.2<br>4.2 |
|         | 451871 | Al821005 Hs.118599                          | ,SS,GDNF,  | ESTs  | 4.2        |
|         |        | AW972565 Hs.32399                           | WH1,WH1  | ESTs, Weakly similar to S51797 vasodilat early growth response 2 (Krox-20 (Drosop | 4.2        |
|         |        | NM_000399Hs.1395                            | zi-C2H2,SS   | ESTs, Weakly similar to B34087 hypotheti  | 4.1        |
| 1.0     |        | Al345227 Hs.105448                          | ,SS,TM,pkinase<br>,SS,SAA_proteins,ABC_membrane,ABC_tran | eonim amiloid A1  | 4.1        |
| 15      |        | AA829286 Hs.332053                          |  | ESTs  | 4.1        |
|         |        | A1192105 Hs.147170                          | SS<br>,COLFi,vwc,Collagen,                               | Homo sapiens cDNA FLJ11469 fis, clone HE  | 4.1        |
|         |        | Al827248 Hs.224398<br>Al683487 Hs.152213    | wnt  | wingless-type MMTV integration site famil   | 4.1        |
|         |        | Al150491 Hs.90756                           | ,TM,Glyco_hydro_1  | ESTs  | 4.1        |
| 20      |        | NM_001809Hs.1594                            | SS,TM,thiolase,  | centromere protein A (17kD)   | 4.1        |
| 20      |        | S70284                                      | SS,TM,Desaturase,SS                                      | gb:stearoyl-CoA desaturase [human, adipo  | 4.1        |
|         |        | AL133916 Hs.172572                          | ,SS,ig,pkinase,LRRNT,LRRCT,                              | hypothetical protein FLJ20093   | 4.1        |
|         |        | AL035588 Hs.153203                          | HLH,SS   | MyoD family inhibitor   | 4.1<br>4.1 |
|         | 429922 | Z97630 Hs.226117                            | ,SS,TM,linker_histone,7tm_1                              | H1 histone family, member 0   | 4.1        |
| 25      | 447178 | AW594641 Hs.192417                          | ,SS,TM   | ESTs  | 4.0        |
|         |        | T97490 Hs.50002                             | SS,ILB,SS,ILB  | small inducible cytokine subfamily A (Cy<br>lg superfamily receptor LNIR          | 4.0        |
|         |        | BE153855 Hs.61460                           | ,SS,HLH  | ig superiamily receptor LAIA<br>lipase, hormone-sensitive                         | 4.0        |
|         |        | NM_005357Hs.95351                           | ,SS,TM,p450,   | ESTs, Weakly similar to A47582 B-cell gr  | 4.0        |
| 20      |        | AA479033 Hs.130315                          | ,SS,TM   | Target Exon   | 4.0        |
| 30      | 403329 |   | SS,SS<br>SS  | ESTs  | 4.0        |
|         |        | AW014875 Hs.137007<br>Al073913 Hs.100686    | SS   | ESTs. Weakly similar to JE0350 Anterior   | 4.0        |
|         |        | AW451645 Hs.151504                          | ,SS,Collagen,COLFI,TSPN,                                 | Homo sapiens cDNA FLJ11973 fis, clone HE  | 4.0        |
|         |        | AL133619 Hs.29383                           | ,SS,TM,ras   | Homo sapiens mRNA; cDNA DKFZp434E2321 (f  | 4.0        |
| 35      |        | NM_001949Hs.1189                            | SS   | E2F transcription factor 3  | 4.0        |
|         |        | X63629 Hs.2877                              | SS,TM,Cadherin_C_term,cadherin,SS,TM,ca                  | dcadherin 3, type 1, P-cadherin (placenta   | 4.0        |
|         |        | NM_013989Hs.154424                          | SS,T4_delodinase,T4_delodinase,                          | deiodinase, iodothyronine, type II  | 4.0        |
|         |        | R36075                                      | ,TM,SDF,   | gb:yh88b01.s1 Soares placenta Nb2HP Homo  | 4.0<br>3.9 |
|         | 428722 | U76456 Hs.190787                            | ,SS,TIMP,  | tissue inhibitor of metalloproteinase 4   | 3.9        |
| 40      |        | L22524 Hs.2256                              |  | opematrix metalloproteinase 7 (MMP7; uterin                                       | 3.9        |
|         |        | AL039402 Hs.125783                          | SS   | DEME-6 protein similar to S68401 (cattle) glucose induc                           | 3.9        |
| •       |        | Z45051 Hs.22920                             | SS,SS,TM<br>,SS,cNMP_binding,Rlla,HMG_box                | protein kinase, cAMP-dependent, regulato  | 3.9        |
|         |        | M31158 Hs.77439                             | ,SS,abhydrolase  | ESTs, Highly similar to AF157833 1 noncl  | 3.8        |
| 45      |        | AW452631 Hs.313803                          | SS .   | DKFZP434B168 protein  | 3.8        |
| 40      |        | NM_015434Hs.48604<br>BE247550 Hs.86859      | SS,SH2,PH,SS,TM,PH,SH2,Furin-like,pkinas                 | growth factor receptor-bound protein 7  | 3.8        |
|         |        | AB006190 Hs.25475                           | SS,TM,MIP,SS,TM,MIP,                                     | aguapodn 7  | 3.8        |
|         |        | N72264 Hs.300670                            | SS   | KIAA1204 protein  | 3.8        |
|         |        | A1935962 Hs.26289                           | SS   | ESTs  | 3.8        |
| 50      |        | NM_007069Hs.37189                           | TM,TM  | similar to rat HREV107  | 3.8        |
|         |        | 2 AA371307 Hs.125056                        | ,SS,DENN   | ESTs  | 3.8<br>3.8 |
|         | 442262 | BE170651 Hs.8700                            | ,SS,START,   | deleted in liver cancer 1   | 3.8        |
|         |        | AW293165 Hs.143134                          | SS   | ESTS  | 3.8        |
| بير مير |        | 3 AW873606 Hs.149006                        | ,SS,WH1,WH1  | ESTs<br>C5000355:glj4503225[ref[NP_000765.1] cyt                                  | 3.8        |
| 55      | 403943 |   | p450,SS,p450   | ESTs, Weakly similar to (defline not ava  | 3.8        |
|         |        | AA057264 Hs.238936                          | ,SS,TM,7tm_1,<br>SS                                      | ESTs  | 3.8        |
|         |        | AW959861 Hs.290943                          | ,SS,SRCR,Uteroglobin                                     | mammaglobin 2 (MGB2; mammaglobin B; lip   | 3.8        |
|         |        | ) NM_002407Hs.97644<br>7 Al208121 Hs.147313 | ,SS,TM   | ESTs, Weakly similar to 138022 hypotheti  | 3.7        |
| 60      |        | AW974476 Hs.183601                          | SS,RGS,RGS,RGS   | regulator of G-protein signalling 16  | 3.7        |
| 00      |        | 7 BE160198                                  | TM   | gb:QV1-HT0413-010200-059-h03 HT0413 Homo  | 3.7        |
|         |        | M26380 Hs.180878                            | ,SS,lipase,PLAT,Sec7,PH,                                 | lipoprotein lipase  | 3.7        |
|         |        | 3 X54942 Hs.83758                           | CKS,SS,CKS,  | CDC28 protein kinase 2  | 3.7        |
|         |        | AW292053 Hs.12532                           | SS   | chromosome 1 open reading frame 21  | 3.7        |
| 65      | 44419  | ) Al878918 Hs.10526                         | SS   | cysteine and glycine-rich protein 2   | 3.7<br>3.7 |
|         |        | 5 AW373784 Hs.71                            | SS,lg,MHC_I,connexin,SCAN,SS,TM                          | alpha-2-glycoprotein 1, zinc  | 3.7<br>3.7 |
|         | 42963  | 8 Al916662 Hs.211577                        | SS,TM,SS   | kinectin 1 (kinesin receptor)   | ···        |
|         |        |   | 309  |   |            |
|         |        |   | 509  |   |            |
|         |        |   |  |   |            |

|                |        | Al041793            |               | ,TM,7tm_1,                               | ESTs                                       | 3.7 |
|----------------|--------|---------------------|---------------|--|--|-----|
|                |        | H44491              | Hs.252938     |  | ESTs, Weakly similar to ALU1_HUMAN ALU S   | 3.7 |
| •              |        | A1623693            |               | ,SS,AAA,                                 | ESTs                                       | 3.7 |
| _              |        | AW194426            |               | ,SS,Glycos_transf_2,                     | ESTs                                       | 3.7 |
| 5              |        | W23624              |               | SS                                       | ESTs                                       | 3.7 |
|                |        | Y08565              | Hs.151678     | Glycos_transf_2,Ricin_B_lectin,SS,Glycos | UDP-N-acetyl-alpha-D-galactosamine:polyp   | 3.7 |
|                | 418026 | BE379727            | Hs.83213      | lipocalin,SS,lipocalin,lipocalin,ferriti | fatty acid binding protein 4, adipocyte    | 3.7 |
|                | 457465 | AW301344            | Hs.122908     | ,SS,Pribosyltran,Sulfatase               | DNA replication factor                     | 3.7 |
|                | 417601 | NM_01473            | 5Hs.82292     | PHD,pkinase,SS                           | KIAA0215 gene product                      | 3.7 |
| 10             | 407999 | Al126271            | Hs.49433      | SS                                       | ESTs, Weakly similar to YZ28_HUMAN HYPOT   | 3.7 |
|                | 425548 | AA890023            | Hs.1906       | SS,TM,fn3,SS,TM,fn3,                     | prolactin receptor                         | 3.7 |
|                | 446619 | AU076643            | Hs.313        | ,SS,TM,efhand,ion_trans                  | secreted phosphoprotein 1 (osteopontin,    | 3.7 |
|                | 411213 | AA676939            | Hs.69285      | SS,TM,CUB,F5_F8_type_C,MAM,SS,TM,CU      | B,F5_neuropilin 1                          | 3.6 |
|                | 406625 | Y13647              | Hs.119597     | SS,TM,Desaturase,SS                      | stearoyi-CoA desaturase (delta-9-desatur   | 3.6 |
| 15             | 417511 | AL049176            | Hs.82223      | SS                                       | chordin-like                               | 3.6 |
|                | 428769 | AW207175            | Hs.106771     | ,SS,7tm_1,SPRY,                          | ESTs                                       | 3.6 |
|                | 407137 | T97307              |               | ,SS,TM,GDA1_CD39                         | gb:ye53h05.s1 Soares fetal liver spleen    | 3.6 |
|                | 401866 |                     |               | ,SS,filament,                            | Target Exon                                | 3.6 |
|                |        | U10492              | Hs.438        | SS,homeobox,Ets,SS,homeobox,             | mesenchyme homeo box 1                     | 3.6 |
| 20             |        | AA502490            |               | SS                                       | ESTs                                       | 3.6 |
|                |        | NM_000909           |               | SS,TM,7tm_1,                             | neuropeptide Y receptor Y1                 | 3.6 |
|                |        | AW089705            |               | SS                                       | ESTs, Weakly similar to \$64329 probable   | 3.6 |
|                |        | AA284775            |               | ,SS,TM,PMP22_Claudin,                    | ESTs                                       | 3.6 |
|                |        | Y16645              | Hs.271387     | CC TLA II O                              | small inducible cytokine subfamily A (Cy   | 3.6 |
| 25             |        | NM_014400           |               | ,SS,PH,lactamase_B<br>SS,r450,r450       | GPI-anchored metastasis-associated prote   | 3.6 |
|                |        | AI791493            |               | ,SS,p450,p450                            | ESTs, Weakly similar to A36036 cytochrom   | 3.6 |
|                |        | Al308876            |               | ,TM,hemopexin,Peptidase_M10,hemopexin,P  |  | 3.6 |
|                |        | AF245505            |               | ig,LRRCT,                                | DKFZP564I1922 protein                      | 3.6 |
|                |        | Al417828            |               | ,SS,TM                                   | ESTs                                       | 3.5 |
| 30             |        | AA847843            |               | ,SS,HMG_box,                             | Homo sapiens, clone IMAGE:3351295, mRNA    | 3.5 |
|                |        | S57296              | Hs.323910     | ,SS,TM,SH2,PH,pkinase,Recep_L_domain,Fe  |  | 3.5 |
|                |        | AW961400            |               | SS                                       | HER2 receptor tyrosine kinase (c-erb-b2,   | 3.5 |
|                |        | AA121098            |               | pkinase,POLO_box,SS,pkinase,POLO_box,    |  | 3.5 |
|                |        |                     | Hs.172572     | ,SS,ig,pkinase,LRRNT,LRRCT,              | hypothetical protein FLJ20093              | 3.5 |
| 35             |        | AA808940            |               | ,SS,TM,KRAB,SCAN,zf-C2H2,ig              | EST  | 3.5 |
| <b>J</b>       |        | NM_002543           |               | ,SS,TM                                   | oxidised low density lipoprotein (lectin   | 3.5 |
|                |        | AA116021            |               | SS,UCH-1,UCH-2,SS,TM,G_glu_transpept     | ubiquitin specific protease 18             | 3.5 |
|                |        | Al651930            |               | SS SS                                    | ESTs                                       | 3.5 |
|                |        | BE280074            |               | cyclin,SS,TM,cyclin,                     | cyclin B1                                  | 3.5 |
| 40             |        | AW452434            |               | SS                                       | ESTs, Weakly similar to ALU5_HUMAN ALU S   | 3.5 |
|                |        | NM_014918           |               | SS .                                     | KIAA0990 protein                           | 3.4 |
|                |        | AK001423            |               | SS                                       | Homo sapiens cDNA FLJ10561 fis, clone NT   | 3.4 |
|                |        |                     | Hs.159499     | SS,TM,7tm_2,SS,TM,7tm_2                  | parathyroid hormone receptor 2             | 3.4 |
|                |        | AA426202            |               | ,TM,ABC_membrane,ABC_tran,Ribosomal_S    |  | 3.4 |
| 45             |        |                     | Hs.9739       |  | PEglycerol-3-phosphate dehydrogenase 1 (so | 3.4 |
| 73             |        | AA250970            |               |  | poly(A)-binding protein, cytoplasmic 1-l   | 3.4 |
|                |        | NM_002318           |               | ,SS,TM,mito_carr,Lysyl_oxidase           | tysyl oxidase-like 2                       |     |
|                |        | BE390551            |               | SS,START,SS,START,NNMT_PNMT_TEMT,        | stemidogenic acute regulatory protein r    | 3.4 |
|                |        | NM_003512           |               | SS,histone,Calc_CGRP_IAPP,ig,MHC_I,SPR   | V H2A histone family member I              | 3.4 |
| 50             |        | NM_000346           |               | SS,HMG_box,                              | SRY (sex determining region Y)-box 9 (ca   | 3.4 |
| <b>J</b> (     |        | AA442324            |               | histone,SS,histone,BolA                  | H2A histone family, member O               | 3.4 |
|                |        |                     | Hs.64173      | ATP-synt_ab,SS,7tm_1,ATP-synt_ab         | ATPase, H transporting, lysosomal (vacuo   | 3.4 |
|                | 401780 | 14123003            | 113.04110     | filament, SS, filament, filament         | NM_005557*:Homo sapiens keratin 16 (foca   | 3.4 |
|                |        | NM_004585           | 5He 17466     | TM                                       | retinoic acid receptor responder (tazaro   | 3.4 |
| 55             |        | AA319233            |               | ,SS,TM,Ribosomal_L27e,                   | ESTs                                       | 3.4 |
| 55             |        | C18356              |               | Kunitz_BPTI,                             | tissue factor pathway inhibitor 2          | 3.4 |
|                |        | AF182277            |               | SS,p450,SS                               | cytochrome P450, subfamily IIB (phenobar   | 3.4 |
|                |        | AA825686            |               | SS                                       | ESTs, Weakly similar to S65824 reverse t   | 3.4 |
|                |        | Y15221              | Hs.103982     | SS,IL8,                                  | small inducible cytokine subfamily B (Cy   | 3.4 |
| 60             |        | NM_005419           |               | SH2,STAT,SS,STAT                         | signal transducer and activator of trans   | 3.4 |
| 00             |        | AW968504            |               | ,pkinase,                                | CDC2-related protein kinase 7              | 3.4 |
|                | 405366 | A11300304           | 113.143013    | RhoGEF,PH,SS,RhoGEF,PH,                  | NM 003371*:Homo sapiens vav 2 oncogene (   | 3.4 |
|                |        | BE274552            | He 76579      | SAP,SS,FG-GAP,vwa                        | protein inhibitor of activated STAT3       | 3.4 |
|                |        |                     |               | SS,sushi,trypsin,vwa,rm,fibrinogen_C,fn  | B-factor, properdin                        | 3.3 |
| 65             |        | AW797437<br>H73505  | Hs.117874     | ,SS,Peptidase_S8,P,Peptidase_S8,P        | ESTs                                       | 3.3 |
| <del>0</del> 5 |        |                     |               | ,SS,TM                                   | lipoma HMGIC fusion partner-like 2         | 3.3 |
|                |        | D86961<br>NM_006456 | Hs.79299      | ,SS,Pribosyltran,                        | sialyltransferase                          | 3.3 |
|                | 400000 | IAIN_000430         | JI 13.2002 13 | Took trootings                           | ampacation and                             | J.J |

|     | 445462 | AA378776             | Hs.288649  | SS,SS                                    | hypothetical protein MGC3077                  | 3.3        |
|-----|--------|----------------------|------------|--|---|------------|
|     |        | AA918317             |            | SS,SS                                    | B-cell CLL/lymphoma 11B (zinc finger pro      | 3.3        |
|     | 452017 | AF109302             | Hs.27495   | SS                                       | prostate cancer associated protein 7          | 3.3        |
| _   | 409099 | AK000725             | Hs.50579   | SS                                       | hypothetical protein FLJ20718                 | 3.3        |
| 5   | 452106 | Al141031             | Hs.21342   | SS                                       | ESTs  | 3.3        |
|     | 447519 | U46258               | Hs.339665  | SS                                       | ESTs  | 3.3        |
|     | 426928 | AF037062             | Hs.172914  | ,SS,adh_short,TGF-beta,TGFb_propeptide   | retinol dehydrogenase 5 (11-cis and 9-ci      | 3.3        |
|     | 438825 | BE327427             | Hs.79953   | ,SS,TM,histone,ANF_receptor,guanylate_cy | ESTs  | 3.3        |
|     | 414575 | H11257               | Hs.22968   | ,SS,pkinase,ig,                          | Homo sapiens clone IMAGE:451939, mRNA se      | 3.3        |
| 10  | 417837 | AL079905             | Hs.1103    | SS,TGFb_propeptide,TGF-beta,SS           | transforming growth factor, beta 1            | 3.3        |
|     | 422128 | AW881145             |            | SS                                       | gb:QV0-OT0033-010400-182-a07 OT0033 Homo      | 3.3        |
|     | 445941 | A§267371             | Hs.172636  | SS,SS,lipoxygenase,PLAT                  | ESTs  | 3.3        |
|     | 429973 | A1423317             | Hs.164680  | ,SS,T-box,UDPGT                          | ESTs  | 3.3        |
|     |        |                      | Hs.280380  | SS,SS,Peptidase_M1,EGF,lg,lectin_c,sushi | aminopeptidase                                | 3.3        |
| 15  | 459561 | Aİ547306             | Hs.134981  | SS                                       | ESTs  | 3.3        |
|     | 425741 | AF052152             | Hs.159412  | ,pkinase,                                | Homo saplens clone 24628 mRNA sequence        | 3.3        |
|     | 426501 | AW043782             | Hs.293616  | ŚS                                       | ESTs  | 3.3        |
|     | 456508 | AA502764             | Hs.123469  | SS                                       | ESTs, Weakly similar to AF208855 1 BM-01      | 3.3        |
|     | 434228 | Z42047               | Hs.283978  | ,SS,TM,7tm_1                             | Homo sapiens PRO2751 mRNA, complete cds       | 3.3        |
| 20  | 415752 | BE314524             | Hs.78776   | TM                                       | putative transmembrane protein                | 3.3        |
|     | 400419 | AF084545             |            | ,SS,Peptidase_M1,                        | Target  | 3.3        |
|     | 439750 | AL359053             | Hs.57664 . | ,TM,integrin_B,Ricin_B_lectin,rrm        | Homo sapiens mRNA full length insert cDN      | 3.3        |
|     | 423858 | AL137326             | Hs.133483  | ,SS,TM                                   | Homo sapiens mRNA; cDNA DKFZp434B0650 (f      | 3.3        |
|     | 428514 | AW236861             | Hs.193139  | ,SS,START,NNMT_PNMT_TEMT,                | ESTs  | 3.3        |
| 25  | 428698 | AA852773             | Hs.334838  | SS                                       | KIAA1866 protein                              | 3.3        |
|     | 448988 | Y09763               | Hs.22785   | SS,TM,TM                                 | gamma-aminobutyric acid (GABA) A recepto      | 3.3        |
|     | 432072 | N62937               | Hs.269109  | ,Sema,ig,                                | ESTs  | 3.3        |
|     | 417433 | BE270266             | Hs.82128   | SS,TM,LRRCT,LRRNT,LRR,TM,LRRCT,          | 5T4 oncofetal trophoblast glycoprotein        | 3.3        |
|     |        |                      | Hs.332649  | ,SS,TM,7tm_3,ANF_receptor,sushi          | olfactory receptor, family 2, subfamily       | 3.2        |
| 30  |        | N48373               | Hs.10247   | ,SS,ig,                                  | activated leucocyte cell adhesion molecu      | 3.2        |
|     |        |                      | Hs.161723  | ,SS,CUB,                                 | ESTs  | 3.2        |
|     |        |                      | Hs.334882  | SS,TM,SS,TM,G-patch                      | hypothetical protein FLJ14251                 | 3.2        |
|     |        |                      | 4Hs.104576 | SS                                       | carbohydrate (keratan sulfate Gal-6) sul      | 3.2<br>3.2 |
| 25  |        |                      | Hs.313503  | ,Sema,ig,                                | ESTs proteasome (prosome, macropain) 26S subu | 3.2        |
| 35  |        | BE562136             |            | ,SS,PCI,RasGEF,hormone_rec,zf-C4,        | Homo sapiens cDNA FLJ13446 fis, clone PL      | 3.2        |
|     |        |                      | Hs.201925  | ,FGF,                                    | myodiin, trabecular meshwork inducible        | 3.2        |
|     | 415447 |                      | Hs.78454   | SS,OLF,OLF,OLF,Ribosomal_L4              | Homo sapiens mRNA; cDNA DKFZp434F152 (fr      | 3.2        |
|     |        | BE548446<br>AA326062 | ns.5107    | SS,TM,SSF,SS,TM<br>,SS,p450,p450         | gb:EST29171 Cerebellum II Homo sapiens c      | 3.2        |
| 40  |        | BE563085             | Uc 933     | ,SS,TM,ubiquilin,laminin_G,laminin_EGF,k | interferon-stimulated protein, 15 kDa         | 3.2        |
| 40  |        |                      | Hs.195922  | ,SS,Ribosomal_L14                        | ESTs  | 3.2        |
|     |        |                      | Hs.201925  | ,FGF,                                    | Homo saplens cDNA FLJ13446 fis, clone PL      | 3.2        |
|     |        | U17760               | Hs.75517   | SS,laminin_EGF,laminin_Nterm,adh_short,S |   | 3.2        |
|     |        | AF160477             |            | ,SS,HLH                                  | tg superfamily receptor LNIR                  | 3.2        |
| 45  |        | AF213457             |            | SS,lg,SS,TM                              | triggering receptor expressed on myeloid      | 3.2        |
| 15  |        | R21651               | Hs.324725  | ,SS,TM,Ribosomal_S3Ae,G-gamma            | ESTs, Moderately similar to A47582 B-cel      | 3.2        |
|     |        | AV658411             |            | SS                                       | KIAA1681 protein                              | 3.2        |
|     |        | NM_00315             |            | ,SS,homeobox,                            | stanniocalcin 1                               | 3.2        |
|     |        |                      | Hs.270149  | ,SS,fn3,                                 | ESTs, Weakly similar to 2109260A B cell       | 3.2        |
| 50  | 452110 |                      | Hs.28005   | ,SS,TM,Activin_recp,pklnase              | Homo sapiens cDNA FLJ11309 fls, clone PL      | 3.2        |
| 50  |        | AW247529             |            | ,TM,p450,Ets                             | platelet-activating factor acetylhydrola      | 3.2        |
|     | 402837 |                      | 110.07.00  | SS                                       | ENSP00000241312*:DJ947L8.1.8 (novel Sush      | 3.2        |
|     |        |                      | Hs.278554  | ,SS,Chromo_shadow,chromo,                | heterochromatin-like protein 1                | 3.1        |
|     | 406664 |                      | Hs.9739    | .SS.TM.transport prof.SWIB.RhoGAP.DAG_F  | Eglycerol-3-phosphate dehydrogenase 1 (so     | 3.1        |
| 55  |        |                      | Hs.336901  | SS,RNA pol A,RNA pol A2,Ribosomal S24    | 1e,ribosomal protein S24                      | 3.1        |
|     |        | AW068115             |            |  | biglycan                                      | 3.1        |
|     |        |                      | Hs.294022  | ,SS,connexin,hormone_rec,zf-C4,connexin  | hypothetical protein FLJ14950                 | 3.1        |
|     |        | H24471               | Hs.26930   | ,SS,Gelsolin,                            | ESTs, Weakly similar to T20272 hypotheti      | 3.1        |
| •   |        | N30714               | Hs.325960  | ,SS,TM                                   | membrane-spanning 4-domains, subfamily A      | 3.1        |
| 60  |        |                      | Hs.249239  | ,SS,TM,C1q,                              | collagen, type VIII, alpha 2                  | 3.1        |
| • • | 419092 |                      | Hs.89603   | SS,TM,SEA,                               | mucin 1, transmembrane                        | 3.1        |
|     |        |                      | Hs.114727  | ,SS,PK,PK                                | Homo sapiens, done MGC:16327, mRNA, com       | 3.1        |
|     |        | BE281128             |            | SS,TM,7tm_1,rm,SS                        | TONDU   | 3.1        |
|     |        | AK000933             |            | ,TM,GDI,7tm_1,                           | Homo sapiens cDNA FLJ10071 fis, clone HE      | 3.1        |
| 65  |        | AI538613             | Hs.298241  | SS,TM,trypsin,SS,TM,trefoil,trypsin,tref | Transmembrane protease, serine 3              | 3.1        |
|     |        | AJ245210             |            | SS                                       | gb:Homo sapiens mRNA for immunoglobulin       | 3.1        |
|     | 400903 |                      |            | SS                                       | Target Exon                                   | 3.1        |
|     |        |                      |            |  |   |            |

|    | AZAADO | A1031771 | Un 122500 | .SS,Glyco_hydro_2                        | ESTs                                     | 3.1 |
|----|--------|----------|-----------|--|--|-----|
|    |        | AW962597 |           |  |  | 3.1 |
|    |        |          |           | SS,WD40,SS,WD40,                         | KIAA1547 protein                         |     |
|    |        | AI347487 |           | fn3,SS,TM,EF1BD                          | class I cytokine receptor                | 3.1 |
| •  |        | AW383226 |           | SS                                       | ESTs, Weakly similar to G01763 atrophin- | 3.1 |
| 5  |        | AI936442 |           | UBACT_repeat,SS,UBACT_repeat,ThiF_fami   |  | 3.1 |
|    |        |          | Hs.89640  | ,TM,pkinase,fn3,                         | TEK tyrosine kinase, endothelial (venous | 3.1 |
|    |        | AA587773 |           | ,SS,SRCR,                                | Homo saplens, Similar to RIKEN cDNA 5830 | 3.1 |
| •  |        | A1734080 |           | ,Sema,ig,                                | ESTs                                     | 3.1 |
|    |        | BE568452 |           | ,SS,abhydrolase,                         | protein regulator of cytokinesis 1       | 3.1 |
| 10 |        |          | Hs.201619 | SS                                       | ESTs, Weakly similar to S38383 SEB48 pro | 3.1 |
|    |        | AA196241 |           | SS,Troponin,Hemagglutinin,SS,TM,C2,Tropo |  | 3.1 |
|    | 450223 | AA418204 | Hs.241493 | ,SS,pro_isomerase,                       | natural killer-tumor recognition sequenc | 3.1 |
|    | 422790 | AA809875 | Hs.25933  | ,TM,histone,Sec1,histone,sugar_tr        | ESTs                                     | 3.1 |
|    | 424269 | AW137691 | Hs.199754 | ,SS,TM,7tm_2,GPS                         | ESTs                                     | 3.1 |
| 15 | 435854 | AJ278120 | Hs.4996   | .SS,WD40                                 | putative ankyrin-repeat containing prote | 3.1 |
|    | 447388 | AW630534 | Hs.76277  | ,SS,TM,rrm,oxidored_q6,oxidored_q6       | Homo sapiens, clone MGC:9381, mRNA, comp | 3.1 |
|    | 451631 | R00866   |           | SS                                       | qb:ye79c02.s1 Soares fetal liver spleen  | 3.0 |
|    | 448105 | AW591433 | Hs.298241 | ,SS,TM,trefoil,trypsin,trefoil           | Transmembrane protease, serine 3         | 3.0 |
|    |        |          | Hs.126730 | ,TM,PH,                                  | ESTs, Weakly similar to KIAA1214 protein | 3.0 |
| 20 |        | AA593731 |           | ,SS,TM,CD36                              | ESTs, Moderately similar to ALU5_HUMAN A | 3.0 |
|    |        | R91600   |           | ,SS,Ran_BP1,LIM,Ran_BP1,GRIP,TPR,LIM     |  | 3.0 |
|    |        |          | Hs.162209 | SS,TM,SS,TM,PMP22_Claudin,PMP22_Claus    |  | 3.0 |
|    |        |          | Hs.332938 | ,SS,TM                                   | hypothetical protein MGC5370             | 3.0 |
|    | 401197 |          |           | arf,arf,                                 | ENSP00000229263*:HSPC213.                | 3.0 |
| 25 |        | AW204256 | Hs 291887 | .wnt                                     | ESTs                                     | 3.0 |
|    |        | BE077084 |           | ,SS,rrm,zf-RanBP,pkinase,C2,pkinase_C,DA |  | 3.0 |
|    |        | AA381807 |           | SS,SS                                    | hypoxia-inducible protein 2              | 3.0 |
|    |        |          | Hs.8109   | SS                                       | hypothetical protein FLJ21080            | 3.0 |
|    | 404826 | 1121213  | 113.0100  | "SS.TM                                   | Target Exon                              | 3.0 |
| 30 |        | H70284   | Hs.160152 | ,SS,RA                                   | ESTs, Weakly similar to FPHU alpha-fetop | 3.0 |
| 50 |        | AL034548 |           | HMG_box,pkinase,zf-CCHC,SS,TM,HMG_box    |  | 3.0 |
|    |        | AW977653 |           | "SS,ribonuc_red_sm,                      | ribonucleotide reductase M2 polypeptide  | 3.0 |
|    |        | A1820961 |           | ,death,ZU5,pkinase,Activin_recp,         | ESTs                                     | 3.0 |
|    |        | AI868872 |           | SS,Cu-oxidase,SS,Cu-oxidase,Cu-oxidase   | hypothetical protein FLJ22704            | 3.0 |
| 35 |        |          | Hs.145807 | SS,TM                                    | hypothetical protein FLJ13593            | 3.0 |
| 55 |        | AA688021 |           | ,ss,im<br>SS                             | ESTs                                     | 3.0 |
|    |        | AW103364 |           | SS,TGF-beta,TGFb_propeptide,SS,TGF-beta  |  | 3.0 |
|    |        |          |           |  |  | 3.0 |
|    |        | AU077005 |           | SS,disintegrin,Reprolysin,Pep_M12B_prope |  | 3.0 |
| 40 |        | AA374569 |           | SS<br>Similar S- 00 TM Similar S-        | ESTs, Moderately similar to 2109260A B c |     |
| 40 |        | AB032417 |           | Frizzled,Fz,SS,TM,Frizzled,Fz,           | frizzled (Drosophila) homolog 4          | 3.0 |
|    |        |          | Hs.1707   | SS,SS                                    | cocaine- and amphetamine-regulated trans | 3.0 |
|    |        | AW385224 |           | ,SS,TM,Phosphodiest,                     | ectonucleotide pyrophosphatase/phosphodi | 3.0 |
|    |        | AW300118 |           | ,SS,TM,G-gamma                           | ESTs                                     | 3.0 |
|    | 432284 | AA532807 | Hs.105822 | ,SS,TM,pkinase,                          | ESTs                                     | 3.0 |

# TABLE 20A

Table 20A shows the accession numbers for those pkeys lacking unigeneID's for Table 20. For each probeset, we have listed the gene cluster number from which the oligonucleotides were designed. Gene clusters were compiled using sequences derived from Genbank ESTs and mRNAs. These sequences were clustered based on sequence similarity using Clustering and Alignment Tools (DoubleTwist, Oakland California). The Genbank accession numbers for sequences comprising each cluster are listed in the "Accession" column.

| 1 | Λ   |  |
|---|-----|--|
| ŧ | l s |  |
| 1 | v   |  |

| Pkev:      | Unique Eos probeset identifier number |
|------------|---------------------------------------|
| CAT number | Gene cluster number                   |

Accession:

Genbank accession numbers

| 15       |  |   |  |  |  |  |
|----------|--|---|--|--|--|--|
|          | Pkey   | CAT number  | Accessions   |  |  |  |
| 20<br>25 | 410785<br>411667<br>418636<br>420854<br>422128<br>423431<br>423945<br>426878<br>433687 | 1221055_1<br>1253334_1<br>177402_1<br>197072_1<br>211994_1<br>228162_1<br>23356_1<br>273265_1<br>373061_1 | AW803341 AW803265 AW803403 AW803466 AW803402 AW803413 AW803268 AW803396 AW803334 AW803355 BE160198 AW935898 T11520 AW935930 AW856073 AW861034 AW749855 AA225995 AW750208 AW750206 AW296927 AI684514 AI263168 AA281079 AW881145 AA490718 M85637 AA304575 T06067 AA331991 AA326062 AA325758 AW962182 AA410943 AW948953 AA334202 AA332882 BE069341 AW748403 AL044891 AI908240 AA393080 AA743991 AA604852 AW272737 |  |  |  |
| 30       | 447 197<br>451631<br>456207<br>456592  | 711623_1<br>878098_1<br>1650781<br>202684_1   | R36075 Al366546 R36167<br>R00866 R01523 Al806815<br>AA193450<br>R91600 T87079 AA291455   |  |  |  |

# TABLE 20B

Minus

405654 4895155

53624-53759

Table 20B shows the genomic positioning for those pkeys lacking unigene ID's and accession numbers in Table 20. For each predicted exon, we have listed the genomic 5 sequence source used for prediction. Nucleotide locations of each predicted exon are also listed.

|   | 10 | Pkey:<br>Ref: |         | Sequence :  | imber corresponding to an Eos probeset source. The 7 digit numbers in this column are Genbank Identifier (GI) numbers. "Dunham I. et al." refers to the publication   |  |  |  |
|---|----|---------------|---------|-------------|---|--|--|--|
|   |    | Strand:       |         | Indicates D | entitled "The DNA sequence of human chromosome 22." Dunham I. et al., Nature (1999) 402:489-495.<br>dicates DNA strand from which exons were predicted.<br>dicates nucleotide positions of predicted exons. |  |  |  |
|   | 15 |               |         |             |   |  |  |  |
|   | IJ | Pkey          | Ref     | Strand      | Nt_position   |  |  |  |
|   |    | 400608        | 9887666 | Minus       | 96756-97558   |  |  |  |
|   |    | 400903        | 2911732 | Plus        | 59112-59228   |  |  |  |
| 1 | 20 | 401045        | 8117619 | Plus        | 90044-90184,91111-91345   |  |  |  |
|   |    | 401093        | 8516137 | Minus       | 22335-23166   |  |  |  |
|   |    | 401197        | 9719705 | Plus        | 176341-176452   |  |  |  |
|   |    | 401747        | 9789672 | Minus       | 118596-118816,119119-119244,119609-119761,120422-120990,130161-130381,130468-130593,131097-131258,131866-   |  |  |  |
|   |    |               |         |             | 131932,132451-132575,133580-134011  |  |  |  |
| 1 | 25 | 401780        | 7249190 | Minus       | 28397-28617,28920-29045,29135-29296,29411-29567,29705-29787,30224-30573   |  |  |  |
|   |    | 401781        | 7249190 | Minus       | 83215-83435,83531-83656,83740-83901,84237-84393,84955-85037,86290-86814   |  |  |  |
|   |    | 401866        | 8018108 | Plus        | 73126-73623   |  |  |  |
|   |    | 402230        | 9966312 | Minus       | 29782-29932   |  |  |  |
|   |    | 402408        | 9796239 | Minus       | 110326-110491   |  |  |  |
|   | 30 | 402578        | 9884928 | Plus        | 66350-66496   |  |  |  |
|   |    | 402606        | 9909429 | Minus       | 81747-82094   |  |  |  |
|   |    | 402837        | 9369121 | Minus       | 2013-2186,9570-9758,11136-11309,19429-19677,21210-21455,23368-23562,24342-24527,29132-29320   |  |  |  |
|   |    | 403199        | 9958183 | Minus       | 58895-59036,66618-66789   |  |  |  |
|   |    | 403329        | 8516120 | Plus        | 96450-96598   |  |  |  |
|   | 35 | 403593        | 6862650 | ) Minus     | 62554-62712,69449-69602   |  |  |  |
|   |    | 403943        | 7711864 | Plus        | 100742-100904,101322-101503   |  |  |  |
|   |    | 404091        | 7684554 | Minus       | 82121-83229   |  |  |  |
|   |    |               | 9838195 |             | 74493-74829   |  |  |  |
|   |    | 404826        | 6572184 | Plus        | 47726-48046   |  |  |  |
| 4 | 40 | 405366        | 2182280 | Plus        | 22478-22632   |  |  |  |
|   |    |               |         |             |   |  |  |  |

# TABLE 21: 210 GENES UP-REGULATED IN BREAST CANCER COMPARED TO NORMAL ADULT TISSUES THAT ARE LIKELY TO ENCODE EITHER ENZYMES OR PROTEINS AMENABLE TO MODULATION BY SMALL MOLECULES

Table 21 shows 210 genes up-regulated in breast cancer compared to normal adult tissues that are likely to encode either enzymes or proteins amenable to modulation by small molecules. These were selected as for Table 19, except that the ratio was greater than or equal to 3.0, the "average" normal adult tissue level was set to the 85<sup>th</sup> percentile value amongst 144 non-malignant tissues, and the 96<sup>th</sup> percentile value amongst 73 breast cancers was greater than or equal 80 units, and the predicted protein contained a structural domain that is indicative of enzymatic function or of being modulatable by small molecules (e.g. pkinase, peptidase, phosphatase, ATPase, or ion\_transporter domains). The predicted protein domains are noted.

| 20 | Pkey:<br>ExAcon:<br>UnigenelD: | Unique Eos probeset identifier number Exemplar Accession number, Genbank accession number Unigen number |
|----|--------------------------------|---|
|    | Unigene Title:                 | Unigene gene title  |
|    | R1:                            | Ratio of 93rd percentile tumor to 85th percentile of normal body tissue                                 |

5

10

| 25  |        |          |            |  |   |      |
|-----|--------|----------|------------|--|---|------|
|     | Pkey   | ExAccn   | UnigenelD  | Predicted Protein Domains                | UnigeneTitle                              | R1   |
|     | 449746 | A1668594 | Hs.176588  | SS,p450                                  | ESTs, Weakly similar to CP4Y_HUMAN CYTOC  | 65.7 |
|     |        | AA250737 |            |  | BMP-R1B                                   | 55.9 |
| 30  | 424735 | U31875   | Hs.272499  | SS.TM                                    | short-chain alcohol dehydrogenase family  | 53.8 |
|     |        | AA195651 | Hs.104106  | SS.Dihydroorotase,                       | ESTs                                      | 39.3 |
|     |        | AW138959 |            |  | ESTs                                      | 34.9 |
|     |        | AA009647 |            | SS,TM,disintegrin,Pep_M12B_propep,Reprol | a disintegrin and metalloproteinase doma  | 25.7 |
|     |        | NM 00139 |            | DSPc,Rhodanese,                          | dual specificity phosphatase 4            | 24.9 |
| 35  |        | AI624342 |            | SS,TM,Cation_efflux                      | ESTs                                      | 24.1 |
| - • |        | NM_00361 |            | ig.tsp_1,SS,AAA                          | cartilage intermediate layer protein, nu  | 21.7 |
|     |        | X78592   | Hs.99915   | hormone_rec,Androgen_recep,zf-C4,        | androgen receptor (dihydrotestosterone r  | 21.7 |
|     |        | AI905687 | Hs.2533    | SS                                       | aldehyde dehydrogenase 9 family, member   | 20.3 |
|     |        | Al375572 | Hs.172634  | pkinase.                                 | ESTs                                      | 19.2 |
| 40  |        | AA193450 |            | SS.TM,p450,p450                          | gb:zr40e07.r1 Soares_NhHMPu_S1 Homo sapi  | 18.3 |
| ••  |        | X52509   | Hs.161640  | SS,TM,aminotran_1_2,Cadherin_C_term,cadl | htyrosine aminotransferase                | 18.1 |
|     | 402578 | ,        |            | SS,p450,SS,TM,p450                       | C1001134:gi 2117372 pir  165981 fatty ac  | 17.8 |
|     |        | D90041   | Hs.155956  | SS.Acetyltransf2,                        | N-acetyltransferase 1 (arylamine N-acety  | 16.7 |
|     |        | W67883   | Hs.137476  | pkinase,                                 | paternally expressed 10                   | 16.5 |
| 45  |        | M13509   | Hs.83169   | SS,hemopexin,Peptidase_M10,SS,Peptidase  | _matrix metalloproteinase 1 (MMP1; Inters | 15.7 |
|     |        | Y13153   | Hs.107318  |  | kynurenine 3-monooxygenase (kynurenine 3  | 15.3 |
|     |        | W20027   | Hs.23439   | SS.Peptidase_M1,                         | ESTs                                      | 13.9 |
|     |        | X07820   | Hs.2258    | hemopexin,Peptidase_M10,SS,Peptidase_M1  | Omatrix metalloproteinase 10 (MMP10; str  | 13.5 |
|     | 443348 | AW873596 | Hs.182278  | SS.DENN                                  | calmodulin 2 (phosphorylase kinase, delt  | 13.0 |
| 50  |        | AI351010 | Hs.102267  | SS,Lysyl_oxidase                         | lysyl oxidase                             | 12.8 |
|     |        | W72838   | Hs.2533    | SS                                       | aldehyde dehydrogenase 9 family, member   | 12.7 |
|     |        | AW732573 | Hs.47584   | TM,K_tetra,ion_trans,SS,TM,K_tetra,ion_t | potassium voltage-gated channel, delayed  | 11.9 |
|     |        | H87879   | Hs.102267  | SS,Lysyl_oxidase,Aldose_epim,Epimerase,S | lysyl oxidase                             | 11.8 |
|     | 424905 | NM_00249 | 7Hs.153704 | pkinase,SS,TM,pkinase,polyprenyl_synt,   | NIMA (never in mitosis gene a)-related k  | 11.7 |
| 55  |        | R28363   | Hs.24286   | SS,TM,7tm_1,p450,mm                      | ESTs                                      | 11.5 |
|     |        | A1907673 |            | pkinase,                                 | gb:IL-BT152-080399-004 BT152 Homo sapien  | 11.5 |
|     |        | AA410943 |            | death,ZU5,TM,Activin_recp,pkinase,       | gb:zt32h03.r1 Soares ovary tumor NbHOT H  | 11.4 |
|     | 445263 | H57646   | Hs.42586   | SS, Acyltransferase,                     | KIAA1560 protein                          | 11.2 |

|    | 423887 | AL080207         | Hs.134585        | SS,TM,BRCT,ank,ABC_tran,ABC_tran   | DXFZP434G232 protein                      | 10.9       |
|----|--------|------------------|------------------|--|---|------------|
|    | 429859 | NM_00705         | 0Hs.225952       | SS,TM,Y_phosphatase,MAM,fn3,   | protein tyrosine phosphatase, receptor t  | 10.4       |
|    | 428368 | BE440042         | Hs.83326         | SS,Peptidase_M10,hemopexin,SS,Peptidase  | _matrix metalloproteinase 3 (strometysin  | 10.3       |
| _  | 418912 | NM_00068         | 5Hs.89472        | SS,TM,7tm_1,SS,TM,7tm_1,   | angiotensin receptor 1                    | 10.3       |
| 5  | 451952 | AL120173         | Hs.301663        | SS.pklnase,  | ESTs                                      | 10.3       |
|    | 402408 | NA               |                  | SS,carb_anhydrase  | NM_030920*:Homo sapiens hypothetical pro  | 9.8        |
|    | 415539 | AI733881         | Hs.72472         | death,ZU5,TM,Activin_recp,pkinase,   | BMP-R1B                                   | 9.4        |
|    | 406687 | M31126           | Hs.272620        | SS,Peptidase_M10,hemopexin,SS,Peptidase  | _matrix metalloproteinase 11 (MMP11; stro | 9.1        |
| _  | 419948 | AB041035         | Hs.93847         | Ferric_reduct,TM,Ferric_reduct,  | NM_016931:Homo sapiens NADPH oxidase 4 (  | 9.1        |
| 10 | 400285 |                  |                  | TM,ABC_tran,ABC_membrane,  | Eos Control                               | 8.8        |
|    | 408380 | AF123050         | Hs.44532         | SS,TM,ubiquitin,7tm_3,ANF_receptor,sushi   | diubiquitin                               | 8.6        |
|    | 409203 | AA780473         | Hs.687           | SS,p450,SS,p450  | cytochrome P450, subfamily IVB, polypept  | 8.3        |
|    | 424902 | NM_00386         | 6Hs.153687       | SS,SS  | inositol polyphosphate-4-phosphatase, ty  | 8.3        |
|    | 431725 | X65724           | Hs.2839          | SS,Cys_knot,SS   | Nome disease (pseudoglioma)               | 8.3        |
| 15 | 418092 | R45154           | Hs.106604        | death,ZU5,pkinase,Activin_recp,  | ESTs                                      | 8.3        |
|    | 427811 | M81057           | Hs.180884        | SS,Zn_carbOpept,Propep_M14,SS,Propep_M   |   | 8.2        |
|    | 423554 | M90516           | Hs.1674          | GATase_2,SIS,  | glutamine-fructose-6-phosphate transamin  | 8.1        |
|    | 426261 | AW242243         | Hs.168670        | SS,TM,WD40,ubiquitin,E1-E2_ATPase,Cation   | peroxisomal famesylated protein           | 7.8        |
|    | 413374 | NM_00103         | 4Hs.75319        | SS   | ribonucleotide reductase M2 polypeptide   | 7.6        |
| 20 | 432677 | NM_00448         | 2Hs.278611       | SS,TM,Glycos_transf_2,Ricin_B_lectin,DPP   | UDP-N-acetyl-alpha-D-galactosamine:polyp  | 7.6        |
|    | 456986 | D38299           | Hs.170917        | SS,TM,7tm_1,   | prostaglandin E receptor 3 (subtype EP3)  | 7.5        |
|    | 453331 | A1240665         | Hs.8895          | SS,TM,disintegrin,Pep_M12B_propep,Reprol   | ESTs                                      | 7.3        |
|    | 407721 | Y12735           | Hs.38018         | pkinase,   | dual-specificity tyrosine-(Y)-phosphoryl  | 7.2        |
|    | 418004 | U37519           | Hs.87539         | SS,aldedh,SS,aldedh,   | aldehyde dehydrogenase 3 family, member   | 7.2        |
| 25 | 410555 | U92649           | Hs.64311         | TM, disintegrin, Reprolysin,   | a disIntegrin and metalloproteinase doma  | 7.1        |
|    | 443695 | AW204099         | Hs.337720        |  | ESTs, Weakly similar to AF126780 1 retin  | 6.9        |
|    | 423545 | AP000692         | Hs.129781        | GAF,PDEase   | chromosome 21 open reading frame 5        | 6.8        |
|    | 401045 |                  |                  | ICE_p20,SS,ICE_p10,ICE_p20,ICE_p10,ICE_  |   |            |
|    |        | C11001883        | 3°:gi 6753278 re | f NP_033938.1  c   | 6.7                                       |            |
| 30 |        | R41823           | Hs.7413          | TM,EPH_lbd,pkinase,SAM,fn3,  | ESTs; calsyntenin-2                       | 6.7        |
|    |        |                  | Hs.161712        | TM,Activin_recp,pkinase,death,ZU5,   | ESTs                                      | 6.6        |
|    | 404091 |                  |                  | TM,7tm_3,ANF_receptor,   | Target Exon                               | 6.6        |
|    |        |                  | Hs.106532        | zf-C2H2  | ESTs, Weakly similar to 138588 reverse t  | 6.5        |
| 25 |        | NM_00291         |                  | SS,AAA,Viral_helicase1,rm,   | replication factor C (activator 1) 2 (40  | 6.5        |
| 35 |        | AF055575         |                  | TM,ion_trans,SS,TM,ion_trans,  | calcium channel, voltage-dependent, L ty  | 6.4        |
|    |        | AA932186         |                  | TM,7tm_1,  | ESTs                                      | 6.2        |
|    |        | NM_00502         |                  | SS,serpin,   | serine (or cysteine) proteinase inhibito  | 6.2<br>6.2 |
|    |        | AW167087         |                  | SS,ig,Sema,pkinase,  | ESTS                                      | 6.1        |
| 40 |        | R45503           | Hs.97469         | SS,TM  | ESTs, Highly similar to A39769 N-acetyll  | 6.1        |
| 40 |        | Y00272           | Hs.184572        | SS,pkinase,pkinase   | cell division cycle 2, G1 to S and G2 to  | 6.1        |
|    |        | X03363           | 211- 40000       | SS,TM,pkinase,Recep_L_domain,SH2,PH,Fu   |   | 6.1        |
|    |        | NM_012093        | 3HS.18268        | SS,adenylatekinase,  | adenylate kinase 5                        | 6.1        |
|    | 402230 |                  | 11- 454700       | SS,TM,p450,  | Target Exon                               | 5.8        |
| 15 | 424687 |                  | Hs.151738        | SS,Peptidase_M10,fn2,hemopexin,SS,TM,Pe  |   | 5.8        |
| 45 |        | A1572739         | Hs.195471        | 6PF2K,PGAM,  | 6-phosphofructo-2-kinase/fructose-2,6-bi  | 5.6        |
| •  | 432239 |                  | Hs.2936          | SS,Peptidase_M10,hemopexin,SS,Peptidase_   |   | - 5.6      |
| -  | 400286 |                  |                  | SS,TM,ABC_tran,ABC_membrane,SS   | C16000922:gi 7499103 pid T20903 hypothe   | 5.4        |
|    |        | NM_005940        |                  | SS,Peptidase_M10,hemopexin,SS  | matrix metalloproteinase 11 (MMP11; stro  | 5.4        |
| 50 |        | AA828246         |                  | UCH-1,pkinase,OPR,Rhodanese,AMP-binding  |   | 5.2        |
| 50 |        | AF086120         |                  | SS,TM,UDPGT,casein_kappa   | ESTs                                      | 5.2        |
|    |        | A1806867         |                  | SS,TM,Phosphodiest,  | ESTs                                      | 5.2<br>5.2 |
|    |        | N54926           | Hs.29202         | TM,7tm_1,TM  | G protein-coupled receptor 34             | 5.2<br>5.2 |
|    |        | M31659           | Hs.180408        | SS<br>SS THA ARC AND ARC HOME  | solute carrier family 25 (mitochondrial   | 5.1        |
| 55 |        | AL117406         |                  | SS,TM,ABC_tran,ABC_membrane,   | ATP-binding cassette transporter MRP8     | J. I       |
| 55 | 420320 | X52730           | Hs.1892          | SS,NNMT_PNMT_TEMT,SS,NNMT_PNMT_T   | - 4                                       |            |
|    | 440700 |                  | nolamine N-met   |  | 5.1<br>interdesisin 20 magnitus of the    | 5.1        |
|    |        | AW291095         | MS.21014         | SS,TM,pkinase,   | interleukin 20 receptor, alpha            | 5.1        |
|    | 403593 | AA564991         | Un 260477        | CIDE-N.pkinase<br>alpha-amylase.   | Target Exon ESTs                          | 5.0        |
| 60 |        |                  |                  | SS,TM,7tm_3,Ribosomal_L13  | retinolc acid induced 3                   | 4.9        |
| 00 |        | Al281848         |                  | SS,Melibiase,BTK,PH,pkinase,SH2,SH3,Ribo   |   | 4.9        |
|    |        | NM_00016         | Hs.1787          | TM,ion_trans,K_tetra,  | proteolipid protein 1 (Pelizaeus-Merzbac  | 4.9        |
|    |        | W88559<br>U80034 | Hs.68583         | Peptidase_M3.  | mitochondrial intermediate peptidase      | 4.9        |
|    |        | NM_00446         |                  | SS,DPPIV_N_term,Peptidase_S9,SS,DPPIV_   |   | 4.9        |
| 65 |        | AA641836         |                  | SS,trypsin   | hypothetical protein FLJ23186             | 4.9        |
| 00 |        | M73700           | Hs.105938        | SS,transferrin,7tm_1,transferrin,  | lactotransferrin                          | 4.8        |
|    | 427122 | AW057736         | Hs.323910        | SS,TM,pkinase,Recep_L_domain,SH2,PH,Fu   |   | 4.8        |
|    |        |                  |                  | . It and to anh a fact that the sail a sile |   |            |

|       | 400181 | NA                    |                        | SS,TM,3Beta_HSD,                                     | ENSP00000171555:CDNA FLJ10727 fis, clone   | 4.6        |
|-------|--------|-----------------------|------------------------|--|--|------------|
|       | 452093 | AA447453              |                        | SS,TM,7tm_1,   | Homo sapiens mRNA; cDNA DKFZp586M0723 (f   | 4.6        |
|       |        | AA687376              | Hs.269533              | SS,pkinase,RhoGEF,lg,PH,SH3,                         | ESTS   | 4.6        |
| _     |        | AA339449              |                        | AIRS,formyl_transf,GARS,SS,GARS,AIRS,for             | phosphoribosylglycinamide tormyltransier   | 4.6<br>4.6 |
| 5     |        | A1860021              |                        | pkinase  | ESTs, Moderately similar to A47582 B-cel prostaglandin E synthase                    | 4.5        |
|       |        | BE614743              | HS.140000              | SS,TM,MAPEG,   | Homo sapiens clone PP1498 unknown mRNA   | 4.5        |
|       |        | H26735<br>Al345455    |                        | pkinase,OPR,   | GA-binding protein transcription factor,   | 4.5        |
|       |        | AI910275              |                        | SS,trefoil,SS,TM,ldLrecept_a,SRCR,tryps              | trefoil factor 1 (pS2)   | 4.5        |
| 10    |        | AA863360              |                        | SS,TM,p450,  | ESTs, Weakly similar to fatty acid omega   | 4.4        |
| 10    |        | AW294092              |                        | SS,ras,Y_phosphatase,ras                             | hypothetical protein MGC15754  | 4.4        |
|       | 400205 |                       |                        |  | NM_006265*:Homo sapiens RAD21 (S. pombe)   | 4.4        |
|       | 420854 | AW296927              |                        | SS,TM,Peptidase_M1,                                  | gb:UI-H-BW0-ajc-c-07-0-UI.s1 NCI_CGAP_Su   | 4.3        |
|       |        | AF181490              | Hs.278627              | SS,pyr_redox,SS,Ribosomal_L39                        | prenylcysteine lyase   | 4.3        |
| 15    | 441560 |                       | Hs.7888                | pkinase,   | Homo sapiens clone 23736 mRNA sequence   | 4.3<br>4.3 |
|       |        | AL043004              |                        | SS,pkinase,  | KIAA0135 protein   | 4.3        |
|       |        |                       | Hs.35598               | SS,TM,trypsin,vwd,ig                                 | ESTs<br>serum/glucocorticoid regulated kinase-li                                     | 4.2        |
|       |        | NM_013257             |                        | pkinase,pkinase_C,                                   | Homo saplens cDNA FLJ14142 fis, clone MA   | 4.2        |
| 20    |        | AW073310              |                        | pkinase,<br>SS,AAA,PI3_PI4_kinase,PI3Ka,PI3K_rbd,PI3 |  | 4.2        |
| 20    |        | NM_002916<br>AI345227 |                        | SS,TM,pkinase  | ESTs, Weakly similar to B34087 hypotheti   | 4.1        |
|       |        | AA829286              |                        | SS,SAA_proteins,ABC_membrane,ABC_tran,               |  | 4.1        |
|       |        | NM_001809             |                        | SS,TM,thiolase,                                      | centromere protein A (17kD)  | 4.1        |
|       |        |                       | Hs.1174                | ank,ank  | cyclin-dependent kinase inhibitor 2A (me   | 4.1        |
| 25    | 406922 |                       |                        | SS,TM,Desaturase,SS                                  | gb:stearoyl-CoA desaturase [human, adipo   | 4.1        |
|       | 439285 | AL133916              | Hs.172572              | SS,ig,pkinase,LRRNT,LRRCT,                           | hypothetical protein FLJ20093  | 4.1        |
|       | 429922 | Z97630                | Hs.226117              | SS,TM,linker_histone,7tm_1                           | H1 histone family, member 0  | 4.1        |
|       |        | NM_005357             |                        | SS,TM,p450,  | lipase, hormone-sensitive  | 4.0<br>4.0 |
| 20    |        | NM_013989             |                        | SS,T4_deiodinase,T4_deiodinase,                      | deiodinase, lodothyronine, type II   | 4.0        |
| 30    |        | BE300512              |                        | SS,Y_phosphatase,Band_41                             | ESTs, Moderately similar to ALU7_HUMAN A tissue inhibitor of metalloproteinase 4     | 3.9        |
|       |        | U76456                | Hs.190787              | SS,TIMP,<br>SS,Peptidase_M10,SS,Peptidase_M10,hemo;  | nomatriy metallonrotelnase 7 (MMP7; uterin   | 3.9        |
|       |        |                       | Hs.2256<br>Hs.77439    | SS,cNMP_binding,Rlla,HMG_box                         | protein kinase, cAMP-dependent, regulato   | 3.9        |
|       |        | AW452631              |                        | SS,abhydrolase                                       | ESTs, Highly similar to AF157833 1 noncl   | 3.8        |
| 35    |        | BE247550              |                        | SS,SH2,PH,SS,TM,PH,SH2,Furin-like,pkinas             | growth factor receptor-bound protein 7   | 3.8        |
| 55    |        | AA129640              |                        | SS,Peptidase_C1,gpdh                                 | ESTs   | 3.8        |
|       | 403943 |                       | •••                    | p450,SS,p450   | C5000355:gij4503225 ref NP_000765.1  cyt   | 3.8        |
|       |        | AV653785              | Hs.173334              | •  | ELL-RELATED RNA POLYMERASE II, ELONGATIO   | 3.8        |
|       |        | AA057264              | Hs.238936              | SS,TM,7tm_1,   | ESTs, Weakly similar to (defline not ava   | 3.8        |
| 40    |        | M26380                | Hs.180878              | SS,lipase,PLAT,Sec7,PH,                              | lipoprotein lipase   | 3.7<br>3.7 |
|       |        | X54942                | Hs.83758               | CKS,SS,CKS,  | CDC28 protein kinase 2   | 3.7        |
|       |        | AI041793              |                        | TM,7tm_1,  | ESTs<br>UDP-N-acetyl-alpha-D-galactosamine:polyp                                     | 3.7        |
|       |        | Y08565                | Hs.151678              | Glycos_transf_2,Rlcln_B_lectin,SS,Glycos             | DNA replication factor   | 3.7        |
| 45    |        | AW301344              |                        | SS,Pribosyltran,Sulfatase<br>PHD,pkinase,SS          | KIAA0215 gene product  | 3.7        |
| 43    |        | NM_014735<br>AU076643 |                        | SS,TM,efhand,ion_trans                               | secreted phosphoprotein 1 (osteopontin,  | 3.7        |
|       |        | Y13647                | Hs.119597              | SS,TM,Desaturase,SS                                  | stearoyl-CoA desaturase (delta-9-desatur   | 3.6        |
|       |        | AW207175              |                        | SS,7tm_1,SPRY,                                       | ESTs   | 3.6        |
|       |        | NM_000909             |                        | SS,TM,7tm_1,   | neuropeptide Y receptor Y1   | 3.6        |
| 50    |        | NM_003157             |                        | SS.pkinase,vwa,vwa,Glyco_transf_8                    | serine/threonine kinase 2  | 3.6        |
| -     |        | NM_014400             |                        | SS,PH,lactamase_B                                    | GPI-anchored metastasis-associated prote   | 3.6        |
|       |        | A1791493              |                        | SS,p450,p450   | ESTs, Weakly similar to A36036 cytochrom   | 3.6        |
|       |        | AF059214              |                        |  | cholesterol 25-hydroxylase   | 3.6        |
| ہے ہے |        | AI308876              | Hs.103849              | TM,hemopexin,Peptidase_M10,hemopexin,Pe              | ephypothetical protein UKFZp/61U112  | 3.6<br>3.6 |
| 55    |        | AW895719              |                        | TM,ion_trans,K_tetra,                                | gb:QV4-NN0039-290300-154-f06 NN0039 Homo<br>a disIntegrin and metalloproteinase doma | 3.6        |
|       |        | NM_003816             |                        | And transforth sine katagod cust as hi               | fatty acid synthase  | 3.5        |
|       |        | U29344                | Hs.83190               | Acyt_transf,adh_zinc,ketoacyl-synt,pp-bi<br>IMS,SS   | polymerase (DNA directed) lota   | 3.5        |
|       |        |                       | Hs.271699<br>Hs.323910 | SS,TM,SH2,PH,pkinase,Recep_L_domain,Fu               |  | 3.5        |
| 60    |        | S57296<br>AW961400    | Hs.333526              | SS   | HER2 receptor tyrosine kinase (c-erb-b2,   | 3.5        |
| 50    |        | AA121098              |                        | pkinase,POLO_box,SS,pkinase,POLO_box,                | serum-inducible kinase   | 3.5        |
|       |        | H22570                | Hs.172572              | SS,ig,pkinase,LRRNT,LRRCT,                           | hypothetical protein FLJ20093  | 3.5        |
|       |        | AA116021              |                        | SS,UCH-1,UCH-2,SS,TM,G_glu_transpept                 | ubiquitin specific protease 18   | 3.5        |
|       |        | AF039241              |                        | Peptidase_M24,                                       | histone deacetylase 5  | 3.5        |
| 65    |        |                       | Hs.177534              | DSPc,Myosin_tail,                                    | dual specificity phosphatase 10  | 3.5        |
|       | 412049 | N53437                | Hs.18268               | SS,adenylatekinase,                                  | adenylate kinase 5   | 3.5        |
|       | 425776 | U25128                | Hs.159499              | SS,TM,7tm_2,SS,TM,7tm_2                              | parathyroid hormone receptor 2   | 3.4        |
|       |        |                       |                        |  |  |            |

|     | 407846 | AA426202    | Hs.40403   | TM,ABC_membrane,ABC_tran,Rlbosomal_S     | 4eCbp/p300-interacting transactivator, wit  | 3.4         |
|-----|--------|-------------|------------|--|---|-------------|
|     | 406925 | L34041      | Hs.9739    |  | PE-glycerol-3-phosphate dehydrogenase 1 (so | 3.4         |
|     | 445873 | AA250970    | Hs.251946  | SS,rrm,PABP,pkinase,14-3-3,rrm           | poly(A)-binding protein, cytoplasmic 1-l    | 3.4         |
|     | 418054 | NM_00231    | 8Hs.83354  | SS,TM,mito_carr,Lysyl_oxldase            | lysyl oxidase-like 2                        | . 3.4       |
| 5   | 406815 | AA833930    | Hs.288036  | SS,IPPT,                                 | tRNA isopentenylpyrophosphate transferas    | 3.4         |
|     |        |             | Hs.64173   | ATP-synt_ab,SS,7tm_1,ATP-synt_ab         | ATPase, H transporting, lysosomal (vacuo    | 3.4         |
|     |        | U52077      |            | ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,   | gb:Human mariner1 transposase gene, comp    | 3.4         |
|     |        |             | Hs.330780  | SS,p450,SS                               | cytochrome P450, subfamily IIB (phenobar    | 3.4         |
|     |        |             | Hs.321176  | SS                                       | ESTs, Weakly similar to S65824 reverse t    | 3.4         |
| 10  |        |             | Hs.123073  | pkinase.                                 | CDC2-related protein kinase 7               | 3.4         |
|     |        |             | 1Hs.111256 | lipoxygenase,PLAT,                       | arachidonate 15-lipoxygenase, second typ    | 3.3         |
|     |        | AW797437    |            | SS,sushi,trypsin,vwa,rrm,fibrinogen_C,fn | B-factor, properdin                         | 3.3         |
|     |        | H73505      | Hs.117874  | SS,Peptidase_S8,P,Peptidase_S8,P         | ESTs  | 3.3         |
|     |        |             | 6Hs.288215 | SS,Pribosyltran,                         | sialytransferase                            | 3.3         |
| 15  |        |             | Hs.172914  | SS,adh_short,TGF-beta,TGFb_propeptide    | retinol dehydrogenase 5 (11-cls and 9-ci    | 3.3         |
| 13  |        | H11257      | Hs.22968   | SS,pkinase,ig,                           | Homo sapiens clone IMAGE:451939, mRNA se    | 3.3         |
|     |        | Al267371    |            | SS,SS,lipoxygenase,PLAT                  | ESTs  | 3.3         |
|     |        | Al161293    |            | SS,SS,Peptidase_M1,EGF,ig,lectin_c,sushi | aminopeptidase                              | 3.3         |
|     |        | AF052152    |            | pkinase,                                 | Homo sapiens clone 24628 mRNA sequence      | 3.3         |
| 20  |        | Z42047      | Hs.283978  | SS,TM,7tm_1                              | Homo sapiens PRO2751 mRNA, complete cds     | 3.3         |
| 20  |        |             |            | 55,1W,/UII_1                             |   | 3.3         |
|     |        | D85782      | Hs.3229    | CC Contidence \$44                       | cysteine dioxygenase, type I                | 3.3         |
|     |        | AF084545    | III- ETCCA | SS,Peptidase_M1,                         | Target                                      | 3.3         |
|     |        | AL359053    |            | TM,Integrin_B,RicIn_B_lectin,rrm         | Homo sapiens mRNA full length insert cDN    |             |
| 25  |        | R19897      | Hs.106604  | death,ZU5.pkinase,Activin_recp,          | ESTs  | 3.3         |
| 25  |        | Al694413    |            | SS,TM,7tm_3,ANF_receptor,sushi           | olfactory receptor, family 2, subfamily     | 3.2         |
|     |        | NM_00365    |            | SS                                       | carbohydrate (keratan sulfate Gal-6) sul    | 3.2         |
|     |        | BE562136    |            | SS,PCI,RasGEF,hormone_rec,zf-C4,         | proteasome (prosome, macropain) 26S subu    | 3.2         |
|     |        | D86983      | Hs.118893  | peroxidase,LRRCT,                        | Melanoma associated gene                    | 3.2         |
| 20  |        | AA326062    |            | SS,p450,p450                             | gb:EST29171 Cerebellum II Homo saplens c    | 3.2         |
| 30  |        | A1768235    |            | SS,Trehalase                             | gb:wg82g08.x1 Soares_NSF_F8_9W_OT_PA_P_S    | 3.2         |
|     |        | T47667      | Hs.28005   | SS,TM,Activin_recp,pkinase               | Homo sapiens cDNA FLJ11309 fis, clone PL    | 3.2         |
|     |        | AW247529    |            | TM,p450,Ets                              | platelet-activating factor acetylhydrola    | 3.2         |
|     |        | U39817      | Hs.36820   | SS,DEAD,HRDC,helicase_C,                 | Bloom syndrome                              | 3.1         |
| ~ ~ |        | L34041      | Hs.9739    | SS,TM,transport_prot,SWIB,RhoGAP,DAG_F   | E-  | glycerol-3- |
| 35  |        | te dehydrog |            | 3.1                                      |   |             |
|     |        | R31770      |            | TM,7tm_1,                                | ESTs  | 3.1         |
|     |        | U77413      | Hs.100293  |  | O-linked N-acetylglucosamine (GlcNAc) tr    | 3.1         |
|     | 443171 | BE281128    | Hs.9030    | SS,TM,7tm_1,rrm,SS                       | TONDU                                       | 3.1         |
|     | 452256 | AK000933    | Hs.28661   | TM,GDi,7tm_1,                            | Homo sapiens cDNA FLJ10071 fis, clone HE    | 3.1         |
| 40  | 432201 | AI538613    | Hs.298241  | SS,TM,trypsin,SS,TM,trefoil,trypsin,tref | Transmembrane protease, serine 3            | 3.1         |
|     | 419150 | T29618      | Hs.89640   | TM,pkinase,fn3,                          | TEK tyrosine kinase, endothelial (venous    | 3.1         |
|     | 444443 | Al149286    | Hs.55099   | SS                                       | rab6 GTPase activating protein (GAP and     | 3.1         |
|     | 426283 | NM_003937   | 7Hs.169139 |  | kynureninase (L-kynurenine hydrolase)       | 3.1         |
|     |        | BE568452    |            | SS.abhydrolase,                          | protein regulator of cytokinesis 1          | 3.1         |
| 45  |        | AA418204    |            | SS,pro_isomerase,                        | natural killer-tumor recognition sequenc    | 3.1         |
| -   |        | AW137691    |            | SS,TM,7tm_2,GPS                          | ESTs  | 3.1         |
|     |        |             | Hs.298241  |  | Transmembrane protease, serine 3            | 3.0         |
|     |        | BE077084    |            | SS,rm,zf-RanBP,pkinase,C2,pkinase_C,DAG  |   | 3.0         |
|     |        |             |            | 1 thurster 1                             |   |             |

#### TABLE 21A

Table 21 A shows the accession numbers for those pkeys lacking unigeneID's for Table 21. For each probeset, we have listed the gene cluster number from which the oligonucleotides were designed. Gene clusters were compiled using sequences derived from Genbank ESTs and mRNAs. These sequences were clustered based on sequence similarity using Clustering and Alignment Tools (DoubleTwist, Oakland California). The Genbank accession numbers for sequences comprising each cluster are listed in the "Accession" column.

| 1 | 13 |  |
|---|----|--|
|   |    |  |
|   |    |  |

| Pkey:      | Unique Eos probeset identifier number |
|------------|---------------------------------------|
| CAT number | Gene chister number                   |

Accession:

Genbank accession numbers

15

|    | Pkey   | CAT number | Accessions                          |
|----|--------|------------|-------------------------------------|
|    | 420854 | 197072 1   | AW296927 Al684514 Al263168 AA281079 |
| 20 | 423431 | 228162 1   | AA326062 AA325758 AW962182          |
|    | 423945 | 233566 1   | AA410943 AW948953 AA334202 AA332882 |
|    | 451264 | 863988 1   | AI768235 R31400 H29082 H23107       |
|    | 455325 | 1279475 1  | AW895719 N31451 N41451              |
|    | 456207 | 1650781    | AA193450                            |

# TABLE 21B

66350-66496

82121-83229

62554-62712,69449-69602

100742-100904,101322-101503

402578 9884928

403593 6862650

403943 7711864

404091 7684554

Plus

Minus

Plus

Table 21B shows the genomic positioning for those pkeys lacking unigene ID's and accession numbers in Table 21. For each predicted exon, we have listed the genomic sequence source used for prediction. Nucleotide locations of each predicted exon are also listed.

| 10 | Pkey:<br>Ref:<br>Strand:<br>Nt_position: |                               | Unique number corresponding to an Eos probeset Sequence source. The 7 digit numbers in this column are Genbank Identifier (GI) numbers. "Dunham I. et al." refers to the publication entitled "The DNA sequence of human chromosome 22." Dunham I. et al., Nature (1999) 402:489-495. Indicates DNA strand from which exons were predicted. Indicates nucleotide positions of predicted exons. |   |  |  |  |
|----|--|-------------------------------|--|---|--|--|--|
| 15 | Pkey                                     | Ref                           | Strand   | Nt_position   |  |  |  |
| 20 | 402230                                   | 8117619<br>9966312<br>9796239 | Plus<br>Minus<br>Minus   | 90044-90184,91111-91345<br>29782-29932<br>110326-110491 |  |  |  |

PCT/US02/02242 WO 02/059377

# TABLE 22: 739 GENES UP-REGULATED IN BREAST CANCER COMPARED TO NORMAL ADULT BREAST

Table 22 shows 739 genes up-regulated in breast cancer compared to normal adult breast. These were selected as for Table 19, except that the ratio was greater than or equal to 3.0, the denominator was the 85<sup>th</sup> percentile value for 12 non-malignant breast specimens, and the 96th percentile value amongst the 73 breast cancers was greater than or equal 100 units.

10

5

Unique Eos probeset identifier number

Pkey: ExAccn: Exemplar Accession number, Genbank accession number

UnigenelD: Unigene number Unigene Title: R1: 15 Unigene gene title

Ratio of 90th percentile tumor to 85th percentile normal breast tissue

|     | Pkey   | ExAccn               | UnigenelD             | UnigeneTitle   | R1      |
|-----|--------|----------------------|-----------------------|--|---------|
| 20  |        |                      | =0.170                | D. (1) D.4.D.  | 51.5    |
|     | 400292 |                      | Hs.72472              | BMP-R1B  | 38.3    |
|     | 424735 | U31875               | Hs.272499             | short-chain alcohol dehydrogenase family   | 29.9    |
|     |        | Al127076             | Hs.334473             | hypothetical protein DKFZp564O1278   | 26.9    |
| ٥.  |        | AL137517             | Hs.334473             | hypothetical protein DKFZp564O1278   | 25.8    |
| 25  |        | A1955040             | Hs.265398             | ESTs, Weakly similar to transformation-r   | 23.2    |
|     | 431211 |                      |                       | gap junction protein, beta 2, 26kD (conn   | 22.6    |
|     | 418203 |                      | Hs.83758              | CDC28 protein kinase 2   | 19.8    |
|     | 407980 |                      |                       | gb:zf12f01.s1 Soares_fetal_heart_NbHH19W   | 18.9    |
| ••  |        | AA353776             | Hs.901                | CD48 antigen (8-cell membrane protein)   | 18.0    |
| 30  |        | AB012113             | Hs.16530              | small inducible cytokine subfamily A (Cy   | 17.6    |
|     | 409041 |                      | Hs.50081              | KIAA1199 protein   | 17.6    |
|     |        | AA219691             | Hs.73625              | RAB6 interacting, kinesin-like (rabkines<br>Homo sapiens cDNA FLJ14388 fis, clone HE | 17.1    |
|     |        | AA147884             | Hs.9812               | Homo sapiens con PL 14300 iis, Golie Fil   | 17.0    |
| 2.5 |        | AI263307             | HS.239884             | H2B histone family, member L<br>gb:ye53h05.s1 Soares fetal liver spleen              | 16.1    |
| 35  |        | T97307               | 11. 455050            | gb:yeb3h05.51 Soares retainver spreen  | 16.1    |
|     |        | D90041               | MS. 100900            | N-acetyltransferase 1 (arylamine N-acety   | 16.0    |
|     |        | A1440266             |                       | ESTs, Weakly similar to T24832 hypotheti small inducible cytokine subfamily B (CX    | 15.5    |
|     |        | AA321649             |                       | similar to lysosome-associated membrane  | 15.1    |
| 40  |        | NM_01439             |                       |  | 14.9    |
| 40  |        | AL120862             | Hs.124165             | programmed cen death a (PDODS)   | 14.7    |
|     |        | AA746503             | Hs.283313             | KIA A0404 gang product   | 14.4    |
|     |        | H60720               | Hs.81892              | KIAA0101 gene product<br>Homo sapiens mRNA; cDNA DKFZp434E082                        |         |
|     |        | AI267652             | Hs.30504              | ESTs   | 14.2    |
| AE  |        | A1768015             | Hs.92127              | BMP-R1B  | 14.1    |
| 45  |        | AI733881             | Hs.72472<br>Hs.265398 |  | 13.8    |
|     |        | AW840171<br>AL120659 | Hs.6111               | aryl-hydrocarbon receptor nuclear transl   | 13.8    |
|     |        |                      | HS.0111               | NM_006265*:Homo sapiens RAD21 (S. pomi   |         |
|     | 400205 | AA489732             | Hs.154918             |  | 13.4    |
| 50  |        | AA948033             |                       |  | 13.3    |
| 50  |        | AL120173             | Hs.301663             |  | 13.2    |
|     | 449722 |                      |                       | cyclin B1  | 13.2    |
|     | 406685 |                      | 113.23300             | gb:Human nonspecific crossreacting antig   | 13.0    |
|     | 406690 |                      | Hs.220529             |  | 12.8    |
| 55  | 429925 |                      | 6Hs.226213            |  | 12.8    |
| 55  |        | U33632               | Hs.79351              | potassium channel, subfamily K, member 1   | 12.7    |
|     |        | Al493046             | Hs.146133             |  | 12.5    |
|     | 432370 |                      |                       | ESTs   | 12.5    |
|     | 456207 |                      |                       | gb:zr40e07.r1 Soares_NhHMPu_S1 Homo s  | api12.4 |
| 60  | 422805 | AA436989             | Hs.121017             | H2A histone family, member A   | 12.2    |
| 50  | 407811 |                      | 2 Hs.40098            | cysteine knot superfamily 1, BMP antagon   | 12.2    |
|     | 407178 |                      | Hs.104108             |  | 12.2    |

|            | 420931 | AF044197           | Hs.100431  | small inducible cylokine B subfamily (Cy                                   | 12.1         |
|------------|--------|--------------------|------------|--|--------------|
|            | 421727 | Y13153             | Hs.107318  | kynurenine 3-monooxygenase (kynurenine 3                                   | 12.0         |
|            | 434408 | Al031771           | Hs.132586  | ESTs   | 12.0         |
| _          | 446591 | H44186             | Hs.15456   | PDZ domain containing 1  | 11.9         |
| 5          | 431385 | BE178536           | Hs.11090   | membrane-spanning 4-domains, subfamily A                                   | 11.8         |
|            | 443348 | AW873596           | Hs.182278  | calmodulin 2 (phosphorylase kinase, delt                                   | 11.7         |
|            |        | NM_006159          |            | nel (chicken)-like 2   | 11.7         |
|            |        | AF026944           |            |  | 11.6         |
|            |        | AA156781           |            | metallothionein 1E (functional)  | 11.5         |
| 10         |        | AW975398           |            |  | 11.4         |
|            |        |                    | Hs.21948   | ESTs   | 11.3         |
|            |        | AW600291           |            | hypothetical protein FLJ10430  | 11.3         |
|            |        | X78592             | Hs.99915   | androgen receptor (dihydrotestosterone r                                   | 11.3         |
| 1.5        |        | BE336654           |            | H3 histone family, member A  | 11.2<br>11.2 |
| 15         |        | A1633559           | Hs.310359  |  | 11.0         |
|            |        | AA765694           | HS. 123280 | programmed cell death 9 (PDCD9)  | 10.9         |
|            |        | A1684808<br>N78223 |            | transcription factor   | 10.7         |
|            |        | AA576953           |            | hypothetical protein FLJ13352  | 10.6         |
| 20         |        | AW965339           |            |  | 10.6         |
| 20         |        | AI370413           | Hs.36563   | hypothetical protein FLJ22418  | 10.4         |
|            |        | W67883             |            | paternally expressed 10  | 10.4         |
|            |        | Al199268           | Hs.19322   | Homo sapiens, Similar to RIKEN cDNA 2010                                   |              |
|            |        |                    |            | NIMA (never in mitosis gene a)-related k                                   | 10.1         |
| 25         |        | H87648             | Hs.33922   | Homo sapiens, clone MGC:9084, mRNA, com                                    | p10.1        |
|            | 442942 | AW167087           | Hs.131562  | ESTs   | 10.1         |
|            | 434377 | AW137148           | Hs.306593  | Homo sapiens cDNA FLJ11382 fis, clone HE                                   | 10.1         |
|            |        | AA399272           |            |  | 10.1         |
|            | 445730 | AI624342           | Hs.170042  | EST\$  | 10.0         |
| 30         |        | A1926047           | Hs.162859  |  | 10.0         |
|            |        | AL355715           |            | programmed cell death 9  | 9.9          |
|            |        | AW966399           |            | hypothetical protein FLJ20086  | 9.9          |
|            |        | Y00971             | Hs.2910    | phosphoribosyl pyrophosphate synthetase                                    | 9.9<br>9.9   |
| 25         |        | H23789             | Hs.144530  |  | 9.8          |
| 35         |        | A1655499           | Hs.161712  |  | 9.8          |
|            |        | BE613126           |            | CGI-49 protein B aggressive lymphoma gene                                  | 9.7          |
|            |        | C16391             | 115.77703  | gb:C16391 Ciontech human aorta polyA mRN                                   |              |
|            |        | AA151342           | He 12677   | CGI-147 protein  | 9.7          |
| 40         |        | A1064690           | Hs.171176  |  | 9.7          |
|            |        | AI022650           | Hs.8117    | erbb2-interacting protein ERBIN  | 9.7          |
|            |        |                    |            | uncharacterized bone marrow protein BM04                                   | 9.7          |
|            |        | AL360204           |            | Homo sapiens mRNA full length insert cDN                                   | 9.6          |
|            | 428966 | AF059214           |            | cholesterol 25-hydroxylase   | 9.6          |
| 45         | 449448 | D60730             | Hs.57471   | ESTs   | 9.6          |
|            | 433929 | Al375499           | Hs.27379   | ESTs   | 9.5          |
|            |        | R31178             |            | fibronectin 1  | 9.3          |
|            |        |                    |            | leucine-rich repeat-containing 2   | 9.3          |
| 50         |        | R17798             | Hs.7535    | COBW-tike protein  | 9.3          |
| 50         |        | U80736             |            | trinucleotide repeat containing 9  | 9.2<br>9.2   |
|            |        | AJ224741           |            |  | 9.2          |
|            |        | AA410943           | ns.270004  | heterochromatin-like protein 1<br>gb:zt32h03.r1 Soares ovary tumor NbHOT H |              |
|            |        | BE093589           | No 20179   | hypothetical protein FLJ23468  | 9.1          |
| 55         |        | Al337735           | He 173919  | ESTs, Moderately similar to ZN91_HUMAN Z                                   |              |
| <i>J J</i> |        | AW732573           |            | potassium voltage-gated channel, delayed                                   | 9.0          |
|            |        | AI076089           | Hs.292239  |  | 9.0          |
|            |        | Y00272             |            | cell division cycle 2, G1 to S and G2 to                                   | 8.9          |
|            |        | AI767756           | Hs.82302   | Homo sapiens cDNA FLJ14814 fis, clone NT                                   | 8.9          |
| 60         | 402408 |                    |            | NM_030920*:Homo sapiens hypothetical pro                                   | 8.9          |
| -          |        | AA279490           | Hs.86368   | calmegin   | 8.8          |
|            |        | W03242             | Hs.44898   | Homo sapiens clone TCCCTA00151 mRNA s                                      |              |
|            |        | Al198719           | Hs.176376  |  | 8.8          |
| 65         |        | AW296024           |            |  | 8.8          |
| 65         |        | A1754693           | Hs.145968  |  | 8.8<br>8.7   |
|            |        | A1745649           | Hs.26549   | KIAA1708 protein   | 8.7<br>8.7   |
|            | 44/1/0 | AW594641           | 115.19241/ | Edia   | U.7          |

|    | 427585 | D31152    | Hs.179729  | collagen, type X, alpha 1 (Schmid metaph   | 8.6          |
|----|--------|-----------|------------|--|--------------|
|    | A15857 | AAR66115  | Hs 127797  | Homo sapiens cDNA FLJ11381 fis, clone HE   | 8.6          |
|    |        | AI651474  | Hs.163944  | FSTs                                       | 8.6          |
|    |        |           |            | CTP synthase                               | 8.4          |
| 5  |        | AW067903  |            | collagen, type XI, alpha 1                 | 8.4          |
| 5  |        |           |            | ecotropic viral integration site 2B        | 8.3          |
|    |        | AA382207  | NS.3309    | ESTs, Moderately similar to ALU1_HUMAN A   |              |
|    | 43//51 | AA767373  | HS.30009   | ES15, Muderately similar to ALO 1_10Mart A | 8.2          |
|    |        |           |            | DKFZP434G232 protein                       | 8.2          |
| 10 | 440941 | BE268362  | HS.7535    | COBW-like protein                          | 8.2          |
| 10 | 429859 | NM_007050 | Hs.225952  | protein tyrosine phosphatase, receptor t   |              |
|    |        | AJ132592  |            | zinc finger protein 281                    | 8.2          |
|    | 431725 |           | Hs.2839    | Norrie disease (pseudoglioma)              | 8.1          |
|    |        |           | Hs.263478  |  | 8.1          |
|    | 416747 | AW876523  | Hs.15929   | hypothetical protein FLJ12910              | 8.1          |
| 15 |        |           |            | Homo sapiens cDNA: FLJ23523 fis, clone L   | 8.1          |
|    | 421650 | AA781795  | Hs.122587  | ESTs                                       | 8.0          |
|    | 429534 | AW976987  | Hs.163327  | ESTs, Weakly similar to 2109260A B cell    | 8.0          |
|    | 457465 | AW301344  | Hs.122908  | DNA replication factor                     | 8.0          |
|    | 427961 | AW293165  | Hs.143134  | ESTs                                       | 8.0          |
| 20 |        | AA379597  |            | HSPC150 protein similar to ubiquitin-con   | 8.0          |
|    |        |           |            | AF15g14 protein                            | 8.0          |
|    |        | U29926    | Hs.83918   | adenosine monophosphate deaminase (isofo   | 7.9          |
|    | 400285 |           |            | Eos Control                                | 7.9          |
|    |        | AF039241  | Hs 9028    | histone deacetylase 5                      | 7.9          |
| 25 |        | M18728    | 110.0020   | gb:Human nonspecific crossreacting antig   | 7.8          |
| 23 |        | D43945    | He 113274  | transcription factor EC                    | 7.8          |
|    | 454024 | AA003527  | He 203907  | hypothetical protein FLJ23403              | 7.8          |
|    |        | AI161293  | He 280380  | aminopeptidase                             | 7.8          |
|    |        |           | Ha.200300  | wingless-type MMTV integration site fami   | 7.7          |
| 20 |        | A1683487  |            | ESTs, Weakly similar to 155214 salivary    | 7.6          |
| 30 |        | AL110216  | Hs.48269   | vaccinia related kinase 1                  | 7.6          |
|    |        | H69912    |            |  | 7.6          |
|    |        | T27503    | Hs.15929   | hypothetical protein FLJ12910              | 7.6          |
|    | 442818 | AK001741  | HS.8739    | hypothetical protein FLJ10879              | 7.5          |
| 26 |        |           | /HS.169139 | kynureninase (L-kynurenine hydrolase)      | 7.5<br>7.5   |
| 35 |        | J05070    |            | matrix metalloproteinase 9 (gelatinase B   | 7.5<br>7.5   |
|    |        | NM_016293 |            | bridging integrator 2                      | 7.5<br>7.5   |
|    |        | H69125    | Hs.133525  | ESIS                                       | 7.5<br>7.5   |
|    |        | M97711    |            | gb:Human T-cell receptor (V beta 18.1, J   | 7.4          |
| 40 | 420077 | AW512260  | HS.8//6/   | ESTs                                       | 7.4          |
| 40 |        |           |            | kinesin protein 9 gene                     |              |
|    |        | NM_00180  | 9Hs.1594   | centromere protein A (17kD)                | 7.4          |
|    | 447555 | Al391662  | Hs.160963  | Homo sapiens, done MGC:12318, mRNA, co     | 4, 111K      |
|    | 444618 | AV653785  | Hs.173334  | ELL-RELATED RNA POLYMERASE II, ELOI        | NOATIOI A    |
|    |        | BE391804  | Hs.62661   | guanylate binding protein 1, interferon-   | 7.3<br>- 7.2 |
| 45 | 400268 |           |            | NM_003292:Homo sapiens translocated pror   | 11.3         |
|    |        | AF086332  |            | ESTs                                       | 7.3          |
|    | 407771 | AL138272  |            | ESTs                                       | 7.3          |
|    | 407202 | N58172    | Hs.109370  | ESTs                                       | 7.3          |
|    | 433096 | AU076803  | Hs.282975  | carboxylesterase 2 (intestine, liver)      | 7.2          |
| 50 | 422094 | AF129535  | Hs.272027  | F-box only protein 5                       | 7.1          |
|    | 430832 | A1073913  | Hs.100686  | ESTs, Weakly similar to JE0350 Anterior    | 7.1          |
|    | 430287 | AW182459  | Hs.125759  | ESTs, Weakly similar to LEU5_HUMAN LEU     | KE7.0        |
|    | 423739 | AA398155  | Hs.97600   | FSTs                                       | 1.0          |
|    | 448212 | A1475858  |            | gb:tc87d07.x1 NCI_CGAP_CLL1 Homo sapin     | ens7.0       |
| 55 | 407277 | AW170035  | Hs.326736  | Homo sapiens breast cancer antigen NY-BR   | 7.0          |
| •• | 454440 | BE062906  | Hs.28338   | KIAA1546 protein                           | 7.0          |
|    |        | AK001468  |            | anillin (Drosophila Scraps homolog), act   | 7.0          |
|    |        | AA808229  |            |  | 6.9          |
|    | 431960 | AW241821  | Hs.301927  | ' c6.1A                                    | 6.9          |
| 60 |        | Al263293  | Hs.152096  | cytochrome P450, subfamily IIJ (arachido   | 6.8          |
| UU |        | AW500106  |            |  | 6.8          |
|    | 419311 | AW449211  | Hs 105445  | GDNF family receptor alpha 1               | 6.8          |
|    | 402040 | AA135257  | Hs 47783   | B aggressive lymphoma gene                 | 6.8          |
|    |        | A1767056  | Hs.193002  |  | 6.7          |
| 65 | 441242 | AF123050  | Hs 44532   | diubiquitin                                | 6.7          |
| O) | 400300 | RF545072  | Hs 199570  | hypothetical protein FLJ10461              | 6.7          |
|    | 444500 | AA393907  | Hs 97170   | FSTs                                       | 6.7          |
|    |        |           |            |  |              |

|         | 419839 |                       | Hs.93304               | phospholipase A2, group VII (platelet-ac                                       | 6.7        |
|---------|--------|-----------------------|------------------------|--|------------|
|         |        | AA810265              |                        |  | 6.7<br>6.7 |
|         |        | Al910275<br>AW023482  | Hs.1406                | trefoil factor 1 (pS2)<br>ESTs   | 6.6        |
| 5       |        | NM_003816             |                        | a disintegrin and metalloproteinase doma                                       | 6.6        |
| •       |        |                       |                        | CGI-62 protein   | 6.6        |
|         |        | Al215069              | Hs.89113               | ESTs   | 6.5        |
|         | 427718 | A1798680              | Hs.25933               | ESTs   | 6.5        |
| 10      |        | N40449                |                        | ESTs, Weakly similar to S38383 SEB4B pro                                       | 6.5        |
| 10      |        | AI151418              |                        | protein phosphalase 3 (formerly 2B), cat                                       | 6.4<br>6.4 |
|         |        | NM_001898<br>AF026941 |                        | Homo sapiens cig5 mRNA, partial sequence                                       | 6.4        |
|         | 456938 |                       |                        | tyrosine aminotransferase  | 6.4        |
|         |        | AI820961              | Hs.193465              | <u></u>  | 6.4        |
| 15      |        |                       |                        | inositol polyphosphate-4-phosphatase, ty                                       | 6.4        |
|         | 452838 | U65011                | Hs.30743               | preferentially expressed antigen in mela                                       | 6.4        |
|         |        | AA918317              | Hs.57987               | B-cell CLL/lymphoma 118 (zinc finger pro                                       | 6.4        |
|         |        | AJ235664              | 11. 400004             | gb:Homo sapiens mRNA for immunoglobulin  | 6.3<br>6.3 |
| 20      |        | AI222020              |                        | CocoaCrisp<br>clone HQ0310 PRO0310p1   | 6.3        |
| 20      |        | AF217513<br>Al193043  |                        | ESTs, Weakly similar to T17226 hypotheti                                       | 6.2        |
|         |        | AA394183              |                        | ESTs   | 6.2        |
|         | 402578 | 701057100             | 110.20070              | C1001134:glj2117372 pir  165981 fatty ac                                       | 6.2        |
|         |        | AW161391              | Hs.709                 | deoxycytidine kinase   | 6.1        |
| 25      | 430447 |                       |                        | SWI/SNF related, matrix associated, acti                                       | 6.1        |
|         | 432415 |                       |                        | ESTs, Weakly similar to A43932 mucin 2 p                                       | 6.1        |
|         |        | Al082692              | Hs.134662              |  | 6.1        |
|         |        | AI694143              |                        | programmed cell death 4  | 6.1<br>6.1 |
| 30      |        | BE440042              | Hs.83326<br>Hs.40479   | matrix metalloproteinase 3 (stromelysin ESTs                                   | 6.0        |
| 30      |        | Al126772<br>BE463721  |                        | putative G protein-coupled receptor  | 6.0        |
|         |        | U23752                | Hs.32964               | SRY (sex determining region Y)-box 11  | 6.0        |
|         | 425397 |                       |                        | topolsomerase (DNA) li alpha (170kD)   | 6.0        |
|         | 418007 |                       | Hs.83169               | matrix metalloproteinase 1 (MMP1; inters                                       | 6.0        |
| 35      | 428585 | AB007863              | Hs.185140              | KIAA0403 protein   | 6.0        |
|         |        |                       |                        | ESTs, Weakly similar to ALU1_HUMAN ALU RAR-related orphan receptor A           | 6.0        |
|         |        | AA583206<br>M31126    |                        | matrix metalloproteinase 11 (MMP11; stro                                       | 6.0        |
|         |        | R45154                | Hs.106604              |  | 6.0        |
| 40      |        |                       |                        | ESTs, Weakly similar to Con1 [H.sapiens]                                       | 6.0        |
|         | 441233 | AA972965              | Hs.135568              | ESTs   | 6.0        |
|         | 432239 | X81334                | Hs.2936                | matrix metalloproteinase 13 (collagenase                                       | 6.0        |
|         |        | AA100847              |                        | ESTs, Highly similar to AF174600 1 F-box                                       | 5.9        |
| 45      |        | AI831297              | Hs.123310              |  | 5.9<br>5.9 |
| 45      |        | AW972512              | HS.20985               | sin3-associated polypeptide, 30kD<br>gb:IL2-UM0079-090300-050-D03 UM0079 Ho    |            |
| _       |        | AW803341              | He 118554              | CGI-83 protein   | 5.9-       |
|         |        | AI793124              | Hs.144479              |  | 5.9        |
|         |        |                       |                        | hypothetical protein FLJ22624  | 5.8        |
| 50      |        | AI005043              | Hs.24143               | Wiskott-Aldrich syndrome protein interac                                       | 5.8        |
|         |        | N32536                | Hs.42645               | solute carrier family 16 (monocarboxylic                                       | 5.8        |
|         |        | Al375572              | Hs.172634              |  | 5.8        |
|         |        |                       |                        | hypothetical protein PRO2013<br>SEC22, veside trafficking protein (S. c        | 5.8<br>5.8 |
| 55      |        | AA306105<br>AI571940  | Hs.7549                | ESTs   | 5.8        |
| 33      |        | T93500                | Hs.28792               | Homo sapiens cDNA FLJ11041 fis, clone PL                                       | 5.8        |
|         |        | Al299139              | Hs.17517               | ESTs   | 5.8        |
|         |        | AI033965              |                        | sterol-C4-methyl oxidase-like  | 5.8        |
|         | 400289 | X07820                | Hs.2258                | matrix metalloproteinase 10 (MMP10; str  | 5.7        |
| 60      |        | AV657117              |                        | ESTs, Moderately similar to S65657 alpha                                       | 5.7        |
|         |        | AA831879              | Hs.136985              | ESIS   | 5.7<br>5.7 |
|         |        | W47595                |                        | transforming growth factor, beta 2<br>tumor necrosis factor, alpha-induced pro | 5.7<br>5.7 |
|         | 402401 | NM_00711              | UU2.53335<br>He 106833 | hypothetical protein MGC14797  | 5.7        |
| 65      | 438100 | AW016531              | Hs.122147              | ESTs   | 5.7        |
| <b></b> | 446203 | Z47553                | Hs.14286               | flavin containing monooxygenase 5  | 5.7        |
|         | 428336 | AA503115              | Hs.183752              | microseminoprotein, beta-  | 5.6        |
|         |        |                       |                        |  |            |

|            | 430379 | AF134149         | Hs.240395   | potassium channel, subfamily K, member 6  | 5.6           |
|------------|--------|------------------|-------------|---|---------------|
|            | 422835 | BE218705         | Hs.121378   |   | 5.6           |
|            | 444758 | AL044878         | Hs.11899    |   | 5.6           |
| _          | 443426 | AF098158         | Hs.9329     |   | 5.6           |
| 5          | 400301 |                  | Hs.1657     |   | 5.6           |
|            |        | AW885727         |             |   | 5.6           |
|            |        |                  |             | Homo sapiens mRNA; cDNA DKFZp586O072  |               |
|            |        | AA906288         |             |   | 5.5           |
| 1.0        | 439809 |                  |             | .,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,   | 5.5           |
| 10         |        |                  |             | hypothetical protein FLJ13782   | 5.5           |
|            |        | BE247706         | Hs.89/51    | membrane-spanning 4-domains, subfamily A  | J.J           |
|            | 401645 |                  |             | C16001440*:gi 12330704 gb AAG52890.1 AF   | )3.3<br>E E   |
|            |        | BE277414         |             | mer damenentia. g entregente (= entre :   | 5.5<br>5.4    |
| 1.5        |        | AI734009         | Hs.127699   |   | 5.4<br>5.4    |
| 15         |        | A1742605         | Hs.193696   |   | 5.4           |
|            |        | NM_015986        |             | cytokine receptor-like molecule 9   | 5.4<br>5.4    |
|            | 437536 |                  | Hs.144465   |   | 5.4           |
|            |        | R28363           | Hs.24286    | ESTS  | 5.4           |
| 20         |        | BE392914         |             | ·Homo sapiens cDNA FLJ11344 fis, clone PL<br>ESTs, Moderately similar to ALU7_HUMAN A |               |
| 20         |        | H59846           |             | secretogranin II (chromogranin C)   | 5.4           |
|            |        | AA319146         | Hs.1584     | cartilage oligomeric matrix protein (COM  | 5.4           |
|            |        | L32137<br>N34895 | Hs.44648    | ESTs  | 5.4           |
|            |        | AW205168         |             |   | 5.4           |
| 25         |        | AF025441         |             | Opa-interacting protein 5   | 5.3           |
| 2.5        |        | AA576635         |             | CGI-48 protein  | 5.3           |
|            |        | AA814100         |             | ESTs  | 5.3           |
|            |        | U91616           | Hs.91640    | nuclear factor of kappa light polypeptid  | 5.3           |
|            |        | H39960           | Hs.288467   | Homo sapiens cDNA FLJ12280 fis, clone MA  | 5.3           |
| 30         | 445900 | AF070526         | Hs.13429    | Homo sapiens clone 24787 mRNA sequence  | 5.2           |
|            | 449051 | AW961400         | Hs.333526   | HER2 receptor tyrosine kinase (c-erb-b2,  | 5.2           |
|            | 418758 | AW959311         | Hs.172012   | hypothetical protein DKFZp434J037   | 5.2           |
|            | 431070 | AW408164         | Hs.249184   | transcription factor 19 (SC1)   | 5.2           |
|            | 417079 | U65590           | Hs.81134    | interleukin 1 receptor antagonist   | 5.2           |
| 35         | 421928 | AF013758         | Hs.109643   | polyadenylate binding protein-interactin  | 5.2           |
|            |        | AK000713         |             | hypothetical protein FLJ20706   | 5.2           |
|            | 427427 | AF077345         | Hs.177936   |   | 5.2           |
|            | 403485 |                  |             | C3001813*:gi 12737279 ref XP_012163.1  k  | 5.2           |
| 40         |        | AA586894         |             | S100 calcium-binding protein A7 (psorias  | 5.1           |
| 40         |        | A1878857         |             | hematological and neurological expressed  | 5.1<br>5.1    |
|            |        | X69490           | Hs.172004   |   |               |
|            |        | X70697           | Hs.553      | solute carrier family 6 (neurotransmitte  | 5.1<br>5.1    |
|            |        | M81933           | Hs.1634     | cell division cycle 25A   | 5.1           |
| 45         | 412201 | A1810054         | Hs.14119    | ESTs, Moderately similar to ALU7_HUMAN A  |               |
| 45         |        | AU121278         |             | ESTS  | 5.1           |
|            | 404347 | AL121210         | NS.20144    | Target Exon   | 5.1           |
|            |        | M30703           | No 270833   | amphiregulin (schwannoma-derived growth   | 5.1           |
|            |        | D28235           | Hs.196384   |   | 5.1           |
| 50         |        | BE568452         | Hs.5101     | protein regulator of cytokinesis 1  | 5.1           |
| 50         |        | R43646           | Hs.12422    | ESTs  | 5.1           |
|            |        | AK000796         |             | hypothetical protein  | 5.0           |
|            |        | H74319           | Hs.188620   |   | 5.0           |
|            | 407376 | AA993138         | Hs.142287   | ESTs. Weakly similar to ALUF_HUMAN !!!!   | 5.0           |
| 55         | 431689 | AA305688         | Hs.267695   | UDP-Gal:betaGlcNAc beta 1.3-galactosyltr  | 5.0           |
|            | 405348 | NA               |             | C7001664:gi[12698061]dbj[BAB21849.1] (AB  | 5.0           |
|            | 436196 | AK001084         | Hs.333498   | Homo saplens cDNA FLJ10222 fis, clone HE  | 5.0           |
|            | 437065 | AL036450         | Hs.103238   | ESTs  | 5.0           |
|            | 410196 | A1936442         | Hs.59838    | hypothetical protein FLJ10808   | 5.0           |
| 60         | 429412 | NM_00623         | 5Hs.2407    | POU domain, class 2, associating factor   | 5.0           |
|            | 446619 | AU076643         | Hs.313      | secreted phosphoprotein 1 (osteopontin,   | 4.9           |
|            | 403329 |                  |             | Target Exon   | 4.9           |
|            |        | BE623003         |             | Homo sapiens clone TCCCTA00142 mRNA s   |               |
| <i>~</i> - |        | AI820662         | Hs.129598   |   | 4.9           |
| 65         |        | AW371048         |             | H4 histone family, member H   | 4.9           |
|            | 424128 | AW966163         | Un 400070   | gb:EST378236 MAGE resequences, MAGI H calmodulin 2 (phosphorylase kinase, delt        | оточ.э<br>4.9 |
|            | 4088/3 | ALU46017         | rts. 1822/8 | санновин г (рноэрногуюза клазе, ови   | 4.3           |

|     |        | AA650274              |                       | fibronectin leucine rich transmembrane p                                  | 4.9        |
|-----|--------|-----------------------|-----------------------|---|------------|
|     |        | NM_002104             |                       | granzyme K (serine protease, granzyme 3;                                  | 4.9        |
|     |        | R10799                | Hs.191990             |   | 4.8        |
| -   |        |                       |                       | ESTs, Weakly similar to AT2A_HUMAN POTE                                   |            |
| 5   |        | Z45051                | Hs.22920              | similar to S68401 (cattle) glucose Induc                                  | 4.8        |
|     |        | R38438                | Hs.182575             |   | 4.8        |
|     |        |                       |                       | dynein light chain-A  | 4.8        |
|     |        | C18863                |                       | Homo sapiens cDNA FLJ11576 fis, clone HE                                  |            |
|     |        | H93281                | Hs.10710              | hypothetical protein FLJ20417   | 4.8        |
| 10  |        |                       |                       | GDNF family receptor alpha 1  | 4.8        |
|     |        | AI571835              | Hs.55468              | ESTs  | 4.8        |
|     |        | AL135173              | Hs.878                | sorbitol dehydrogenase  | 4.8        |
|     |        |                       | Hs.77324              | eukaryotic translation termination facto                                  | 4.8        |
| 1.5 |        | M93119                | Hs.89584              | insulinoma-associated 1   | 4.8        |
| 15  |        | AA233056              |                       |   | 4.8        |
|     |        | Al357412              | Hs.157601             |   | 4.8        |
|     |        | A1879148              | Hs.26770              | fatty acid binding protein 7, brain                                       | 4.7        |
|     |        | X04430                | Hs.93913              | Interleukin 6 (Interferon, beta 2)  | 4.7<br>4.7 |
| 20  |        |                       |                       | disintegrin protease  | 4.7        |
| 20  |        |                       |                       | hypothetical protein FLJ10326<br>Homo sapiens cDNA: FLJ22463 fis, clone H | 4.7        |
|     |        | AW192307              |                       | dolichyl-P-Glc:Man9GlcNAc2-PP-dolichylgl                                  | 4.7        |
|     |        |                       |                       | KIAA0942 protein  | 4.7        |
|     |        | NM_015310<br>Al675749 |                       | nucleoporin 153kD   | 4.7        |
| 25  |        |                       |                       | glutalhione reductase   | 4.7        |
| 23  | 405801 | AF220104              | 115.121524            | NM_000390:Homo sapiens choroideremia (Ra                                  |            |
|     |        | BE218886              | He 282070             |   | 4.6        |
|     |        |                       | Hs.28891              | hypothetical protein FLJ11360; artemis p                                  | 4.6        |
|     |        | U62027                |                       | complement component 3a receptor 1  | 4.6        |
| 30  |        | Al864053              | Hs.39972              | ESTs, Weakly similar to 138588 reverse t                                  | 4.6        |
| 50  |        | AW963062              |                       |   | 4.6        |
|     | 403366 |                       |                       | Target Exon   | 4.6        |
|     | 402542 |                       |                       | Target Exon   | 4.6        |
|     |        | AI916071              | Hs.15607              | Homo sapiens Fanconi anemia complementat                                  | 4.6        |
| 35  |        |                       | Hs.71465              | squalene epoxidase  | 4.6        |
|     | 456844 | Al264155              | Hs.152981             | CDP-diacytglycerol synthase (phosphatida                                  | 4.6        |
|     | 448072 | A1459306              | Hs.24908              | ESTs  | 4.5        |
|     | 408045 | AW138959              | Hs.245123             | ESTs  | 4.5        |
|     | 423782 | A1472209              | Hs.323117             |   | 4.5        |
| 40  | 447388 | AW630534              | Hs.76277              | Homo sapiens, clone MGC:9381, mRNA, com                                   |            |
|     | 448140 | AF146761              | Hs.20450              | BCM-like membrane protein precursor                                       | 4.5        |
|     | 452561 | A1692181              | Hs.49169              | KIAA1634 protein  | 4.5        |
|     |        | AW962128              |                       | gb:EST374201 MAGE resequences, MAGG H                                     |            |
| 4.5 |        | AW277121              |                       |   | 4.5        |
| 45  |        | Al815395              |                       | fatty acid desaturase 2   | 4.5        |
|     |        |                       |                       | ESTs, Weakly similar to 2109260A B cell                                   | 4.4        |
|     |        | A1377755              | Hs.120695             |   | 4.4        |
|     |        | AF153341              |                       | Homo sapiens winged helix/forkhead trans                                  | 4.4        |
| 50  |        | AA121673              |                       | zinc finger protein 281   | 4.4        |
| 50  |        | AJ815206              | Hs.99395              | ESTs  | 4.4        |
|     | 401866 | 4 4 000 770           | 11. 404704            | Target Exon   | 4.4<br>4.4 |
|     |        | AA228776              | MS.191721             |   | 4.4        |
|     | 406348 | A14/00/202            |                       | Target Exon<br>ab:QV4-NN0038-300300-157-c10 NN0038 Ho                     |            |
| 55  |        | AW895387              | U- 00064              | <b>♥</b> 1  | 4.4        |
| 55  |        | AW297880              |                       | ESTs<br>gb:QV4-CT0361-301299-074-b05 CT0361 Ho                            |            |
|     | 411743 | AW862214              | ⊔ <sub>0</sub> 283037 | HSPC039 protein   | 4.4        |
|     | A23300 | NM 00/1342            | 115.203037            | guanylate cyclase 1, soluble, beta 2                                      | 4.4        |
|     |        |                       |                       | DKFZP586D0824 protein   | 4.4        |
| 60  |        | H26735                | Hs.91668              |   |            |
| 00  |        |                       |                       | low density lipoprotein-related protein                                   | 4.3        |
|     |        | AA706003              |                       | ESTs  | 4.3        |
|     |        | Z97630                |                       | H1 histone family, member 0   | 4.3        |
|     |        | Y15221                |                       | small inducible cytokine subfamily B (Cy                                  | 4.3        |
| 65  |        | X03363                |                       | HER2 receptor tyrosine kinase (c-erb-b2,                                  | 4.3        |
|     |        | AL041243              | Hs.174104             | ESTs  | 4.3        |
|     |        | T57448                | Hs.15467              | hypothetical protein FLJ20725   | 4.3        |
|     | •      |                       |                       | -   |            |

|    | 403011 | NA                   |                      | ENSP00000215330°:Probable serine/threoni   | 4.3        |
|----|--------|----------------------|----------------------|--|------------|
|    |        |                      | Hs.11571             | Homo sapiens cDNA FLJ11570 fis, clone HE   | 4.3        |
|    |        | NM_001949            |                      | E2F transcription factor 3   | 4.3        |
|    |        | AA687538             |                      |  | 4.3        |
| 5  |        |                      |                      | KIAA0704 protein   | 4.3        |
| •  |        | AW188551             |                      | hypothetical protein FLJ14007  | 4.3        |
|    |        |                      | Hs.179246            |  | 4.3        |
|    |        |                      |                      |  | 4.3        |
|    | 414821 | M63835               | Hs.77424             |  | 4.2        |
| 10 | 410102 | AW248508             | Hs.279727            | Homo sapiens cDNA FLJ14035 fis, clone HE   | 4.2        |
|    | 452110 | T47667               | Hs.28005             | Homo sapiens cDNA FLJ11309 fis, clone PL   | 4.2        |
|    |        |                      |                      | nucleolar phosphoprotein Nopp34  | 4.2        |
|    | 417318 | AW953937             | Hs.12891             |  | 4.2        |
|    |        |                      |                      | ESTs, Weakly similar to T47184 hypotheti   | 4.2        |
| 15 | 443646 | AI085198             | Hs.164226            | ESTS   | 4.2        |
|    |        |                      |                      | ESTs, Weakly similar to S72482 hypotheti   | 4.2        |
|    |        | BE091926             |                      | mitotic spindle coiled-coil related prot   | 4.2        |
|    |        |                      |                      | DEME-6 protein   | 4.2<br>4.2 |
| 20 |        | AA902953             |                      |  | 4.2        |
| 20 |        |                      | Hs.50002             | small inducible cytokine subfamily A (Cy   | 4.2        |
|    |        | BE246743             |                      |  | 4.2        |
|    |        |                      |                      | protease, serine, 23<br>E-1 enzyme   | 4.2        |
|    |        | BE247676<br>AK001376 |                      | hypothetical protein FLJ10514  | 4.1        |
| 25 |        | AW779318             |                      | ESTs   | 4.1        |
| 23 |        | BE062109             |                      |  | 4.1        |
|    |        | AW294909             |                      |  | 4.1        |
|    |        | BE244074             |                      | regulator of Fas-induced apoptosis   | 4.1        |
|    |        | AW973352             |                      |  | 4.1        |
| 30 |        | NM_005940            |                      |  | 4.1        |
|    | 412886 | AF041163             | Hs.74647             | Human T-cell receptor active alpha-chain   | 4.1        |
|    |        | BE562826             |                      | gb:601336534F1 NIH_MGC_44 Homo saplen  | s c4.1     |
|    | 444301 | AK000136             | Hs.10760             | asporin (LRR class 1)  | 4.1        |
|    |        |                      | Hs.180669            | conserved gene amplified in osteosarcoma   | 4.1        |
| 35 | 405850 |                      |                      | Target Exon  | 4.1        |
|    |        |                      | Hs.190489            |  | 4.0<br>4.0 |
|    |        | AW292425             | HS.163484            |  | 4.0        |
|    | 400284 |                      | U= 400007            | estrogen receptor 1  | 4.0        |
| 40 |        |                      | Hs.102987<br>Hs.2488 | ESTs<br>lymphocyte cytosolic protein 2 (SH2 doma                                     | 4.0        |
| 40 |        | U20158<br>AW797437   |                      | B-factor, properdin  | 4.0        |
|    |        | U79293               | Hs 159264            | Human clone 23948 mRNA sequence  | 4.0        |
|    |        | AA013051             |                      | topoisomerase (DNA) Il binding protein   | 4.0        |
|    |        |                      | Hs.89603             | mucin 1, transmembrane   | 4.0        |
| 45 |        |                      | Hs.19030             | ESTs   | 4.0        |
|    |        | AW963372             |                      | PRO2000 protein  | 4.0        |
|    |        | T32982               | Hs.102720            | ESTs   | 4.0        |
|    | 421506 | BE302796             |                      | thymidine kinase 1, soluble  | 4.0        |
| _  | 417900 | BE250127             | Hs.82906             | CDC20 (cell division cycle 20, S. cerevi   | 3.9        |
| 50 |        | AW630088             |                      | Homo sapiens mRNA; cDNA DKFZp564B126   |            |
|    |        | AW411479             | Hs.848               | FK506-binding protein 4 (59kD)   | 3.9        |
|    | 404580 |                      | 07457                | NM_014112*:Homo saplens trichorhinophala   | 3.9        |
|    |        | AB018345             | Hs.2/65/             | KIAA0802 protein   | 3.9        |
|    |        | AA031956             | 11- 70422            | gb:zk15e04.s1 Soares_pregnant_uterus_NbH   | 3.9        |
| 55 | 416658 | U03272               | Hs.79432             | fibrillin 2 (congenital contractural ara<br>pre-B-cell leukemia transcription factor | 3.9        |
|    | 42004/ | AA243464             | HS.294 101           | ATP-binding cassette transporter MRP8  | 3.9        |
|    | 449000 | AL117406<br>AW134924 | He 100325            | FSTs   | 3.9        |
|    |        | X07871               | Hs.89476             | CD2 antigen (p50), sheep red blood cell  | 3.9        |
| 60 |        | W94197               | Hs.110165            |  | 3.9        |
| 00 |        | AI201183             | Hs.130251            | •  | 3.9        |
|    | 421168 | AF182277             | Hs.330780            | cytochrome P450, subfamily IIB (phenobar   | 3.9        |
|    | 431701 | AW935490             | Hs.14658             | Human chromosome 5q13.1 clone 5G8 mRN  |            |
|    | 418526 | BE019020             | Hs.85838             | solute carrier family 16 (monocarboxylic   | 3.9        |
| 65 | 414998 | NM_00254             | 3Hs.77729            | oxidised low density lipoproteln (lectin   | 3.9        |
|    | 422790 | AA809875             | Hs.25933             | ESTs   | 3.9        |
|    | 419741 | NM 007019            | 9Hs.93002            | ubiquitin carrier protein E2-C   | 3.9        |

|            | 430017 | AA263172             | Hs.35                 | protein tyrosine phosphatase, non-recept   | 3.9        |     |
|------------|--------|----------------------|-----------------------|--|------------|-----|
|            | 458814 | A1498957             | Hs.170861             | ESTs, Weakly similar to Z195_HUMAN ZINC  | 3.8        |     |
|            | 428514 | AW236861             | Hs.193139             | ESTs   | 3.8        |     |
|            | 434521 | NM_002267            | Hs.3886               | karyopherin alpha 3 (importin alpha 4)   | 3.8        |     |
| 5          | 409425 | U40462               | Hs.54452              | zinc finger protein, subfamily 1A, 1 (lk   | 3.8        |     |
|            | 439560 | BE565647             | Hs.74899              | hypothetical protein FLJ12820  | 3.8        |     |
|            | 424028 | AF055084             | Hs.153692             | Homo sapiens cDNA FLJ14354 fis, clone Y7   | 3.8        |     |
|            | 400021 |                      |                       | AFFX control - HUMISGF3A/M97935_MA   | 3.8        |     |
|            |        |                      | Hs.61779              | Homo saplens cDNA FLJ13591 fis, done PL  | 3.8        |     |
| 10         |        | Al267371             | Hs.172636             |  | 3.8        |     |
|            |        | AA631739             |                       |  | 3.8        |     |
|            |        | AW207206             |                       |  | 3.8        |     |
|            |        | A1446444             | Hs.190394             | ESTs, Weakly similar to B28096 line-1 pr   | 3.8        |     |
| 1.5        | 401045 | 4144440040           | 11. 450475            |  | 3.8        |     |
| 15         | -      | AW449612             |                       |  | 3.8        |     |
|            |        | NM_001838            |                       | chemokine (C-C molif) receptor 7   | 3.8<br>3.8 |     |
|            |        | AJ660149<br>AJ227892 | Hs.44865<br>Hs.146274 | lymphoid enhancer-binding factor 1   | 3.8        |     |
|            |        | AW068115             |                       | biglycan   | 3.8        |     |
| 20         |        | A1767949             | Hs. 179833            |  | 3.8        |     |
| 20         |        | NM_003512            |                       | H2A histone family, member L   | 3.8        |     |
|            |        |                      |                       | carboxypeptidase B1 (tissue)   | 3.8        |     |
|            |        | AA165232             |                       |  | 3.8        |     |
|            | -      | AL353944             |                       | Homo sapiens mRNA; cDNA DKFZp761J1112  |            | 3.8 |
| 25         |        |                      |                       | HER2 receptor tyrosine kinase (c-erb-b2,   | 3.7        |     |
|            | 400286 |                      |                       | C16000922:gi[7499103 pir][T20903 hypothe   | 3.7        |     |
|            | 420281 | A1623693             | Hs.191533             | ESTs   | 3.7        |     |
|            | 419926 | AW900992             | Hs.93796              | DKFZP586D2223 protein  | 3.7        |     |
|            | 417541 | A1992191             | Hs.180040             | hypothetical protein FLJ22439  | 3.7        |     |
| 30         |        |                      | Hs.125056             |  | 3.7        |     |
|            |        | AI916662             |                       | kinectin 1 (kinesin receptor)  | 3.7        |     |
|            | 457001 |                      | Hs.2062               | vitamin D (1,25- dihydroxyvitamin D3) re   | 3.7        |     |
|            |        | AW406878             |                       | gb:UI-HF-BL0-adg-g-06-0-UI.rl NIH_MGC_37   |            |     |
| 25         |        | NM_014737            | Hs.80905              | Ras association (RalGDS/AF-6) domain fam   | 3.7        |     |
| 35         |        | A1208737             | Hs.122810<br>Hs.13303 | Homo sapiens cDNA FLJ11489 fls, clone HE<br>Homo saplens cDNA: FLJ21784 fls, clone H | 3.7        |     |
|            |        | AI633553             |                       | hypothetical protein FLJ20285  | 3.7        |     |
|            |        | N49813               | Hs.75615              | apolipoprotein C-II  | 3.7        |     |
|            |        |                      |                       | cell recognition molecule Caspr2   | 3.7        |     |
| 40         | 441633 | AW958544             | Hs. 112242            | normal mucosa of esophagus specific 1  | 3.7        |     |
|            | 408761 | AA057264             | Hs.238936             | ESTs, Weakly similar to (defline not ava   | 3.7        |     |
|            | 406153 |                      |                       | Target Exon  | 3.7        |     |
|            | 445563 | AW873606             | Hs.149006             |  | 3.7        |     |
|            |        | AI884911             | Hs.32989              | receptor (calcitonin) activity modifying   | 3.7        |     |
| 45         | 448918 | AB011152             | Hs.22572              | KIAA0580 protein   | 3.7        |     |
|            | 413936 | AF113676             | Hs.297681             |  | 3.6        |     |
|            |        | U76248               | Hs.20191              | seven in absentia (Drosophila) homolog 2   | 3.6        |     |
|            | 453313 | BE005771             | Hs.153746             | hypothetical protein FLJ22490  | 3.6        |     |
| 50         |        |                      |                       | ESTs, Weakly similar to 138022 hypotheti   | 3.6        |     |
| 50         |        | X98654               | Hs.93837              | phosphatidylinositol transfer protein, m   | 3.6        |     |
|            |        |                      | Hs.189507             | phospholipase A2, group IID  | 3.6        |     |
|            |        | Z29572               | Hs.2556               | tumor necrosis factor receptor superfami   | 3.6<br>3.6 |     |
|            |        | AI800470             | Hs.171941             | transcription factor 2, hepatic; LF-B3;  | 3.6        |     |
| 55         |        |                      |                       | ESTs, Weakly similar to I38022 hypotheti   | 3.6        |     |
| <i>J J</i> |        | BE069341             | 113.100020            | gb:QV3-BT0381-270100-073-c08 BT0381 Ho   |            |     |
|            |        |                      | Hs 283675             | NPD009 protein   | 3.6        |     |
|            |        | AV653264             |                       | Homo sapiens cDNA FLJ14666 fls, done NT  |            |     |
|            |        | T60298               | Hs.10844              | Homo sapiens cDNA FLJ14476 fis, clone MA   |            |     |
| 60         | 427581 | NM 014788            |                       | KIAA0129 gene product  | 3.6        |     |
|            |        | AW961434             |                       | ESTs   | 3.6        |     |
|            |        | NM_000402            | 2Hs.80206             | glucose-6-phosphate dehydrogenase  | 3.6        |     |
|            |        | W26187               | Hs.3327               | Homo sapiens cDNA: FLJ22219 fis, clone H   | 3.6        |     |
| ~ -        | 440516 | S42303               | Hs.161                | cadherin 2, type 1, N-cadherin (neuronal   | 3.6        |     |
| 65         | 434360 | AW015415             | Hs.127780             | ESIS   | 3.6        |     |
|            |        | BE276891             | HS.194691             | retingle acid induced 3  | 3.6        |     |

|            | 409619           | AK001015             | Hs.55220               | BCL2-associated athanogene 2  | 3.6        |     |
|------------|------------------|----------------------|------------------------|---|------------|-----|
|            |                  |                      | Hs.152812              |   | 3.6        |     |
|            |                  |                      | Hs.194024              | ESTS  | 3.6<br>3.6 |     |
| 5          |                  | AA380731             |                        | Interleukin 2 receptor, gamma (severe co<br>EST                                     | 3.6        |     |
| 3          | 439247           |                      |                        | ESTs  | 3.5        |     |
|            |                  | AA351647             |                        | eukaryotic translation elongation factor  | 3.5        |     |
|            |                  |                      |                        | ESTs  | 3.5        |     |
|            | 437748           | AF234882             | Hs.5814                | suppression of turnorigenicity 7  | 3.5        |     |
| 10         |                  | AA284166             |                        | cyclin-dependent kinase inhibitor 3 (CDK  | 3.5<br>3.5 |     |
|            |                  |                      | Hs.222399              | CEGP1 protein<br>gb:IL-BT152-080399-004 BT152 Homo sapier                           |            |     |
|            | 403212           | A1907673             |                        | NM_019595:Homo sapiens intersectin 2 (IT  | 3.5        |     |
|            |                  | AK000725             | Hs.50579               | hypothetical protein FLJ20718   | 3.5        |     |
| 15         |                  | AA847843             |                        | Homo sapiens, clone IMAGE:3351295, mRN/   | 3.5        |     |
|            |                  |                      | Hs.118394              | ESTs .  | 3.5        |     |
|            | 422890           | Z43784               | Hs.75893               | ankyrin 3, node of Ranvier (ankyrin G)  | 3.5        |     |
|            |                  |                      |                        | Homo sapiens cDNA FLJ11469 fis, clone HE  | 3.5<br>3.5 |     |
| 20         | 417975           | AA641836             | Hs.30085               | hypothetical protein FLJ23186   | 3.5        |     |
| 20         |                  | AK002135             | Hs.3542<br>Hs.137007   | hypothetical protein FLJ11273<br>ESTs   | 3.5        |     |
|            |                  |                      | Hs.251946              |   | 3.4        |     |
|            |                  | BE311926             |                        | hypothetical protein FLJ12691   | 3.4        |     |
|            |                  | AW881145             |                        | qb:QV0-OT0033-010400-182-a07 OT0033 Ho  | omo        | 3.4 |
| 25         | 414921           | BE390551             |                        | steroidogenic acute regulatory protein r  | 3.4        |     |
|            |                  | W29092               | Hs.7678                | cellular retinoic acid-binding protein 1  | 3.4<br>3.4 |     |
|            |                  | A1167877             | Hs.143716              |   | 3.4        |     |
|            | 402470           |                      | Hs.192249              | Target Exon<br>ESTs   | 3.4        |     |
| 30         |                  | AW875237             |                        | ESTs  | 3.4        |     |
| 50         |                  | Al681545             | Hs.152982              | hypothetical protein FLJ13117   | 3.4        |     |
|            |                  | U61412               | Hs.51133               | PTK6 protein tyrosine kinase 6  | 3.4        |     |
|            |                  | AA158177             |                        | fucosyltransferase 8 (alpha (1,6) fucosy  | 3.4        |     |
| 25         |                  | M90516               | Hs.1674                | glutamine-fructose-6-phosphate transamin  | 3.4<br>3.4 |     |
| 35         |                  | AA447492             | HS.20183               | ESTs, Weakly similar to AF164793 1 prote<br>C19001991*:gi[12656111[gb]AAK00751.1]AF |            |     |
|            | 402359           | ΔΑ29 <i>42</i> 67    | Hs.221504              | FSTs  | 3.4        |     |
|            |                  | F01020               | Hs.172004              |   | 3.4        |     |
|            |                  | AA812633             | Hs.10845               | ESTs  | 3.4        |     |
| 40         |                  | R11141               |                        | hypothetical protein  | 3.4        |     |
|            |                  | AJ271216             |                        | dipeptidylpeptidase III   | 3.4<br>3.4 |     |
|            |                  | AK001763             | HS./3239               | hypothetical protein FLJ10901<br>RuvB (E coli homolog)-like 1                       | 3.4        |     |
|            |                  | Y18418               | Hs.194698              |   | 3.4        |     |
| 45         | 431611           | t 158766             | Hs.264428              | tissue specific transplantation antigen   | 3.4        |     |
|            | 418286           | AA622528             | Hs.319825              | Homo sapiens, clone IMAGE:3616574, mRN  | A,3.4      |     |
|            | 436895           | AF037335             | Hs.5338                | carbonic anhydrase XII (tumor antigen H   | 3.4        |     |
|            |                  | AW392550             |                        | proteasome (prosome, macropain) subunit,  | 3.4<br>3.3 |     |
| 50         | 428450           | NM_01479             | 1Hs.184339             | KIAA0175 gene product   | 3.3        |     |
| 50         | 4495/1           | AW016812             | Hs.200266<br>Hs.270123 | FSTe  | 3.3        |     |
|            |                  | NM_00050             |                        | coagulation factor XII (Hageman factor)   | 3.3        |     |
|            |                  | AW160375             |                        | amyloid beta (A4) precursor-like protein  | 3.3        |     |
|            |                  | U70370               | Hs.84136               | paired-like homeodomain transcription fa  | 3.3        |     |
| 55         | 449065           | Al627393             | Hs.258998              | ESTs, Weakly similar to high mobility gr  | 3.3        |     |
|            | 425999           | AW513051             | Hs.332981              | ESTs. Weakly similar to 138022 hypotheti  | 3.3<br>3.3 |     |
|            | 430280           | AA361258             | HS.23/868              | Interleukin 7 receptor squalene epoxidase   | 3.3        |     |
|            | 4U////<br>426516 | BESESEEU             | Hs.170197              | glutamic-oxaloacetic transaminase 2, mit  | 3.3        |     |
| 60         | 414361           | AI086138             | Hs.204044              | ESTs  | 3.3        |     |
| 00         | 427080           | AW068287             | <sup>7</sup> Hs.173466 | ras-related C3 botulinum toxin substrate  | 3.3        |     |
|            | 426429           | X73114               | Hs.169849              | myosin-bindling protein C, slow-type  | 3.3        |     |
| •          | 446163           | AA026880             | Hs.25252               | prolactin receptor  | 3.3        |     |
| <b>C</b> = | 428566           | U41763               | HS.184916              | clathrin, heavy polypeptide-like 1<br>a disintegrin and metalloproteinase doma      | 3.3<br>3.3 |     |
| 65         | 418641           | BE243136<br>Al601188 | Hs.86947<br>Hs.120910  |   | 3.3        |     |
|            | 430293           |                      | Hs.115274              | ESTs, Highly similar to IHH_HUMAN INDIAN  | 1 3.3      |     |
|            |                  |                      |                        |   |            |     |

|      | 430253            | AK001514              |                        | hypothetical protein FLJ10652  | 3.3          |
|------|-------------------|-----------------------|------------------------|--|--------------|
|      |                   | A1929659              |                        | signal recognition particle 72kD   | 3.3          |
|      |                   | AK001455              |                        | Down syndrome critical region gene 2   | 3.3          |
| 5    |                   | BE142681              |                        | polymerase (DNA directed), eta   | 3.3<br>3.3   |
| )    |                   | H09048<br>H91882      | Hs.23606               | ESTs Dvl-binding protein IDAX (Inhibition of   | 3.3          |
|      |                   | AA496078              | Hs. 121554             | Human DNA sequence from done RP11-2180   |              |
|      |                   |                       |                        | ret finger protein 2   | 3.3          |
|      |                   | AW270655              |                        |  | 3.3          |
| 10   |                   | R43409                | Hs.6829                | Homo sapiens mRNA for KIAA1644 protein,  | 3.3          |
|      |                   | AW978484              | Hs.93842               | Homo sapiens cDNA: FLJ22554 fis, clone H   | 3.3          |
|      |                   | AI015709              | Hs.172089              | Homo sapiens mRNA; cDNA DKFZp58612022  | (13.3<br>3.3 |
|      |                   |                       |                        | ESTs, Weakly similar to A47582 B-cell gr   | 3.3          |
| 15   |                   | BE614387              |                        | selenophosphate synthetase 2<br>c-Myc target JPO1                                    | 3.3          |
| 13   |                   | U24683                |                        | immunoglobulin heavy constant mu   | 3.3          |
|      |                   | AA907734              |                        | •  | 3.3          |
|      |                   |                       |                        | ESTs, Weakly similar to A47582 B-cell gr   | 3.3          |
|      |                   | C01765                | Hs.38750               | hypothetical protein FLJ11526  | 3.3          |
| 20 - |                   | AA912183              |                        | ESTs   | 3.3          |
|      |                   | U46258                | Hs.339665              |  | 3.3<br>3.3   |
|      | 404755            | NA<br>AI821005        | Hs.118599              | Target Exon  | 3.2          |
|      |                   | AW406289              |                        | hypothetical protein   | 3.2          |
| 25   | 430580            | AA806105              | Hs.300697              | immunoglobulin heavy constant gamma 3 (G   |              |
|      | 400202            |                       |                        | NM_002795*:Homo sapiens proteasome (pro-   | 3.2          |
|      | 400222            | NA                    |                        | NM_002082*:Homo sapiens G protein-couple   |              |
|      |                   | BE045897              |                        | ESTs, Weakly similar to 138022 hypotheti   | 3.2          |
| 20   |                   | BE550224              |                        | metallothionein 1E (functional)  | 3.2<br>3.2   |
| 30   |                   | AJ002744              |                        | UDP-N-acetyl-alpha-D-galactosamine:polyp   | 3.2          |
|      |                   | A1027643<br>BE379594  | Hs.120912              | ESTs, Moderately similar to ALU7_HUMAN A   |              |
|      |                   | U79745                |                        | solute carrier family 16 (monocarboxylic   | 3.2          |
|      |                   | A1793257              | Hs.128151              |  | 3.2          |
| 35   |                   | AA640891              | Hs.102406              | ESTs   | 3.2          |
|      |                   | H04588                | Hs.30469               | ESTs   | 3.2          |
|      |                   | A1244459              | Hs.110826              | trinucleotide repeat containing 9  | 3.2          |
|      |                   | AI821926              | Un 110057              | gb:nt78f05.x5 NCI_CGAP_Pr3 Homo sapiens  | 3.2          |
| 40   |                   | NM_01515              |                        | polymerase (RNA) III (DNA directed) poly<br>KIAA0071 protein                         | 3.2          |
| 40   |                   | AI472078              | Hs.303662              |  | 3.2          |
|      |                   | N30714                |                        | membrane-spanning 4-domains, subfamily A   | 3.2          |
|      |                   | AA310964              |                        | SHP2 Interacting transmembrane adaptor   | 3.2          |
|      |                   | R35343                | Hs.24968               | Human DNA sequence from clone RP1-233G   | 163.         |
| 45   | 434747            | AA837085              | Hs.220585              | ESTs   | 3.2          |
|      |                   |                       |                        | Homo sapiens, clone MGC:17333, mRNA, co  | 11.2<br>3.2  |
|      |                   | AW503785<br>AA025386  |                        | complement component (3d/Epstein Barr vl<br>ESTs, Weakly similar to S10590 cysteine  | 3.2          |
|      |                   | AW408337              |                        | CD7 antigen (p41)  | 3.2          |
| 50   |                   | D50915                | Hs.38365               | KIAA0125 gene product  | 3.2          |
| -    |                   | AL047586              |                        | RNA binding motif protein 88   | 3.2          |
|      |                   | AW768399              |                        | ESTs   | 3.2          |
|      |                   | W20128                | Hs.296039              |  | 3.2          |
|      |                   | AA319233              |                        | ESTs   | 3.2<br>3.2   |
| 55   |                   |                       |                        | natural killer-tumor recognition sequence  | 3.2          |
|      |                   | AV1900720<br>AL118668 | HS.3404Z               | methionine adenosyltransferase II, beta gb:DKFZp761I0310_r1 761 (synonym: hamy2      | 13.2         |
|      |                   | AW405434              | Hs 82575               | small nuclear ribonucleoprotein polypept   | 3.2          |
|      |                   | U22029                | Hs.334345              |  | 3.2          |
| 60   |                   | BE244638              |                        | sterol regulatory element binding transc   | 3.2          |
|      | 424634            | NM_00361              | 3Hs.151407             | cartilage Intermediate layer protein, nu   | 3.2          |
|      |                   | AI345455              | Hs.78915               | GA-binding protein transcription factor,   | 3.2          |
|      |                   |                       | Hs.79630               | CD79A antigen (immunoglobulin-associated   | 3.2<br>3.2   |
| 65   |                   | NM_00438              | UHS.23598<br>Hs.112405 | CREB binding protein (Rubinstein-Taybi s<br>S100 calcium-binding protein A9 (calgran | 3.2          |
| 65   | 422 100<br>400070 | W72424<br>W87707      | Hs.82065               | interleukin 6 signal transducer (gp130,  | 3.2          |
|      | 403013            | 44077500              |                        |  | 32           |

WO 02/059377

|          | 453553           |                        |                        | Homo sapiens cDNA FLJ12763 fis, clone NT   | 3.2        |
|----------|------------------|------------------------|------------------------|--|------------|
|          |                  |                        | Hs.130239              | ESTs   | 3.2        |
|          |                  |                        | Hs.54277               | DNA segment on chromosome X (unique) 992   | 3.2        |
| 5        |                  |                        |                        | forkhead box H1<br>ESTs  | 3.2        |
| 5        | 407104           |                        | Hs 323910              | v-erb-b2 avian erythroblastic leukemia v   | 3.2        |
|          |                  | AI703172               | Hs.129005              | ESTs. Weakly similar to 2109260A B cell  | 3.1        |
|          | 430271           | T06199                 | Hs.237506              | DnaJ (Hsp40) homolog, subfamily B, membe   | 3.1        |
|          | 425317           | AW205118               | Hs.210546              | Interleukin 21 receptor  | 3.1        |
| 10       |                  | A1278023               | Hs.89986               | ESTs   | 3.1<br>3.1 |
|          |                  |                        | Hs.8215                | hypothetical protein FLJ11307<br>hypothetical protein DKFZp434K0410                  | 3.1        |
|          |                  | AL137589               | HS. 132 149            | proteasome (prosome, macropain) 26S subu   |            |
|          |                  | BE379335<br>AA247152   | Hs 200483              | ESTs, Weakly similar to KIAA1074 protein   | 3.1        |
| 15       | 431574           | AW572659               | Hs.261373              | hypothetical protein dJ434O14.3  | 3.1        |
| 13       |                  | AI124756               | Hs.5337                | isocitrate dehydrogenase 2 (NADP), mitoc   | 3.1        |
|          | 405017           | NA                     |                        | Target Exon  | 3.1        |
|          |                  |                        | Hs.112742              | ESTs 40450524  | 3.1        |
| ••       |                  | AL353957               |                        | hypothetical protein DKFZp434P0531   | 3.1<br>3.1 |
| 20       |                  | X70297                 | Hs.2540                | cholinergic receptor, nicofinic, alpha p<br>arachidonate 15-lipoxygenase, second typ | 3.1        |
|          |                  | NM_001141<br>BE145360  |                        | ESTs, Weakly similar to I38022 hypotheti   | 3.1        |
|          |                  | Al267700               | Hs.317584              |  | 3.1        |
|          |                  | AI879263               | Hs.6986                | Human glucose transporter pseudogene   | 3.1        |
| 25       |                  | AA890023               | Hs.1906                | prolactin receptor   | 3.1        |
|          |                  | BE387202               |                        |  | 3.1        |
|          |                  | AW247529               |                        | platelet-activating factor acetylhydrola   | 3.1<br>3.1 |
|          |                  | AI638516               | Hs.22630<br>Hs.156089  | cofactor required for Sp1 transcriptiona<br>ESTs, Weakly similar to repressor protei | 3.1        |
| 30       |                  | A1885190<br>U38945     | Hs.1174                | cyclin-dependent kinase inhibitor 2A (me   | 3.1        |
| 50       | 400814           |                        | 120.117                | Target Exon  | 3.1        |
|          | 402327           |                        |                        | Target Exon  | 3.1        |
|          |                  | AA190712               |                        | gb:zp87f09.ri Stratagene HeLa cell s3 93   | 3.1        |
|          |                  | AL355722               |                        | Homo sapiens EST from clone 35214, full  | 3.1<br>3.1 |
| 35       |                  | AI571514               | Hs.133022              | chemokine (C-C motif) receptor 5   | 3.1        |
|          |                  | NM_00057<br>AJ245210   | SHS.34443              | gb:Homo sapiens mRNA for immunoglobulin  |            |
|          |                  | AF052762               |                        | gb:Homo sapiens clone csneg8-1 immunoglo   | 3.1        |
|          |                  | BE514514               | Hs.109606              | coronin, actin-binding protein, 1A   | 3.1        |
| 40       | 414523           | AU076633               | Hs.76353               | serine (or cystelne) proteinase inhibito   | 3.1        |
|          |                  | N38857                 | Hs.203933              |  | 3.1<br>3.1 |
|          |                  | D89974                 | Hs.121102<br>Hs.208956 |  | 3.1        |
|          | 433904           | Al399956               | Hs 109309              | hypothetical protein FLJ20035  | 3.1        |
| 45       | ASBBSA           | AW899713               | N Hs 339315            | i ESTs   | 3.1        |
| 15       | 436043           | AW963838               | Hs.168830              | Homo sapiens cDNA FLJ12136 fis, clone M/   | 3.1        |
|          | 452823           | AB012124               | Hs.30696               | transcription factor-like 5 (basic neilx   | Ş. I       |
|          | 405381           | NA                     |                        | Target Exon  | 3.1<br>3.1 |
| 50       | 428746           | AW503820               |                        | Spi-B transcription factor (Spi-1/PU.1 r<br>Homo sapiens mRNA; cDNA DKFZp761C17      |            |
| 50       |                  | ' AL133731<br>! U66468 | Hs.4774<br>Hs.159525   |  | 3.1        |
|          |                  | W88562                 | Hs.108198              |  | 3.1        |
|          | A10123           | AA234276               | Hs.88253               | ESTs   | 3.1        |
|          | 438581           | AW97776                | 6 Hs.292133            | B ESTs, Moderately similar to 178885 serin   | 3.1        |
| 55       | 417105           | X60992                 | Hs 81226               | CD6 antigen  | 3.0<br>3.0 |
|          | 428361           | NM_01590               | 05Hs.183858            | transcriptional intermediary factor 1 selectin L (lymphocyte adhesion molecule       | 3.0        |
|          |                  | BE241595               | Hs.82848               | NM_024626:Homo sapiens hypothetical pro  |            |
|          | 402608<br>401451 | t                      |                        | NIM ODA496* Homo sapiens hepatocyte nuc  | de 3.0     |
| 60       | 40143            | AA299652               | Hs.11149               | 6 Homo saplens cDNA FLJ11643 fis, clone H  | E 3.0      |
| 00       | 409518           | 3 BE384836             | 6 Hs.3454              | KIAA1821 protein   | 3.0        |
|          | 416933           | 3 BE561850             | Hs.80506               | small nuclear ribonucleoprotein polypept   | 3.0        |
|          | 414324           | 4 Y14768               | He ROO                 | hymphotoxin heta (TNF superiamily, membe   | 3.0        |
| <i>(</i> | 42508            |                        | Hs.15444               | 3 minichromosome maintenance deficient (S. C15000476*:gi 12737279 ref XP_012163.1    |            |
| 65       | 401519           | 9<br>4 A1499220        | Hs.71573               |  | 3.0        |
|          | 411/U            | 9 AL135623             | Hs.19391               | 4 KIAA0575 gene product  | 3.0        |
|          | 72001            |                        |                        |  |            |

|    | 428423 | AU076517 | Hs.184276 | solute carrier family 9 (sodium/hydrogen | 3.0   |     |
|----|--------|----------|-----------|--|-------|-----|
|    | 413835 | AI272727 | Hs.249163 | fatty acid hydroxylase                   | 3.0   |     |
|    | 412600 | L28824   | Hs.74101  | spleen tyrosine kinase                   | 3.0   |     |
|    | 410491 | AA465131 | Hs.64001  | Homo sapiens done 25218 mRNA sequence    | 3.0   |     |
| 5  | 433658 | L03678   | Hs.156110 | immunoglobulin kappa constant            | 3.0   |     |
|    | 427666 | AI791495 | Hs.180142 | calmodulin-like skin protein             | 3.0   |     |
|    | 452514 | AI904898 |           | gb:RC-BT068-130399-085 BT068 Homo sapi   | en3.0 |     |
|    | 429500 | X78565   | Hs.289114 | hexabrachion (tenascin C, cytotactin)    | 3.0   |     |
|    | 432485 | N90866   |           | CDW52 antigen (CAMPATH-1 antigen)        | 3.0   |     |
| 10 | 437400 | AB011542 | Hs.5599   | EGF-like-domain, multiple 5              | 3.0   |     |
|    | 452234 | AW084176 | Hs.223296 | ESTs, Weakly similar to I38022 hypotheti | 3.0   |     |
|    | 413269 | BE167526 |           | gb:CM4-HT0509-080300-107-g07 HT0509 Hc   |       | 3.0 |
|    | 453216 | AL137566 | Hs.32405  | Homo saplens mRNA; cDNA DKFZp586G032     | 21 (f | 3.0 |
|    | 400929 |          |           | ENSP00000252232*:Sterol regulatory eleme | 3.0   |     |
| 15 | 445145 | Al961702 | Hs.147434 | ESTs                                     | 3.0   |     |
|    | 432615 | AA557191 | Hs.55028  | ESTs, Weakly similar to I54374 gene NF2  | 3.0   |     |
|    | 423279 | AW959861 |           |  | 3.0   |     |
|    | 429392 | AL109712 | Hs.296506 | Homo sapiens mRNA full length insert cDN | 3.0   |     |
|    | 408548 | AA055449 |           | ESTs, Weakly similar to ALUC_HUMAN !!!!  | 3.0   |     |
| 20 | 451346 | NM_00633 | 8Hs.26312 | glioma amplified on chromosome 1 protein | 3.0   |     |
|    | 413109 | AW389845 | Hs.110855 |  | 3.0   |     |
|    | 401714 | NA       |           | ENSP00000241802*:CDNA FLJ11007 FIS, C    | LON   | 3.0 |
|    | 421462 | AF016495 | Hs.104624 | aquaporin 9                              | 3.0   |     |
|    | 421750 | AK000768 | Hs.107872 | hypothetical protein FLJ20761            | 3.0   |     |
| 25 | 453293 | AA382267 | Hs.10653  | ESTs                                     | 3.0   |     |
|    | 457085 | AA412446 | Hs.98138  | ESTs                                     | 3.0   |     |
|    | 438930 | AW843633 | Hs.306163 | hypothetical protein AL110115            | 3.0   |     |

# TABLE 22A

Table 22A shows the accession numbers for those pkeys lacking unigeneID's for Table 22. For each probeset, we have listed the gene cluster number from which the oligonucleotides were designed. Gene clusters were compiled using sequences derived from Genbank ESTs and mRNAs. These sequences were clustered based on sequence similarity using Clustering and Alignment Tools (DoubleTwist, Oakland California). The Genbank accession numbers for sequences comprising each cluster are listed in the "Accession" column.

| Pkey:  |       | Unique Eos probeset identifier number |
|--------|-------|---------------------------------------|
| CAŤ nu | mber: | Gene cluster number                   |
| Access | ion:  | Genbank accession numbers             |

| 15 | Pkey                                 | CAT number   | Accessions   |
|----|--------------------------------------|--|--|
| 20 | 410785<br>411743<br>412138<br>413269 | 103087_1<br>1221055_1<br>1256098_1<br>1279172_1<br>1356961_1         | AA046309 Al263500 AA046397<br>AW803341 AW803265 AW803403 AW803466 AW803402 AW803413 AW803268 AW803396 AW803334 AW803355<br>AW862214 AW859811 AW862215<br>AW895387 AW895547 AW895564 AW895323 AW895405 AW895539 AW895538<br>BE167526 BE167651 BE076401 R24654<br>AA190712 AA190665 AA252564 |
| 25 | 422128<br>423945<br>424109<br>424128 | 163179_1<br>211994_1<br>233566_1<br>235506_1<br>235728_1<br>250199_1 | AW881145 AA490718 M85637 AA304575 T06067 AA331991<br>AA410943 AW948953 AA334202 AA332882<br>AW406878 AW966560 AW966151 AW966496 AA336174 AA335376 AA335537<br>AW966163 AA335983 AA336011 AA335668 AA335973<br>AW962128 AA355353 AA427363   |
| 30 | 426878<br>432745<br>441153<br>448212 | 273265_1<br>353673_1<br>51084_2<br>755099_1<br>859865_1              | BE069341 AW748403 AL044691 AI908240 AA393080<br>AI821926 AA658826 AA564492 AA635129 AI791191<br>BE562826 BE378727<br>AL118668 D78823 AI762176  |
| 35 |                                      | 920172_1<br>1650781  | AI904898 AI904849 AI904899<br>AA193450   |

# TABLE 22B

Table 22B shows the genomic positioning for those pkeys lacking unigene ID's and accession numbers in Table 22. For each predicted exon, we have listed the genomic sequence source used for prediction. Nucleotide locations of each predicted exon are also listed.

| 10 | Pkey:<br>Ref: | Unique number corresponding to an Eos probeset Sequence source. The 7 digit numbers in this column are Genbank Identifier (GI) numbers. "Dunham I. et al." refers to the publication entitled "The DNA sequence of human chromosome 22." Dunham I. et al., Nature (1999) 402:489-495. |
|----|---------------|---|
|    | Strand:       | Indicates DNA strand from which exons were predicted.   |

 Nt\_position:
 Indicates nucleotide positions of predicted exons.

 15
 Pkey Ref Strand Nt\_position

 400814
 8569925 Minus 72840-72924,74761-74849

|     | Pkey   | Ref     | Strand | Nt_position                   |
|-----|--------|---------|--------|-------------------------------|
|     | 400814 | 8569925 | Minus  | 72840-72924,74761-74849       |
|     | 400929 | 7651921 | Minus  | 122033-122241,123483-124028   |
| 20  | 401045 | 8117619 | Plus   | 90044-90184,91111-91345       |
|     | 401451 | 6634068 | Minus  | 119926-121272                 |
|     | 401519 | 6649315 | Plus   | 157315-157950                 |
|     | 401645 | 7657839 | Minus  | 34986-35133                   |
|     |        | 6715702 | Plus   | 96484-96681                   |
| 25  | 401866 | 8018106 | Pius   | 73126-73623                   |
|     |        | 7656695 | Minus  | 108675-108770,109801-109910   |
|     |        | 9211204 | Minus  | 40403-41961                   |
|     |        | 9796239 | Minus  | 110326-110491                 |
|     |        | 9797107 | Plus   | 195129-195776                 |
| 30  |        | 9801558 | Minus  | 67076-67594                   |
|     |        | 9884928 | Plus   | 66350-66496                   |
|     |        | 9909429 | Minus  | 81747-82094                   |
|     | 403011 |         | Minus  | 3468-3623                     |
| 2.5 |        | 7630897 | Minus  | 156037-156210                 |
| 35  |        | 8516120 | Plus   | 96450-96598                   |
|     |        | 8783692 | Minus  | 49323-49652                   |
|     |        | 9966528 | Plus   | 2888-3001,3198-3532,3655-4117 |
|     |        | 9838195 | Plus   | 74493-74829                   |
| 40  | 404580 |         | Minus  | 240588-241589                 |
| 40  |        | 7706327 | Minus  | 53729-53846                   |
|     |        | 6532084 | Plus   | 35551-35690                   |
|     |        | 2914717 | Minus  | 43310-43462                   |
|     |        | 6006920 | Minus  | 7636-8054                     |
|     | 405801 |         | Plus   | 63469-63694                   |
| 45  | 405850 |         | Plus   | 13871-14110                   |
|     |        | 9929734 | Minus  | 12902-13069                   |
|     | 406348 | 9255985 | Minus  | 71754-71944                   |
|     |        |         |        |                               |

# TABLE 23: 320 GENES DOWN-REGULATED IN BREAST CANCER COMPARED TO NORMAL ADULT BREAST

Table 23 shows 320 genes down-regulated in breast cancer compared to normal adult breast. These were selected as for Table 22, except that the numerator was set to the median value for 12 non-malignant breast specimens, the denominator was set to the median value amongst the 73 breast cancers, the  $90^{th}$  percentile value amongst the 12 non-malignant breast specimens was greater than or equal 80 units, and the ratio was greater than or equal to 4.0 (i.e. 4-fold down-regulated in tumor vs. normal breast). 10

Pkey: ExAccn: Unique Eos probeset identifier number

Exemplar Accession number, Genbank accession number

15 UnigeneiD: Unigene number Unigene Title: Unigene gene title

Ratio of 50th percentile normal body tissue to 75th percentile tumor

| 428722 U76456  | 20 | Pkey   | ExAcon    | UnigenelD | UnigeneTitle                             | Ratio |
|--|----|--------|-----------|-----------|--|-------|
| 445263 H57646 Hs.42586 KIAA1560 protein 15.4 445263 H57646 Hs.42586 KIAA1560 protein 15.4 447228 M25079 Hs.155376 hemoglobin, beta 14.6 417511 AL049176 Hs.82223 chordin-like 14.6 439285 AL133916 Hs.172572 hypothetical protein FLJ20093 14.3 30 410544 Al446543 Hs.95511 ESTs 12.6 42047 AA934589 Hs.49696 ESTs 12.6 422667 H25642 Hs.133471 ESTs 12.6 422667 H25642 Hs.133471 ESTs 12.0 423201 NM_000163 Hs.125180 gycerol-3-phosphate dehydrogenase 1 (so 12.0 growth hormone receptor 10.1 dyrody X72632 Hs.112360 prominin (mouse)-like 1 10.8 428769 AV207175 Hs.105771 ESTs 10.6 425126 N32759 Hs.172944 chorionic gonadotropin, beta polypeptide hemoglobin, alpha 2 9.5 417247 AF039843 Hs.18676 protein FLJ21276 9.0 406791 Al220684 Hs.272572 Hs.106771 Hs.40707 AV410377 Hs.41502 hypothetical protein FLJ21276 9.0 41939 Al365585 Hs.146246 ESTs 9.0 41939 Al365585 Hs.146246 Hs.79386 Hs.16246 Hs.79386 Hs.16246 Hs.79386 Hs.16253 Vs.4162 Hs.11713 E74-like factor 5 (ets domain transcript 435265 AA779958 Hs.185932 ESTs 0lolady 473060 D78874 Hs.8944 Hs.59729 Hs.172934 Hs.11713 E74-like factor 5 (ets domain transcript 435265 AA779958 Hs.185932 Hs.16236 Hs.16246 Hs.79386 Hs.16246 |    | 428722 | U76456    | Hs.190787 | tissue Inhibitor of metalloproteinase 4  |       |
| 445263 H57646 Hs.42586 KiAA1560 protein 15.4 418935 T28499 Hs.89485 carbonic anhydrase IV 15.0 407228 M25079 Hs.155376 hemoglobin, beta chordin-like 14.6 439285 AL133916 Hs.172572 hypothetical protein FLJ20093 14.3 412442 Al983730 Hs.26530 serum deprivation response (phosphatidyl 13.6 412047 AA934589 Hs.49696 ESTs 12.2 42667 H25642 Hs.133471 ESTs 12.6 42266 H25642 Hs.133471 ESTs 12.2 42667 H25642 Hs.133471 ESTs 12.2 42667 H25642 Hs.133471 ESTs 12.2 42261 AF027208 Hs.112360 428769 AW207175 Hs.105771 ESTs 10.6 42769 AW207175 Hs.105771 ESTs 10.6 42769 AW208826 Hs.117176 poly(A)-binding protein, nuclear 1 receptor prominin (mouse)-like 1 10.8 425126 N32759 Hs.172944 Hs.272572 hemoglobin, alpha 2 9.5 41939 Al365585 Hs.146246 ESTs 12.1713 E74-like factor 5 (ets domain transcript Hs.8944 Hs.27936 Hs.17938 Hs.185376 hemoglobin, alpha 2 hs.19398 Hs.185932 Hs.17938 Hs.17938 Hs.185932 Hs.17938 Hs.185932 Hs.17938 Hs.185932 Hs.17938 Hs.185932 Hs.17938 Hs.185932 Hs.17938 Hs.185932 Hs.17938 Hs.185932 Hs.17938 Hs.185932 Hs.17938 Hs.185932 Hs.17938 Hs.185932 Hs.17938 Hs.185932 Hs.17938 Hs.185932 Hs.17938 Hs.185932 Hs.17938 Hs.17938 Hs.185932 Hs.17938 Hs.185932 Hs.17938 Hs.185932 Hs.17938 Hs.185932 Hs.17938 Hs.185932 Hs.17938 Hs.185932 Hs.17938 Hs.185932 Hs.17938 Hs.185932 Hs.17938 Hs.185932 Hs.17938 Hs.185932 Hs.17938 Hs.1 |    |        |           | Hs.194236 |  |       |
| 407228 M25079 Hs.155376 hemoglobin, beta 14.6   439285 AL133916 Hs.172572 hypothetical protein FLJ20093   412442 Al983730 Hs.26530 serum deprivation response (phosphatidyl 13.6   412047 AA934589 Hs.49696 ESTs   |    |        |           | Hs.42586  | KIAA1560 protein                         |       |
| 417511 AL049176 Hs.82223 chordin-like 14.6 439285 AL133916 Hs.172572 hypothetical protein FLJ20093 14.3 412442 Al983730 Hs.26530 serum deprivation response (phosphatidyl 13.6 410544 Al446543 Hs.95511 ESTs 12.6 412047 AA934589 Hs.48696 ESTs 12.2 42667 H25642 Hs.133471 ESTs 12.0 406664 L34041 Hs.9739 glycerol-3-phosphate dehydrogenase 1 (so 12.0 423201 NM_000163 Hs.125180 growth hormone receptor 11.7 407649 X72632 Hs.112360 prominin (mouse)-like 1 10.8 428769 AW207175 Hs.106771 EST's 10.6 425126 N32759 Hs.172944 chorionic gonadotropin, beta polypeptide 19.8 447471 AR039843 Hs.18676 sprouty (Drosophila) homolog 2 9.5 447471 AR039843 Hs.18676 sprouty (Drosophila) homolog 2 9.5 447471 AR039843 Hs.18676 sprouty (Drosophila) homolog 2 9.5 447471 AR039843 Hs.166246 ESTs 9.0 419407 AW410377 Hs.41502 hypothetical protein FLJ21276 9.0 419407 AW410377 Hs.41502 hypothetical protein FLJ21276 9.0 410532 T53088 Hs.155376 hemoglobin, beta 6.9 425707 AR15402 Hs.11713 E74-like factor 5 (ets domain transcript 8.8 425707 AR15402 Hs.1713 E74-like factor 5 (ets domain transcript 8.8 425707 AR15602 Hs.79386 leiomodin 1 (smooth muscle) 8.7 433060 D78874 Hs.8944 procollagen C-endopeptidase enhancer 2 8.5 422511 AU076442 Hs.11793 collagen, type XVII, alpha 1 8.4 433138 AB029496 Hs.59729 semaphorin sem2 NM_004497*:Homo sapiens hepatocyte nucle 8.1 445107 Al208121 Hs.147313 collagen, type XVII, alpha 1 8.4 435169 AA750849 Hs.224078 hp.004497*:Homo sapiens hepatocyte nucle 8.1 400643 N77976 Hs.272572 hemoglobin, alpha 2 8.0 437569 AA760849 Hs.294052 Hs.9633 ESTs 7.5 436062 AK000027 Hs.98633 ESTs 7.5 436062 AK000027 Hs.98633 ESTs 7.5 425078 NM_002599 Hs.154437 phosphodiesterase 2A, cGMP-stimulated 7.5  | 25 | 418935 | T28499    | Hs.89485  | carbonic anhydrase IV                    |       |
| 439285 AL133916 Hs.172572 hypothetical protein FLJ20093 14.3 412442 Al983730 Hs.26530 serum deprivation response (phosphatidyl 13.6 410544 Al446543 Hs.95511 ESTs 12.2 422667 H25642 Hs.133471 ESTs 12.2 406664 L34041 Hs.9739 glycerol-3-phosphate dehydrogenase 1 (so 12.0 423201 NM_000163 Hs.125180 growth hormone receptor 11.7 423201 NM_000163 Hs.125180 growth hormone receptor 11.7 427049 X72632 Hs.106771 Hs.106771 ESTs 10.6 428769 AW207175 Hs.106771 ESTs 10.6 407049 X72632 Hs.17176 hs.172572 hypothetical protein, nuclear receptor 10.1 425126 N32759 Hs.1722944 chorionic gonadotropin, beta polypeptide 9.8 407471 AF039843 Hs.18676 sprouty (Drosophila) hormolog 2 9.5 419407 AW410377 Hs.41502 hypothetical protein FLJ21276 9.0 41933 Al365585 Hs.146246 ESTs 9.0 410532 T53088 Hs.155376 hemoglobin, beta 425707 AF115402 Hs.11713 E74-like factor 5 (ets domain transcript 43565 AA779958 Hs.185932 ESTs 8.5 42511 AU076442 Hs.17938 leiomodin 1 (smooth muscle) 8.7 435265 AA779958 Hs.185932 ESTs 8.5 50 422511 AU076442 Hs.117938 eleiomodin 1 (smooth muscle) 8.7 445107 Al208121 Hs.147313 ESTs, Weakly similar to I38022 hypotheti 8.1 445107 Al208121 Hs.147313 ESTs, Weakly similar to I38022 hypotheti 8.1 406643 N77976 Hs.272572 hemoglobin, alpha 2 8.0 402195 402950 AA754634 Hs.131987 ESTs, Weakly similar to I38022 hypotheti 8.1 406643 N77976 Hs.272572 hemoglobin, alpha 2 8.0 402195 402602 AK000027 Hs.205126 Homo saplens cDNA: FLJ22667 fis, clone H 8.0 407602 AK000027 Hs.98633 ESTs 7.5 406602 AK000027 Hs.98633 ESTs 7.5 405062 AK000027 Hs.98633 ESTs 7.5 405062 AK000027 Hs.98633 ESTs 7.5 405062 AK000027 Hs.98633 ESTs 7.5  |    | 407228 | M25079    | Hs.155376 | hemoglobin, beta                         |       |
| 412442 Al983730 Hs.26530 serum deprivation response (phosphatidyl 13.6 412047 AA934589 Hs.48696 ESTs 12.6 422667 H25642 Hs.133471 ESTs 12.0 406664 L34041 Hs.9739 glycerol-3-phosphate dehydrogenase 1 (so 12.0 428769 AW207175 Hs.106771 ESTs 10.6 428769 AW207175 Hs.106771 ESTs 10.6 428769 AW207175 Hs.106771 ESTs 10.6 425126 N32759 Hs.172944 Hs.9739 Hs.172944 Hs.272572 hs.172944 Hs.272572 hs.17294 Hs.18676 sprouty (Drosophila) homolog 2 9.5 447471 AF039843 Hs.18676 sprouty (Drosophila) homolog 2 9.5 41939 Al36585 Hs.146246 Hs.17376 Hs.16246 Hs.17938 Hs.155376 hemoglobin, alpha 2 435265 AA779958 Hs.185932 Hs.185932 Hs.185932 Hs.185932 Hs.185932 Al3643 N77976 Hs.272572 hemoglobin, alpha 1 ESTs 8.5 406643 N77976 Hs.131987 Hs.272572 hemoglobin, alpha 1 ESTs 8.5 406643 N77976 Hs.131987 Hs.272572 hemoglobin, alpha 2 hs.185932 hs.184634 Hs.185932 Hs.18593 |    | 417511 | AL049176  | Hs.82223  | chordin-like                             |       |
| 12.6   |    | 439285 | AL133916  | Hs.172572 |  |       |
| 12.047   |    | 412442 | AI983730  | Hs.26530  | serum deprivation response (phosphatidyl |       |
| 12.0   | 30 | 410544 | A1446543  | Hs.95511  | ESTs                                     |       |
| 12.0   |    | 412047 | AA934589  | Hs.49696  | ESTs                                     |       |
| 42201 NM_000163 Hs. 125180 growth hormone receptor 11.7 428769 AW207175 Hs. 106771 Poly(A)-binding protein, nuclear 1 10.8 428769 AW208826 Hs. 117176 Poly(A)-binding protein, nuclear 1 10.1 425126 N32759 Hs. 172944 Phs. 17 |    | 422667 | H25642    | Hs.133471 | ESTs                                     |       |
| According to the content of the co   |    | 406664 | L34041    | Hs.9739   | glycerol-3-phosphate dehydrogenase 1 (so |       |
| 428769 AW207175  |    | 423201 | NM 000163 | Hs.125180 | growth hormone receptor                  |       |
| 407049 X72632 412295 AW088826 Hs.117176 425126 N32759 Hs.172944 406791 Al220684 Hs.272572 474741 AF039843 Hs.18676 451533 NM_004657 Hs.26530 419407 AW410377 Hs.41502 41939 Al365585 Hs.146246 ESTs 425707 AF115402 Hs.179386 Hs.059530 425707 AF115402 Hs.1713 E74-like factor 5 (ets domain transcript 43565 AA779958 Hs.85932 43565 AA779958 Hs.185932 50 422511 AU076442 Hs.117938 433138 AB029496 Hs.59729 429350 AI754634 Hs.131987 445107 Al208121 Hs.147313 51 A06643 N77976 Hs.272572 hemospalens nuclear receptor poly(A)-binding protein, nuclear 1 9.8  NM_021724*:Homo sapiens nuclear receptor poly(A)-binding protein, nuclear 1 9.8  hemoglobin, alpha 2 9.5  serum deprivation response (phosphatidyl pyothetical protein FLJ21276 9.0  hemoglobin, beta ESTs 9.0  hemoglobin, beta leiomodin 1 (smooth muscle) 8.7  procollagen C-endopeptidase enhancer 2 8.6  collagen, type XVII, alpha 1 8.4  semaphorin sem2 NM_004497*:Homo sapiens hepatocyte nucle 1 8.1  ESTs, Weakly similar to I38022 hypotheti 8.1  hemoglobin, alpha 2 8.0  homo sapiens cDNA: FLJ22667 fis, clone H 8.0  hypothetical protein FLJ12649 7.8  437569 AA760849 Hs.294052 ESTs 7.5  436062 AK000027 Hs.98633 ESTs 7.5  425078 NM_002599 Hs.154437 phosphodiesterase 2A, cGMP-stimulated 7.5  | 35 | 422163 | AF027208  | Hs.112360 | prominin (mouse)-like 1                  |       |
| 407049 X72632  |    | 428769 | AW207175  | Hs.106771 |  |       |
| 412295 AW088826 Hs.117176 poly(A)-binding protein, nuclear 1 9.8 425126 N32759 Hs.172944 chorionic gonadotropin, beta polypeptide 9.8 4747471 AF039843 Hs.18676 sprouty (Drosophila) homolog 2 9.5 4747471 AF039843 Hs.18676 sprouty (Drosophila) homolog 2 9.5 4747471 AF039843 Hs.18676 sprouty (Drosophila) homolog 2 9.5 4749407 AW410377 Hs.41502 hypothetical protein FLJ21276 9.0 471939 AI365585 Hs.146246 ESTs 9.0 476585 X54162 Hs.19386 leiomodin 1 (smooth muscle) 8.7 416585 X54162 Hs.79386 leiomodin 1 (smooth muscle) 8.7 43360 D78874 Hs.8944 procollagen C-endopeptidase enhancer 2 8.6 435265 AA779958 Hs.185932 ESTs 8.5 422511 AU076442 Hs.117938 collagen, type XVII, alpha 1 8.4 433138 AB029496 Hs.59729 Semaphorin sem2 NM_004497*:Homo sapiens hepatocyte nucle 417225 AA815048 Hs.24078 hp.004497*:Homo sapiens cDNA: FLJ22667 fis, clone H 437569 AA760849 Hs.294078 hp.004618 terase 2A, cGMP-stimulated 7.5  |    |        |           |           | NM_021724*:Homo sapiens nuclear receptor |       |
| 40   |    | 412295 | AW088826  | Hs.117176 | poly(A)-binding protein, nuclear 1       |       |
| 400 406791 Al220684 Hs.272572 hemoglobin, alpha 2 sprouty (Drosophila) homologies (Drosophila) homologies (Drosophila) homologies (Drosophila) homologies (Drosophila) homologies (Drosophila) homologies (Drosophila) homologies (Drosophila) homologie |    | 425126 | N32759    | Hs.172944 | chorionic gonadotropin, beta polypeptide |       |
| 451533 NM_004657 Hs.26530 serum deprivation response (phosphatidy) Hs.26530 serum deprivation response (phosphatidy) Hs.41602 hypothetical protein FLJ21276 9.0 Hs.14632 T53088 Hs.155376 hemoglobin, beta 425707 AF115402 Hs.11713 E74-like factor 5 (ets domain transcript 8.8 Hs.79386 Hs.79386 Hs.79386 Hs.185932 Hs.294052 Hs.294 | 40 |        |           | Hs.272572 | hemoglobin, alpha 2                      |       |
| 419407 AW410377 Hs.41502 hypothetical protein FLJ21276 9.0 411939 AI365585 Hs.146246 ESTs 9.0 410532 T53088 Hs.155376 hemoglobin, beta 8.8 426707 AF115402 Hs.11713 E74-like factor 5 (ets domain transcript 43685 X54162 Hs.79386 leiomodin 1 (smooth muscle) 8.7 443060 D78874 Hs.8944 procollagen C-endopeptidase enhancer 2 8.6 435265 AA779958 Hs.185932 ESTs 8.5 435265 AA779958 Hs.185932 ESTs 8.5 433138 AB029496 Hs.59729 semaphorin sem2 NM_004497*:Homo saplens hepatocyte nucle 8.1 433138 AB029496 Hs.131987 ESTs, Weakly similar to 138022 hypotheti 8.1 4555 406643 N77976 Hs.272572 Hs.205126 Homo saplens cDNA: FLJ22667 fis, clone H 437569 AA760849 Hs.294052 437669 AA760849 Hs.294052 436062 AK000027 Hs.96633 ESTs 7.5 406062 AK000027 Hs.96633 ESTs 7.5 60 425078 NM_002599 Hs.154437 phosphodiesterase 2A, cGMP-stimulated   |    | 447471 | AF039843  | Hs.18676  |  |       |
| 411939 Al365585 Hs.146246 ESTs 9.0 410532 T53088 Hs.155376 hemoglobin, beta 8.9 425707 AF115402 Hs.17173 E74-like factor 5 (ets domain transcript 8.8 416585 X54162 Hs.79386 leiomodin 1 (smooth muscle) 7000 procollagen C-endopeptidase enhancer 2 8.6 435265 AA779958 Hs.185932 ESTs 8.5 50 422511 Al076442 Hs.117938 collagen, type XVII, alpha 1 8.4 433138 AB029496 Hs.59729 semaphorin sem2 NM_004497*:Homo sapiens hepatocyte nucle 8.1 445107 Al208121 Hs.147313 ESTs, Weakly similar to 138022 hypotheti 8.1 406643 N77976 Hs.272572 hemoglobin, alpha 2 8.0 417225 AA815048 Hs.24078 hypothetical protein FLJ12649 7.8 437569 AA760849 Hs.294052 ESTs 7.5 436062 AK000027 Hs.98633 ESTs 7.5 60 425078 NM_002599 Hs.154437 phosphodiesterase 2A, cGMP-stimulated 7.5   |    | 451533 | NM_004657 | Hs.26530  |  |       |
| 45 410532 T53088 Hs.155376 hemoglobin, beta 425707 AF115402 Hs.1713 E74-like factor 5 (ets domain transcript 43060 D78874 Hs.8944 procollagen C-endopeptidase enhancer 2 433060 A779958 Hs.185932 ESTs 50 422511 AU076442 Hs.117938 collagen, type XVII, alpha 1 433138 AB029496 Hs.59729 SM, 004497*:Homo sapiens hepatocyte nucle 439350 AI754634 Hs.131987 ESTs, Weakly similar to I38022 hypotheti 445107 AI208121 Hs.147313 55 406643 N77976 Hs.272572 hemoglobin, alpha 2 417225 AA815048 Hs.24078 hypothetical protein FLJ12667 fis, clone H 43769 AA760849 Hs.294052 ESTs 436062 AK000027 Hs.98633 ESTs 55 Machine Tollow T |    | 419407 | AW410377  | Hs.41502  | hypothetical protein FLJ21276            |       |
| August   A   |    | 411939 | AI365585  | Hs.146246 | ESTs                                     |       |
| 416585 X54162 Hs.79386 leiomodin 1 (smooth muscle) 8.7 435265 AA779958 Hs.185932 ESTs 8.5 50 422511 AU076442 Hs.117938 d3138 AB029496 Hs.59729 semaphorin sem2 NM_004497*:Homo sapiens hepatocyte nucle 8.1 429350 AI754634 Hs.131987 ESTs, Weakly similar to I38022 hypotheti 8.1 455 406643 N77976 Hs.272572 hemos sapiens cDNA: FLJ22667 fis, clone H 47725 AA815048 Hs.24078 hypothetical protein FLJ12649 7.8 437569 AA760849 Hs.294052 ESTs 7.5 436062 AK000027 Hs.96633 Ph.59437 phosphodiesterase 2A, cGMP-stimulated 7.5  | 45 | 410532 | T53088    | Hs.155376 | hemoglobin, beta                         |       |
| 443060 D78874 Hs.8944 procollagen C-endopeptidase enhancer 2 8.6 435265 AA779958 Hs.185932 ESTs 8.5 422511 AU076442 Hs.117938 collagen, type XVII, alpha 1 8.4 433138 AB029496 Hs.59729 NM_004497*:Homo sapiens hepaticyte nucle 8.1 445107 Al208121 Hs.147313 ESTs, Weakly similar to 138022 hypotheti 8.1 445107 Al208121 Hs.147313 ESTs, Weakly similar to 138022 hypotheti 8.1 406643 N77976 Hs.272572 hemoglobin, alpha 2 8.0 417225 AA815048 Hs.24078 hypothetical protein FLJ12667 fis, clone H 8.0 437569 AA760849 Hs.294052 ESTs 7.5 436062 AK000027 Hs.98633 ESTs 7.5 425078 NM_002599 Hs.154437 phosphodiesterase 2A, cGMP-stimulated 7.5   |    | 425707 | AF115402  | Hs.11713  | E74-like factor 5 (ets domain transcript |       |
| 435265 AA779958 Hs.185932 ESTs ollagen, type XVII, alpha 1 8.4 433138 AB029496 Hs.59729 semaphorin sem2 8.3 402195 429350 AI754634 Hs.131987 ESTs, Weakly similar to 138022 hypotheti 8.1 45107 AI208121 Hs.147313 ESTs, Weakly similar to 138022 hypotheti 8.1 406643 N77976 Hs.272572 hemoglobin, alpha 2 8.0 417225 AA815048 Hs.24078 hypothetical protein FLJ12649 7.8 437569 AA760849 Hs.294052 436062 AK000027 Hs.98633 ESTs 7.5 436062 AK000027 Hs.98633 ESTs 7.5   |    | 416585 | X54162    | Hs.79386  |  |       |
| 50 422511 AU076442 Hs.117933 collagen, type XVII, alpha 1 8.4 433138 AB029496 Hs.59729 semaphorin sem2 NM_004497*:Homo sapiens hepatocyte nucle RSTs   |    | 443060 | D78874    | Hs.8944   | procollagen C-endopeptidase enhancer 2   |       |
| 50       422511 AU076442 Hs.117938 A3138 AB029496 Hs.59729 402195       Hs.117938 Hs.59729 Hs.59729 A402195       collagen, type XVII, alpha 1 semaphorin sem2 semaphorin sem2 NM_004497*:Homo sapiens hepatocyte nucle       8.1         429350 AI754634 Hs.131987 Hs.147313 A45107 AI208121 Hs.147313 ESTs, Weakly similar to I38022 hypotheti       8.1         55       406643 N77976 Hs.272572 Hs.205126 Homo sapiens cDNA: FLJ22667 fis, clone H 417225 AA815048 Hs.24078 Hs.24078 Hs.24078 Hs.294052 A37569 AA760849 Hs.294052 Hs.96633 ESTs       Homo sapiens cDNA: FLJ12649 Ts. Semaphorin sem2 NM_od2599 Hs.154437 Phosphodiesterase 2A, cGMP-stimulated       8.1  |    | 435265 | AA779958  | Hs.185932 | ESTs                                     |       |
| 402195   | 50 |        |           | Hs.117938 | collagen, type XVII, alpha 1             |       |
| 402193 A1754634 Hs.131987 ESTs 8.1 445107 A1208121 Hs.147313 ESTs, Weakly similar to 138022 hypotheti 8.1 406643 N77976 Hs.272572 hemoglobin, alpha 2 8.0 410199 AW377424 Hs.205126 Homo saplens cDNA: FLJ22667 fis, clone H 8.0 417225 AA815048 Hs.24078 hypothetical protein FLJ12649 7.8 437569 AA760849 Hs.294052 ESTs 7.5 436062 AK000027 Hs.98633 ESTs 7.5 425078 NM_002599 Hs.154437 phosphodiesterase 2A, cGMP-stimulated 7.5  |    | 433138 | AB029496  | Hs.59729  |  |       |
| 42530 Al73408 Hs.147313 ESTs, Weakly similar to 138022 hypotheti 8.1 406643 N77976 Hs.272572 hemoglobin, alpha 2 8.0 410199 AW377424 Hs.295126 Homo saplens cDNA: FLJ22667 fis, clone H 8.0 417225 AA815048 Hs.294078 hypothetical protein FLJ12649 7.8 437569 AA760849 Hs.294052 ESTs 7.5 436062 AK000027 Hs.98633 ESTs 7.5 60 425078 NM_002599 Hs.154437 phosphodiesterase 2A, cGMP-stimulated 7.5   |    | 402195 |           |           | NM_004497*:Homo sapiens hepatocyte nucle |       |
| 55 406643 N77976 Hs.272572 hemoglobin, alpha 2 8.0 410199 AW377424 Hs.205126 Homo saplens cDNA: FLJ22667 fis, clone H 8.0 417225 AA815048 Hs.24078 hypothetical protein FLJ12649 7.8 437569 AA760849 Hs.294052 Hs.98633 ESTs 7.5 436062 AK000027 Hs.98633 ESTs 7.5 60 425078 NM_002599 Hs.154437 phosphodiesterase 2A, cGMP-stimulated 7.5   |    | 429350 | A1754634  | Hs.131987 |  |       |
| 410199 AW377424 Hs.205126 Homo saplens cDNA: FLJ22667 fis, clone H 417225 AA815048 Hs.24078 hypothetical protein FLJ12649 7.8 437569 AA760849 Hs.294052 ESTs 7.5 436062 AK000027 Hs.98633 ESTs 7.5 60 425078 NM_002599 Hs.154437 phosphodiesterase 2A, cGMP-stimulated 7.5   |    | 445107 | AI208121  | Hs.147313 | ESTs, Weakly similar to 138022 hypotheti |       |
| 417225 AA815048 Hs.24078 hypothetical protein FLJ12649 7.8 437569 AA760849 Hs.294052 ESTs 7.5 436062 AK000027 Hs.98633 ESTs 7.5 60 425078 NM_002599 Hs.154437 phosphodiesterase 2A, cGMP-stimulated 7.5  | 55 | 406643 | N77976    | Hs.272572 | hemoglobin, alpha 2                      |       |
| 437569 AA760849 Hs.294052 ESTs 7.5<br>436062 AK000027 Hs.98633 ESTs 7.5<br>60 425078 NM_002599 Hs.154437 phosphodiesterase 2A, cGMP-stimulated 7.5   |    | 410199 | AW377424  | Hs.205126 | Homo saplens cDNA: FLJ22667 fis, clone H |       |
| 437569 AA760849 Hs.294052 ESTs 7.5<br>436062 AK000027 Hs.98633 ESTs 7.5<br>60 425078 NM_002599 Hs.154437 phosphodiesterase 2A, cGMP-stimulated 7.5   |    |        |           | Hs.24078  |  |       |
| 60 425078 NM_002599 Hs.154437 phosphodiesterase 2A, cGMP-stimulated 7.5  |    |        |           |           | ESTs                                     |       |
|  |    | 436062 | AK000027  | Hs.98633  |  |       |
| 430327 AW973636 Hs.55931 ESTs 7.4  | 60 |        |           |           |  |       |
|  |    | 430327 | AW973636  | Hs.55931  | ESTs                                     | 7.4   |

|     |        | Al393693         | Hs.183297              | DKFZP566F2124 protein   | 7.4        |
|-----|--------|------------------|------------------------|---|------------|
|     | 446039 | Ai150491         | Hs.90756               | ESTs  | 7.2        |
|     |        | R20893           | Hs.325823              | ESTs, Moderately similar to ALU5_HUMAN A  | 7.2        |
| _   |        | AA452006         | Hs.333199              | ESTs  | 7.1        |
| 5   |        | AW956360         | Hs.4748                | adenylate cyclase activating polypeptide  | 7.1        |
|     |        | Al352340         | Hs.131194              | ESTs  | 7.0        |
|     |        | Al219304         | Hs.283108              | hemoglobin, gamma G   | 6.9        |
|     |        | AI446183         | Hs.9572                | ESTs, Highly similar to CYA5_HUMAN ADENY  | 6.8        |
| 10  |        | AA346839         | Hs.209100              | DKFZP434C171 protein  | 6.7        |
| 10  |        | AI478427         | Hs.43125               | esophageal cancer related gene 4 protein  | 6.7        |
|     |        | AB002058         | Hs.113275              | purinergic receptor P2X-like 1, orphan r  | 6.7        |
|     |        | AA256395         | Hs.88156               | ESTs  | 6.6        |
|     | 404368 |                  |                        | ENSP00000241075":TRRAP PROTEIN.   | 6.6        |
| 1.5 |        | NM_006691        | Hs.17917               | extracellular link domain-containing 1  | 6.5        |
| 15  |        | AA193282         | Hs.85863               | ESTs, Weakly similar to B34612 zinc fing  | 6.5        |
|     |        | NM_003278        | Hs.65424               | tetranectin (plasminogen-binding protein  | 6.5        |
|     |        | AL119796         | Hs.174185              | ectonucleotide pyrophosphatase/phosphodi  | 6.5        |
|     |        | AW963085         | 11 70400               | gb:EST375158 MAGE resequences, MAGH Hom   |            |
| 20  |        | S72043           | Hs.73133               | metallothionein 3 (growth inhibitory fac  | 6.4        |
| 20  |        | BE250659         | Hs.15463               |   | 6.4        |
|     |        | AA701483         | Hs.36341               |   | 6.3        |
|     | 402779 |                  | 11-420004              | Target Exon   | 6.3        |
|     |        | AA213626         | Hs.136204              | EST   | 6.3        |
| 25  |        | AA742697         | Hs.62492               |   | 6.3        |
| 25  |        | AA001732         | Hs.173233              |   | 6.2        |
|     |        | BE143068         |                        | gb:MR0-HT0158-030200-003-b09 HT0158 Homo  |            |
|     |        | BE004783         | 11- 40000              | gb:MR2-BN0114-270400-004-e11 BN0114 Homo  |            |
|     |        | NM_012093        | Hs.18268               |   | 6.1        |
| 30  |        | NM_014759        | Hs.334688              |   | 6.1<br>6.1 |
| 30  |        | H15968           | Hs.293845<br>Hs.234898 |   | 6.0        |
|     |        | F08212           | NS.234090              |   | 6.0        |
|     | 400089 |                  | Hs.277101              |   | 5.9        |
|     |        | W07475<br>N92818 |                        | •   | 5.9        |
| 35  |        | BE067414         | Hs.64754               | ESTs, Weakly similar to potential CDS [H gb:MR4-BT0355-200100-201-e05 BT0355 Homo |            |
| 55  |        | AA062610         | Hs.148050              |   | 5.9        |
|     | 406563 |                  | 115.140000             |   | 5.9        |
|     |        | AW451023         | Hs.65848               |   | 5.9        |
|     |        | AA843387         | Hs.87279               |   | 5.9        |
| 40  |        | NM_001874        | Hs.334873              |   | 5.8        |
| 40  |        | AW809163         | 113.334073             | gb:MR4-ST0118-261099-012-a03 ST0118 Homo  |            |
|     |        | AB014533         | Hs.33010               |   | 5.8        |
|     |        | AI372588         | Hs.8022                |   | 5.8        |
|     |        | AA372052         | Hs.334559              |   | 5.8        |
| 45  |        | BE063555         | 113.004000             | gb:CM1-BT0283-081199-033-d09 BT0283 Homo  |            |
| 73  |        | AW876813         | Hs.3343                |   | 5.7        |
|     |        | AW014486         | Hs.22509               |   | 5.7        |
|     |        | AW452355         | Hs.256037              |   | 5.7        |
|     |        | AL036557         | Hs.95910               |   | 5.7        |
| 50  |        | A1695473         | Hs.298006              |   | 5.7        |
| •   |        | AA181641         | Hs.184907              |   | 5.6        |
|     | 404689 |                  | 110.101001             |   | 5.6        |
|     |        | R68857           | Hs.265499              |   | 5.6        |
|     |        | S47833           | Hs.82927               |   | 5.6        |
| 55  |        | H23963           | Hs.32043               |   | 5.6        |
| 55  |        | R50253           | Hs.249129              |   | 5.5        |
|     | 452205 | C15819           | 110.2 10 120           |   | 5.5        |
|     |        | AW444613         | Hs.288809              |   | 5.5        |
|     |        | AB020629         | Hs.38095               |   | 5.5        |
| 60  |        | AI668605         | Hs.60380               |   | 5.5        |
| ••  |        | AA345824         | Hs.76688               |   | 5.5        |
|     | 401665 |                  |                        |   | 5.5        |
|     |        | T99079           | Hs.191194              | •   | 5.5        |
|     |        | AI161428         | Hs.75916               |   | 5.5        |
| 65  |        | BE005346         | Hs.116410              |   | 5.5        |
|     |        | BE617015         | Hs.11006               |   | 5.5        |
|     |        | Al432652         | Hs.42824               |   | 5.5        |
|     | _      |                  |                        | · · · · · · · · · · · · · · · · · · ·   |            |

|    | 454016 | AW016806             | Hs.233108              | ESTs   | 5.5        |
|----|--------|----------------------|------------------------|--|------------|
|    | 414913 | R25621               |                        | gb:yh45f06.r1 Soares placenta Nb2HP Homo                                   | 5.4        |
|    | 459033 | AA017590             | Hs.129907              | ESTs   | 5.4        |
| _  |        | BE172240             | Hs.126379              | ESTs, Weakly similar to 138022 hypotheti                                   | 5.4        |
| 5  |        | N49826               | Hs.18602               | ESTS   | 5.4        |
|    |        | AA994520             |                        | gb:ou42g09.s1 Soares_NFL_T_GBC_S1 Homo s                                   | 5.3        |
|    | 403612 | NA<br>AA007629       | U. 0720                | Target Exon glycerol-3-phosphate dehydrogenase 1 (so                       | 5.3        |
|    |        | R66634               | Hs.9739<br>Hs.268107   | multimerin   | 5.3        |
| 10 |        | BE272452             | Hs.183109              | monoamine oxidase A  | 5.3        |
| 10 |        | AA620814             | Hs.144959              | ESTs   | 5.3        |
|    |        | R99530               | Hs.272572              | hemoglobin, alpha 2  | 5.3        |
|    |        | AF012023             | Hs.173274              | integrin cytoplasmic domain-associated p                                   | 5.3        |
|    |        | BE261320             | Hs.158196              | transcriptional adaptor 3 (ADA3, yeast h                                   | 5.3        |
| 15 | 437411 | AW613948             | Hs.194915              | ESTs   | 5.3        |
|    |        | AI809481             | Hs.131227              | ESTs   | 5.3        |
|    | 402054 |                      |                        | Target Exon  | 5.3        |
|    |        | AF212829             | Hs.272406              | potassium channel, subfamily K, member 9                                   | 5.3        |
| 20 |        | R59638               | Hs.6181                | ESTS   | 5.2<br>5.2 |
| 20 |        | A1904646             | 11- 472074             | 9  | 5.2        |
|    |        | AB037721             | Hs.173871<br>Hs.170381 | KIAA1300 protein<br>ESTs   | 5.2        |
|    |        | BE467930<br>Al285901 | Hs.181297              | ESTs   | 5.2        |
|    | 402698 |                      | 1 15. 10 1207          | ENSP00000251335*:DJ1003J2.1 (sodium and                                    | 5.2        |
| 25 | 401810 |                      |                        | Target Exon  | 5.2        |
|    |        | AA827674             | Hs.189073              | ESTs   | 5.2        |
|    |        | AA424074             | Hs.76780               | protein phosphatase 1, regulatory (inhib                                   | 5.2        |
|    |        | M26380               | Hs.180878              | lipoprotein lipase   | 5.1        |
|    | 456063 | NM_006744            | Hs.76461               | retinol-binding protein 4, interstitial                                    | 5.1        |
| 30 |        | AW023469             | Hs.65256               | ESTs, Weakly similar to leucine-rich gli                                   | 5.1        |
|    |        | AI821324             | Hs.100445              | ESTs   | 5.1        |
|    | 402583 |                      | U- 0740                |  | 5.1<br>5.1 |
|    |        | NM_006103            | Hs.2719                | HE4; WFDC2; putative ovarian carcinoma m<br>ESTs                           | 5.1        |
| 35 |        | Al435179<br>R53467   | Hs.126820<br>Hs.269122 | ESTs, Weakly similar to ALU1_HUMAN ALU S                                   | 5.1        |
| 33 |        | BE143867             | 113.203122             | gb:MR0-HT0164-070100-013-h02 HT0164 Homo                                   |            |
|    |        | X03350               | Hs.4                   | alcohol dehydrogenase 18 (class I), beta                                   | 5.1        |
|    |        | BE244537             | Hs.167382              | natriuretic peptide receptor A/guanylate                                   | 5.1        |
|    |        | AA486620             | Hs.41135               | endomucin-2  | 5.0        |
| 40 | 408610 | AW026692             | Hs.224829              | ESTs   | 5.0        |
|    | 445967 | D59597               | Hs.118821              | CGI-62 protein   | 5.0        |
|    |        | AI524307             | Hs.162870              | ESTs   | 5.0        |
|    |        | AI076012             | Hs.121388              | ESTs, Weakly similar to MDHC_HUMAN MALAT                                   | 5.0        |
| 15 |        | BE160229             | 11- 54470              | gb:QV1-HT0413-090200-062-a12 HT0413 Homo                                   | 5.0<br>5.0 |
| 45 |        | AF012626             | Hs.54472               | fragile X mental retardation 2<br>gb:UI-HF-BR0p-aka-a-07-0-UI.r1 NIH_MGC_5 | 5.0        |
|    |        | AW502327             |                        | Target Exon  | 5.0        |
|    | 405062 | AK000706             | Hs.15125               | hypothetical protein FLJ20699  | 5.0        |
|    |        | AW298163             | Hs.82318               | WAS protein family, member 3   | 5.0        |
| 50 |        | AJ243662             | Hs.110196              | NICE-1 protein   | 5.0        |
| •  |        | R62431               | Hs.12758               | ESTs   | 5.0        |
|    |        | R35009               | Hs.24903               | ESTs   | 5.0        |
|    | 417574 | R00348               |                        | gb:ye69e06.r1 Soares fetal liver spleen                                    | 5.0        |
|    |        | AJ243191             | Hs.56874               | heat shock 27kD protein family, member 7                                   | 5.0        |
| 55 | 447998 | Al768289             | Hs.304389              | ESTs   | 4.9        |
|    | 445613 | BE550889             | Hs.158491              | ESTs   | 4.9        |
|    |        | AW341470             | Hs.144907              | ESTs   | 4.9        |
|    |        | A1783600             | Hs.208052              | ESTs<br>ESTs   | 4.9        |
| 60 |        | AW014734<br>Al989812 | Hs.157969<br>Hs.199850 | ESTS   | 4.9        |
| VV |        | N94587               | Hs.55063               | ESTs   | 4.9        |
|    |        | AW973716             | Hs.13913               | KIAA1577 protein   | 4.9        |
|    |        | AA682722             | Hs.192725              | ESTs   | 4.9        |
|    | 430782 | AF026263             | Hs.247920              | cholinergic receptor, muscarinic 5   | 4.8        |
| 65 |        | AW137094             | Hs.97990               | ESTs   | 4.8        |
|    |        | AA868510             | Hs.112496              | ESTs   | 4.8        |
|    | 420334 | Al349351             | Hs.118944              | hypothetical protein FLJ22477  | 4.0        |

|     |        | X63094               | Hs.283822              | Rhesus blood group, D antigen            | 4.8        |
|-----|--------|----------------------|------------------------|--|------------|
|     |        | N77624               | Hs.173717              | phosphatidic acid phosphatase type 28    | 4.8        |
|     |        | BE063965             |                        | gh:QV3-BT0296-140200-085-h01 BT0296 Homo |            |
| 5   |        | AW450451             | Hs.266355              | ESTS                                     | 4.8        |
| 5   |        | AW139474             | Hs.246862              | ESTs                                     | 4.8<br>4.7 |
|     |        | AA843716             | Hs.177927              | ESTs                                     | 4.7        |
|     |        | Al025499<br>Al383475 | Hs.132238              | ESTs Weakly similar to T13924 sdk prote  | 4.7        |
|     |        | BE386764             | Hs.171697              | gb:601273249F1 NIH_MGC_20 Homo sapiens c |            |
| 10  |        | AA398716             | Hs.97418               | ESTs                                     | 4.7        |
| 10  |        | AW292618             | Hs.113011              | ESTs                                     | 4.7        |
|     | 401590 |                      | 112110011              | Target Exon                              | 4.7        |
|     |        | AW134679             | Hs.242849              | ESTs                                     | 4.7        |
|     |        | AK000123             | Hs.180479              | hypothetical protein FLJ20116            | 4.6        |
| 15  |        | AA045290             | Hs.25930               | ESTs, Weakly similar to 2109260A B cell  | 4.6        |
|     | 407737 | R49187               | Hs.6659                | ESTs                                     | 4.6        |
|     | 441955 | AA972327             | Hs.142903              | ESTs                                     | 4.6        |
|     | 441499 | AW298235             | Hs.101689              | ESTs                                     | 4.6        |
|     | 447517 | Al382726             | Hs.182434              | ESTs                                     | 4.6        |
| 20  | 403017 |                      |                        | Target Exon                              | 4.6        |
|     |        | N40087               | Hs.15248               |  | 4.6        |
|     |        | H58589               | Hs.35156               | Homo sapiens cDNA FLJ11027 fis, done PL  | 4.6        |
|     |        | M31158               | Hs.77439               |  | 4.6        |
| 25  |        | NM_001546            | Hs.34853               | · · · · · · · · · · · · · · · · · ·      | 4.6        |
| 25  |        | AI 127000            | Hs.146650              |  | 4.6        |
|     |        | AL137698             | Hs.46531               | Homo sapiens mRNA; cDNA DKFZp434C1915 (f | 4.6        |
|     |        | AW204277<br>AF134707 | Hs.250723<br>Hs.278679 |  | 4.6        |
|     |        | AI375984             | Hs.167216              |  | 4.6        |
| 30  |        | F00312               | 113.107.210            | gb:HSBB0D101 STRATAGENE Human skeletal r |            |
| 50  |        | Al348455             | Hs.147492              |  | 4.6        |
|     |        | AI290653             | Hs.124758              |  | 4.6        |
|     |        | NM_014861            | Hs.6168                |  | 4.6        |
|     |        | AW015933             | Hs.112654              |  | 4.5        |
| 35  | 423301 | S67580               | Hs.1645                | cytochrome P450, subfamily IVA, polypept | 4.5        |
|     | 417237 | H86385               | Hs.81737               | palmitoyl-protein thioesterase 2         | 4.5        |
|     |        | AL389981             | Hs.149219              |  | 4.5        |
|     | 424137 | AA335769             | Hs.16262               |  | 4.5        |
| 40  |        | H73444               | Hs.394                 |  | 4.5        |
| 40  |        | N94835               | Hs.283828              |  | 4.5        |
|     |        | AF035303             |                        |  | 4.5        |
|     |        | NM_012190            | Hs.9520                |  | 4.5        |
|     |        | AA169114             | Hs.12247               | .,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,  | 4.5<br>4.5 |
| 45  | 415986 | BE142052             | Hs.62654               |  | 4.5        |
| 43  |        | BE387287             | Hs.83384               |  | 4.4        |
|     |        | Al356125             | Hs.157767              | ESTs, Weakly similar to HXA2_HUMAN HOMEO |            |
|     |        | AA156998             | Hs.211568              |  | 4.4        |
|     | 401093 |                      | 110.12 ( 1000          |  | 4.4        |
| 50  |        | AW206494             | Hs.253560              | 4. acceptance (4. land)                  | 4.4        |
| • • |        | AW842353             | Hs.321717              |  | 4.4        |
|     |        | AL133112             | Hs.183085              | Homo sapiens mRNA; cDNA DKFZp434K098 (fr | 4.4        |
|     | 442705 | Al264634             | Hs.131127              | ESTs                                     | 4.4        |
|     | 437409 | AL359599             | Hs.283850              | Homo sapiens mRNA; cDNA DKFZp547C126 (fr | 4.4        |
| 55  |        | A1380906             | Hs.158436              | ESTs                                     | 4.4        |
|     |        | H03589               |                        | J- //                                    | 4.4        |
|     |        | R37101               | Hs.20982               |  | 4.4        |
|     |        | AA807958             | Hs.314232              |  | 4.4        |
| 60  |        | AI499723             | Hs.135089              |  | 4.4        |
| 60  |        | H87407               | Hs.172944              |  | 4.4        |
|     |        | AF147401             | Hs.23917               |  | 4.3        |
|     | 400870 | AA933590             | Hs.28937               |  | 4.3<br>4.3 |
|     |        | H45384               | 113.20001              |  | 4.3        |
| 65  |        | M12873               |                        |  | 4.3        |
|     |        | AV654020             | Hs.184261              | T A T                                    | 4.3        |
|     | 403263 |                      |                        |  | 4.3        |
|     | ,      |                      |                        | . •                                      |            |

|            | 440004           | 05007444              |                        | -1-4-17-4 PT0055 000400 004 -05 PT0055 H   |             |
|------------|------------------|-----------------------|------------------------|--|-------------|
|            |                  | BE067414<br>Al421645  | Hs.139851              | gb:MR4-BT0355-200100-201-e05 BT0355 Hom<br>caveolin 2                                | 04.3<br>4.3 |
|            |                  | BE395260              | Hs.309438              | EST  | 4.3         |
|            |                  | D45371                | Hs.80485               | adipose most abundant gene transcript 1  | 4.3         |
| 5          | 421296           | NM_002666             | Hs.103253              | perilipin  | 4.3         |
|            | 400973           | •                     |                        | ENSP00000236667*:Mucin 5B (Fragment).  | 4.3         |
|            |                  | AW366194              | Hs.55962               | ESTs   | 4.3         |
|            |                  | NM_005100             | Hs.788                 | A kinase (PRKA) anchor protein (gravin)  | 4.3         |
| 10         | 405016           | AI475671              | Hs.88607               | CY000171*:gij9280405 gb AAF86402.1 AF245<br>ESTs, Highly similar to F-box protein FB | 4.3<br>4.3  |
| 10         | 406118           |                       | 115.00007              | ENSP00000246632:CDNA FLJ20261 fis, done  | 4.3         |
|            |                  | T02850                |                        | gb:FB12A9 Fetal brain, Stratagene Homo's   | 4.3         |
|            |                  | AA480818              | Hs.221736              | ESTs   | 4.3         |
|            |                  | AW451206              | Hs.115899              | ESTs   | 4.3         |
| 15         | 444445           | AA342329              | Hs.115920              | Homo sapiens cDNA: FLJ22816 fis, clone K   | 4.3         |
|            |                  | AI803166              | Hs.28462               | ESTs, Weakly similar to 138022 hypotheti   | 4.3         |
|            |                  | A1377221              | Hs.40528               | ESTs   | 4.2         |
|            |                  | BE293116              | Hs.76392               | aldehyde dehydrogenase 1 family, member  | 4.2         |
| 20         | 403921           | AV652165              | Hs.182482              | ESTs, Weakly similar to T00362 hypotheti   | 4.2<br>4.2  |
| 20         |                  | AI798425              | Hs.42710               | C5000212*:gi 10047237 db] BAB13407.1  (A<br>ESTs                                     | 4.2         |
|            | 406344           |                       | 110.167 10             | C5001660:gi[11611537]dbj[BAB18935.1] (AB   | 4.2         |
|            |                  | AA191201              | Hs.35861               | DKFZP586E1621 protein  | 4.2         |
|            | 413662           | BE155866              | Hs.25522               | KIAA1808 protein   | 4.2         |
| 25         | 458504           | AW070634              | Hs.144794              | ESTs   | 4.2         |
|            | 404682           |                       |                        | C9001188*:gi 12738842 ref NP_073725.1  p   | 4.2         |
|            |                  | N69913                | Hs.6858                | ESTs, Weakly similar to 178885 serine/th   | 4.2         |
|            | 403433           |                       | 11- 440500             | NM_001622:Homo saplens alpha-2-HS-glycop   | 4.2         |
| 30         |                  | AW975460<br>Al309298  | Hs.143563<br>Hs.279898 | ESTs<br>Homo sapiens cDNA: FLJ23165 ffs, done L                                      | 4.2<br>4.2  |
| 50         |                  | A1871247              | Hs.6262                | hypothetical protein MGC8407   | 4.2         |
|            |                  | AW973708              | Hs.201925              | Homo sapiens cDNA FLJ13446 fis, clone PL   | 4.2         |
|            |                  | AA397789              | Hs.161803              | ESTs   | 4.2         |
|            | 447860           | AF193807              | Hs.131835              | Rhesus blood group, B glycoprotein   | 4.2         |
| 35         |                  | Y09763                | Hs.22785               | gamma-aminobutyric acid (GABA) A recepto   | 4.2         |
|            |                  | AI733098              | Hs.130800              | ESTS   | 4.2         |
|            |                  | AF086410<br>AA399975  | Hs.274151              | gb:Homo sapiens full length insert cDNA  | 4.2<br>4.2  |
|            |                  | AW594172              | Hs.278513              | ligatin<br>TP53TG3 protein   | 4.2         |
| 40         |                  | T77545                | Hs.187559              | ESTs   | 4.2         |
|            |                  | AI144152              | Hs.58246               | ESTs   | 4.2         |
|            |                  | AA318060              | Hs.135121              | hypothetical protein FLJ22415  | 4.2         |
|            | 419846           | NM_015977             | Hs.285681              | Williams-Beuren syndrome chromosome regi   | 4.2         |
| 4.5        |                  | R57171                | Hs.57975               | calsequestrin 2 (cardiac muscle)   | 4.1         |
| 45         | 400545           |                       |                        | Target Exon  | 4.1         |
|            | 403051           |                       | 11-05254               | Target Exon  | 4.1         |
|            |                  | NM_005357<br>AA007534 | Hs.95351<br>Hs.125062  | lipase, hormone-sensitive<br>ESTs  | 4.1<br>4.1  |
|            |                  | AA034116              | Hs.118494              | ESTs   | 4.1         |
| 50         |                  | W52010                | Hs.191379              | ESTs   | 4.1         |
|            |                  | AI307802              | Hs.135560              | ESTs, Weakly similar to T43458 hypotheti   | 4.1         |
|            | 438232           | AI150595              | Hs.122226              | ESTs   | 4.1         |
|            |                  | AA082947              |                        | gb:zn10g07.s1 Stratagene hNT neuron (937   | 4.1         |
| <i>5 5</i> |                  | BE270758              | Hs.69428               | hypothetical protein MGC3020   | 4.1         |
| 55         |                  | Al306150              | Hs.153450              | ESTs, Weakly similar to 1909123A Na gluc   | 4.1         |
|            |                  | AK000708              | Hs.169764              | hypothetical protein FLJ20701<br>gb:DKFZp434K0431_r1 434 (synonym: htes3)            | 4.1         |
|            |                  | AL110416<br>AW817177  | Hs.102558              | Homo sapiens, clone MGC:5352, mRNA, comp   | 4.1<br>4.1  |
|            |                  | AA203281              | Hs.21798               | ESTs   | 4.1         |
| 60         |                  | AW118878              | Hs.110835              | ESTs   | 4.1         |
| -          |                  | AW807116              |                        | gb:MR4-ST0062-040100-024-b12 ST0062 Homo   | 4.1         |
|            |                  | AW631296              |                        | gb:hh83c09.y1 NCI_CGAP_GU1 Homo sapiens  |             |
|            |                  | R06285                | Hs.191215              | ESTS   | 4.1         |
| 65         |                  | T76945                |                        | gb:yc92c07.r1 Soares infant brain 1NIB H   | 4.1         |
| 03         | 403593<br>402690 | MA                    |                        | Target Exon Target Exon  | 4.0<br>4.0  |
|            |                  | R49591                | Hs.270425              | ESTs   | 4.0         |
|            |                  | ,                     |                        | •  |             |

|    | 408641 AW245207 | Hs.5555   | hypothetical protein MGC5347             | 4.0 |
|----|-----------------|-----------|--|-----|
|    | 427899 AA829286 | Hs.332053 | serum amyloid A1                         | 4.0 |
|    | 445975 Al811536 | Hs.145734 | ESTs                                     | 4.0 |
|    | 438831 BE263273 | Hs.6439   | synapsin II                              | 4.0 |
| 5  | 455578 BE006350 | Hs.14355  | Homo sapiens cDNA FLJ13207 fis, clone NT | 4.0 |
|    | 401840 NA       |           | Target Exon                              | 4.0 |
|    | 413753 U17760   | Hs.75517  | laminin, beta 3 (niceln (125kD), kalinin | 4.0 |
|    | 445030 Al205925 | Hs.147238 | ESTs, Highly similar to AAC3_HUMAN ALPHA | 4.0 |
|    | 433873 AW156913 | Hs.150478 | ESTs, Weakly similar to A Chain A, Cryst | 4.0 |
| 10 | 456736 AW248217 | Hs.1619   | achaete-scute complex (Drosophila) homol | 4.0 |
|    | 450112 BE047734 | Hs.5473   | ESTs, Moderately similar to ALU5_HUMAN A | 4.0 |
|    | 448906 AI589567 | Hs.309719 | ESTs                                     | 4.0 |

# TABLE 23A

Table 23A shows the accession numbers for those pkeys lacking unigeneID's for Table 23. For each probeset, we have listed the gene cluster number from which the oligonucleotides were designed. Gene clusters were compiled using sequences derived from Genbank ESTs and mRNAs. These sequences were clustered based on sequence similarity using Clustering and Alignment Tools (DoubleTwist, Oakland California). The Genbank accession numbers for sequences comprising each cluster are listed in the "Accession" column.

10

5

Pkey: Unique Eos probeset identifier number CAT number: Gene cluster number

Accession:

Genbank accession numbers

| 15 |                                      |   |  |
|----|--------------------------------------|---|--|
|    | Pkey                                 | CAT number  | Accessions   |
| 20 | 410034<br>410233<br>410490           | 1156226_1<br>1170594_1<br>118656_1<br>1205347_1               | AW502327 AW502488 AW501829 AW502625 AW502687<br>BE067414 BE067958 BE067419 BE067963 AW577127 AW601412<br>AA082947 AA083036<br>H03589 AW750687 AW750688<br>AW809163 AW809247 AW809177 AW809190 AW809225   |
| 25 | 411478<br>413065<br>413072<br>414593 | 1225686_1<br>1247073_1<br>1347960_1<br>1348163_1<br>1464909_1 | BE143068 AW849143 AW848705 AW848569 AW848071 AW848475 AW848092 AW848005<br>BE063555 BE151321 BE151319 BE151657 BE151655 BE063556 BE151322<br>BE063965 BE063968 BE064034 BE064028 BE063874 BE063966 BE063869 BE064043 BE064033 BE063884<br>BE386764 BE387560  |
| 30 | 415011<br>415986<br>416267<br>417574 | 1506721_1<br>151328_1<br>1564410_1<br>1583547_1<br>1687770_1  | R25621 C03959 C04010<br>AW963085 AA159005 AW963073<br>Z43619 R61274 H12206 R12883<br>H45384 H49125 H41699<br>R00348 R09593   |
| 35 | 418556<br>419583<br>426328<br>439590 | 1690392_1<br>17678661<br>186198_1<br>264901_1<br>47413_1      | T76945 R20210 R05755<br>T02850<br>F00312 AA247490 F31427 AA383663 F22045<br>AW631296 AA375484<br>AF086410 W94386 W74609  |
| 40 | 452205<br>452654<br>453692           | 541271_1<br>90415_1<br>925931_1<br>977825_1<br>1049636_1      | AA994520 AW393574 C15819 AA024741 AA024742 BE004783 BE004947 AI911790 AL110416 AW876759 AW807716 AW807569 AW807415 AW807338 AW807288 AW807263 AW807316 AW177402 AW807413 AW807068 BE141561 BE141569 AW807401 AW807310 BE141565 AW807318 AW807119 AW807299 AW807241 AW807225 AW807204 AW807345  |
| 45 |                                      |   | BE141569 AW807401 AW807310 BE141565 AW807316 AW80719 AW807259 AW807375 AW845890 AW807220 AW807399 AW807103 BE141615 AW807431 AW807393 AW807307 AW807406 AW807375 AW845890 AW807222 AW807399 AW807064 AW807376 AW807024 BE141595 AW807236 AW807027 AW807112 AW807378 AW807202 BE141593 AW807216 AW807138 AW807244 AW807221 AW807297 AW807050 AW807248 AW807404 AW807075 AW807237 AW807212 AW807308 AW807110 AW807104 BE140912 AW807301 AW807382 AW807294 AW807026 AW807020 AW807108 AW807050 AW80 |
| 50 |                                      |   | AW807124 AW807419 AW807031 AW807264 AW807302 AW807303 AW807303 BE141588 AW845877 AW807418 AW807407 AW807238 AW807201 BE141590 AW807302 AW807302 AW807303 AW807309 BE141614 AW845861 AW807396 AW807309 AW807311 AW807214 AW807132 AW807402 AW807350 AW807028 AW807298 AW807291 AW807305 AW807217 AW807312 AW807261 AW807266 AW807260 AW807266 AW807260 AW807260 AW807314 AW807315 BE140940 AW807351 AW807122 AW807235 AW807076 AW807314 AW807213 AW807143 AW807131 AW807079 AW807066 AW807077 AW845923 AW807421 BE141619 BE140943 AW807420 AW807381 BE141621 AW845921   |
| 55 | 454775<br>455282                     | 1170594_1<br>1234106_1<br>1273020_1<br>919998_1               | BE141629 BE141625 BE141624 BE141636 BE141630 AW807405 AW807290 AW807353<br>BE067414 BE067958 BE067419 BE067963 AW577127 AW601412<br>BE160229 AW819879 AW820179 AW819882 AW819876 AW820169 BE153201 AW993736 BE152911<br>BE143867 AW935060 AW886684<br>AI904646 BE179494 BE179421   |

# TABLE 23B

Table 23B shows the genomic positioning for those pkeys lacking unigene ID's and accession numbers in Table 23. For each predicted exon, we have listed the genomic sequence source used for prediction. Nucleotide locations of each predicted exon are also listed.

|    | Pkey:   | Unique number corresponding to an Eos probeset  |  |  |  |  |
|----|---------|---|--|--|--|--|
| 10 | Ref:    | Sequence source. The 7 digit numbers in this column are Genbank Identifier (GI) numbers. "Dunham I. et al." refers to the publication |  |  |  |  |
|    |         | entitled "The DNA sequence of human chromosome 22." Dunham I. et al., Nature (1999) 402:489-495.                                      |  |  |  |  |
|    | Strand: | Indicates DNA strand from which exons were predicted.   |  |  |  |  |

Nt\_position: Indicates nucleotide positions of predicted exons.

|    | · · ·  |         |        |                                     |
|----|--------|---------|--------|-------------------------------------|
| 15 |        |         |        | •                                   |
|    | Pkey   | Ref     | Strand | Nt_position                         |
|    | 400545 | 9800107 | Minus  | 124618-124881                       |
|    | 400870 | 9838306 | Minus  | 34081-35027                         |
| 20 | 400973 | 7960452 | Minus  | 98119-98253                         |
|    | 401093 | 8516137 | Minus  | 22335-23166                         |
|    | 401590 | 9966320 | Minus  | 33547-33649                         |
|    | 401665 | 7145001 | Plus   | 121591-122537                       |
|    | 401810 | 7342191 | Plus   | 129063-129476                       |
| 25 | 401840 | 7684597 | Plus   | 56283-56439                         |
|    | 402054 | 8083691 | Minus  | 8288-8806                           |
|    | 402195 | 7689778 | Minus  | 147901-148884                       |
|    | 402583 | 7684486 | Plus   | 94883-95003                         |
|    | 402690 | 8348058 | Plus   | 13368-13998                         |
| 30 | 402698 | 8570304 | Minus  | 108641-108903                       |
|    | 402779 | 9588555 | Minus  | 38173-39210                         |
|    | 403017 | 6693623 | Plus   | 78630-79367                         |
|    | 403051 | 4827080 | Minus  | 5269-5411                           |
|    | 403263 | 7770677 | Plus   | 52431-52737                         |
| 35 | 403433 | 9719611 | Minus  | 72225-72437                         |
|    | 403593 | 6862650 | Minus  | 62554-62712,69449-69602             |
|    | 403612 | 8469060 | Minus  | 94723-94859                         |
|    | 403921 | 7711590 | Minus  | 3297-3536                           |
| 40 | 404368 | 7630956 | Minus  | 102053-102199                       |
| 40 | 404682 | 9797231 | Minus  | 40977-41150                         |
|    | 404689 | 7534100 | Plus   | 119461-119717                       |
|    | 405016 | 6524300 | Plus   | 51997-53308                         |
|    | 405062 | 7657730 | Plus   | 101283-101432                       |
|    | 406118 | 9143818 | Plus   | 53997-54629                         |
| 45 | 406344 | 9255974 | Plus   | 20254-20374,20526-20659,20835-21097 |
|    | 406563 | 7711604 | Plus   | 34401-34538                         |
|    |        |         |        |                                     |

# TABLE 24:

Table 24 depicts Seq ID No., UnigeneID, UnigeneTitle, Pkey, Pred.Cell.Loc., and ExAccn for all of the sequences in Table 25. The information in Table 24 is linked by Seq ID No. to Table 25.

| 10 | Pkey:<br>ExAccn:<br>Unigene<br>Unigene<br>Pred.Ce<br>Seq.ID.N | ID: L<br>Title: L<br>ILLoc.: F                                      | xemplar Accessi<br>Inigene number<br>Inigene gene title<br>Predicted Cellular |  |                          |  |
|----|---|---|---|--|--------------------------|--|
| 15 | Pkey  | ExAccn  | UnigeneID   | Unigene Title  | Pred.Cell.Loc.           | Seq. ID. No.   |
| 20 | 407276<br>415539<br>400297<br>450375                          | AI668594<br>AI951118<br>AI733881<br>AI127076<br>AA009647<br>NM_0013 | Hs.8850   | ESTs, Weakly similar to CP4Y_HUMAN CYTC<br>Homo saplens breast cancer antigen NY-BR<br>BMP-R1B<br>hypothetical protein DKFZp564O1278<br>a disintegrin and metalloproteinase doma<br>dual specificity phosphatase 4 | DC<br>nuclear            | Seq ID 1 & 2<br>Seq ID 3 & 4<br>Seq ID 5 & 6<br>Seq ID 7 & 8<br>Seq ID 9 & 10<br>Seq ID 11 & 12          |
| 25 | 429170<br>424399<br>422505<br>449765                          | NM_00139<br>Al905687  | 94Hs.2359   | dual specificity phosphatase 4<br>aldehyde dehydrogenase 9 family, member<br>ESTs<br>ESTs, Moderately similar to ALU8_HUMAN A<br>N-acetyttransferase 1 (arylamine N-acety  | nuclear<br>cytoplasm     | Seq ID 11 & 12<br>Seq ID 13 & 14<br>Seq ID 15 & 16<br>Seq ID 17 & 18<br>Seq ID 19 & 20                   |
| 30 | 426215<br>439840<br>410102<br>429220                          | AW96341<br>AW44921<br>AW24850<br>AW20720                            | 9 Hs.155223<br>1 Hs.105445<br>8 Hs.279727<br>6 Hs.136319                      | stanniocalcin 2<br>GDNF family receptor alpha 1<br>Homo sapiens cDNA FLJ14035 fis, clone HE<br>ESTs  |                          | Seq ID 21 & 22<br>Seq ID 23 & 24<br>Seq ID 25 & 26<br>Seq ID 27 & 28<br>Seq ID 29 & 30                   |
| 35 | 409079<br>442818<br>442082<br>444381                          |   | Hs.79136<br>Hs.82065<br>Hs.8739<br>Hs.7413<br>Hs.283713                       | LIV-1 protein, estrogen regulated interleukin 6 signal transducer (gp130, hypothetical protein FLJ10879 ESTs, Weakly similar to S64054 hypotheti Homo sapiens cDNA FLJ13603 fis, clone PL                          |                          | Seq ID 31 & 32<br>Seq ID 33 & 34<br>Seq ID 35 & 36<br>Seq ID 37 & 38<br>Seq ID 39 & 40                   |
| 40 | 442117<br>433043<br>429353<br>452190                          | W57554<br>AL117406<br>H26735  | Hs.42645<br>4 Hs.128899<br>Hs.125019<br>Hs.200102<br>Hs.91668                 | solute carrier family 16 (monocarboxyfic ESTs lymphoid nuclear protein (LAF-4) mRNA ATP-binding cassette transporter MRP8 Homo sapiens clone PP1498 unknown mRNA ESTs, Weakly similar to fatty acid omega          |                          | Seq ID 41 & 42<br>Seq ID 43 & 44<br>Seq ID 45 & 46<br>Seq ID 47 & 48<br>Seq ID 49 & 50<br>Seq ID 51 & 52 |
| 45 | 452747<br>423242<br>417433<br>432201                          | BE153855<br>AL039402<br>BE270265                                    | Hs.61460<br>Hs.125783<br>Hs.82128<br>Hs.298241<br>Hs.136348                   | leg superfamily receptor LNIR DEME-6 protein 5T4 oncofetal trophoblast glycoprotein Transmembrane protease, serine 3 osteoblast specific factor 2 (fasciclin   |                          | Seq ID 53 & 54<br>Seq ID 55 & 56<br>Seq ID 57 & 58<br>Seq ID 59 & 60<br>Seq ID 61 & 62                   |
| 50 | 439569<br>114480<br>404561<br>325372                          | AW60216<br>BE066778<br>NA   | 6 Hs.222399<br>I Hs.151678<br>I Hs.334806                                     | CEGP1 protein<br>UDP-N-acetyl-alpha-D-galactosamine:polyp<br>NM_014112*:Homo sapiens trichorhinophala<br>Phase 2 & 3 Exons<br>KIAA1238 protein   | mitochodria<br>nuclear   | Seq ID 63 & 64<br>Seq ID 65 & 66<br>Seq ID 67 & 68<br>Seq ID 69 & 70<br>Seq ID 71 & 72                   |
| 55 | 335824<br>424735<br>400289<br>427585                          | NA<br>U31875<br>X07820<br>D31152                                    | Hs.272499<br>Hs.2258<br>Hs.179729   | ENSP00000249072*:DJ222E13.1 (N-TERMIN short-chain alcohol dehydrogenase family matrix metalloproteinase 10 (stromelysin collagen, type X, alpha 1 (Schmid metaph   | IAL<br>ER                | Seq ID 73 & 74<br>Seq ID 75 & 76<br>Seq ID 77 & 78<br>Seq ID 79 & 80<br>Seq ID 81 & 82                   |
| 60 | 429441<br>421155<br>420931<br>420813                          |   | Hs.99949  | cytochrome P450, 51 (lanosterol 14-alpha lipophilin B (uteroglobin family member) lysyl oxidase small inducible cytokine B subfamily (Cy prolactin-induced protein Homo sapiens mRNA; cDNA DKFZp434E082            | extracellular<br>nuclear | Seq ID 83 & 84<br>Seq ID 85 & 86<br>Seq ID 87 & 88<br>Seq ID 87 & 90<br>Seq ID 91 & 92                   |

|    | 420757 | X78592   | Hs.99915   | androgen receptor (dihydrotestosterone r | cytoplasm       | Seq ID 93 & 94   |
|----|--------|----------|------------|--|-----------------|------------------|
|    | 424905 | NM 00249 | 7Hs.153704 | NIMA (never in mitosis gene a)-related k | nuclear         | Seq ID 95 & 96   |
|    | 429859 |          | OHs.225952 | protein tyrosine phosphatase, receptor t |                 | Seq ID 97 & 98   |
|    | 446921 | AB012113 |            | small inducible cytokine subfamily A (Cy | extracellular   | Seq ID 99 & 100  |
| 5  | 445537 |          | Hs.12844   | EGF-like-domain, multiple 6              | ONG GOODING     | Seq ID 101 & 102 |
| 9  | 428227 |          | Hs.2248    | small inducible cytokine subfamily B (Cy | extracellular   | Seq ID 103 & 104 |
|    |        | W67883   | Hs.137476  | paternally expressed 10                  | CAUGOCIALIGI    | Sea ID 105 & 106 |
|    |        |          |            |  |                 | Sea ID 107 & 108 |
|    |        | Y13153   | Hs.107318  | kynurenine 3-monooxygenase (kynurenine 3 | _               |                  |
| 10 |        | U65011   | Hs.30743   | preferentially expressed antigen in mela | nuclear         | Seq ID 109 & 110 |
| 10 | 419667 | AU077005 | Hs.92208   | a disintegrin and metalloproteinase doma |                 | Seq ID 111 & 112 |
|    | 414812 | X72755   | Hs.77367   | monokine induced by gamma interferon     | extracellular   | Seq ID 113 & 114 |
|    | 426320 | W47595   | Hs.169300  | transforming growth factor, beta 2       | extracellular   | Seq ID 115 & 116 |
|    | 422867 | L32137   | Hs.1584    | cartilage oligomeric matrix protein (pse | extracellular   | Seq ID 117 & 118 |
|    | 411558 | AA102670 | Hs.70725   | gamma-aminobutyric acid (GABA) A recepto |                 | Seq ID 119 & 120 |
| 15 | 417866 | AW067903 | Hs.82772   | collagen, type XI, alpha 1               |                 | Seq ID 121 & 122 |
|    | 428398 | AI249368 | Hs.98558   | ESTs                                     |                 | Seq ID 123 & 124 |
|    | 431958 | X63629   | Hs.2877    | cadherin 3, type 1, P-cadherin (placenta | plasma membrane | Seq ID 125 & 126 |
|    | 428722 | U76456   | Hs.190787  | tissue inhibitor of metalloproteinase 4  |                 | Seq ID 127 & 128 |
|    | 412970 | AB026436 | Hs.177534  | dual specificity phosphatase 10          |                 | Seq ID 129 & 130 |
| 20 | 421379 | Y15221   | Hs.103982  | small inducible cytokine subfamily B (Cy | extracellular   | Seq ID 131 & 132 |
|    | 415752 | BE314524 | Hs.78776   | putative transmembrane protein           |                 | Seq ID 133 & 134 |
|    | 444051 | N48373   | Hs.10247   | activated teucocyte cell adhesion molecu |                 | Seq ID 135 & 136 |
|    | 451110 | AI955040 | Hs.265398  | ESTs. Weakly similar to transformation-r |                 | Seq ID 137 & 138 |

# TABLE 24A

Table 24A shows the accession numbers for those pkeys lacking unigeneID's for Table 24. For each probeset, we have listed the gene cluster number from which the oligonucleotides were designed. Gene clusters were compiled using sequences derived from Genbank ESTs and mRNAs. These sequences were clustered based on sequence similarity using Clustering and Alignment Tools (DoubleTwist, Oakland California). The Genbank accession numbers for sequences comprising each cluster are listed in the "Accession" column.

10 Pkey:

Unique Eos probeset identifier number

Pkey: CAT number: Accession:

Gene cluster number Genbank accession numbers

15 Pkey CAT number

Accession

335824 CH22\_3197FG\_619\_11\_LINK\_E

325372 c12\_hs

# TABLE 24B

Table 24B shows the genomic positioning for those pkeys lacking unigene ID's and accession numbers in Table 24. For each predicted exon, we have listed the genomic sequence source used for prediction. Nucleotide locations of each predicted exon are also listed.

Pkey: Ref:

10

Unique number corresponding to an Eos probeset
Sequence source. The 7 digit numbers in this column are Genbank Identifier (GI) numbers. "Dunham I. et al." refers to the publication entitled "The DNA sequence of human chromosome 22." Dunham I. et al., Nature (1999) 402:489-495.

Strand:

Indicates DNA strand from which exons were predicted.

Nt\_position:

Indicates nucleotide positions of predicted exons.

15

Pkey Ref Strand Nt\_position

404561 9795980 Minus 69039-70100

#### Table 25

Seq ID NO: 1 DNA sequence

Nucleic Acid Accession #:

5

The 69 gene sequences identified to be overexpressed in breast cancer may be used to identify coding regions from the public DNA databases (nr and htgs in Genbank). The sequences may be used to either identify genes that encode known proteins, or they may be used to predict the coding regions from genomic DNA using exon prediction algorithms, such as FGENESH (Salamov and Solovyev, 2000, Genome Res. 10:516-522)

1-1518 (underlined sequences correspond to start and stop codons) Coding sequence: 10 31 41 51 15 20 25 30 35 40 TCTTTGCTGT ATCTGGTGAA ACCACAAAA ACACCTGAAA AAACTCAAGC TGACTTCCAC 1740
TGCGAAGGGA AATATTGGT TTGTGTAACT AGTGGTAGAG TGACTTCAA 1740
TGCGAAAGCTC CACTCAGTAT CTGCATTACT TTTATCTCTG CAAATATCTG CATGATAGCT 1860 TTATTCTCAG TTATCTTTCC CCAATAATAA AAAA 45 Seq ID NO: 2 Protein sequence: FGENESH predicted Protein Accession #: 50 31 21 YPVKEFEVYH KLMEKYPCAV PLWYGPFTMF FSVHDPDYAK ILLKRQDPKS AVSHKILESW 120 VGRGLVTLDG SKWKKHRQIV KPGFNISILK IFITMMSESV RMMLNKWEER IAQNSRLELF 180 VUNGLY ILDG SK.WK.KHRQIV KPGFNISILK IFITMMSESV RMMLNKWEER IAQNSRLELF 180
QHVSLMTLDS IMKCAFSHQG SIQLDSTLDS YLKAVFNLSK ISNQRMNIFL HHNDLVFKFS 240
SQGQIFSKFN QELHQFTEKV IQDRKESLKD KLKQDTTQKR RWDFLDILLS AKSENTKDFS 300
EADLQAEVKT FMFAGHDTTS SAISWILYCL AKYPEHQQRC RDEIRELLGD GSSITWEHLS 360
QMPYTTMCIK ECLRLYAPVV NISRLLDKPI TFPDGRSLPA GITVFINIWA LHHNPYFWED 420
PQVFNPLRFS RENSEKIHPY AFIPFSAGLR NCIGQHFAII ECKVAVALTL LRFKLAPDHS 480 55 60 RPPQPVRQVV LKSKNGIHVF AKKVC Seq ID NO: 3 DNA sequence NM\_052997 Nucleic Acid Accession #: 100-4125 (underlined sequences correspond to start and stop codons) Coding sequence: 65 51 31 41 21 CTAGTCTATA CCAGCAACGA CTCCTACATC GTCCACTCTG GGGATCTTAG AAAGATCCAT 60 AAAGCTGCCT CCCGGGGACA AGTCCGGAAG CTGGAGAAG<u>A TG</u>ACAAAGAG GAAGAAGACC 120 ATCAACCTTA ATATACAAGA CGCCCAGAAG AGGACTGCTC TACACTGGGC CTGTGTCAAT 180 70 GGCCATGAGG AAGTAGTAAC ATTTCTGGTA GACAGAAAGT GCCAGCTTGA CGTCCTTGAT 240 GGCGAACACA GGACACCTCT GATGAAGGCT CTACAATGCC ATCAGGAGGC TTGTGCAAAT 300
ATTCTGATAG ATTCTGGTGC CGATATAAAT CTCGTAGATG TGTATGGCAA CATGGCTCTC 360 75 CATTATGCTG TTTATAGTGA GATTTTGTCA GTGGTGGCAA AACTGCTGTC CCATGGTGCA 420 GTCATCGAAG TGCACAACAA GGCTAGCCTC ACACCACTTT TACTATCCAT AACGAAAAGA 480

FGENESH predicted ORF

AGTGAGCAAA TTGTGGAATT TTTGCTGATA AAAAATGCAA ATGCGAATGC AGTTAATAAG 540 TATAAATGCA CAGCCCTCAT GCTTGCTGTA TGTCATGGAT CATCAGAGAT AGTTGGCATG 600 CTTCTTCAGC AAAATGTTGA CGTCTTTGCT GCAGATATAT GTGGAGTAAC TGCAGAACAT 660 TATGCTGTTA CTTGTGGATT TCATCACATT CATGAACAAA TTATGGAATA TATACGAAAA 720
TTATCTAAAA ATCATCAAAA TACCAATCCA GAAGGAACAT CTGCAGGAAC ACCTGATGAG 780
GCTGCACCCT TGGCGGAAAG AACACCTGAC ACAGCTGAAA GCTTGGTGGA AAAAACACCT 840 GATGAGGCTG CACCCTTGGT GGAAAGAACA CCTGACACGG CTGAAAGCTT GGTGGAAAAA 900 ACACCTGATG AGGCTGCATC CTTGGTGGAG GGAACATCTG ACAAAATTCA ATGTTTGGAG 960 AAAGCGACAT CTGGAAAGTT CGAACAGTCA GCAGAAGAAA CACCTAGGGA AATTACGAGT 1020 10 CCTGCAAAAG AAACATCTGA GAAATTTACG TGGCCAGCAA AAGGAAGACC TAGGAAGATC 1080
GCATGGGAGA AAAAAGAAGA CACACCTAGG GAAATTATGA GTCCCGCAAA AGAAACATCT 1140 GAGAAATTTA CGTGGGCAGC AAAAGGAAGA CCTAGGAAGA TCGCATGGGA GAAAAAAGAA 1200 ACACCTGTAA AGACTGGATG CGTGGCAAGA GTAACATCTA ATAAAACTAA AGTTTTGGAA 1260 AAAGGAAGAT CTAAGATGAT TGCATGTCCT ACAAAAGAAT CATCTACAAA AGCAAGTGCC 1320 15 AATGATCAGA GGTTCCCATC AGAATCCAAA CAAGAGGAAG ATGAAGAATA TTCTTGTGAT 1380 TCTCGGAGTC TCTTTGAGAG TTCTGCAAAG ATTCAAGTGT GTATACCTGA GTCTATATAT 1440 CAAAAAGTAA TGGAGATAAA TAGAGAAGTA GAAGAGCCTC CTAAGAAGCC ATCTGCCTTC 1500 AAGCCTGCCA TTGAAATGCA AAACTCTGTT CCAAATAAAG CCTTTGAATT GAAGAATGAA 1560 CAAACATTGA GAGCAGATCC GATGTTCCCA CCAGAATCCA AACAAAAGGA CTATGAAGAA 1620 20 AATTCTTGGG ATTCTGAGAG TCTCTGTGAG ACTGTTTCAC AGAAGGATGT GTGTTTACCC 1680 AAGGCTACAC ATCAAAAAAGA AATAGATAAA ATGAAAAATGAAAAATGACAAG TICTCCTAAT 1740
AAAGATGGTC TTCTGAAGGC TACCTGCGGA ATGAAAGTTT CTATTCCAAC TAAAGCCTTA 1800
GAATTGAAGG ACATGCAAAA CTTCTAAAGCG GAGCCTCCGG GGAAGCCATC TGCCTTTCGAG 1860
CCTGCCACTG AAATGCAAAA GTCTGTCCCA AATAAAGCCT TGGAATTGAAA AAATGAACAA 1920
ACATGGAGAG CAGATGAGAT ACTCCCATCA GAATCCAAAC AAAAGGACTA TGAAGAAAAT 1980
TCTTGGGATA CTGAGAGTCT CTGTGAGACT GTTTCACCAAA AGGATGTGTG TTTACCCCAAG 2040 25 GCTGCGCATC AAAAAGAAAT AGATAAAATA AATGGAAAAT TAGAAGGGTC TCCTGTTAAA 2100 GATGGTCTTC TGAAGGCTAA CTGCGGAATG AAAGTTTCTA TTCCAACTAA AGCCTTAGAA 2160 TTGATGGACA TGCAAACTTT CAAAGCAGAG CCTCCCGAGA AGCCATCTGC CTTCGAGCCT 2220 30 GCCATTGAAA TGCAAAAGTC TGTTCCAAAT AAAGCCTTGG AATTGAAGAA TGAACAAACA 2280 TTGAGAGCAG ATGAGATACT CCCATCAGAA TCCAAACAAA AGGACTATGA AGAAAGTTCT 2340 TIGGAGCAG ATGAGATACT CCCATCAGAA TCCAAACAAA AGGACTATGA AGAAAGTICT 2340
TIGGATTCTIG AGAGTCTCTG TGAGACTGTT TCACAGAAGG ATGTGTGTTT ACCCAAAGGCT 2400
ACACATCAAA AAGAAATAGA TAAAATAAAT GGAAAATTTAG AAGAGTCTCC TGATAATGAT 2460
GGTTTCTGA AGGCTCCCTG CAGAATGAAA GTTTCTATTC CAACTAAAGC CTTAGAATTG 2520
ATGGACATGC AAACTTTCAA AGCAGAGCCT CCCGAGAAGC CATCTGCCTT CGAGCCTGCC 2580
ATTGAAATGC AAAAGTCTGT TCCAAATAAA GCCTTGGAAT TGAAGAATAA ACAAACATTG 2640
AGAGCAGATC AGATGTTCCC TTCAGAATCA AAACAAAAGA AGGTTGAAGA AAATTCTTGG 2700
GATTCTGAGA GTCTCCGTGA GACTGTTTCA CAGAAGGATG TGTGTGTACC CAAGGCTACA 2760
CATCAAAAAG AAATGGATAA AATAAAGTGGA AAAATTAGAGAATGAACTAG CCTATCAAAA 2820
ATCTTGGATA CAGTTCATTC TTGTGAAAGA AGA AGAGGGAAC TTCAAAAAGA CTACCAARG 35 40 ATCTTGGATA CAGTTCATTC TTGTGAAAGA GCAAGGGAAC TTCAAAAAGA TCACTGTGAA 2880 CAACGTACAG GAAAAATGGA ACAAATGAAA AAGAAGTTTT GTGTACTGAA AAAGAAACTG 2940 TCAGAAGCAA AAGAAATAAA ATCACAGTTA GAGAACCAAA AAGTTAAATG GGAACAAGAG 3000 CTCTGCAGTG TGAGATTGAC TTTAAACCAA QAAGAAGAGA AGAGAAGAAA TGCCGATATA 3060 TTAAATGAAA AAATTAGGGA AGAATTAGGA AGAATCGAAG AGCAGCATAG GAAAGAGTTA 3120 GAAGTGAAAC AACAACTTGA ACAGGCTCTC AGAATACAAG ATATAGAATT GAAGAGTGTA 3180 45 GAAAGTAATT TGAATCAGGT TTCTCACACT CATGAAAATG AAAATTATCT CTTACATGAA 3240 AATTGCATGT TGAAAAAGGA AATTGCCATG CTAAAACTGG AAATAGCCAC ACTGAAACAC 3300 CAATACCAGG AAAAGGAAAA TAAATACTTT GAGGACATTA AGATTTTAAA AGAAAAGAAT 3360 GCTGAACTTC AGATGACCCT AAAACTGAAA GAGGAATCAT TAACTAAAAG GGCATCTCAA 3420 TATAGTGGGC AGCTTAAAGT TCTGATAGCT GAGAACACAA TGCTCACTTC TAAATTGAAG 3480 GAAAAACAAG ACAAAGAAAT ACTAGAGGCA GAAATTGAAT CACACCATCC TAGACTGGCT 3540 50 TCTGCTGTAC AAGACCATGA TCAAATTGTG ACATCAAGAA AAAGTCAAGA ACCTGCTTTC 3600 CACATTGCAG GAGATGCTTG TTTGCAAAGA AAAATGAATG TTGATGTGAG TAGTAEGATA 3660 TATAACAATG AGGTGCTCCA TCAACCACTT TCTGAAGCTC AAAGGAAATC CAAAAGCCTA 3720 55 AAAATTAATC TCAATTATGC AGGAGATGCT CTAAGAGAAA ATACATTGGT TTCAGAACAT 3780 GCACAAAGAG ACCAACGTGA AACACAGTGT CAAATGAAGG AAGCTGAACA CATGTATCAA 3840 GCACAAAGA AACAACHIGA RACAAGHIT CAAAHAAACH ARTHAACAACHITHACAA 3940
TITCAACTAC AAAGCAAAAA TATGTGGCTT CAACAGCAGG AGTCTCTAGA TCAGAAATTA 3900
TITCAACTAC AAAGCAAAAA TATGTGGCTT CAACAGCAAT TAGTTCATGC ACATAAGAAA 3960
GCTGACAACA AAAGCAAGAT AACAATTGAT ATTCATTTTC TTGAGAGGAA AATGCAACAT 4020
CATCTCCTAA AAGAGAAAAA TGAGGAGATA TTTAATTACA ATAACCATTT AAAAAACCGT 4080
ATATATCAAT ATGAAAAAGA GAAAGCAGAA ACAGAAAACT CATGAGAGGAC AAGCAGTAAG 4140
AAACTCTTT TGGAGAAAACA ACAGACCAGA TCTTTACTCA CAACTCATGC TAGGAGGCCA 4200 60 GTCCTAGCAT CACCTTATGT TGAAAATCTT ACCAATAGTC TGTGTCAACA GAATACTTAT 4260
TTTAGAAGAA AAATTCATGA TTTCTTCCTG AAGCCTACAG ACATAAAATA ACAGTGTGAA 4320
GAATTACTTG TTCACGAATT GCATAAAGCT GCACAGGATT CCCATCTACC CTGATGATGC 4380 65 AGCAGACATC ATTCAATCCA ACCAGAATCT CGCTCTGCAC TCCAGCCTAG GTGACAGAGT 4440 GAGACTCCAC CTCGGAAA

70 Seq ID NO: 4 Protein sequence:
Protein Accession #: NP\_443723.1

1 11 21 31 41 51

WO 02/059377

CGVTAEHYAV TCGFHHIHEQ IMEYIRKLSK NHQNTNPEGT SAGTPDEAAP LAERTPDTAE 240
SLVEKTPDEA APLVERTPDT AESLVEKTPD EAASLVEGTS DKIQCLEKAT SGKFEQSAEE 300
TPREITSPAK ETSEKFTWPA KGRPRKIAWE KKEDTPREIM SPAKETSEKF TWAAKGRPKK 360
IAWEKKETPV KTGCVARVTS NKTK VLEKGR SKMIACPIKE SSTKAKSANDQ RFPSESKQEE 420
DEEYSCDSRS LFESSAKIQV CIPESIYQKV MEINREVEEP PKKPSAFKPA IEMQNSVPNK 480
AFELKNEQTL RADPMFPPES KQKDYEENSW DSESLCETVS QKDVCLPKAT HQKEIDKING 540
KLEESPNKDG LLKATCGMKV SIPTKALELK DMQTFKAEPP GKPSAFEPA TEMQKSVPNKA 600
LELKNEQTWR ADEILPSESK QKDYEENSWD TESLCETVSQ KDVCLPKATH QKEIDKINGK 660
LEKNEQTWR ADEILPSESK QKDYEENSWD TESLCETVSQ KDVCLPKATH QKEIDKINGK 660
LEKNEQTLRA DEILPSESKQ KDYEESSWDS ESLCETVSQK DVCLPKATHQ KEIDKINGKL 780
ELKNEQTLRA DEILPSESKQ KDYEESSWDS ESLCETVSQK DVCLPKATHQ KEIDKINGKL 780
DSTSLSKLID TVHSCERARE LQKDHCEQRT GKMEQMKKKF CVLKKKLSEA KEIKSQEINQ 960
KVKWEQELCS VRLTLNQEEE KRNADILNE KIRELGRIE EQHRKELEVK QQLEQALRIQ 1020
DEILKSVESN LNQVSHTHEN ENYLLHENCM LKKEIAMLKL EIATLKHQYQ EKENKYFEDI 1080
KILKEKNAEL QMTLKLKEES LTKRASQYSG QLKVLIAENT MLTSKLKERQ DKEILEAEE 1140
SHIFRLASAV QDHDQIVTSR KSQEPAFHIA GDACLQRKMN VDVSSTTYNN EVHQPLISEA 1200
QRKSKSLKIN LNYAGDALRE NTLVSEHAQR DQRETGQCMK EAEHMYQNEQ DNVNKHTEQQ 1260
ESLDQKLFQL QSKNMWLQQQ LVHAHKKADN KSKITIDIHF LERKMQHHLL KEKNEEIFNY 1320
NNHLKNRIYQ YEKEKAETEN S nnhlknriyq yekekaeten s


Seq ID NO: 5 DNA sequence none found Nucleic Acid Accession #: 273-1785 (underlined sequences correspond to start and stop codons) Coding sequence:

Seq ID NO: 6 Protein sequence: Protein Accession #:

MLRSAGKLN VGTKKEDGES TAPTPRPKVL RCKCHHHCPE DSVNNICSTD GYCFTMIEED 60 DSGLPVVTSG CLGLEGSDFQ CRDTPIPHQR RSIECCTERN ECNKDLHPTL PPLKNRDFVD 120 GPHHRALLI SVTVCSLLLV LIILFCYFRY KRQETRPRYS IGLEQDETYI PPGESLRDLI 180 EQSQSSGSGS GIPLLVQRTI AKQIQMVKQI GKGRYGEVWM GKWRGEKVAV KVFFTTEEAS 240 WFRETEIYQT VLMRHENILG FIAADIKGTG SWTQLVILITD YHENGSLYDY LKSTTLDAKS 300 MLKLAYSSVS GLCHLHTEIF STQGKPAIAH RDLKSKNILV KKNGTCCIAD LGLAVKFISD 360 TNEVDIPPNT RVGTKRYMPP EVLDESLNRN HFQSYIMADM YSFGLILWEV ARRCVSGGIV 420 

EEYOLPYHDL VPSDPSYEDM REIVCIKKLR PSPPNRWSSD ECLRQMGKLM TECWAHNPAS 480 RLTALRVKKT LAKMSESQDI KL

Seq ID NO: 7 DNA sequence 5 Nucleic Acid Accession #: none found 482-3007(underlined sequences correspond to start and stop codons) Coding sequence:



Seq ID NO: 8 Protein sequence: Protein Accession #:

70 21 31 MKLWIHLFYS SLLACISLHS OTPVLSSRGS CDSLCNCEEK DGTMLINCEA KGIKMVSEIS 60 VPPSRPFQLS LLACISLHS QTP VLSSAGS CUSTLANCEEK DGTMLINCEA KGIKMVSEIS 60
VPPSRPFQLS LLNNGLTMLH TNDFSGLTNA ISIHLGFNNI ADIEIGAFNG LGLLKQLHIN 120
HNSLEILKED TFHGLENLEF LQADNNFITV IEPSAFSKLN RLKVLILNDN AIESLPPNIF 180
RFYPLTHLDL RGNQLQTLPY VGFLEHIGRI LDLQLEDNKW ACNCDLLQLK TWLENMPPQS 240
IIGDVVCNSP PFFKGSILSR LKKESICPTP PVYEEHEDPS GSLHLAATSS RNSRMSTKT 300
TSILKLPTKA PGLIPYITKP STQLPGPYCP IPCNCKVLSP SGLLHCQER NIESLSDLRP 360 75

PPONPRKLIL AGNIHSLMK SDLVEYFTLE MLHLGNNRIE VLEEGSFMNL TRLQKLYLNG 420 PPQNPRKLIL AGNIHSLMK SDLVEYFTLE MLHLGNNRIE VLEEGSFMNL TRLQKLYLING 420
NHLTKLSKGM FLGLINLEYL YLEYNAIKEI LPGTFNPMPK LKVLYLNNNL LQVLPPHIES 480
GVPLTKVNLK TNQFTHLPYS NILDDLDLLT QIDLEDNPWD CSCDLVGLQQ WIQKLSKNTV 540
TDDILCTSPG HLDKKELKAL NSEILCPGLV NNPSMPTQTS YLMVTTPATT TNTADTILRS 600
LTDAVPLSVL ILGLLIMFIT IVFCAAGIVV LVLHRRRYYK KKQVDEQMRD NSPVHLQYSM 660
YGHKTTHHTT ERPSASLVEQ HMVSPMVHVY SRSPSGPKHL EEEEERNEKE GSDAKHLQRS 720
LLEQENHSPL TGSNMKYKTT NQSTEFLSFQ DASSLYRNIL EKERELQQLG ITEYLRKNIA 780
QLQDMEAHY PGAHEELKLM ETLMYSRPRK VLVEQTKNEY FELKANLHAE PDYLEVLEQQ 840 Seq ID NO: 9 DNA sequence Nucleic Acid Accession #: NM\_003474 Coding sequence: 307-3036 (underlined sequences correspond to start and stop codons) 

Seq ID NO: 10 Protein sequence:
Protein Accession #: NP\_003465.2

1 11 21 31 41 5

30

ALRQAQGTCK PNPPQKPLPA DPLARTTRLT HALARTPGQW ETGLRLAPLR PAPQYPHQVP 900

RSTHTAYIK

50 Scq ID NO; 11 DNA sequence
Nucleic Acid Accession #: NM\_001394
Coding sequence: 400-1584(underlined sequences correspond to start and stop codons)

WO 02/059377

GAGTTCGTTA AGCAGCGCCG CAGCATCATC TCGCCCAACT TCAGCTTCAT GGGGCAGCTG 1380 TGGGAGGAGG AAGAAAGGGA AGAATTAGGT TTGAATTGCT TTTTTAAAAA AAAA Seq ID NO: 12 <u>Protein sequence:</u>
Protein Accession #: NP\_001385 Seq ID NO: 13 DNA sequence none found Nucleic Acid Accession #: Coding sequence: 68-340(underlined sequences correspond to start and stop codons) AGCGCCTTGC CTICTCTTAG GCTTTGAAGC ATTITTGTCT GTGCTCCCTG ATCTTCAGGT 60
CACCACCATG AAGTTCTTAG CAGTCCTGGT ACTCTTGGGA GTTTCCATCT TTCTGGTCTC 120
TGCCCAGAAT CCGACAACAG CTGCTCCAGC TGACACGTAT CCAGCTACTG GTCCTGCTGA 180
TGATGAAGCC CCTGATGCTG AAACCACTGC TGCTGCAACC ACTGCGACCA CTGCTGCTCC 240
TACCACTGCA ACCACCGCTG CTTCTACCAC TGCTGCTAAA GACATTCCAG TTTTACCCAA 300
ATGGGTTGGG GATCTCCCGA ATGGTAGAGT GTGTCCCTGA GATGGAATCA GCTTGAGTCT 360
TCTGCAATTG GGTCACAACT ATTCATGCTT CCTGTGATTT CATCCAACTA CTTACCTTGC 420
CTACGATATC CCCTTTATCT CTAATCAGTT TATTTTCTTT CAAATAAAAA ATAACTATGA 480
GCGAGGCTAAC AT GCGAGCTAAC AT Seq ID NO: 14 Protein sequence: Protein Accession #: MKFLAVLVLL GVSIFLVSAQ NPTTAAPADT YPATGPADDE APDAETTAAA TTATTAAPTT 60 ATTAASTTAR KDIPVLPKWV GDLPNGRVCP Seq ID NO: 15 DNA sequence Nucleic Acid Accession #: NM\_016640.2

Nucleic Acid Accession #: NM\_016640.2

Coding sequence: 39-1358(underlined sequences correspond to start and stop codons) 

AGAGCGAGGT CATATCITTG CCCTTCCTGG ATCAGCTGGT GTCAACCCTC GTGGGCCTCC 600
TCAGCCCACA CAACCCGGCC CTGGCCGCTG CCGCCCTCG TTATAGATGC CCAGTTCATT 660
TTTACTGGGT GCCTGGTGAA GAAATTATTC CTCGTGGTCA TCGAAGAGGT CGAATTCATT 6720
ACTTGCGATA CCAGATAGAT GATAAACCAA ACAACCAGAT TCGAATATCC AAGCAACTCG 780
CAGAGTATG CCCATTGATTC AAACGGCAGT ATGAAAAACCA CATATTTGT GGCTCAAAAA 900
CTGCAGATCC TTGCTGTTAC GGTCACCCC AGTTTCATCT GTTACCTGAC AAATTAAGAA 960
GGGAAAGGCT TTTGAGACAA AACTGTGCTG ATCAGATAGA AGTGTTTTT AGAGCTAATG 1020
CTATTGCAAG CCTTTTTGCT TGGACTGGAG CACAAGCTAT GTATCAAGGA TTCTGGAGTG 1080
AAGCAGATGT TACTCGACCT TTTGTCTCCC AGGCTGTGAT CACAGATGGA TACTGGAGT 1140
CCTTTTTCTG CTACCAGCTA AATACTTTGG CACTGACACAAACTATCAAGAA AATAACC 1200
CTCGTAAAAA TATAGTTGG GGTACACAAA GTAAGCCTCT TTATGAAACA AATTGAGAAT 1260
ATGATGGAA AGGTTTTAAT GATGATGTT CTACTTGAATA AGTCCTTT TATGAAACA ATTGAGGATA 1260
GACCAAAAGA AGAAAAATCA CAGCTGTTGG AAAACTAATCTTT TATGAAACA ATTGAGGATC 1440
ATTAAATACA TTGATTTTTA CTGAAGGAA CAATAATGT GAGATTTGTA ACTGTCAACT 1440
ATTAAAATACA TTGATTTTTG AGACAAATAT TTCTTATGTC AACCTGTTAT TAGATCTCTACT 1440
ATTAAATACA TTGATTTTTTG CTAAAGAATTT AATTTTAGTT AACTGTTATT TAGATCTTTAAAATTGC 1520
ACATTTTAAT TAAAATGCAAAATAT TTCTTATGTT AACTGTAATT TAGATCTTTAAAATGC 1620
ACATTTTAAATTTAAATTGC TAAACTGATAA GACAAATTGA GTTAATTGAG TATTAAAATGC 1620
ACATTTTAAATTAAATGCAAAATCCCAAA TAAAATGCTA ACATACTGAA TTCAAGTAAATT 1680
AAAAGAACCC ACTGC

Seq ID NO: 16 <u>Protein sequence:</u>
Protein Accession #: NP\_057724.1

MAAARCWPL LRGPRISLHT AANAAATATE TTSQDVAATP VARYPPIVAS MTADSKAARL 60
RRIERWQATV HAAESVDEKL RILTKMQFMK YMVYPQTFAL NADRWYQYFT KTVFLSGLPP 120
PPAEPEPEPE PEPEFALDLA ALRAVACDCL LQEHFYLRRR RRVHRYEESE VISLPFLDQL 180
VSTLVGLLSP HNPALAAAAL DYRCPVHFYW WRGEEIIPRG RRRGRIDDLR YQIDKENNQ 240
IRISKQLAEF VPLDYSVPIE IPTIKCKPDK LPLFKRQYEN HIFVGSKTAD PCCYGHTQFH 300
LLPDKLRERE LLRQNCADQI EVVFRANAIA SLFAWTGAQA MYQGFWSEAD VTRPFVSQAV 360
ITDGKYFSFF CYQLNTLALT TQADQNNPRK NICWGTQSKP LYETIEDNDV KGFNDDVLLQ 420
IVHFLLNRPK EEKSQLLEN

Seq ID NO: 17 DNA sequence
Nucleic Acid Accession #: NM\_025059.1
Coding sequence: 3-2150 (underlined sequences correspond to start and stop codons)

1 11 21 31 41 51

WO 02/059377

AAAGATTGGT CCATTCACAT CAGCATCACT TTGTTACCTG TGCCTGCCTC AAAGATGTGA 2100 

Seq ID NO: 18 Protein sequence: Protein Accession #: NP\_079 NP\_079335.1

MSLDCTSHIA LGAASPAPEE TYDHLSEVPV TREQLNHYRN VAQNARSELA ATLVKFECAQ 60
SELQDLRSKM LSKEVSCQEL KAEMESYKEN NARKSSLLTS LRDRVQELEE ESAALSTSKI 120
RTEITAHAAI KENQELKKKV VELNEKLQKC SKENEENKKQ VSKNCRKHEE FLTQLRDCLD 180
PDERNDKASD EDLILKLRDL RKENEFVKGQ IVILEETINV HEMEAKASRE TIMRLASEVN 240
REQKKAASCT EEKEKLNQDL LSAVEAKEAL EREVKIFQER LLAGQQVWDA SKQEVSLLKK 300
SSSELEKSLK ASQDAVTTSQ SQYSSFREKI AALLRGRLSM TGSTEDTILE KIREMDSREE 360
SRDRMVSQLE AQISELVEQL GKESGFHQKA LQRAQKAENM LETLQGQLTH LBAELVSGGV 420
LRDNLNFEKQ KYLKFLDQLS QKMKLDQMAA ELGFDTRLDV VLARTEQLVR LESNAVIENK 480
TIAHNLQRKL KTQKERLESK ELHMSLLRQK IAQLEEKQA RTALVVERDN AHLTIRNLQK 540
KVERL QKELN TCRDLHTELK AKLADTNELK IKTLEQTKAI EDLNKSRDQL EKMKEKAEKK 600
LMSVKSELDT TEHEAKENKE RARNMIEVYT SEMKTLKKSL EEGEKREKQL ADTEVVSQM 660
LGLNYVSLAL PDYEIIKCLE RLYHSHQHHF VTCACLKDVT TGQERHPQGH LQLLH LGLNVTSLAL PDYEIIKCLE RLVHSHQHHF VTCACLKDVT TGQERHPQGH LQLLH 

Sea ID NO: 19 DNA sequence AF071552, NM\_000662 Coding sequence: 441-1313 (underlined sequences correspond to start and stop codons) 

CTTTGTATAA GGCTCAGCTA AAAGGGAAAT TGAGTGGGTC AGGTACCACG GATACTATAC 60
ACTCTATTGC ATGATTCTCC TGCCTACATC AGAAGACGTT TATAAGCCTA TTTTAAAAGGA 120
TACCAGTTGG AATCTCTCC TGCCTACATC AGAAGAAC CATGAACAAG CTGTTTATCA 180
TTTGACTCAT CATTTAATCT TGATTTCCAG CTTCTCACAC TTGAAAGAAG ACATAATACA 240
TTCTCACAG GATTCTGGGA CTATTAACTG AACTTATGTG TGTAAAAAGGA ATTCATACAA 300
TGAAAGCACT AGAAATAATT ATTATTCTTA TAACCATTGT ATTTTTACAT GTTTAAAATT 360
TAGCCATAAT TAGCCTACTC AAATCCAAGT GTAAAAGTAA AATGATTTGC TTTCGTTTTG
420
TTTTCCTTGC TTAGGGGATC ATGGACATTG AAGCATATCT TGAAAGAATT GGCTATAAGA
AGTCTAGGAA CAAATTGGAC TTGGAAACAT TAACTGACAT TCTTCAACAC CAGATCCGAG 540
CCGTTCCCTT TGAGAACCTT AACATCCATT GTGGGGATGC CATGGACTTA GGCTATAAGAG
660
CCATTTTTGA TCAAGTTGTG AGAAGAAAT GGGTGATG GTGTCTCCAG GTCAATCATC
ACAGCACTCC GGCTCTGACC ACTATTGGTT TTGAGACCAC GATGTTGGGA GGGTATGTTT
720
ACAGCACTCC AGCCAAAAAA TACAGCACTG GCATGATTCA CCTTCTCCTG CAGGTGACCA
780 ACAGCACTCC AGCCAAAAAA TACAGCACTG GCATGATTCA CCTTCTCCTG CAGGTGACCA 780



TTGATGGCAG GAACTACATT GTCGATGCTG GGTTTGGACG CTCATACCAG ATGTGGCAGC 840 CTCTGGAGTT AATTTCTGGG AAGGATCAGC CTCAGGTGCC TTGTGTCTTC CGTTTGACGG 900 AAGAGAATGG ATTCTGGTAT CTAGACCAAA TCAGAAGGGA ACAGTACATT CCAAATGAAG 960 AATTCTTCA TTCTGATCTC CTAGAAGACA GCAAATACCG AAAAATCTAC TCCTTTACTC 1020 TTAAGCCTCG AACAATTGAA GATTTTGAGT CTATGAATAC ATACCTGCAG ACATCTCCAT 1080 5 CATCTGTGTT TACTAGTAAA TCATTTTGTT CCTTGCAGAC CCCAGATGGG GTTCACTGTT 1140
TGGTGGGCTT CACCCTCACC CATAGGAGAT TCAATTATAA GGACAATACA GATCTAATAG 1200
AGTTCAAGAC TCTGAGTGAG GAAGAAATAG AAAAAGTGCT GAAAAATATA TTTAATATTT 1260 CCTIGCAGAC ICIDAGIGAG GAAGAATIAG AAAAAGIGI GAAAAATIATI 1200 CCTIGCAGAG AAAGCTTGTG CCCAAACATG GTGATAGATT TITTACTATT TAGAATAAGG 1320 AGTAAAACAA TCTTGTCTAT TTGTCATCAG GCTCACCAGT TATCAACTGA CGACCTATCA 1380 TGTATCTTCT GTACCCTTAC CTTATTTTGA AGAAAATCCT AGACATCAAA TCATTTCACC 1440 TATAAAAAATG TCATCATATA TAAATAACA GCTTTTAAA GAAACATAAC CACAAACCTT 1500 TCAAAATAAT AATAATAATA ATAATAATAA ATGTATTTTA AAGATGGCCT GTGGTTATCT 1560 10 TGGAAATTGG TGATTTATGC TAGAAAGCTT TTAATGTTGG TTTATTGTTG AATTC 15

Seq ID NO: 20 <u>Protein sequence:</u> Protein Accession #: NP\_000653.1

20 11 21 31 41

30

65

70

75

MDIEAYLERI GYKKSRNKLD LETLTDILQH QIRAVPFENL NIHCGDAMDL GLEAIFDQVV 60 MDIEAYLERI GYKKSKRKLU LE IL IDILQH QIRAVFFENI. NIHLGDAMDI GLEAIFIZV W RRNRGGWCLQ VNHLLYWALT TIGFETTMLG GYVYSTPAKK YSTGMIHLLL QVTIDGRNYI 120 VDAGFGRSYQ MWQPLELISG KDQPQVPCVF RLTEENGFWY LDQIRREQYI PNEEFLHSDL 180 LEDSKYRKIY SFTLKPRTIE DFESMNTYLQ TSPSSVFTSK SFCSLQTPDG VHCLVGFTLT 240 HRRFNYKDNT DLIEFKTLSE EEIEKVLKNI FNISLQRKLV PKHGDRFFTI 25

Seq ID NO: 21 DNA sequence Nucleic Acid Accession #: NM\_003714 Coding sequence: 123-1031(underlined sequences correspond to start and stop codons)

CGGCACGAGC AAAAAGGAAG AGTGGGAGGA GGAGGGGAAG CGGCGAAGGA GGAAGAGGAG 35 GAGGAGGAAG AGGGGAGCAC AAAGGATCCA GGTCTCCCGA CGGGAGGTTA ATACCAAGAA 120 CCATGTGTGC CGAGCGGCTG GGCCAGTTCA TGACCCTGGC TTTGGTGTTG GCCACCTTTG 180
ACCCGGCGCG GGGGACCGAC GCCACCAACC CACCCGAGGG TCCCCAAGAC AGGAGCTCCC 240 AGCAGAAAGG CCGCCTGTCC CTGCAGAATA CAGCGGAGAT CCAGCACTGT TTGGTCAACG 300 GUITACATOR GEOGRAFIA CAUGUSTANA CAUCUSTANA C 40 TCCATTICAA GGACTIGCTG CTGCACGAAC CCTACGTGGA CCTCCTGAAC TTGCTGCTGA 660
CCTGTGGGGA GGAGGTGAAG GAGGCCATCA CCCACAGCGT GCAGGTTCAG TGTGAGCAGA 720
ACTGGGGAAG CCTGTGCTCC ATCTTGAGCT TCTGCACCTC GGCCATCCAG AAGCCTCCCA 780 45 CGGCCCCC CGAGCGCCAG CCCCAGGTGG ACAGAACCAA GCTCTCCAGG GCCCACCACG 840
GGGAAGCAGG ACATCACCTC CCAGAGCCCA GCAGTAGGGA GACTGGCCGA GGTGCCAAGG 900
GTGAGCGAGG TAGCAAGAGC CACCCAAACG CCCATGCCCG AGGCAGAGTC GGGGGCCTTG 960 50 GGGCTCAGGG ACCTTCCGGA AGCAGCGAGT GGGAAGACGA ACAGTCTGAG TATTCTGATA 1020
TCCGGAGGTG AAATGAAAGG CCTGGCCACG AAATCTTTCC TCCACGCCGT CCATTTTCTT 1080
ATCTATGGAC ATTCCAAAAC ATTTACCATT AGAGAGGGGG GATGTCACAC GCAGGATTCT 1140 GTGGGGACTG TGGACTTCAT CGAGGTGTGT GTTCGCGGAA CGGACAGGTG AGATGGAGAC 1200 CCCTGGGGCC GTGGGGTCTC AGGGGTGCCT GGTGAATTCT GCACTTACAC GTACTCAAGG 1260 QAGCGCGCCC GCGTTATCCT CGTACCTTTG TCTTCTTTCC ATCTGTGGAG TCAGTGGGTG 1320 55 TCGGCCGCTC TGTTGTGGGG GAGGTGAACC AGGGAGGGC AGGGCAAGGC AGGGCCCCCA 1380
GAGCTGGGCC ACACAGTGGG TGCTGGGCCT CGCCCCGAAG CTTCTGGTGC AGCAGCCTCT 1440
GGTGCTGTCT CCGCGGAAGT CAGGGCGGCT GGATTCCAGG ACAGGAGTGA ATGTAAAAAT 1500 AAATATCGCT TAGAATGCAG GAGAAGGGTG GAGAGGAGGC AGGGGCCGAG GGGGTGCTTG 1560
GTGCCAAACT GAAATTCAGT TTCTTGTGTG GGGCCTTGCG GTTCAGAGCT CTTGGCGAGG 1620
GTGGAGGGAG GAGTGTCATT TCTATGTGTA ATTTCTGAGC CATTGTACTG TCTGGGCTGG 1680 60

Seq ID NO: 22 <u>Protein sequence:</u>
Protein Accession #: NP\_003705

11 21

GCTITCAAAC AAAAAAAAAA AAAAAAAAAA AAAAAAA

41

31 51 MCAERLGOFM TLALVLATFD PARGTDATNP PEGPQDRSSQ QKGRLSLQNT AEIQHCLVNA 60 GDVGGGVFEC FENNSCEIRG LHGICMTFLH NAGKFDAQGK SFIKDALKCK AHALRHRFGC 120 ISRKCPAIRE MVSQLQRECY LKHDLCAAAQ ENTRVIVEMI HFKDLLLHEP YVDLVNLLLT 180 CGEEVKEAIT HSVQVQCEQN WGSLCSILSF CTSAIQKPPT APPERQPQVD RTKLSRAHHG 240 EAGHHLPEPS SRETGRGAKG ERGSKSHPNA HARGRVGGLG AQGPSGSSEW EDEQSEYSDI 300

GGGGGACACT GTCCAAGGGA GTGGCCCCTA TGAGTTTATA TTTTAACCAC TGCTTCAAAT 1740 CTCGATTTCA CTTTTTTAT TTATCCAGTT ATATCTACAT ATCTGTCATC TAAATAAATG 1800

WO 02/059377

RR

Seg ID NO: 23 DNA sequence NM\_005264.1 Nucleic Acid Accession #: Coding sequence: 557-1954(underlined sequences correspond to start and stop codons) 31 41 51 10 GAATTCCGGC CAGAAGAAT CTGGCCTCGG AACACGCCAT TCTCCGCGCC GCTTCCAATA 60
ACCACTAACA TCCCTAACGA GCATCCGAGC CGAGGGCTCT GCTCGGAAAT CGTCCTGGCC 120
CAACTCGGCC CTTCGAGCTC TCGAAGATTA CCGCATCTAT TTTTTTTTTC TTTTTTTTC 180
TTTCCTAGCG CAGATAAAGT GAGCCCGGAA AGGGAAGGAG GGGCGGGGGA CACCATTGCC 240
CTGAAAGAAT AAATAAGTAA ATAAACAAAC TGCCTCCTCG CCGCAGCTGG ACGCGGTCGG 300
TTAAAGCCAA CTTGCGCGCCG CGACCTCACG CGCCCTCCGC 240 15 20 25 30 35 40 45 50 55 Seq ID NO: 24 Protein sequence: NP\_005255 21 31 60 65 Seq ID NO: 25 DNA sequence FGENESH predicted 70 Nucleic Acid Accession #: Coding sequence: 1576(entire sequence represents open reading frame) 11 21 31 41 CTTTTGTTTC GCCATGCCTA GTCTAGTGGT ATCTGGAATA ATGGAAAGAA ATGGGGGCTT 60 75 TGGAGAACTA GGATGTTTCG GGGGAAGCGC TAAGGACCGA GGGCTGCTGG AAGACGAGCG 120
CGCCCTTCAG CTGGCTCTCG ATCAACTCTG CCTCCTGGGT TTGGGGGAGC CCCCCGCCCC 180

CAGGGCGGGC GAGGACGGGG GAGGTGGGGG GGGCGCCCC CCCGCGCAGC CGACAGCCCC 240
CCCGCAGCCG GCGCCCCCC CGCCGCCCGC GGCGCCCCCA CGACGGCCCC 300
CGCAGCGCAG ACGCCCCAGC CCCCCACCG CCCCAAAGGG GCGACGCCCC 300
CGCTCTCTAC AAAGAGGCCC AGCTGCGCCT GAAGGGCAGC ACGCACACACCA CGAGGTGTT 420
TCCCGTGCCC ACCTCCCGAGC ACGTGGCCGA GATCGTGGGC AGGCAAGACCA CGAAGATTAA 480
GGCCTTGAGG GCCAAGACCA ACACCTACAT CAAGACACCG GTGAGGGCG AGGAACCAGT 540
GTTCATGGTG ACAGGCCGA GGGAGGACT GGCCACAGAC TCAGCCTCGTGTG 660
AGCGGAGCAC TTCTCCATGA TCCGTGCCTC CCGCAACAAG TCAGGCCGC CCTTGTGT 660
GGCTCTGTC TCGCCGGCC AGGTGACCAT CAGGCGCCG CCTTGTTGT 660
GCTCTGTG TCGCCGGCC AGGTGACCAT CAGGCGCACACACCC GCGTGGTGGG 720
GCTGGTGGTG GGCCCCAAAG GGCCACCC CGTGTTCCAG ATCACGGGCCC CCTTATCACA CCAACACATA 780
CATTATCACA CCAAGCCGTG ACCCGACCC CGTGTTCCAG ATCACGGGGCCC CCTCCCAGGCAA 840
CTGCGAGCGT GCCGCCGCAGGAACCAC CCACTCCCG GCCGGGCG CCAAGACCAT 780
CATTATCACA CCAAGCCGTG ACCCGACCC CGTGTTCCAG ATCACGGGGCC CCCTGCCAGCAAA 840
CTGCGAGCGT GCCGCCGAGGAACCAC CACACACCCC GCGGGGGCACCACT GCAAGATCCT 900 5 10 CGTGGAGCGT GCGCGGGGAGACCC CUTOTICAGA AICACOGOTG CCCCAGCAA 840
CGTGGAGCGT GCGCGCGAGG AGATCGAGAC GCACATCGCG GTGCGCACTG GCAAGATCCT 900
CGAGTACAAC AATGAAAACG ACTTCCTGGC GGGGAGCCCC GACGCAGCAA TCGATAGCCG 960
CTACTCCGAC GCCTGGCGGG TGCACCAGCC CGGCTGCAAG CCCCTCTCCA CCTTCCGGCA 1020
GAACAGCCTG GGCTGCATCG GCGAGTGCGG AGTGGACTCT TGCCGGGCT ATGGCGTGGG 1140
GGGTGAGCAG GGCGGGGACT TTGGCTACGG CGGGTACCTC TTTCCCGGGCT ATGGCGTGGG 1140 15 CAAGCAGGAT GTGTACTACG GCGTGGCCGA GACTAGCCCC CCGCGTGTGGG CGGGCCAGGA 1200
GAACGCCACG CCCACCTCCG TGCTCTTCTC CTCTGCCTCC TCCTCCTCCT CCTCTTCCGC 1260
CAAGGCCCGC GCTGGGCCCC CGGGCGCACA CCGCTCCCCT GCCACTTCCG CGGGACCCGA 1320 GCTGGCCGGA CTCCCGAGGC GCCCCCCGGG AGAGCCGCTC CAGGGCTTCT CTAAACTTGG 1380 20 TGGGGGGGG CTGCGGAGCC CCGGCGGCGG GCGGGATTGC ATGGTCTGCT TTGAGAGCGA 1440
AGTGACTGCC GCCCTTGTGC CCTGCGGACA CAACCTGTTC TGCATGGAGT GTGCAGTACG 1500 CATCTGCGAG AGGACGGACC CAGAGTGTCC CGTCTGCCAC ATCACAGCCA CGCAAGCCAT 1560 CCGAATATTC TCCTAA 25 Seq ID NO: 26 Protein sequence: FGENESH predicted Protein Accession #: 30 21 31 41 51 | | | | | | | | 60 |
FCFAMPSLVV SGIMERNGGF GELGCFGGSA KDRGLLEDER ALQLALDQLC LLGLGEPPAP 60 |
RAGEDGGGG GGAPAQPTAP PQPAPPPPPA APPAAPTTAP AAQTPQPPTA PKGASDAKLC 120 |
ALYKEAELRL KGSSNTTECV PVPTSEHVAE IVGRQGCKIK ALRAKTNTYI KTPVRGEEPV 180 |
FMVTGRREDV ATARREIISA AEHFSMIRAS RNKSGAAFGV APALPGQVTI RVRVPYRVVG 240 |
LVVGPKGATI KRIQQQTNTY IITPSRDRDP VFEITGAPGN VERAREEIET HIAVRTGKIL 300 |
EYNNENDFLA GSPDAAIDSR YSDAWRVHQP GCKPLSTFRQ NSLGGIGEGG VDSGFEAPRL 360 |
GEQGGDFGYG GYLFPGYGVG KQDVYYGVAE TSPPLWAGQE NATPTSVLFS SASSSSSSS 420 |
KARAGPPGAH RSPATSAGPE LAGLPRRPPG EPLQGFSKLG GGGLRSPGGG RDCMVCFESE 480 |
VTAALVPCGH NLFCMECAVR ICERTDPECP VCHITATQAI RIFS 35 40 Seq ID NO: 27 DNA sequence FGENESH predicted Nucleic Acid Accession # 1-2070 (underlined sequences correspond to start and stop codons) Coding sequence: 45 51 ATGAGCGGTG CGGGGGTGGC GGCTGGGACG CGGCCCCCA GCTCGCCGAC CCCGGGCTCT 60 CGGCGCCGGC GCCAGCGCCC CTCTGTGGGC GTCCAGTCCT TGAGGCCGCA GAGCCCGCAG 120 CTCAGGCAGA GCGACCCGCA GAAACGGAAC CTGGACCTGG AGAAAAGCCT GCAGTTCCTG 180 50 CAGCAGCAGC ACTCGGAGAT GCTGGCCAAG CTCCATGAGG AGATCGAGCA TCTGAAGCGG 240
GAAAACAAGG GTGAGCCGGC GCGGGGCCCT AGGCCGGCCC TGCCTCCCCA GGCACACTCA 300
ACACTGCCGC TCCCGCAGCA CAGAAACACA GCCATCAACT CCAGCACACG CCTGGGCTCA 360 ACKURCUCA CAGACAGA CACAGACAGA ACTGTCCTTG CCCACCTGGC TGCACTGGCC 420
CCTGTATGCC AACCCAGTGG GTACAGGTTC TGGGGGACCT GGACAGATGC CGCTACCTCT 480
AGCCGTGGCT GGACGATGTT ATGCAGCCAA GCACAGCACG TGCTGCTCTC GGGAAGCCCA 540 55 ATGCTGGGGG CCCAGGGGAT ATGGACACAC TCCATCCAGG GATCCCTTCC TGCCATCTGG 780
GCAGCAACCA TGGGGACAAA GGGAGGAAGC AGAGTCCTGT TTCCTTGCCA CTTGTCCAAG 840
GCACTTCCCC ATCCTGACAG CGGCCCCAC CCAGCCCAGG ATCCTGGGCT GTGGTCTCAA 900 60 65 70 75

ACCCAAGAGC TGCGGCACCT CAAGTCCCTC CTGGAAGGGA GCCAGAGGCC CCAGGCAGCC 1860 CCGGAGGAAG CTAGCTTTCC CAGGGACCAA GAAGCCACGC ATTTCCCCAA GGTCTCCACC 1920 AAGAGCCTCT CCAAGAAATG CCTGAGCCCA CCTGTGGCGG AGCGTGCCAT CCTGCCCGCA 1980 CTGAAGCAGA CCCCGAAGAA CAACTTTGCC GAGAGGCAGA AGAGGCTGCA GGCAATGCAG 2040 AAACGGCGCC TGCATCGCTC AGTGCTTTGA

Seq ID NO: 28 <u>Protein sequence:</u>
Protein Accession #: FGENESH predicted

5

25

30

75

10 21 31 41 11 MSGAGVAAGT RPPSSPTPGS RRRQRPSVG VQSLRPQSPQ LRQSDPQKRN LDLEKSLQFL 60 QQQHSEMLAK LHEEIEHLKR ENKGEPARGP RPALPPQAHS TLPLPQHRNT AINSSTRLGS 120 GGTQDGEPLQ TVLAHLAALA PVCQPSGYRF WGTWTDAATS SRGWTMLCSQ AQHVLLSGSP 180 15 GGTQDGEPLQ TVLAHLAALA PVCQFSQYRF WG WIDAAVARPR ISSPMALSH 240
GPEVIAGRQV ATGCSPDLPP PSRAEMGRNP WDSPCPARSL PQIAAVARPR ISSPMALSH 240
MLGAQGIWTH SIQGSLPAIW AATMGTKGGS RVLFPCHLSK ALPHPDSGPH PAQDPGLWSQ 300
AHFPLSLGIG LTSGGHLTGG WSQPGNIAAG AVPRALPSQG DMEKGVEGGF PFSRCGNSSE 360
LFWAKCGPSR QPQPCSAGDA DBTREEAMLS LGTCCSMCCPK PSCFPDGPSG NHLSRASAPL 420
GARWVCINGV WVEPGGPSPA RLKEGSSRTH RPGGKRGRLA GGSADTVRSP ADSLSMSSPQ 480 20 SVKSISNSAN SQGKARPOPG SFNKQDSKAD VSQKADLEEE PLLHNSKLDK VPGVQGQARK 540 EKAEASNAGA ACMGNSQHQG RQMGAGAHPP MILPLPLRKP TTLRQCEVLI RELWNTNLLQ 600 TQELRHLKSL LEGSQRPQAA PEEASFPRDQ EATHFPKVST KSLSKKCLSP PVAERAILPA 660 LKQTPKNNFA ERQKRLQAMQ KRRLHRSVL

Seg ID NO: 29 DNA sequence NM\_012319.2 Nucleic Acid Accession #: 138-2405 (underlined sequences correspond to start and stop codons) Coding sequence:

11 21 31 41 51 CTCGTGCCGA ATTCGGCACG AGACCGCGTG TTCGCGCCTG GTAGAGATTT CTCGAAGACA 60 CCAGTGGGCC CGTGTGGAAC CAAACCTGCG CGCGTGGCCG GGCCGTGGGA CAACGAGGCC 120 GCGGAGACGA AGGCGCAATG GCGAGGAAGT TATCTGTAAT CTTGATCCTG ACCTTTGCCC 180 TCTCTGTCAC AAATCCCCTT CATGAACTAA AAGCAGCTGC TTTCCCCCAG ACCACTGAGA 240 AAATTAGTCC GAATTGGGAA TCTGGCATTA ATGTTGACTT GGCAATTTCC ACACGGCAAT 300 35 ATCATCTACA ACAGCITTIC TACCGCTATG GAGAAAATAA TICTTTGTCA GTTGAAGGGT 360
TCAGAAAATT ACTTCAAAAT ATAGGCATAG ATAAGATTAA AAGAATCCAT ATACACCATG 420
ACCACGACCA TCACTCAGAC CACGAGCATC ACTCAGACCA TGAGCGTCAC TCAGACCATG 480 40 AGCATCACTC AGACCACGAG CATCACTCTG ACCATGATCA TCACTCTCAC CATAATCATG 540
CTGCTTCTGG TAAAAATAAG CGAAAAGCTC TTTGCCCAGA CCATGACTCA GATAGTTCAG 600
GTAAAGATCC TAGAAACAGC CAGGGGAAAG GAGCTCACCG ACCAGAACAT GCCAGTGGTA 660 GAAGGAATGT CAAGGACAGT GTTAGTGCTA GTGAAGTGAC CTCAACTGTG TACAACACTG 720
TCTCTGAAGG AACTCACTTT CTAGAGACAÁ TAGAGACTCC AAGACCTGGA AAACTCTTCC 780
CCAAAGATGT AAGCAGCTCC ACTCCACCCA GTGTCACATC AAAGAGCCGG GTGAGCCGGC 840 45 TGGCTGGTAG GAAAACAAAT GAATCTGTGA GTGAGCCCCG AAAAGCTTT ATGTATTCCA 900
GAAACACAAA TGAAAATCCT CAGGAGTGTT TCAATGCATC AAAGCTACTG ACATCTCATG 960
GCATGGGCAT CCAGGTTCCG CTGAATGCAA CAGAGTTCAA CTATCTCTGT CCAGCCATCA 1020 50 TCAACCAAAT TGATGCTAGA TCTTGTCTGA TTCATACAAG TGAAAAGAAG GCTGAAATCC 1080 CTCCAAAGAC CTATTCATTA CAAATAGCCT GGGTTGGTGG TTTTATAGCC ATTTCCATCA 1140 TCAGTTTCCT GTCTCTGCTG GGGGTTATCT TAGTGCCTCT CATGAATCGG GTGTTTTTCA 1200 AATTICTCT GAGTITCCTT GTGGCACTGG CCGTTGGGAC TTTGAGTGGT GTGTTTT 1260
AATTICTCCT GAGTITCCTT GTGGCACTGG CCGTTGGGAC TTTGAGTGGT GATGCTTTTT 1260
TACACCTTCT TCCACATTCT CATGCAAGTC ACCACCATAG TCATAGCAT GAAGAACCAG 1320
CAATGGAAAT GAAAAGAGGA CCACTTTTCA GTCATCTGTC TTCTCAAAAC ATAGAAGAAA 1380
GTGCCTATTT TGATTCCACG TGGAAGGGTC TAACAGCTCT AGGAGGCCTG TATTTCATGT 1440
TTCTTGTTGA ACATCTCTC ACATTGATCA ACAATTTAAA AGATAAGAAA AAAAAATTCAATTTCATCAAATTCATGT 1500 55 TICTIGTIGA ACATGICCTC ACATTGATCA AACAATTIAA AGAIAAGAAG AAAAAGAALC 1500
AGAAGAAACC TGAAAATGAA GATGATGIGG AGATTAAGAA GCAGTIGTCC AAGATATGAAT 1560
CTCAACTITC AACAAATGAG GAGAAAGTAG ATACAGATGA TCGAACTGAA GGCTATTTAC 1620
GAGCAGACTC ACAAGAGCCC TCCCACTTIG ATTCTCAGCA GCCTGCAGTC TTGGAAAGAAG 1680
AAGAGGTCAT GATAGCTCAT GCTCATCCAC AGGAAGTCTA CAATGAATAT GTACCCAGAG 1740
GGTGCAAGAA TAAATGCCAT TCACCATTTCC ACGATACACT CGGCCAGTCA GACGACTCTA 1800
TTCACCACCA TCATGACTAC CATCATATTC TCCATCATCA CCACCACCAA AACCACCATC 1860 60 TICACAGTCA CAGCCAGCGC TACTCTCGGG AGGAGCTGAA AGATGCCGGC GTCGCCACTT 1920
TGGCCTGGAT GGTGATAATG GGTGATGGCC TGCACAATTT CAGCGATGGC CTAGCAATTG 1980
GTGCTGCTTT TACTGAAGGC TTATCAAGTG GTTTAAGTAC TTCTGTTGCT GTGTTCTGTC 2040 65 GTGCTGCTTT TACTGAAGGC TTATCAAGTG GTTTAAGTAC TEGGTTGCT GTGTTCCTC 200
ATGAGTTGCC TCATGAATTA GGTGACTTTG CTGTTCTACT AAAGGCTGGC ATGACCGTTA 2100
AGCAGGCTGT CCTTTATAAT GCATTGTCAG CCATGCTGGC GTATCTTGGA ATGGCAACAG 2160
GAATTTTCAT TGGTCATTAT GCTGAAAATG TTTCTATGTG GATATTTGCA CTTACTGCTG 2220
GCTTATTCAT GTATGTTGCT CTGGTTGATA TGGTACCTGA AATGCTGCAC AATGATGCTG 2220
GTGACCATGG ATGTAGCCGC TGGGGGTATT TCTTTTTACA AATGCTGCAC ATGATGTTGG 2340 70 GTGACCATGG ATGTAGCCGC TGGGGGTATT TCTTTTTACA GAATGCTGGG ATGCTTTTGG 2340
GTTTTGGAAT TATGTTACTT ATTTCCATAT TTGAACATAA AATGGTGTT CGTATAAAAT 2400
TCTAGTTAAG GTTTAAATGC TAGAGTAGCT TAAAAAGTTG TCATAGTTTC AGTAGGTCAT. 2460
AGGGAGATGA GTTTGTATGC TGTACTATGC AGCGTTTAAA GTTAGTGGTGT TTTGTGATTT 2520
TTGTATTGAA TATTGCTGTC TGTTACAAAG TCAGTTAAAG GTACGTTTTA ATATTTAAGT 2580
TATTCTATCT TGGAGATAAA ATCTGTATGT GCAATTCACC GGTATTACCA GTTTATTATG 2640
TAAACAAGAG ATTTGGCATG ACATGTTCTG TATGTTTCAG GGAAAAATGT CTTTAATGCT 2700

TTTTCAAGAA CTAACACAGT TATTCCTATA CTGGATTTTA GGTCTCTGAA GAACTGCTGG 2760 TGTTTAGGAA TAAGAATGTG CATGAAGCCT AAAATACCAA GAAAGCTTAT ACTGAATTTA 2820 AGCAAAGAA TAAAGGAGAA AAGAGAAACCI AAAAIACCAA GAAAGCITAT ACIGAATTTA 2880
AGCAAAGAAA TAAAGGAGAA AAGAGAAGAA TCTGAGAATT GGGGAGGCAT AGATTCTTAT 2880
AAAAATCACA AAATTTGTTG TAAAATTAGAG GGGAGAAATT TAGAATTAAG TATAAAAAGG 2940
CAGAATTAGT ATAGAGTACA TTCATTAAAC ATTTTTGTCA GGATTATTTC CCGTAAAAAC 3000
GTAGTGAGCA CTCTCATATA CTAATTAGTG TACATTTAAC TTTGTATAAT ACAGAAATCT 3060
AAATATATTT AATGAATTCA AGCAATATAC ACTTGACCAA GAAATTGGAA TTTCAAAAATG 3120 TACTICAGGG THATATACCA GATGAGTAC GTGACTAGGT TATGTATCAC CAGACTGGGT 1380
TATTGCCCAGG TTATATACCA GATGAGTACA GTGAGTAGTT TATGTATCAC CAGACTGGGT 1380
TATTGCCAAG TTATATACCA CCAAAAGCTG TATGACTGGA TGTTCTGGTT ACCTGGTTTA 3240
CAAAATTATC AGAGTAGTAA AACTTTGATA TATATGAGGA TATTAAAACT ACACTAAGTA 3300
TCATTTGATT CGATATCAGTA AGTACTTTGAT TATCTCTCAG TGCTTCAGTG CTATCATTGT 3360
GAGCAATTGT CTTTATATAC GGTACTGTAG CCATACTAGG CCTGTCTGTG GCATTCTCTA 3420 10 GATGTTTCTT TTTTACACAA TAAATTCCTT ATATCAGCTT G

15 Seq ID NO: 30 Protein sequence:
Protein Accession #: NP 036451.2

> 41 21 31

20 MARKLSVILI LTFALSVTNP LHELKAAAFP QTTEKISPNW ESGINVDLAI STRQYHLQQL 60 FYRYGENNSL SVEGFRKLLQ NIGIDKIKRI HIHHDHDHHS DHEHHSDHER HSDHEHHSDH 120 EHHSDHDHIIS HINNHAASGKN KRKALCPDHD SDSSGKDPRN SQGKGAHRPE HASGRRNVKD 180 SVSASEVTST VYNTVSEGTH FLETIETPRP GKLFPKDVSS STPPSVTSKS RVSRLAGRKT 240 NESVSEPRKG FMYSRNTNEN PQECFNASKL LTSHGMGIQV PLNATEFNYL CPAIINQIDA 300

NESVSEPRKG FMYSKNINEN PQELFMASKL LISHGMGIGV FINATERYHT CYAHINQIM 300
RSCLIHTSER KAEIPFKYTS LQIAWVGGFI AISIISFLSL LGVILVPLIMN RVFFKFLLSF 360
LVALAVGTLS GDAFLHILPH SHASHHHSHS HEFPAMEMKR GPLFSHLSSQ NIEESAYFDS 420
TWKGLTALGG LYFMFLVEHV LTLIKQFKDK KKKNQKKPEN DDDVEIKKQL SKYESQLSTN 480
EEKVDTDDDT EGYLRADSQE PSHFDSQQPA VLEEEEVMIA HAHPQEVYNE YVPRGCKNKC 540
HSHFHDTLGQ SDDLIHHHHD YHHILHHHHH QNHIPHSHSQ RYSREELKDA GVATLAWMVI 600 25

30 MGDGLINFSD GLAIGAAFTE GLASGLSTSV AVFCHELPHE LGDFAVILIKA GMTVKQAVLY 660
NALSAMLAYL GMATGIFIGH YAENVSMWIF ALTAGLFMYV ALVDMVPEML HNDASDHGCS 720
RWGYFFLQNA GMLLGFGIML LISIFEHKIV FRINF

Seg ID NO: 31 DNA sequence

35

70

Nucleic Acid Accession #: NM\_002184.1

256-3012(underlined sequences correspond to start and stop codons) Coding sequence:

40 GAGCAGCCAA AAGGCCCGCG GAGTCGCGCT GGGCCGCCCC GGCGCAGCTG AACCGGGGGC 60 CGCGCCTGCC AGGCCGACGG GTCTGGCCCA GCCTGGCGCC AAGGGGTTCG TGCGCTGTGG 120
AGACGCGGAG GGTCGAGGCG GCGCGGCCTG AGTGAAACCC AATGGAAAAA GCATGACATT 180
TAGAAGTAGA AGACTTAGCT TCAAATCCCT ACTCCTTCAC TTACTAATTT TGTGATTTGG 240 AAATATCCGC GCAAGATGTT GACGTTGCAG ACTTGGGTAG TGCAAGCCTT GTTTATTTTC 300
CTCACCACTG AATCTACAGG TGAACTTCTA GATCCATGTG GTTATATCAG TCCTGAATCT 360
CCAGTTGTAC AACTTCATTC TAATTTCACT GCAGTTTGTG TGCTAAAGGA AAAATGTATG 420 45

GATTATTTIC ATGTAAATIG TAATTACACTI GTCTGGAAAA CAAACCATTT TACTATTICCT 480
AAGGAGCAAT ATACTATCAT AAACCACACTT GTCTGGAAAA CAAACCATTT TACTATTICCT 480
AAGGAGCAAT ATACTATCAT AAACCACACAT CTTACATTCG GACAGCTTGA ACAGAATAGCT 540
TCATTAAAATA TTCAGCTCAC TTGCAACATT CTTACATTCG GACAGCTTGA ACAGAATGTT 600
TATGGAATCA CAATAATTTC AGGCTTGCCT CCAGAAAAAC CTAAAAAATTT GAGTTGCATT 660
GTGAACGAGG GGAAGAAAAT GAGGTGTGAG TGGGATGGTG GAAGGGAAAAAC ACACTTGGAG 720 50 ACAAACTICA CTITAAAATC TGAATGGGCA ACACACAGT TTGCTGATTG CAAAGCAAAA 780 CGTGACACCC CCACCTCATG CACTGTTGAT TATTCTACTG TGTATTTTGT CAACATTGAA 840 GTCTGGGTAG AAGCAGAGAA TGCCCTTGGG AAGGTTACAT CAGATCATAT CAATTTTGAT 900

GTCTIGGTIATA AGCAGAGA IGCCCTIGGG AAGGITACAT CAGATICATAT CAATITATA AGCATATATA AAGTAGAGCA AGCAATGCCCA CATAAATTAT CAGTGATCAA CTCAGAGGAA 960
CTGTCTAGTA TCTTAAAATT GACATGGACC AACCCAAGTA TTAAGAGTGT TATAATACTA 1020
AAATATAACA TTCAATATAG GACCAAAGAT GCCTCAACTT GGAGCCAGAT TCCTCCTGAA 1080
GACACAGCAT CCACCCGATC TTCATTCACT GTCCAAGACC TTAAAACCTTT ACAGAATAT 1140
GTGTTTAGGA TTCGCTGTAT GAAGGAAGAT GGTAAAGGGAT ACTGGAGTGA CTGGAGTGAA 1200
GAAGCAAGTG GGATCACCTA TGAAGGATAGA CCACTTAAAA CACCATTTCTCTTATAAA 1260 55

60 ATAGATCCAT CCCATACTCA AGGCTACAGA ACTGTACAAC TCGTGTGGAA GACATTGCCT 1320 CCTTTTGAAG CCAATGGAAA AATCTTGGAT TATGAAGTGA CTCTCACAAG ATGGAAATCA 1380 CATTTACAAA ATTACACAGT TAATGCCACA AAACTGACAG TAAATCTCAC AAATGATCGC 1440

TATCTAGCAA CCCTAACAGT AAGAAATCTT GTTGGCAAAT CAGATGCAGC TGTTTTAACT 1500 ATCCCTGCCT GTGACTTTCA AGCTACTCAC CCTGTAATGG ATCTTAAAGC ATTCCCCAAA 1560 65 GATAACATGC TITIGGTIGGA TAGGACTACT CCAAGGGAAT CTGTAAAGA ATATATACTT 1620
GAGTGGTGTG TGTTATCAGA TAAAGCACCC TGTATCACAG ACTGGCAACA AGAAGATGGT 1680
ACCGTGCATC GCACCTATTT AAGAGGGAAC TTAGCAGAGA GCAAATGCTA TTTGATAACA 1740
GTTACTCCAG TATATGCTGA TGGACCAGGA AGCCCTGAAT CCATAAAAGGC ATACCTTAAA 1800
CAAGCTCCAC CTTCCAAAGG ACCTACTGTT CGGACAAAAA AAGTAGGGAAT AAACCTAAAA 1800
GTCTTAGAGT GGGACCAACT TCCTGTTGAT GTTCAGAATG GATTTATCAG AAATTATACT 1920

GTCTIAGAGI GGGACCAACT TCCTGTTGAT GTTCAGAATG GATTATICA GAATTATATA GAACCATCAT GGAAATGAA ACTGCTGTGA ATGTGGATTC TTCCCACACA 1980
GAATATACAT TGTCCTCTTT GACTAGTGAC ACATTGTACA TGGTACGAAT GGCAGCATAC 2040
ACAGATGAAG GTGGGAAGGA TGGTCCAGAA TTCACTTTTA CTACCCCAAA GTTTGCTCAA 2100
GGAGAAATTG AAGCCATAGT CGTGCCTGTT TGCTTAGCAT TCCTATTGAC AACTCTTCTG 2160
GGAGTGCTGT TCTGCTTTAA TAAGCGAGAC CTAATTAAAA AACACATCTG GCCTAATGTT 2220
CCAGATCCTT CAAAGAGTCA TATTGCCCAG TGGTCACCTC ACACTCCTCC AAGGCACAAT 2280

WO 02/059377 PCT/US02/02242

TTTAATTCAA AAGATCAAAT GTATTCAGAT GGCAATTTCA CTGATGTAAG TGTTGTGGAA 2340 ATAGAAGCAA ATGACAAAAA GCCTTTTCCA GAAGATCTGA AATCATTGGA CCTGTTCAAA 2400 AAGGAAAAAA TTAATACTGA AGGACACAGC AGTGGTATTG GGGGGTCTTC ATGCATGTCA 2460 TCTTCTAGGC CAAGCATTTC TAGCAGTGAT GAAAATGAAT CTTCACAAAA CACTTCGAGC 2520 ACTGTCCAGT ATTCTACCGT GGTACACAGT GGCTACAGAC ACCAAGTTCC GTCAGTCCAA 2580 5 GTCTTCTCAA GATCCGAGTC TACCCAGCCC TTGTTAGATT CAGAGGAGCG GCCAGAAGAT 2640 CTACAATTAG TAGATCATGT AGATGGCGGT GATGGTATTT TGCCCAGGCA ACAGTACTTC 2700 AAACAGAACT GCAGTCAGCA TGAATCCAGT CCAGATATTT CACATTTTGA AAGGTCAAAG 2760 CAAGTTTCAT CAGTCAATGA GGAAGATTTT GTTAGACTTA AACAGCAGAT TTCAGATCAT 2820 ATTTCACAAT CCTGTGGATC TGGGCAAATG AAAATGTTTC AGGAAGTTTC TGCAGCAGAT 2880 GCTTTTGGTC CAGGTACTGA GGGACAAGTA GAAAGATTTG AAACAGTTGG CATGGAGGCT 2940 10 CTAAAATGAT TTTATCTGTG AATTC 15 Seq ID NO: 32 Protein sequence: NP\_002175.1 31 41 51 20 NANYIVWKTN HETIPKEQYT IINRTASSVT FTDIASINIQ LTCNILTFGQ LEQNVYGITI 120
ISGLPPEKPK NLSCIVNEGK KMRCEWDGGR ETHLETNFTL KSEWATHKFA DCKAKRDTPT 180
SCTVDYSTVY FVNIEVWVEA ENALGKVTSD HINFDPVYKV KPNPPHNLSV INSEELSSIL 240 25 KLTWTNPSIK SVIILKYNIQ YRTKDASTWS QIPPEDTAST RSSFTVQDLK PFTEYVFRIR 300 CMKEDGKGYW SDWSEEASGI TYEDRPSKAP SFWYKIDPSH TQGYRTVQLV WKTLPPFEAN 360 GKILDYEVTL TRWKSHLQNY TVNATKLTVN LTNDRYLATL TVRNLVGKSD AAVLTIPACD 420 FQATHPYMDL KAFPKDNMLW VEWTTPRESV KKYILEWCVL SDKAPCITDW QQEDGTVHRT 480 YLRGNLAESK CYLITVTPVY ADGPGSPESI KAYLKQAPPS KGPTVRTKKV GKNEAVLEWD 540 QLPVDVQNGF IRNYTIFYRT IIGNETAVNV DSSHTEYTLS SLTSDTLYMV RMAAYTDEGG 600 30 KDGPEFTFTT PKFAQGEIEA IVVPVCLAFL LTTLLGVLFC FNKRDLIKKH IWPNVPDPSK 660 SHAQWSPHT PPRHNFNSKD QMYSDGNFTD VSVVEIEAND KKPFPEDLKS LDLFKKEKIN 720
TEGHSSGIGG SSCMSSSRPS ISSSDENESS QNTSSTVQYS TVVHSGYRHQ VPSVQVFSRS 780
ESTQPLLDSE ERPEDLQLVD HVDGGDGILP RQQYFKQNCS QHESSPDISH FERSKQVSSV 840
NEEDPVRLKQ QISDHISQSC GSGQMKMFQE VSAADAFGPG TEGQVERFET VGMEAATDEG 900
MPKSYLPQTV RQGGYMPQ 35 See ID NO: 33 DNA sequence Nucleic Acid Accession #: NM\_018255.1 40 Coding sequence: 11-2491 (underlined sequences correspond to start and stop codons) AGTTGGCGAC ATGGTGGCAC CCGTGCTGGA GACTTCTCAC GTGTTTTGCT GCCCAAACCG 60 45 50 55 AGATGGTGTC CTACAGCAGC CAGTGAGATT ATTATCTGCT TCCATGGATA AAACCATGAT 960
TCTCTGGGCT CCAGATGAAG AGTCAGGAGT TTGGCTAGAA CAGGTTCGAG TAGGTGAAGT 1020
AGGTGGGAAT ACTTTGGGAT TTTATGATTG CCAGTTCAAT GAAGATGGCT CCATGATCAT 1080 60 TGCTCATGCT TTCCACGGAG CGTTGCACCT TTGGAAACAG AATACAGTTA ACCCAAGAGA 1140 GTGGACTCCA GAGATTGTCA TTTCAGGACA CTTTGATGGT GTCCAAGACC TAGTCTGGGA 1200 TCCAGAAGGA GAATTTATTA TCACTGTTGG TACTGATCAG ACAACTAGAC TTTTTGCTCC 1260 TCCAGAAGGA GAATITATTA TCACTGTTGG TACTGATCAG ACAACTAGAC TTTTTGCTCC 1260
ATGGAAGAGA AAAGACCAAT CACAGGTGAC TTGGCATGAA ATTGCAAGGC CTCAGAGTACA 1320
TGGGTATGAC CTGAAATGTT TGGCAATGAT TAATCGGTTT CAGTTTGTTTTGGAGCAGA 1380
TGAAAAAGTT CTTCGGGTTT TTTCTGCACC TCGGAATTTT GTGGAAAAATT TTTGTGCCAT 1440
TACAGGACAA TCACTGAATC ATGTGCTCTG TAATCAAGAT AGTGATCTTC CAGAAGGAGC 1500
CACTGTCCCT GCATTGGGAT TATCAAATAA AGCTGTCTTT CAGGGAGATA TAGCTTCTCA 1560
GCCTTCTGAT GAAGAGGAGC TGTTAACTAG TACTGGTTTT GAGTATCAGC AGGTGGCCTT 1620
TCAGCCCTCC ATACTTACTG AGCCTCCCAC TGAGGATCAT CTTCTGCAGA ATACTTTGTG 1680
GCCTGAAGTT CAAAAACTAT ATGGGCACG TATATGAAATA TTTTGTTTA CTTGTAACAG 1740
TTCAAAGACT CTGCTTGCCT CAGCTTGTAA GGCAGCTAAG AAAGACCATG CAGCTATCAT 1800
TCTTTGGAAC ACTACATCTT GGAAACAGGT GCAGAATTTA GTTTTCCACAG GTTTGACAGT 1860
CACGCAGATG GCCTTCTCAC CTAATGAGAA GTTCTTACTA GCTGTTTCCA GAGATCGAAC 1920
CTGGTCATTG TGGAAAAAGC AGGATACAAT CTCACCTGAG TTGGAGCCAG TTTTTAGTTT 1980
TTTTGCCTTC ACCAACAAAA TTACTTCTGT GCACCAGTAG AATTATTTTGTC CTTGTGATTG 2040 65 70 75 TTTTGCCTTC ACCAACAAAA TTACTTCTGT GCACAGTAGA ATTATTTGGT CTTGTGATTG 2040

WO 02/059377 PCT/US02/02242

GAGTCCTGAC AGCAAGTATT TCTTCACTGG GAGTCGAGAC AAAAAGGTGG TTGTCTGGGG 2100 TGAGTGCGAC TCCACTGATG ACTGTATTGA GCACAACATT GGCCCCTGCT CCTCAGTCCT 2160 GGACGTGGGT GGGGCTGTGA CAGCTGTCAG CGTCTGCCCA GTGCTCCACC CTTCTCAACG 2220
ATACGTGGTT GCAGTAGGAT TGGAGTGTGG AAAGATTTGC TTATATACCT GGAAAAAGAC 2280
TGATCAAGTT CCAGAAATAA ATGACTGGAC CCACTGTGTA GAAACAAGTC AAAGCCAAAG 2340 TCATACACTG GCTATCAGAA AATTATGCTG GAAGAATTGC AGTGGAAAAA CTGAACAGAA 2400 GGAAGCAGAA GGTGCTGAGT GGTTACACTT TGCAAGCTGT GGTGAAGATC ACACTGTGAA 2460 GATACACAGA GTCAATAAAT GTGCACTGTA ATGG

10 Seq ID NO: 34 Protein sequence: NP\_060725.1 Protein Accession #:

5

35

40

45

50

55

60

65

70

75

21

15 MVAPVLETSH VFCCPNRVRG VLNWSSGPRG LLAFGTSCSV VLYDPLKRVV VTNLNGHTAR 60 VNCIQWICKQ DGSPSTELVS GGSDNQVIHW EIEDNQLLKA VHLQGHEGPV YAVHAVYQRR 120 TSDPALCTLI VSAAADSAVR LWSKKGPEVM CLQTLNFGNG FALALCLSFL PNTDVPILAC 180 GNDDCRIHIF AQQNDQFQKV LSLCGHEDWI RGVEWAAFGR DLFLASCSOD CLIRIWKLYI 240 KSTSLETQDD DNIRLKENTF TIENESVKIA FAVTLETVLA GHENWVNAVH WQPVFYKDGV 300

ASISLEIQUD DIRICKERIT TIERES VAIA FAY ILEI YLA GIBERW YNAYTH WQY YT IADOU 300
LQQPVRLLSA SMDKTMILWA PDEESGVWLE QVRVGEVGGN TLGFYDCQFN EDGSMIIAHA 360
FHGALHLWKQ NTVNPREWTP EIVISGHETDG VQDLVWDPEG EFIITVOTDQ TTRLFAPWKR 420
KDQSQVTWHE IARPQIHGYD LKCLAMINRF QFVSGADEKV LRVFSAPRNF VENFCAITGQ 480
SLNHVLCNQD SDLPEGATVP ALGLSNKAVF QGDIASQPSD EEELLTSTGF EYQQVAFQPS 540
LLTEPPTEDH LLQNTLWPEV QKLYGHGYEI FCVTCNSSKT LLASACKAAK KEHAAILWN 600 20 25 TTSWKQVQNL VFHSLTVTQM AFSPNEKFLL AVSRDRTWSL WKKQDTISPE FEPVFSLFAF 660

TNKITSVHSR IWSCDWSPD SKYFFTGSRD KKVVVWGECD STDDCIEHNI GPCSSVLDVG 720 GAVTAVSVCP VLHPSQRYVV AVGLECGKIC LYTWKKTDQV PEINDWTHCV ETSQSQSHTL 780 AIRKLCWKNC SGKTEQKEAE GAEWLHFASC GEDHTVKIHR VNKCAL

30 Seq ID NO: 35 DNA sequence

Nucleic Acid Accession #: NM\_022131
Coding sequence: 11-2878 (underlined sequences correspond to start and stop codons)

31 TGCTGCGAGG <u>ATG</u>CTGCCTG GGCGGCTGTG CTGGGTGCCG CTCCTGCTGG CGCTGGGCGT 60 GGGGAGCGGC AGCGGCGGTG GCGGGGACAG CCGGCAGCGC CGCCTCCTCG CGGCTAAAGT 120 CAATAAGCAC AAGCCATGGA TCGAGACTTC ATATCATGGA GTCATAACTG AGAACAATGA 180 CACAGTCATT TTGGACCCAC CACTGGTAGC CCTGGATAAA GATGCACCGG TTCCTTTTGC 240
AGGGGAAATC TGTGCGTTCA AGATCCATGG CCAGGAGCTG CCCTTTGAGG CTGTGGTGCT 300
CAACAAGACA TCAGGAGAGG GCCGGCTCCG TGCCAAGAGC CCCATTGACT GTGAGTTGCA 360 GAAGGAGTAC ACATTCATCA TCCAGGCCTA TGACTGTGGT GCTGGGCCCC ACGAGACAGC CTGGAAAAAG TCACACAAGG CCGTGGTCCA TATACAGGTG AAGGATGTCA ACGAGTTTGC TCCCACCTTC AAAGAGCCAG CCTACAAGGC TGTTGTGACG GAGGGCAAGA TCTATGACAG CATTCTGCAG GTGGAGGCCA TTGACGAGGA CTGCTCCCCA CAGTACAGCC AGATCTGCAA 660
CTATGAAATC GTCACCACAG ATGTGCCTTT TGCCATCGAC AGAATGGCA ACATCAGGAA 660
CACTGAGAAG CTGAGCTATG ACAAACAACA CCAGTATGAG ATCCTGGTGA CCGCCTACGA 720 CTGTGGACAG AAGCCCGCTG CTCAGGACAC CCTGGTGCAG GTGGATGTGA AGCCAGTTTG 780 CAAGCCTGGC TGGCAAGACT GGACCAAGAG GATTGAGTAC CAGCCTGGCT CCGGGAGCAT 840 GCCCCTGTTC CCCAGCATCC ACCTGGAGAC GTGCGATGGA GCCGTGTCTT CCCTCCAGAT 900 CGTCACAGAG CTGCAGACTA ATTACATTGG GAAGGGTTGT GACCGGGAGA CCTACTCTGA 960 GAAATCCCTT CAGAAGTTAT GTGGAGCCTC CTCTGGCATC ATTGACCTCT TGCCATCCCC 1020 TAGCGCTGCC ACCAACTGGA CTGCAGGACT GCTGGTGGAC AGCAGTGAGA TGATCTTCAA 1080 GTTTGACGGC AGGCAGGGTG CCAAAATCCC CGATGGGATT GTGCCCAAGA ACCTGACCGA 1140
TCAGTTCACC ATCACCATGT GGATGAAACA CGGCCCCAGC CCTGGTGTGA GAGCCGAGAA 1200 GGAAACCATC CTCTGCAACT CAGACAAAAC CGAAATGAAC CGGCATCACT ATGCCCTGTA 1260 TGTGCACAAC TGCCGCCTCG TCTTTCTCTT GCGGAAGGAC TTCGACCAGG CTGACACCTT 1320
TCGCCCCGCG GAGTTCCACT GGAAGCTGGA TCAGATTTGT GACAAAGAGT GGCACTACTA 1380 TGTCATCAAT GTGGAGTTTC CTGTGGTAAC CTTATACATG GATGGAGCAA CATATGAACC 1440 ATACCTGGTG ACCAACGACT GGCCCATTCA TCCATCTCAC ATAGCCATGC AACTCACAGT 1500 CGGCGCTTGT TGGCAAGGAG GAGAAGTCAC CAAACCACAG TTTGCTCAGT TCTTTCATGG 1560 AAGCCTGGCC AGTCTCACCA TCCGCCCTGG CAAAATGGAA AGCCAGAAGG TGATCTCCTG 1620
CCTGCAGGCC TGCAAGGAAG GGCTGGACAT TAATTCCTTG GAAAGCCTTG GCCAAGGAAT 1680
AAAGTATCAC TTCAACCCCT CGCAGTCCAT CCTGGTGATG GAAGGTGACG ACATTGGGAA 1740 CATTAACCGT GCTCTCCAGA AAGTCTCCTA CATCAACTCC AGGCAGTTCC CAACGGCGG 1800
TGTGCGGCGC CTCAAAGTAT CCTCCAAAGT CCAGTGCTTT GGGGAAGACG TATGCATCAG 1860
TATCCCTGAG GTAGATGCCT ATGTGATGGT CCTCCAGGCC ATCGAGCCC GGATCACCCT 1920 CCGGGGCACA GACCACTTCT GGAGACCTGC TGCCCAGTTT GAAAGTGCCA GGGGAGTGAC 1980 CCTCTTCCCT GATATCAAGA TTGTGAGCAC CTTCGCCAAA ACCGAAGCCC CCGGGGACGT 2040 GAAAACCACA GACCCCAAAT CAGAAGTCTT AGAGGAAATG CTTCATAACT TAGATTTCTG 2100
TGACATTTTG GTGATCGGAG GGGACTTGGA CCCAAGGCAG GAGTGCTTGG AGCTCAACCA 2160
CAGTGAGCTC CACCAACGAC ACCTGGATGC CACTAATTCT ACTGCAGGCT ACTCCATCTA 2220 CAGTGAGCTC CACCAACGAC ACCTGGATGC CACTAATTCT ACTGCAUGCT ACTCCATCTA 2220
CGGTGTGGGC TCCATGAGCC GCTATGAGCA GGTGCTACAT CACATCCGCT ACCGCAACTG 2280
CGGTCCGGCT TCCCTTGAGG CCCGGCGTTT CCGGATTAAG TGCTCAGAAC TCAATGGGCG 2340
CTACACTAGC AATGAGTTCA ACTTGGAGGT CAGCATCCTT CATGAAGACC AAGTCTCAGA 2400
TAAGGAGCAT GTCAATCATC TGATTGTGCA GCCTCCCTTC CTCCAGTCTG TCCATCATCC 2460
TGAGTCCCGG AGTAGCATCC AGCACAGTTC AGTGGTCCCA AGCATTGCCA CAGTGGTCAT 2520

WO 02/059377 PCT/US02/02242

|            | CATCATCTCC GTGTGCATGC TTGTGTTTGT CGTGGCCATG GGTGTGTACC GGGTCCGGAT 2580   |
|------------|--|
|            | CGCCCACCAG CACTTCATCC AGGAGACTGA GGCTGCCAAG GAATCTGAGA TGGACTGGGA 2640   |
|            | CGATTCTGCG CTGACTATCA CAGTCAACCC CATGGAGAAA CATGAAGGAC CAGGGCATGG 2700<br>GGAAGATGAG ACTGAGGGAG AAGAGGAGGA AGAAGCCGAG GAAGAAATGA GCTCCAGCAG 276  |
| 5          | TGGCTCTGAC GACAGCGAAG AGGAGGAGGA GGAGGAAGGG ATGGGCAGAG GCAGACATGG 282  |
| ,          | GCAGAATGGA GCCAGGCAAG CCCAGCTGGA GTGGGATGAC TCCACCCTCC CCTAC <u>TAG</u> TG 2880  |
|            | CCCAGGGGTC TGCTGCCTGG CCCACATGTC CCTTTTGTAA ACCCTGACCC AGTGTATGCC 2940   |
|            | CATGTCTATC ATACCTCACC TCTGATGTCT GTGACATGTC TGGGAAGGCC TTCTCCAGCT 3000   |
|            | TCCTGGAGCC CACCCTTTAA GCCTTGGGCA CTCCCTGTGT TTCATCCATG GGGAAGTTCC 3060   |
| 10         | AAGAAGCCCA GCATGGCCAT CAGTGAGGAC TTCAGGGTAG ACTTTGTCCT GTAGCCTCCA 3120   |
|            | CTTCTGCCCT AAGTTCCCCA GCATCCTGAC TACCTGTCTG CAGAGTTTGC CTTTGTTTTT 3180   |
|            | TCCTGCAGGG AAGAAGGCCC ACCTTTGTGT CACTCACCTC CCCAGGCTCA GAGTCCCCAA 3240   |
|            | GGCCCTGGGG TTCCAACTCA CTGTGCGTCT CCTCCACACA GACCAGTAGG TTCTCCTATG 1300<br>CTGACTCCAG GTTGCTTCAT ACAAGGAGGG TGGTTGAACT TCACACACGT AAGGTCTTAG 3360 |
| 15         | TGCTTAACAG TTTAAAGGAA AGTCCTTGTT GAGGCAGAAC TAAGTTTACA GGGAAAGGTA 3420   |
| IJ         | CACACATTCT CTCTCTCTC CTCTCTCTGT CTATCTAGTT CCCCAGCTTG GAGAGCCTTT 3480  |
|            | CCCCTTGCTT CTTTCTGAGG CCATATAAGC TTATAAGAAA AGTCCCAAAC CAAGAATAGG 3540   |
|            | TCCTTGGCCA CAAGCAGGGT CTGATCCCCC ATCAGAGCTA TCTGAGCCTG CCTGTCTGGG 3600   |
|            | CACCTGCTGC AACCATGCAG CTACCCTGCC AGGGGCACTC AGCAAACAGA ACCACAGGGC 3660   |
| 20         | CCAGGAGGCA TTCCACACAG GCACTGCCCC AGGACAACAC AACAAGGACA GTCACAACAA 3720   |
|            | GGACAACAAG GACACAACAC AACACACAAC AAGGACAGTC ACAACAAGCC TAGAGCCAGA 3780   |
|            | AAGCAGATGG AAATGCTAAT GAGGTCAAAC GTAGGCTTCA TGGTGGGTGG AGTGGGGGTG 3840   |
|            | GCTGGGCTCC CCCAGGACAG AGGGGACCCT GAGGTTGGCA AGGCTCTCAC CACTCAGCCT 3900   |
| 25         | TATGGTCCCT TATCTCCTAT CTTCCCTCTT GAGAAAATAC ACGCTTTCTG CATGTATTAG 3960 AAACGCACGA GCTCCACCAA GTCTACAATG AAAGTTTGAA ATTTAACTGC AAGGAATTAG 4020    |
| دے         | AAGCATATTT GCAATCATTG CAGCTTCTTC TTTCTTCTGC TCATAAAAGG AGGAACACTT 4080   |
|            | TAGATAGAGG GCAAATATAT CTGAAAACCT AATTTCTTTC TTTTTTTTGAT AAGGAAATCT 4140  |
|            | TTTCCATCTC CATCCTAACA TGCACAACCT GTGAAGAGAA TTGTTTCTAT AGTAACTGGT 4200   |
|            | CTGTGATCTT TTGTGGCCAA GAGAATAGCA GGCAAGAATT AGGGCCTTGA CAGAATTTCC 4260   |
| 30         | ACGA AGCTCT GAGAACATGT TTGTTTCGAA TGTCTGATTC CTCTTTGTCA TCAATGTGTA 4320  |
|            | TGCTCTGTCC CCATCCTTCA CTCCTCCTCA AGCTCACACC AATTGGTTTG GCACAGGCAC 4380   |
|            | AGAGCTGGTC CCTAGTTAAG TGGCATTTAT GTTAAAAAAA AATAGTTCAG AATCTCAGCC 4440   |
|            | TTTTCTTTGT GTCATCAAAA CAGCTTAAGA AGGGGACTAC TGCCAATGTC CTCTAGTCTG 4500<br>ACCTCCACCC AGGGAGGACC CATGGCAGGT CTTTTCAACT TTCTGATTCA TGAGAACAAC 4560 |
| 35         | CTTGTGAAGC TTTTCCCACC TCCTAAAGTG TTTTCTGCAT CTGTTCCTTC CTTTGGACCT 4620   |
| ,,         | CACAACAAAT CCTGTGAAGT AACTGAGACA TCTGTTGTTA GATACATTTT TGTGATGAGT 4680   |
|            | AAACTGAGGC TTCG  |
|            |  |
| 40         | Seq ID NO: 36 Protein sequence:  |
| 40         | Protein Accession #: NP_071414.1   |
|            | 1 11 21 31 41 51   |
|            |  |
|            | MI PGRI CWVP LLI ALGVGSG SGGGGDSROR RLLAAKVNKH KPWIETSYHG VITENNDTVI 60  |
| 45         | LDPPLVALDK DAPVPFAGEI CAFKIHGQEL PFEAVVLNKT SGEGRLRAKS PIDCELQKEY 120  |
|            | TFIIOAYDCG AGPHETAWKK SHKAVVHIOV KDVNEFAPTF KEPAYKAVVT EGKIYDSILQ 180  |
|            | VEAIDEDCSP QYSQICNYEI YTTDVPFAID RNGNIRNTEK LSYDKQHQYE ILVTAYDCGQ 240  |
|            | KPAAQDTLVQ VDVKPVCKPG WQDWTKRIEY QPGSGSMPLF PSIHLETCDG AVSSLQIVTE 300<br>LQTNYIGKGC DRETYSEKSL QKLCGASSGI IDLLPSPSAA TNWTAGLLVD SSEMIFKFDG 360   |
| 50         | RQGAKIPDGI VPKNLTDQFT ITMWMKHGPS PGVRAEKETI LCNSDKTEMN RHHYALYVHN 420  |
| <b>J Q</b> | CRLVFLLRKD FDQADTFRPA EFHWKLDQIC DKEWHYYVIN VEFPVVTLYM DGATYEPYLV 480  |
|            | TNDWPIHPSH IAMOLTVGAC WOGGEVTKPO FAOFFHGSLA SUTIRPGKME SQKVISCLQA 340  |
|            | CK EGLDINSL ESLGOGIKYH FNPSOSILVM EGDDIGNINR ALOKVSYINS RQFPTAGVRR 600   |
|            | I KVSSKVOCE GEDVCISIPE VDAYVMVLOA IEPRITLEGT DHFWRPAAQF ESARGV I LEP 600   |
| 55         | DIKIVSTFAK TEAPGDVKTT DPKSEVLEEM LHNLDFCDIL VIGGDLDPRQ ECLELNHSEL 720  |
|            | HORHLDATINS TAGYSIYGVG SMSRYEQVLH HIRYRNWRPA SLEARRFRIK CSELNGRYTS 780   |
|            | NEFFILEVSIL HEDQVSDKEH VNHLIVQPPF LQSVHHPESR SSIQHSSVVP SIATVVIIIS 840<br>VCMLVFVVAM GVYRVRIAHQ HFIQETEAAK ESEMDWDDSA LTITVNPMEK HEOPGHGEDE 900  |
|            | TEGEEEEEAE EEMSSSSGSD DSEEEEEEEG MGRGRHGQNG ARQAQLEWDD STLPY   |
| 60         | LEGEBEEAL BEMSSSSSS BORDEDEDES MONORING (14 1114-14-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1  |
| •          | Seg ID NO: 37 DNA sequence   |
|            | Nucleic Acid Accession #: none found   |
|            | Coding sequence: 143-874 (underlined sequences correspond to start and stop codons)  |
| 65         |  |
| 05         | 1 11 21 31 41 51   |
|            | GGGAGGGAGA GAGGCGCGCG GGTGAAAGGC GCATTGATGC AGCCTGCGGC GGCCTCGGAG 60   |
|            | COCGCCGAG CCAGACGCTG ACCACGTTCC TCTCCTCGGT CTCCTCCGCC TCCAGCTCCG 120   |
|            | CONTROCCO CACCOGGAG COATGOGACO COAGGGCCCC GCCGCCTCCC CGCAGCGGCT 180  |
| 70         | CCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCC   |
|            | CCCCA ACCCC A ACCA A ACC CCCACCTCCG GCAGAGGGAG GTGGTGGACC TGTATAATUG 390   |
|            | AATGTGCTTA CAAGGGCCAG CAGGAGTGCC TGGTCGAGAC GGGAGCCCTG GGGCCAATGG 360  |
|            | CATTCCGGGT ACACCTGGGA TCCCAGGTCG GGATGGATTC AAAGGAGAAA AGGGGGAATG 420 TCTGAGGGAA AGCTTTGAGG AGTCCTGGAC ACCCAACTAC AAGCAGTGTT CATGGAGTTC 480      |
| 75         | ATTCAATTAT GCCATAGATC TTGGGAAAAT TGCGGAGTGT ACATTTACAA AGATGCGLIC 340  |
| , 5        | A A ATA CITICITY OF A GIAGITT TOTTO AGTIGG CTCACTILLIGG CTAAAA I GCA GAAA I GCA I U  |
|            | CTGTCAGCGT TGGTATTTCA CATTCAATGG AGCTGAATGT TCAGGACCTC TTCCCATTGA 660  |
|            |  |

AGCTATAATT TATTTGGACC AAGGAAGCCC TGAAATGAAT TCAACAATTA ATATTCATCG 720 CACTTCTTCT GTGGAAGGAC TTTGTGAAGG AATTGGTGCT GGATTAGTGG ATGTTGCTAT 780 CTGGGTTGGC ACTTGTTCAG ATTACCCAAA AGGAGATGCT TCTACTGGAT GGAATTCAGT 840 TICTCGCATC ATTATTGAAG AACTACCAAA ATAAATGCTT TAATTTTCAT TTGCTACCTC 900
TTTTTTATT ATGCCTTGGA ATGGTTCACT TAAATGACAT TTTAAATAAG TTTATGTATA 960
CATCTGAATG AAAAGCAAAG CTAAATATGT TTACAGACCA AAGTGTGATT TCACACTGTT 1020 5 TITAAATCTA GCATTATTCA TITTIGCTTCA ATCAAAAGTG GTTTCAATAT TITTITTAGT 1080
TGGTTAGAAT ACTITCTTCA TAGTCACATT CTCTCAACCT ATAATTTGGA ATATTGTTGT 1140
GGTCTTTGT TTTTTCTCTT AGTATAGCAT TITTAAAAAA ATATAAAAGC TACCAATCTT 1200 10 TGTACAATTT GTAAATGTTA AGAATTTTTT TTATATCTGT TAAATAAAAA TTATTTCCAA 1260 **CAACCTTAAA AAAAAAAAAAA AAAA** 

Seq ID NO: 38 Protein sequence:
Protein Accession #: none found

15 31 41 51 21

> 11 21 31 41

MRPQGPAASP QRLRGLLLLL LIQLPAPSSA SEIPKGKQKA QLRQREVVDL YNGMCLQGPA 60
GYPGRDGSPG ANGIPGTPGI PGRDGFKGEK GECLRESFEE SWTPNYKQCS WSSLNYGIDL 120
GKIAECTFTK MRSNSALRVL FSGSLRLKCR NACCQRWYFT FNGAECSGPL PIEAIIYLDQ 180
GSPEMINSTIN IHRTSSVEGL CEGIGAGLVD VAIWVGTCSD YPKGDASTGW NSVSRIIIEE 240 20

Sea ID NO: 39 DNA sequence 25 NM 000949 Nucleic Acid Accession #: 285-2153(underlined sequences correspond to start and stop codons) Coding sequence: 51

30 CTCCTCTTT CTGGATTTTA CCGACCGTTC GCGAAACAGC TTTCCACACA ATGGAGCTTC 120
ATGTCCTCGT GCAGGAAGTA CTCATCGACT GATGTGGCAG ACTTTGCTCC CTGACAAAAC 180
TAAAGAACTC TCCTATTCAT GGAGGCGAAC ACTGAGGATG CTTTCCACAT GAACCCTGAA 240
GTGAACTTCT GATACATTTC CTGCAGCAAG AGAAGGCAGC CAACATGAAG GAAAATGTGG 300
CATCTGCAAC CGTTTTCACT CTGCTACTTT TTCTCAACAC CTGCCTTCTG AATGGAACACT 360
TACCTCCTGG AAAACCTGAG ATCTTTAAAT GTCGTTCTCC CAATAAGGAA ACATTCACCT 420
GCTGGTGGAG GCCTGGGACA GATGGAAGGAC TTCCTACCAA TATTCACTG ACTTACCACA 480
GCGAAGGAGG GACACTCATG CATGAATGTC CAGACTACAT AACCGTGGC CCCAACTCCT 540
GCCACTTTGG CAAGCAGTAC ACCTCCATCT GGAGGACATA CATCATGATG GTCAATGCCA 600
TAACCAGAT GGGAA GCAGT TTCTCGGGATG AACTTTATGT GGACGTGACT TACATAGTTC 660 35 CTAACCAGAT GGGAAGCAGT TTCTCGGATG AACTTTATGT GGACGTGACT TACATAGTTC 660
AGCCAGACCC TCCTTTGGAG CTGGCTGTGG AAGTAAAACA GCCAGAAGAC AGAAAACCCT 720
ACCTGTGGAT TAAATGGTCT CCACCTACCC TGATTGACTT AAAAACTGGT TGGTTCACGC 780 40 TCCTGTATGA AATTCGATTA AAACCCGAGA AAGCAGCTGA GTGGGAGATC CATTTTGCTG 840
GGCAGCAAAC AGAGTTTAAG ATTCTCAGCC TACATCCAGG ACAGAAATAC CTTGTCCAGG 900
TTCGCTGCAA ACCAGACCAT GGATACTGGA GTGCATGGAG TCCAGCGACC TTCATTCAGA 960 GGCAGCAAAC AGAGTTTAAG ATTCTCAGCC TACATCCAGG ACAGAAATAC CTIGTCCAGG 900
TICGCTGCAA ACCAGACCAT GGATACTGGA GTGCATGGAG TCCAGCGACC TICATTCAGA 960
TACCTAGTGA CTTCACCATG AATGATACAA CCGTGTGGAT CTCTGTGCCT GTCCTTTCTG 1020
CTGTCATCTG TITGATTATT GTCTGGGCAG TGGCTTTGAA GGGCTATAGC ATGGTGACC 1080
GCATCTTTCC GCCAGTTCCT GGGCCAAAAA TAAAAGGATT TGATGCTCAT CTGTTGGAGA 1140
AGGGCAAGTC TGAAGAACTA CTGAGTGCCT TGGGATGCCA AGACTTTCCT CCGACTTCTG 1200
ACTATGAGGA CTTGCTGGTG GAGTATTTAG AAGTAGAA ACCACAATAC CTGGTACCT TTGAAAAGAA CACCCAAGTC AAGAGTATAA ACCCACATAC CTGGTACCT 1320
ACACTGAGCCA TTCAAAAGAA CACCCAAGTC AAGGATAGAA ACCCACATAC CTGGAACCCTAC 1320
ACACCGAGC CAATCCCTCC ACATTCTATA ATCCTGAGGT CATTGAGAAA CCCACATAC CTGGAACCCAGGC CAATCCCTCC ACATTCTATA ATCCTGAGGT CATTGAGAAG CCAGAACATC 1440
CTGAAACAAC CCACACCTGG GACCCCCAGT GCATAAGCAT GGAAGGCCAAA ATCCCCTAT 1500
TTCATGCTGG TGGATCCAAA TGTTCAACAT GGCCCTTACC ACAGCCCAGC CAGCAAACC 1560
CCAGATCCTC TTACCACAA TGTTCAACAT GGCCCTTACC ACAGCCCAGC CAGCAAACC
CCCAGCCCC TCTGTTGAAT GAAGCAGGTA AAGATGCTTT AAAATCCTCT CAAACCATTA 1680
AGTCTAGAGA AGAGGGAAAA GCACCAGC AGGAGAAAAC CCCCTTTGGC CCTGCAGGTG 1620
CCACACCGGC CA TCGCTGG CTGCTGCCC AGGAGAAAAC CCCCTTTTGGC TCCGCTAAAC 1880
CCTTGCATTA TGTGGAGATT CACAAGGTCA ACAAAGATGG TGCGTTTGGC CCCCCAAGC 1740
CTGACCAGGG TACCGCCCAGC AGGCGAGAAAAC CCCCTTTTGGC TCCGCTAAAC 1800
CCTTGGATTA TGTGGAGATT CACAAGGTCA ACAAAGATGG TGCGTTTGGC CCCCCAAGCT 1720
ATGCCAAGGT GTCCGGGGTC ATGCCCC AGGAGAAAAC CCCCTTTTGCC TCCGCTAAAC 1800
CCTTGGATTA TGTGGAGATT CACAAGGTCA ACAAAGATGG TGTGTGGCCC AGACCCAGC AGCCCAGC AGCCCAGCACTCA CTTGAAAACCT GCTTTACAACATCA ACAAAGATGG TGTGTGCCC CAGCACTTCA CTTGAGAAACCACCATG 1980
CTAAAAACGT GGCTTGCTTT GAAGAATCAG CCAAAGAGGC CCCACTCA CTTTGAACAACACCATG 1980
CTAAAAACGT GGCTTGCTTT GAAGAATCAG CCAAAGAGGC CCCACCATCA CTTGAACAAGT 1920
ATGCCAAGGT GTCCCCGAACTTCA CTGCAACATCA CAGGACTCCACTTTCAC TGCAACATCA CAGAAGAGCCCAGC AATCCACATG 1980
CTAAATGGAA TGATTACCTG GATCCCGCAACTTCA CTGCAACATA CAGGTACACATCA CTTTAACAC CTTGCAACTA TACCTTCACTACACATTTTACACA CTTTCACAAGTTAT TCTTTTAACAC CTTCCAGCAAATTACCTTCCACAAATTAT TATGTTTTCT 2340
AA 45 50 55 60

65


AAAGAAAGAA TGCATTCCAG AACAAATTGT TTACATAAGT TCCTATACCT TACTGACACA 2700


75 TTGCTGATAT GCAAGTAAGA AAT

70

Seg ID NO: 40 Protein sequence:

WO 02/059377 PC1/US02/02.





CCWLRCWRRG ROPSGEYCHG WLDAGGVWRI GFQCPERFDG GDATICCGSC ALRYCCSSAE 300
ARLDQGGCDN DRQQGAGEPG RADKDGPRRL GRASCLRGTQ GDGEGAPPV RAWQRCSPEG 360
SPKGRQLLRA FFGLLPRARR RGFPSSPRGG PSPLQRPALP IYVPFLIVGS VPVAFIILGS 420
LVAACCCRCL RPKQDPQQSR APGGNRLMET PMIPSASTS RGSSSRQSST AASSSSSANS 480
GARAPPTRSQ TNCCLPEGTM NNYYNMPTN FSVLNCQQAT QIVPHQGQYL HPPYVGYTVQ 540
HDSVPMTAVP PFMDGLQPGY RQIQSPFPHT NSEQKMYPAV TV Seq ID NO: 45 DNA sequence 75 Nucleic Acid Accession #: NM\_002285 Coding sequence: 55-3738 (underlined sequences correspond to start and stop codons)

11 21 51 GGCCGAGCCT CGGCGGCGGC GGTAGCGGCG GCGGCGACGC TGACACCTCC CACCATGGAC 60 AGCTTCGACT TAGCCCTGCT CCAGGAATGG GACCTCGAGT CACTGTGTGT CTATGAACCA 120 GATAGAAATG CATTACGGAG GAAAGAACGA GAAAGAAGAA ATCAAGAAAC TCAACAGGAT 180
GATGGCACGT TTAATTCTAG TTACTCTCTCTTCAGTGAGC CCTACAAGAC TAACAAGGGG 240 GATGAACTCT CCAACCGGAT CCAGAACACT TTAGGCAATT ATGATGAAAT GAAAGACTTT 300
TTAACTGATA GAACCAATCA GAGTCATCTC GTTGGAGTTC CCAAACCTGG GGTTCCTCAG 360
ACTCCTGTGA ACAAGATCGA TGAACATTTT GTTGCAGATT CAAGAGCCCA GAACCAGCCC 420 10 TCGTCTATCT GTAGCACTAC AACTTCCACA CCAGCAGCTG TCCCCGTGCA GCAGAGTAAA 480 AGAGGCACTA TGGGCTGGCA GAAGGCTGGG CACCCACCCT CTGACGGCCA ACAGAGAGCA 540 ACACAACAGG GCTCTCTCAG GACCTTGCTT GGAGATGGTG TTGGCAGACA GCAGCCTCGG 600 GCCAAACAAG TGTGCAATGT GGAGGTGGGC CTTCAGACCC AGGAGAGGCC ACCTGCCATG 660
GCGGCCAAGC ACAGCAGCAG CGGACACTGT GTTCAGAACT TTCCTCCATC CCTAGCTTCA 720 15 AAACCCAGCC TGGTCCAGCA GAAACCGACC GCGTATGTGA GGCCAATGGA CGGCCAAGAT 780 CAGGCCCCTG ATGAGTCTCC TAAGCTGAAG TCGTCTTCGG AAACCAGCGT GCACTGCACA 840 TCATACAGGG GAGTCCCTGC CAGCAAGCCG GAGCCTGCCA GAGCCAAGGC CAAGCTCTCC 900 TCATACAGGG GAGTCCCTGC CAGCAAGCCG GAGCCTGCCA GAGCCAAGGC CAAGCTCTCC 900
AAGTTCAGCA TCCCCAAGCA GGGGGAGGAG AGTAGATCTG GAGAAACCAA CAGCTGTGTT 960
GAAGAAATAA TCCGGGAGAT GACCTGGCTT CCACCACTTT CTGCTATTCA AGCACCTTGC 1020
AAAGTGGAAC CAACCAAATT TCCATTTCCA AATAAGGACT CTCAGCTTGT ATCCTCTGGA 1080
CACAATAATC CAAAGAAAGG TGATGCAGAG CCAGAGAGTC CAGACAATGG CACATCGAAT 1140 20 ACATCAATGC TGGAAGATGA CCTTAAGCTA AGCAGTGATG AAGAGGAGAA TGAACAGCAG 1200 GCAGCTCAGA GAACGGCTCT CCGCGCTCTC TCTGACAGCG CCGTGGTCCA GCAGCCCAAC 1260 TGCAGAACCT CGGTGCCTTC CAGCAAGGGC AGCAGCAGCA GCAGCAGCAG CGGCACGAGC 1320 25 AGCTCCTCCA GCGACTCAGA GAGCAGCTCC GGATCTGACT CGGAGACCGA GAGCAGCTCC 1380
AGCGAGAGTG AGGGCAGCAA GCCCCCCCAC TTCTCCAGCC CCGAGGCTGA ACCGGCATCC 1440 TCTAACAAGT GGCAGCTGGA TAAATGGCTA AACAAAGTTA ATCCCCACAA GCCTCCTATT 1500 CTGATCCAAA ATGAAAGCCA CGGGTCAGAG AGCAATCAGT ACTACAACCC GGTGAAAGAG 1560 GACGTCCAGG ACTGTGGGAA AGTCCCCGAC GTTTGCCAGC CCAGCCTGAG AGAGAAGGAG 1620 30 ATCAAGAGCA CTTGCAAGGA GGAGCAAAGG CCAAGGACAG CCAACAAGGC CCCTGGGAGT 1680
AAAGGCGTGA AGCAGAAGTC CCCGCCCGCG GCCGTGGCCG TGGCGGTGAG CGCAGCCGCC 1740
CCGCCACCCG CAGTGCCCTG TGCGCCCGCG GAGAACGCGC CCGCGCCTGC CCGGAGGTCC 1800 CCGCCACCG CAGTGCCCTG TGCGCCCCGG GAGAACGCGC CCGCGCCTGC CCGGAGGTCC 1800
GCGGGCAAGA AGCCCACCAG GCGCACCGAG AGGACCTCAG CCGGGGACGG CGCCACTGC 1860
CACCGCCCG AGGAGCCCGC GGCCCGGAC GCGCCTGGGGACGACGACGGCGAG GGCCCCCG 1920
GAGCCCACCA AAACCAGGCC CTGTGGCAAC AACAGAGCGA GCACCGCAA GGAGCTGCGC 1980
TCCTCCGTGA CCTGCGAGAA GCGCCGCACG CGGGGGCTAA GCAGGATCGT CCCCAAATCC 2040
AAGGAGTTCA TTGAGACAGA GTCGTCATCT TCATCCTC CTCCGGACTC CAGCCTGGAG 2100
TCCGAGCAGG AGGAGTACCC TCTGTCCAAA GCACAGACCG TGGCTGCCTC TGCCTCCTC 2160
GGGAATGATC AGAGGCTGAA GGAGGCCGCT GCCAACGGGG GCAGTGGTCC TAGGGCCCCT 2220
GTAGGCTCCA TCAACGCCAG GACCACCAGT ACACTCCTCCC CTCTAAAGGA CAGTGATGACGTTC 2280 35 40 TACACACTGG TCCCCTTTGG CCGGAACGAA CTTCTCTCCC CTCTAAAGGA CAGTGATGAG 2340
ATCAGGTCTC TCTGGGTCAA AATCGACCTG ACCCTCCTGT CCAGGATCCC AGAACACCTG 2400
CCCCAGGAGC CAGGGGTATT GAGCGCCCCT GCCACCAAGG ACTCTGAGAG CGCACCGCCC 2460 AGCCACACCT CGGACACACC TGCAGAAAAG GCTTTGCCAA AATCCAAGAG GAAACGCAAG 2520 45 TGTGACAACG AAGACGACTA CAGGGAGATC AAGAAGTCCC AGGGAGAGAA AGACAGCTCT 2580 TCAAGACTGG CCACCTCCAC CAGTAATACT TTGTCTGCAA ACCACTGCAA CATGAACATC 2640 AACAGTGTGG CAATACCAAT AAATAAAAAT GAAAAAATGC TTCGGTCGCC CATCTCACCC 2700 CTCTCTGATG CATCTAAACA CAAATACACC AGCGAGGACT TAACTTCTTC CAGCCGACCT 2760 AATGGCAACA GTTTGTTTAC TTCAGCCTCT TCCAGCAAAA AGCCTAAGGC CGACAGCCAG 2820 50 CTGCAGCCTC ACGGCGGAGA CCTCACGAAA GCAGCTCACA ACAATTCTGA AAACATTCCC 2880 CTCCACAAGT CACGGCCGCA GACGAAGCCG TGGTCTCCAG GCTCCAACGG CCACAGGGAC 2940 TGCAAGAGGC AGAAACTTGT CTTCGATGAT ATGCCTCGCA GTGCCGATTA TTTTATGCAA 3000 GAAGCTAAAC GAATGAAGCA TAAAGCAGAT GCAATGGTGG AAAAGTTTGG AAAGGCTTTG 3060 AACTATGCTG AAGCAGCATT GTCGTTTATC GAGTGTGGAA ATGCAATGGA ACAAGGCCCC 3120 ATGGAATCCA AATCTCCTTA TTACCTGATG TATTCAGAAA CAGTAGAGCT CATCAGGTAT 3180 55 GCTATGAGAC TAAAAACCCA CTCAGGCCCC AATGCCACAC CAGAAGACAA ACAACTGGCT 3240
GCATTATGTT ACCGATGCCT GGCCCTCCTG TACTGGCGGA TGTTTCGACT CAAAAGGGAC 3300
CACGCTGTAA AGTATTCAAA AGCACTAATC GACTATTCA AGAACTCATC TAAAGCCGCC 3360 CAAGCCCCAT CTCCGTGGGG GGCCAGTGGA AAGAGCACTG GAACCCCATC CCCCATTTCT 3420 CCCAACCCCT TTCCCGGCAG CTCCGTGGGG TCTCAGGGCA GCCTCTCCAA CGCCAGCGCC 3480 CTGTCCCCGT CGACCATCGT CAGCATCCCA CAGCGCATCC ACCAGATGGC GGCCAACCAC 3540 60 GTCAGCATCA CCAACAGCAT CCTGCACAGC TACGACTACT GGGAGATGGC CGACAACCTG 3600 GCCAAGGAAA ACCGAGAATT CTTCAACGAC CTGGATCTGC TCATGGGGCC GGTCACCCTG 3660 CACAGCAGCA TGGAGCACCT GGTCCAGTAC TCCCAACAGG GCCTGCACTG GCTGCGGAAC 3720 65 AGCGCCCACC TGTCATAGGG ACCTCACCCT GGGGCCAGAG TGGGCTCTGG TCTCCACAGA 3780 TGGCTCAACG TTTTTGGACA CTGTGCTACT GAAACTCCCA GCCACAGCAT TTATAGACTG 3840 CGGTGAACAT TTCCTCA Seq ID NO: 46 <u>Protein sequence</u>:
Protein Accession #: NP\_002276 70 21 

WO 02/059377 PCT/US02/02242

QDQAPDESPK LKSSSETSVH CTSYRGVPAS KPEPARAKAK LSKFSIPKQG EESRSGETNS 300
CVEEIIREMT WLPPLSAIQA PGKVEPTKFP FPNKDSQLVS SGHNNPKKGD AEPESPDNGT 360
SNTSMLEDDL KLSSDEEENE QQAAQRTALR ALSDSAVVQQ PNCRTSYPSS KGSSSSSSS 420
TSSSSDSES SSGSDSETES SSSESEGSKP PHFSSPBAEP ASSNKWQLDK WLNKVNPHKP 480
PILIQNESHG SESNQYYNPV KEDVQDCGKV PDVCQPSIRE KEIKSTCKEE QRPRTANKAP 540
GSKGVKQKSP PAAVAVAVSA AAPPPAVPCA PAENAPAPAR RSAGKKPTRR TERTSAGDGA 600
NCHRPEEPAA ADALGTSYVY PPEPTKTRPC GNNRASHRKE LRSSVTCEKR RTRGLSRIVP 660
KSKEFHETES SSSSSSSDSD LESEQEEVPL SKAQTVAASA SSGNDQRLKE AAANGGSGPR 720
APVGSINART TSDIAKELEE QFYTLVPFGR NELLSPLKDS DEIRSLWVKI DLTLLSRIPE 780
HLPQEPGVLS APATKDSESA PPSHTSDTPA EKALPKSKRK RKCDNEDDYR EIKKSQGEKD 840
SSSRLATSTS NTLSANHCNM NINSVAIPIN KNEKMLRSPI SPLSDASKHK YTSEDLTSSS 900
RPNGNSLTS ASSSKKPKAD SQLQPHGGDL TKAAHNNSEN IPLHKSRPQT KPWSPGSNGH 960
RDCKRQKLVF DDMPRSADYF MQEAKRMKHK ADAMVEKFGK ALNYAEAALS FIECGNAMEQ 1020
GPMESKSPYY LMYSETVELI RYAMRLKTHS GPNATPEDKQ LAALCYRCLA LLYWRMFRLK 1080
15
RDHAVKYSKA LIDVFKNSSK AAQAPSPWGA SGKSTGTTSP ISPNFPFGSS VGSQGSLSNA 1140
SALSPSTIVS IPQRIHQMAA NHVSITNSIL HSYDYWEMAD NLAKENREFF NDLDLLMGPV 1200
TLHSSMEHLV QYSQQGLHWL RNSAHLS
Seq ID NO: 47 DNA sequence

Seq ID NO: 47 DNA sequence

Nucleic Acid Accession #: NM\_033151

Coding sequence: 351-4499(underlined sequences correspond to start and stop codons)

51

41

31

11 21

25 ACTGGGATAA AGCAAGAAGA CTGATTTTAT GAGCAGGGGT TTGATACATC AAAGGAGATT GCCCAGGATC AAGGGTGCGG TGTTGGGGGT GGGTTGGGGA GGGTGGTTAG AGAAGGTTTC 120
ACTAAGTGAT TTGGGCCTGA GGCCTGAGAA GATGTTTAAA AAGAGGGATC AAGCACAGGC 180
TAAGGAGAGG AAAGAGCAGG CACCCAAACC TCTGCATGGC CCCAATATGC TCCCTGCAGG 240 GTAGTGCCCC CTCTTCTGGC TGCTCAAGGC GAGATCTAAG CTTCTTCTAA CTCCTGCTGT 300
CTTTTCATAT TCTCTGATTC TGGGAAACGA AGAATTGGCA GGAACTGAAA ATGACTAGGA 360
AGAGGACATA CTGGGTGCCC AACTCTTCTG GTGGCCTCGT GAATCGTGGC ATCGACATAG 420 AGAGGACATA CTGGGTGCCC AACTCTTCTG GTGGCCTCGT GAATCGTGGC ATCGACATAG 420
GCGATGACAT GGTTTCAGGA CTTATITATA AAACCTATAC TCTCCAAGAT GGCCCCCTGGA 480
GTCAGCAGA GAGAAATCCT GAGGCTCCAG GGAGGGCAGC TGTCCCACCG TGGGGGAAGT 540
ATGATGCTGC CTTGAGAACC ATGATTCCCT TCCGTCCCAA GCCGAGGTTT CCTGCCCCCC 600
AGCCCCTGGA CAATGCTGGC CTGTTCTCCT ACCTCACCGT GTCATGGCTC ACCCCGTCA 660
TGATCCAAAG CTTACGGAGT CGCTTAGATG AGAACACCAT CCCTCCACTG TCAGTCCATG 720
ATGCCTCAGA CAAAAATGTC CAAAGGCTTC ACCCCCTTTG GGAAGAAGAA GTCTCAAGGC 780
GAGGGATTGA AAAAGCTTCA GTGCTTCTGG TGATGCTGAG GTTCCAGAGA ACAAGGTTGA 840
TTTTCGATGC ACTTCTGGGC ATCTCTCTTC TCATTGCCAG TGTACTCGGG CCAATATTTGA 900
TTATACAAA GATCCTGGAA TATTCAGAAG AGACAGTTGGG GAATGTTGTC CATGGAGTGG 960 35 40 TTATACCAAA GATCCTGGAA TATTCAGAAG AGCAOTTGGG GAATGTTGTC CATGGAGTGG 960
GACTCTGCTT TGCCCTTTTT\*CTCCCGAAT GTGTGAAGTC TCTGAGTTTC, TCCTCCAGTT 1020
GGATCATCAA CCAACGCACA GCCATCAGGT TCCGAGCAGC TGTTTCCTCC TTTGCCTTTG 1080 AGAAGCTCAT CCAATTTAAG TCTGTAATAC ACATCACCTC AGGAGAGGCC ATCAGCTTCT 1140
TCACCGGTGA TGTAAACTAC CTGTTTGAAG GGGTGTGCTA TGGACCCCTA GTACTGATCA 1200
CCTGCGCATC GCTGGTCATC TGCAGCATTT CTTCCTACTT CATTATTGGA TACACTGCAT 1260 45 TTATTGCCAT CITATGCTAT CICCTGGTTT TCCCACTGGC GGTATTCATG ACAAGAATGG 1320
CTGTGAAGGC TCAGCATCAC ACATCTGAGG TCAGCGACCA GCGCATCCGT GTGACCAGTG 1380
AAGTTCTCAC TIGCATTAAG CTGATTAAAA TGTACACATG GGAGAAACCA TTIGCAAAAA 1440
TCATTGAAGA CCTAAGAAGG AAGGAAAGGA AACTATTGGA GAAGTGCGGG CTTGTCCAGAA 1300
GCCTGACAAG TATAACCTTG TTCATCATCC CCACAGTGGC CACAGCGGTC TGGGTTCTCA 1560
TCCACCACATC CTTAAAGCTG AAACTCACAG CGTCAATGGC CTTCAGCATG CTGGCCTCCT 1620 50 TCCACACATE CTTAAAGCTG AAACTCACAG CGTCAATGGC CTTCAGCATG CTGGCCTCCT 1620
TGAATCTCCT TCGGCTGTCA GTGTTCTTTG TGCCTATTGC AGTCAAAGGT CTCACGAATT 1680
CCAAGTCTGC AGTGATGAGG TTCAAGAAGT TTTTCCTCCA GGAGAGCCCT GTTTTCTATG 1740
TCCAGACATT ACAAGACCCC AGCAAAGCTC TGGTCTTTGA GGAGGCCAC TTGTCATGGC 1800
AACAGACCTG TCCCGGGATC GTCAATGGGG CACTGGAGCT GGAGAGAACAGGGCATGCTT 1860
CTGAGGGGAT GACCAGGCCT AGAGATGCCC TCGGGCCAGA GGAAGAAGGA AGAGCCTGG 1920
GCCCAGAGTT GCACAAGATC AACCTGGTGG TGTCCAAGGG GATGATTGTTA GGGGTCTGCG 1980
GCAACACGGG GAGTGGTAAG AGCAGCCTGT TGTCAGCCAT CCTGGAGGAG ATGCACTTGC 2040
TCGAGGGCTC GGTGGGGGTG CAGGGAAGCC TGGCCTATGT CCCCAGCAG GCCTGGATCG 2100
TCAGCGGGAA CATCAGGGAG AACATCCTCA TGGGAGCCG ATATGACAAG GCCCGATACC 2160
TCCAGGTGCT CCACTGCTGC TCCCTGAATC GGGACCTGGA ACTTCTGCCC TTTTGGAGACA 2220
TGACAGAGAT TGGAGAGCCGG GGCCTCAACC TCTCTGGGGG GCAGAAACAG AGAATCACCC 2880 55 60 TGACAGAGAT TGGAGAGCGG GGCCTCAACC TCTCTGGGGG GCAGAAACAG AGGATCAGCC 2280
TGGCCGCGC CGTCTATTCC GACCGTCAGA TCTACCTGCT GGACGACCCC CTGTCTGGCTG 2340
TGGACGCCCA CGTGGGGAAG CACATTTTTG AGGAGTGCAT TAAGAAGACAC CTCAGGGGGA 2400
AGACGGTCGT CCTGGTGACC CACCAGCTGC AGTACTTAGA ATTTTGTGGC CAGATCATTT 2460
TGTTGGAAAA TGGGAAAATC TGTGAAAATG GAACTCACAG TGAGTTAATG CAGAAAAGG 2590
GGAAATATGC CCAACTTATC CAGAAGATGC ACAAGGAAGC CACTTCGGAC ATGTTGCAGG 2580
ACACAGCAAA GATAGCAGAG AAGCCAAAGG TAGAAAGTCA GGCTCTGGCC ACCTCCCTGG 2640
AAGAGTCTC CAACGGAAAT GCTGTGCCGG AGCATCAGCT CACCACAGGAG GAGGAATGG 2700
AAGAAGGCTC CTTGAGTTGG AGGGTCTACC ACCACTACAT CCAGCAGCAG GAGGGTTACA 2760
TGGTCTCTTG CATAATTTTC TTCTTCGTGG TGCTGATCGT CTTCTTAACG ATCTTCAGCT 2820
TCTGGTGGCT GAGCTACTGG TTGGAGCAGG GCTCGGGGAC CAATAGCAGC CGAGAGAGCA 2880
ATGGAACCAT GGCAGACCTG GGCAACATTG CAGACAATCC TCAACTGTCC TTCTACACGC 2840
TGGTGTACGG GCTCAACGCC CTGCTCCTCA TCTGTTGGG GGTCTTCCTCACAGCACTT CACAGGAATTT 3000 65 70 TGGTGTACGG GCTCAACGCC CTGCTCCTCA TCTGTGTGGG GGTCTGCTCC TCAGGGATTT 3000
TCACCAAAGT CACGAGGAAG GCATCCACGG CCCTGCACAA CAAGCTCTTC AACAAGGTTT 3060
TCCGCTGCCC CATGAGTTTC TTTGACACCA TCCCAATAGG CCGGCTTTTG AACTGCTTCG 3120 75

## WO 02/059377

CAGGGGACTT GGAACAGCTG GACCAGCTCT TGCCCATCTT TTCAGAGCAG TTCCTGGTCC 3180 TGTCCTTAAT GGTGATCGCC GTCCTGTTGA TTGTCAGTGT GCTGTCTCCA TATATCCTGT 3240
TAATGGGAGC CATAATCATG GTTATTTGCT TCATTTATTA TATGATGTTC AAGAAGGCCA 3300 TCGGTGTGTT CAAGAGACTG GAGAACTATA GCCGGTCTCC TTTATTCTCC CACATCCTCA 3360 ATTCTCTGCA AGGCCTGAGC TCCATCCATG TCTATGGAAA AACTGAAGAC TTCATCAGCC 3420 AGTTTAAGAG GCTGACTGAT GCGCAGAATA ACTACCTGCT GTTGTTTCTA TCTTCCACAC 3480 5 GATGGATGGC ATTGAGGCTG GAGATCATGA CCAACCTTGT GACCTTGGCT GTTGCCCTGT 3540
TCGTGGCTTT IGGCATTTCC TCCACCCCCT ACTCCTTTAA AGTCATGGCT GTCAACATCG 3600
TGCTGCAGCT GGCGTCCAGC TTCCAGGCCA CTGCCCGGAT IGGCTTGGAG ACAGAGGCAC 3600 AGTTCACGGC TGTAGAGAGG ATACTGCAGT ACATGAAGAT GTGTGTCTCG GAAGCTCCTT 1720
TACACATGGA AGGCACAAGT TGTCCCCAGG GGTGGCCACA GCATGGGGAA ATCATATTTC 3780
AGGATTATCA CATGAAATAC AGAGACAACA CACCCACCGT GCTTCACGGC ATCAACCTGA 3840 10 CCATCCGCGG CCACGAAGTG GTGGGCATCG TGGGAAGGAC GGGCTCTGGG AAGTCCTCCT 3900
TGGGCATGGC TCTCTTCCGC CTGGTGGAGC CCATGGCAGG CCGGATTCTC ATTGACGGCG 3960
TGGACATTTG CAGCATCGGC CTGGAGGACT TGCGGTCCAA GCTCTCAGTG ATCCCTCAAG 4020 15 ATCCAGTGCT GCTCTCAGGA ACCATCAGAT TCAACCTAGA TCCCTTTGAC GGTCACACTG 4080
ACCAGCAGAT CTGGGATGCC TTGGAGAGGA CATTCCTGAC CAAGGCCATC TCAAAGTTCC 4140
CCAAAAAGCT GCATACAGAT GTGGTGGAAA ACGGTGGAAA CTTCTCTGTG GGGGAGAGGC 4200 AGCTGCTCTG CATTGCCAGG GCTGTGCTTC GCAACTCCAA GATCATCCTT ATCGATGAAG 4260 CCACAGCCTC CATTGACATG GAGACAGACA CCCTGATCCA GCGCACAATC CGTGAAGCCT 4320 TCCAGGGCTG CACCGTGCTC GTCATTGCCC ACCGTGTCAC CACTGTGCTG AACTGTGACC 4380 20 TCCAGGGCTG CACCTTGCTC GTCATTGCCC ACCGTGTCAC CACTGTGCTG AACTGTGAC 4580
ACATCCTGGT TATGGGCAAT GGGAAGGTGG TAGAATTTGA TCGGCCGAGA GTACTGCGGA 4440
AGAAGCCTGG GTCATTGTTC GCAGCCTCA TGGCCACAG CACTTCTTCA CTGAGA<u>TAA</u>G 4500
GAGATGTGGA GACTTCATGG AGGCTGGCAG CTGAGCTCAG AGGTTCACAC AGGTGCAGCT
TCGAGGCCCA CAGTCTGCGA CCTTCTTGTT TGGAGATGAG AACTTCTCCT GGAAGCAGGG 4620
GTAAATGTAG GGGGGTTGGG GATTGCTTGAT TGGAAACCCT GGAATAGGCT ACTTGATGGTC 4740
TCCCAAGACC TTAGAACCCC AGAACCATCT AAGACATGGG ATTCAGTGAT CATGTGGTTC 4740 25 TCCTTTTAAC TTACATGCTG AATAATTTTA TAATAAGGTA AAAGCTTATA GTTTTCTGAT 4800 CTGTGTTAGA AGTGTTGCAA ATGCTGTACT GACTTTGTAA AATATAAAAC TAAGGAAAAC 4860 30

Seq ID NO: 48 <u>Protein sequence:</u> Protein Accession #: NP\_149163.2

60

65

70

MTRKRTYWVPNSSGGLVNRGIDIGDDMVSGLIYKTYTLQDGPWSQQERNPEAPGRAAVPPWGKYDAALRT 35 MIFFRYPRFPAPQPLDNAGLFSYLTVSWLTPLMIQSLRSRLDENTIPPLSVHDASDKNVQRLHRLWEEE VSRRGIEKASVLLVMLRFQRTRLIFDALLGICFCIASVLGPILIIPKILEYSEEQLGNVVHGVGLCFALF LSECVKSLSFSSSWINQRTAIRFRAAVSSFAFEKLIQFKSVIHITSGEAISFFTGDVNYLFEGVCYGPL

LSECVKSLSFSSSWIINQIXTAIRFRAAVSSFAFEKLIQFKSVIHITSGEAISFFTGDVNYLFEGVCYGPI.
VLITCASLVICSISSYFIIGYTAFIAILCYLLVFPLAVFMTRMAVKAQHHTSEVSDRRVTSEVLTCIK
UIKMYTWEKPFAKIEDLRKERKLLEKCGLVQSLTSITLFIIPTVATAVWVLIHTSLKLKLTASMAFSM
LASLNLLRLSVFFVPIAVKGLTNSKSAVMRFKKFFLQESPVFYVQTLQDPSKALVFEEATLSWQQTCPGI
VNGALELERNGHASEGMTRPRDALGPEEEGNSLGPELHKINLVVSKGMMLGVCGNTGSGKSSLLSAILEE
MHLLEGSVGVQGSLAYVPQQAWIVSGNIRENILMGGAYDKARYLQVLHCCSLNRDLELLPFGDMTEIGER
GLNLSGGQKQRISLARAVYSDRQIYLLDDPLSAVDAHVGKHFEECIKKTLRGKTVVLVTHQLQYLEFCG 40

GLNLSGGQKQRISLARAVYSDRQIYLLDDPLSAVDAHVGKHIFEECIKKTLRGKTVVLVTHQLQYLEFCG
QILLENGKICENGTHSELMQKKGKYAQLIQKMHKEATSDMLQDTAKIAEKPKVESQALATSLEESLNGN
AVPEHQLTQEEEMEEGSLSWRVYHHYIQAAGGYMVSCIIFFFVVLIVFLIFISFWULSYWLEQGSGTNSS
RESNGTMADLGNIADNPQLSFYQLVYGLNALLLLCVGVCSSGIFTKVTRKASTALHNKLFNKVFRCPMSF
FDTIPIGRLLNCFAGDLEQLDQLLPIFSEQFLVLSLMVIAVLLIVSVLSPYILLMGAIIMVICFIYYMMF
KKAIGVFKRLENYSRSPLFSHILNSLQGLSSIHVYGKTEDFISQFKRLTDAQNNYLLLFLSSTRYMALRL
EIMTNLVTLAVALFVAFGISSTPYSFKVMAVNIVLQLASSFQATARIGLETAQFTAVERILQYMKMCVS
EAPLHWEGTSCPQGWPQHGEIIFQDYHMKYRDNTFTVLHGINLTIRGHEVVGIVGRTGSGKSSLGMALFR
LVEPMAGRILIDGVDICSIGLEDLRSKLSVIPQDPVLLSGTIRFNLDFEDRHTDQQIWDALERTFLTKAI
SKFFKKLHTDVVENGGNFSVGERQLLCIARAVLRNSKIILIDEATASIDMETDTLIQRTIREAFQGCTVL
VIAHRVTTVLNCDHILVMGNGKVVEFDRPEVLRKKPGSLFAALMATATSSLR 45

50 55

Seq ID NO: 49 DNA sequence Nucleic Acid Accession #: NM\_033419 18-980 (underlined sequences correspond to start and stop codons) Coding sequence:

CGAGCCAGGG AGAAAGGATG GCCGGCCTGG CGGCGGGTT GGTCCTGCTA GCTGGGGCAG
CGGCGCTGGC GAGCGGCTCC CAGGGCGACC GTGAGCCGGT GTACCGCGAC TGCGTACTGC
AGTGCGAAGA GCAGAACTGC TCTGGGGGCG CTCTGAATCA CTTCCGCTCC CGCCAGCCAA
180 AGTGCGAAGA GCAGAACTGC TCTGGGGGCG CTCTGAATCA CTTCCGCTCC CGCCAGCCAA 180
TCTACATGAG TCTAGCAGGC TGGACCTGTC GGGACGACTG TAAGTATGAG TGTATGTGG 240
TCACCGTTGG GCTCTACCTC CAGGAAGGTC ACAAAGTGCC TCAGTCCAT GGCAAAGTGCC TCACCTCCCCA GCTCTCCCCG GTTCCTGTTC TTTCAAGAGC CGGCATCGGC CGTGGCCTCG TTTCTCAATG 360
GCCTGGCCAG CCTGGTGATG CTCTGCCGCT ACCGCACCTT CGTGCCAGCC TCCTCCCCCA 420
TCTACCACAC CTGTGTGGCC TTCGCCTGGG TGTCCTCAA TGCATGGTTC TGGTCCACAG 480
TCATCCTACA CCAGGACACT GACCTCACA GAAAAATGGA CTACTTCTGT GCCTCCACTG 540
TCATCCTACA CTCAATCTAC CTGTGCTGCG TCAGGACCGT GGGGCTGCAG CACCCAGCTG 660
TGGTCAGTGC CTTCCGGGCT CTCCTGCTGC TCATGCTGAC CGTGCACGTC TCCTACCTGA 660
ACCGCTCATCCG CTTCGACTAT GGCTACAACC TGGTGGCCAA CGTGGCTGCT CCTACCTGA 660
ACTGGTGTG GTGGCTGGC TGGTGCCTGT GGAACCAGG GCGCTGCCT CACGTGGCA 720
ACGTGGTGTG GGTGGTCTTG CTGCTGCAGG GGCTGCCT GCTGACGTG CTTCACTTCC 840
ACTGCCTCTT CTGGGTCCTTG CTGCTGCAGG GCCTCCTTGCAGCTG CTTCACCTTCC 900

75 CACCGCTCTT CTGGGTCCTG GATGCCCATG CCATCTGGCA CATCAGCACC ATCCCTGTCC 900 ACGTCCTCTT TTTCAGCTTT CTGGAAGATG ACAGCCTGTA CCTGCTGAAG GAATCAGAGG 960



ACAAGTTCAA GCTGGACTGA AGACCTTGGA GCGAGTCTGC CCCAGTGGGG ATCCTGCCCC 1020 CGCCCTGCTG GCCTCCCTTC TCCCCTCAAC CCTTGAGATG ATTTTCTCTT TTCAACTTCT 1080 TGAACTTGGA CATGAAGGAT GTGGGCCCAG AATCATGTGG CCAGCCCACC CCCTGTTGGC 1140 CCTCACCAGC CTTGGAGTCT GTTCTAGGGA AGGCCTCCCA GCATCTGGGA CTCGAGAGTG 1200 GGCAGCCCCT CTACCTCCTG GAGCTGAACT GGGGTGGAAC TGAGTGTGCT CTTAGCTCTA 1260 CCGGGAGGAC AGCTGCCTGT TTCCTCCCCA TCAGCCTCCT CCCCACATCC CCAGCTGCCT 1320 GGCTGGGTCC TGAAGCCCTC TGTCTACCTG GGAGACCAGG GACCACAGGC CTTAGGGATA 1380 CAGGGGGTCC CCTTCTGTTA CCACCCCCA CCTCCTCCA GGACACCACT AGGTGGTGCT 1440
GGATGCTTGT TCTTTGGCCA GCCAAGGTTC ACGGCGATTC TCCCCATGGG ATCTTGAGGG 1500
ACCAAGCTGC TGGGATTGGG AAGGAGTTTC ACCCTGACCA TTGCCCTAGC CAGGTTCCCA 1560
GGAGGCCTCA CCATACTCCC TTTCAGGGCC AGGGCTCCAG CAAGCCCAGG GCAAGGATCC 1620
TGTGCTGCTG TCTGGTTGAG AGCCTGCCAC CGTGTGTCGG GAAGCCCAGG CCAGGCTGAGT 1680 10 GCATAGGTGA CAGGGCCGTG AGCATGGGCC TGGGTGTGTG TGAGCTCAGG CCTAGGTGCG 1740 CAGTGTGGAG ACGGGTGTTG TCGGGGAAGA GGTGTGGCTT CAAAGTGTGT GTGTCAGGG 1800 GGTGGGTGTG TTAGCGTGGG TTAGGGGAAC GTGTGTGCGC GTGCTGGTGG GCATGTGAGA 1860 15 TGAGTGACTG CCGGTGAATG TGTCCACAGT TGAGAGGTTG GAGCAGGATG AGGGAATCCT 1920 GTCACCATCA ATAATCACTT GTGGAGCGCC AGCTCTGCCC AAGGCGCCAC CTGGGCGGAC 1980 AGCCAGGAGC TCTCCATGGC CAGGCTGCCT GTGTGCATGT TCCCTGTCTG GTGCCCCTTT 2040 GCCCGCCTCC TGCAAACCTC ACAGGGTCCC CACACAACAG TGCCCTCCAG AAGCAGCCCC 2100
TCGGAGGCAG AGGAAGGAAA ATGGGGATGG CTGGGGCTCT CTCCATCCTC CTTTTCTCCT 2160
TGCCTTCGCA TGGCTGGCCT TCCCCTCCAA AACCTCCATT CCCTTGCTGC CAGCCCCTTT 2220
GCCATAGGCT GATTTTTGGGG AGGAGGAAGG GGCGATTTGA GGGAGAAGGG GAGAAAGCTT 2280
ATGGCTGGGT CTGGTTTCTT CCCTTCCCAG AGGGTCTTAC TGTTCCAGGG TGGCCCCAGG 2340 20 GCAGGCAGGG GCCACACTAT GCCTGCGCCC TGGTAAAGGT GACCCCTGCC ATTTACCAGC 2400 25 AGCCCTGGCA TOTTCCTGCC CCACAGGAAT AGAATGGAGG GAGCTCCAGA AACTTTCCAT 2460
CCCAAAGGCA GTCTCCGTGG TTGAAGCAGA CTGGATTTTT GCTCTGCCCC TGACCCCTTG 2520
TCCCTCTTTG AGGGAGGGGA GCTATGCTAG GACTCCAACC TCAGGGACTC GGGTGGCCTG 2580 30 Seq ID NO: 50 <u>Protein sequence:</u>
Protein Accession #: NP\_219487.1 31 41 51 35 MKDVGPESCG QPTPCWPSPA LESVLGKASQ HLGLESGQPL YLLELNWGGT ECALSSTGRT 60
AACFLPISLL PTSPAAWLGP EALCLPGRPG TTGLRDTGGP LLLPPPTLLQ DTTRWCWMLV 120
LWPAKVHGDS PHGILRDQAA GIGKEFHPDH CPSQVPRRPH HTPFQGQGSS KPRARILCCC 180 LVESLPPCVG SVGQAECIGD RAVSMGLGVC ELRPRCAVWR RVLSGKRCGF KVCVCRGWVC 40 Seq ID NO: 51 DNA sequence XM\_059098.1 Nucleic Acid Accession #: Coding sequence: 178-618(underlined sequences correspond to start and stop codons) 45 31 41 21 GATGTACACT CTGAAGTGAG CACATTCCTG TTGGCAGGAC ATGACACCTT GGCAGCAAGC 60 GATGTACACT CTGAAGTGAG CACATTCCTG TTGGCAGGAC ATGACACCTT GGCAGCAAGC 60
ATCTCCTGGA TCCTTTACTG CCTGGCTCTG AACCCTGAGC ATCAAGAGAG ATGCCGGAG 120
GAGGTCAGGG GCATCCTGGG GGATGGGTCT TCTATCACTT GGGACCAGCT GGGTGAGATG 180
TCGTACACCA CAATGTGCAT CAAGGAGACG TGCCGATTGA TTCCTGCAGT CCCGTCCATT 240
TCCAGAGATC TCAGCAAGCC ACTTACCTTC CCAGATGGAT GCACATTGCC TGCAGGGATC 300 50 ACCOTIGGITE TRAGEAUTH GGGTCTTCAC CACAACCTIG CTGTCTGGAA AAACCCAAAG 360
GTCTTTGAC CCTTGAGGTT CTCTCAGGAG AATTCTGATC AGAGACACCC CTATGCCTAC 420
TTACCATTCT CAGCTGGATC AAGGAACTGC ATTGGGCAGG AGTTTGCCAT GATTGAGTTA 480
AAGGTAACCA TTGCCTTGAT TCTGCTCCAC TTCAGAGTGA CTCCAGACCC CACCAGGCCT 540
CTTACTTTCC CCAACCATTT TATCCTCAAG CCCAAGAATG GGATGTATTT GCACCTGAAG 600 55 AAACTCTCTG AATGT<u>TAG</u>AT CTCAGGGTAC AATGATTAAA CGTACTTTGT TTTTCGAAGT TAAATTTACA GCTAATGATC CAAGCAGATA GAAAGGGATC AATGTATGGT GGGAGGATTG 720
GAGGTTGGTG GGATAGGGGT CTCTGTGAAG AGATCCAAAA TCATTTCTAG GTACACAGTG 780 60 TGTCAGCTAG ATCTGTTTCT ATATAACTTT GGGAGATTTT CAGATCTTTT CTGTTAAACT 840
TTCACTACTA TTAATGCTGT ATACACCAAT AGACTTTCAT ATATTTTCTG TTGTTTTTAA 900
AATAGTTTTC AGAATTATGC AAGTAATAAG TGCATGTATG CTCACTGTCA AAAATTCCCA 960 ACACTAGANA ATCATGTAGA ATAAAAATTT TAAATCTCAC TTCACTTAGC CGACATTCCA 1020
TGCCCTGACC AATCCTACTG CTTTTCCTAA AAACAGAATA ATTTTGGTGTG CATCCTTTCCA 1080
GACTTTTTCC TATACATTTT ATATGTAGAA ATGTAGCAAT GTATTTGTAT AGATGTGATC 1140
ATTCCTATAT TGTTATTGAT TTTTTTCACT TAATAAAAAT TCACCTTATT CCTT

Seq ID NO: 52 Protein sequence: 70 XP\_059098.1 Protein Accession #:

31

41

65

MSYTTMCIKE TCRLIPAVPS ISRDLSKPLT FPDGCTLPAG ITVVLSIWGL HHNPAVWKNP 60 75 KVFDPLRFSQ ENSDQRHPYA YLPFSAGSRN CIGQEFAMIE LKVTIALILL HFRVTPDPTR 120 PLTFPNHFIL KPKNGMYLHL KKLSEC

WO 02/059377 PCT/US02/02242

Sea ID NO: 53 DNA sequence Nucleic Acid Accession #: NM\_030916 Coding sequence: 1-1533 (underlined sequences correspond to start and stop codons) 5 31 ATGCCCCTGT CCCTGGGAGC CGAGATGTGG GGGCCTGAGG CCTGGCTGCT GCTGCTGCTA 60 CTGCTGGCAT CATTTACAGG CCGGTGCCCC GCGGGTGAGC TGGAGACCTC AGACGTGGTA 120 ACTGTGGTGC TGGGCCAGGA CGCAAAACTG CCCTGCTTCT ACCGAGGGGA CTCCGGCGAG 180
CAAGTGGGGC AAGTGGCATG GGCTCGGGTG GACGCGGCCG AAGGCGCCCA GGAACTAGCG 240
CTACTGCACT CCAAATACGG GCTTCATGTG AGCCCGGCTT ACGAGGGCCG CGTGGAGCAG 300 10 CCGCCGCCCC CAGGCAACCC CCTGGACGGC TCAGTGCTCC TGCGCAACCC AGTGCAGGCG 360
GATGAGGGCG AGTACGAGTG CCGGGTCAGC ACCTTCCCCG CCGGCAGCTT CCAGGCGCGG 420
CTGCGGCTCC GAGTGCTGGT GCCTCCCCTG CCCTCACTGA ATCCTGGTCC AGCACTAGAA 480 15 GAGGGCCAGG GCCTGACCCT GGCAGCCTCC TGCACAGCTG AGGGCAGCCC AGCCCCCAGC 540
GTGACCTGGG ACACGGAGGT CAAAGGCACA ACGTCCAGCC GTTCCTTCAA GCACTCCCGC 600 TCTGCTGCCG TCACCTCAGA GTTCCACTTG GTGCCTAGCC GCAGCATGAA TGGGCAGCCA 660
CTGACTTGTG TGGTGTCCCA TCCTGGCCTG CTCCAGGACC AAAGGATCAC CCACATCCTC 720
CACGTGTCCT TCCTTGCTGA GGCCTCTGTG AGGGGCCTTG AAGACCAAAA TCTGTGGCAC 780 20 ATTGGCAGAG AAGGAGCTAT GCTCAAGTGC CTGAGTGAAG GGCAGCCCCC TCCCTCATAC 840
AACTGGACAC GGCTGGATGG GCCTCTGCCC AGTGGGGTAC GAGTGGATGG GGACACTTTG 900
GGCTTTCCCC CACTGACCAC TGAGCACAGC GGCATCTACG TCTGCCATGT CAGCAATGAG 960 TICTCCTCAA GGGATTCTCA GGTCACTGTG GATGTTCTTG ACCCATGT CAGCATGTAGG 980
AAGCAGGTGG ACCTAGTGT AGCCTCGGTG GTGGTGGTGG GTTGTATCGC CGCACTCTTG 1080
TTCTCCCTTC TGGTGGTGGT GGTGGTGCTC ATGTCCCGAT ACCATCGGCG CAAGGCCCAG 1140
CAGATGACCC AGAAATATGA GGAGGAGCTC ATGTCCCGAT ACCATCGGCG CAAGGCCCAG 1140
CTGCATTCCC ATCACACGGA CCCCAGGAGC CAGCCCGAGAG AGAGTGTAGG GCTGAGAGCC 1260
GAGGGCCACC CTGATAGTCT CAAGGACAAC AGTAGCTGCT CTGTGATGAG TGAAGAGCC 1260 25 GAGGGCCGCA GTTACTCCAC GCTGACCACG GTGAGGGAGA TAGAAACACA GACTGAACTG 1380 CTGTCTCCAG GCTCTGGGCG GGCCGAGGAG GAGGAAGATC AGGATGAAGG CATCAAACAG 1440 GCCATGAACC ATTTTGTTCA GGAGAATGGG ACCCTACGGG CCAAGCCCCAC GGGCAATGGC 1500 30 ATCTACATCA ATGGGCGGGG ACACCTGGTC TGA Seq ID NO: 54 <u>Protein sequence:</u>
Protein Accession #: NP\_112178.1 35 21 31 MPLSLGAEMW GPEAWLLLLL LLASFTGRCP AGELETSDVV TVVLGQDAKL PCFYRGDSGE 60 MPLSLGAEMW GPEAWLLLL LLASFIGRCP AGELETSDVY TVVLGQDAKL PCFYRGDSGE 60
QVGQVAWARV DAGEGAQELA LLHSKYGLHV SPAYEGRVEQ PPPPRNPLDG SVLLRNAVQA 120
DEGEYECRVS TFPAGSFQAR LRLRVLVPPL PSLNPGPALE EGQGLTLAAS CTAEGSPAPS 180
VTWDTEVKGT TSSRSFKHSR SAAVTSEPHL VPSRSMNGQP LTCVVSHPGL LQDQRITHLL 240
HVSFLAEASV RGLEDQNLWH IGREGAMLKC LSEGQPPPSY NWTRLDGPLP SGVRVDGDTL 300
GFPPLTTEHS GTYVCHVSNE FSSRDSQVTV DVLDPQEDSG KQVDLVSASV VVVQVIAALL 360
FCLLVVVVVL MSRYHRRKAQ QMTQKYEEL TLTRENSIRR LHSHHTDPRS QPEESVGLRA 420 40 45 EGHPDSLKDN SSCSVMSEEP EGRSYSTLTT VREIETQTEL LSPGSGRAEE EEDQDEGIKQ 480 AMNHFVQENG TLRAKPTGNG IYINGRGHLV Seq ID NO: 55 DNA sequence 50 Nucleic Acid Accession #: AF007170.1 Coding sequence: 73-1725 (underlined sequences correspond to start and stop codons) 31 41 55 AAGGAGGGG CCTCCGGGAA AAGCGACCGC AGGACTCCTG AGAGCAGCCT CCATGAGGCC 60 CTGGACCAGT GC<u>ATG</u>ACCGC CCTGGACCTC TTCCTCACCA ACCAGTTCTC AGAAGCACTC 120 AGCTACCTCA AGCCCAGAAC CAAGGAAAGC ATGTACCACT CACTGACATA TGCCACCATC 180 60 GAGCTGGACA GCCTTGTTCA GTCCTCACAA TACTGCAAGG GTGAGAACCA CCCGCACTTT 540
GAAGGAGGAG TGAAGCTTGG TGTAGGGGCC TTCAACCTGA CACTGTCCAT GCTTCCTACT 600
AGGATCCTGA GGCTGTTGGA GTTTGTGGG TTTTTCAGGAA ACAAGGAACTA TGGGCTGCTG 660
CAGCTGGAGG AGGGAGCGTC AGGGCACAGC TTCCGCTCTG TGCTCTGTTC CATGCTCCTG 720
CTGTGCTACC ACACCTTCCT CACCTTCGTG CTCGGTACTG GGAACGTCA CATCGAGGAG 780
GCCGAGAAGC TCTTGAAGCC CTACCTGAAC CGGTACCCTA AGGGTGCCAT CTTCCTGTTC 840
TTTGCAGGGA GGATTGAAGT CATTAAAGGC AACATTGATG CAGCCATCCG GCGTTTCGAG 900
GAGTGCTGTG AGGCCCAGCA GCACTGGAAG CAGTTTCACC ACATGTGCTA CTGGGAGCTG 960
ATGTTGGTGCT TCACCTACAA GGGCCACTGGA AGATGTCCT ACTTTACGC CGACCTGCTC 1020
AGCAAGGAGA ACTGCTGGTC CAAGGCCACC TACATTTACA TGAAGGCCG CTACCTTCAGC 1080
ATGTTTGGGA AGGAGCAC CAAGCCGTTC GGGGACAGCA AAGTGGCAT ATTTCCAGGC 1140
GTGCCAGGCC TGAAGCTCAA GATTGCTGG AAACTTCAC CCACAGAGAA GTTTGCCACT 1200 65 70

GTGCCAGGCC TGAAGCTCAA GATTGCTGGG AAATCTCTAC CCACAGAGAA GTTTGCCATC 1200 CGGAAGTCCC GGCGCTACTT CTCCTCCAAC CCTATCTCGC TGCCAGTGCC TGCTCTGGAA 1260 ATGATGTACA TCTGGAACGG CTACGCCGTG ATTGGGAAGC AGCCGAAACT CACGGATGGG 1320

ATACTTGAGA TTATCACTAA GGCTGAAGAG ATGCTGGAGA AAGGCCCAGA GAACGAGTAC 1380

WO 02/059377

Seq ID NO: 56 Protein sequence:
Protein Accession #: AAC39582.1

SRSMVSSVSL

11 21 31 41 51

MTALDLFLTN QFSEALSYLK PRTKESMYHS LTYATILEMQ AMMTFDPQDI LLAGNMMKEA 60
QMLCQRHRRK SSVTDSFSSL VNRPTLGQFT EEEIHAEVCY AECLLQRAAL TFLQDENMYS 120
FIKGGIKVRN SYQTYKELDS LVQSSQVCKG ENIPHFEGGV KLGVGAFNLT LSMLPTRILR 180
LLEFVGFSGN KDYGLLQLEE GASGHSFRSV LCVMLLLCYH TFLTFVLGTG NVNIEEAEKL 240
LKPYLNRYPK GAIFLFFAGR IEVIKGNIDA AIRRFEECCE AQQHWKQFHH MCYWELMWCF 300
TYKGQWKMSY FYADLLSKEN CWSKATYIYM KAAYLSMFGK EDHKPFGDDE VELFRAVFGL 360
KLKIAGKSLP TEKFAIRKSR RYFSSNPISL PVPALEMMYI WNGYAVIGKQ PKLTDGILEI 420
ITKAEEMLEK GPENEYSVDD ECLVKLLKGL CLKYLGRVQE AEENFRSISA NEKKIKYDHY 480
LIPNALLELA LLLMEQDRNE EAIKLLESAK QNYKNYSMES RTHFRIQAAT LQAKSSLENS 540

40 Seq ID NO: 57 DNA sequence
Nucleic Acid Accession #: NM\_006670.1
Coding sequence: 1-927 (underlined sequences correspond to start and stop codons)

Seq ID NO: 58 Protein sequence
Protein Accession #: NP\_006661.1

65

1 11 21 31 41 51

70 MPGGCSRGPA AGDGRLRLAR LALVLLGWVS SSSPTSSASS FSSSAPFLAS AVSAQPPLPD 60
QCPALCECSE AARTVKCVNR NLTEVPTDLP AYVRNLFLTG NQLASNHFLY LPRDVLAQLP 120
SLRHLDLSNN SLVSLTYVSF RNLTHLESLH LEDNALKVLH NGTLAELQGL PHRVFLDNN 180
PWVCDCHMAD MYTWLKETEV VQGKDRLTCA YPEKMRNRVL LELNSADLDC DPILPPSLQT 240
SYYFLGIVLA LIGAIFLLVL YLNRKGIKKW MHNIRDACRD HMEGYHYRYE INADPRLTNL 300
SSNSDVLE

NM 024022

Seq ID NO: 59 DNA sequence Nucleic Acid Accession #:

WO 02/059377

Coding sequence: 1-1362(underlined sequences correspond to start and stop codons) ATGGGGGAAA ATGATCCGC TGCTGTTGAA GCCCCCTTCT CATTCCGATC GCTTTTTGGC 60
CTTGATGATT TGAAAATAAG TCCTGTTGCA CCAGATGCAG ATGCTGTTGC TGCACAGATC 120
CTTGATGATT TGAAAATAAG TCCTGTTGCA CCAGATGCAG ATGCTGTTGC TGCACAGATC 120
CTGTCACTGC TGCCATTGAA GTTTTTTCCA ATCATCGTCA TTGGGATCAT TGCATTGATA 180
TTAGCACTGG CCATTGAG GTTGATAGCT CGATTGACG ATGCAGAGTA CAGATGTCGC 240
TCATCCTTTA AGTGTATCGA GCTGATAGCT CGATGGACG GAGTCTCGGA TTGCAAAGAC 300
GGGGAGGACG AGTACCGCTG TGTCCGGGTG GGTGGTCAGA ATGCCCGTGCT CCAGGTGTTC 360
ACAGCTGCTT CGTGGAAGAC CATGTGCTCC GATGACTGGA ATGCCCTCAC CGCAAATGTT 420
GCCTGTGCCC AACTGGGTTT CCCAAGCTAT GTGAGTTCAG AATGACCTCAG AGTGAGCTCG 480
CCTGGAGGGC AGTTCCGGGA GGAGTTTGTG TCCATCGATC ACCTCTTGCC AGATGACAAG 540
GTGACTGCAT TACACCACTC AGTATATGTG AGGGAGGGAT GTGCCCTCGG CCAGTGGTT 600
ACCTTGCAGT GCACAGCCTT TGGTCAATGA AGGGGCTACA GCTCACGCAT CGTGGTTG 600
AACATGTCCT TGCTCTCGCA GTGGCCCTGG CAGGGGGAT CTACAGCAC CTGGGTGTA 600
AACATGTCCT TGCTCTCGCA GTGGCCCTGG CAGGGGGCCACC CTCACGCAC CTGTGGTTAAT 840
CCAGCCCCAT CCCCAAGTC ATGAACACTC CAGGTGGTC TAGTTTCCCT GTTGGACAAT 840
CCAGCCCCAT CCCACTTGGT GGAGAACATC CAGGTGGTC TAGTTTCCCT GTTGGACAAT 840
CCAGCCCCAT CCCACTTGGT GGAGAACATC CAGGTGGTC TAGTTTCCCT GTTGGACAAT 840
CCAGCCCCAT CCACTTGGT GGAGAAGATT GTCTACCACA GCAAGTACAA GCCAAAGAGG 900
CAGCCTGTTTCC CCCAAGTC ATGAACCATC CAGGTGGCC TCACGTTCAA CCACAGTGCA 601
CCAGCCCCAT CCACTTGGT GGAGAAGTT GTCTACCACA GCAAGTACAA GCCAAAGAGG 900
CAGCCTGTTT CCTTGCCCAA CTCTGAAGAG AACTTCCCCC ATGCAAAAAAGT GTGCTGGACA 6120
CAGCCCCTTTGA TTTCCAACAA GATTGAAGCTG GCCGGGCCAC CCACGTTCAA CCACGCGCC 1080
GTCCCTTTTGA TTTCCAACAA GATTGCACC CACAGGGACG TGACGCCCCC TGCCCCAACGCCCC 1140
CCCTCCATGC TGCTGCCAA CACGAGGAGGT GACGCCTCCC CTGTCCTGAA CCACGCGGCC 1080
GTCCCTTTTGA TTTCCAACAA GATGGAGGGT GACGCCTCCC CTGTCCTGAA CCACGCGGCC 1080
GTCCCTTTGA TTTCCAACAA GAAGAGGAGGAGC TGACGCTCCC CTGTCCCCAA CCACGTGGCCACGC 1020
GGGGGCCCC TGGTGTTCAA AACAAGCCT GGGGTGAACT CACGGGCCACA CACCTTT 1260
GGGGGCCCC TGGTGTTCAACAGAGAGAGC CTAAAAAACCT GA ATGGGGGAAA ATGATCCGCC TGCTGTTGAA GCCCCCTTCT CATTCCGATC GCTTTTTGGC 60 5 10 15 20 25 Seq ID NO: 60 Protein sequence
Protein Accession #: NP 076927 30 40 GIGCAEVNKP GVYTRVTSFL DWIHEQMERD LKT Seq ID NO: 61 DNA sequence NM\_006475 Nucleic Acid Accession #: Coding sequence: 28-2538 (underlined sequences correspond to start and stop codons) 45 1 11 21 31 41 51

AACAGAACTG CAACGGAGAG ACTCAAGATG ATTCCCTTTT TACCCATGTT TTCTCTACTA 60
TTGCTGCTTA TTGTTAACCC TATAAACGC AACAATCATT ATGACAAGAT CTTGGCTCAT 120
AGTCGTATCA GGGGTCGGGA CCAAGGCCCA AATGCTTGTCCCCTTCAACA GATTTTGGCC 180
ACCAAAAGA AATACTTCAG CACTTGTAAG AACTGGTATA AAAAGTCCAT CTGTGGACAG 240
AAAACGACTG TTTTATATGA ATGTTGCCCT GGTTATATGA GAATGCAGG AATGAAAGGC 360
TGCCAGCAG TTTTTGCCCAT TGACCATGTT TATGGCACTC TGGGCATCGT GGGAGCCACC 360
ACAACGCAG GTTTTTGCCCAT TGACCATGTT TATGGGACACT CTGGGCAGG AAAGGGATCC 420
ACAACGCAG GTTTTTGCCCAT TGACCATGTT TATGGGACACTC TGGGCATCGT GGGAGCCACC 360
ACAACGCAG GCTATTCTGA CGCCTCAAAA CTGAGGGAGG AAATCCAGGG AAAGGGATC 420
ACAACGCAG GCAATTCTGA CGCCTCAAAA CTGAGGGAGG AAATCCAGGG AAAGGGATCC 420
ACAACGCAG GCAACTGTAA TGTTGAATTA CTGAATGCTT TACATAGTCA CATGATTAAT 540
AGAGAATGT TGACCAAGGA TGTTGAATTA CTGAATGCTT TACATAGTCA CATGATTAAT 540
AGAGGATGT TGACCAAGGA TGTTGAATTA TGCTTCAAT GTATAACAAT 600
TTGGGGCTTT TCATTAACCA TTATCCTAAT GGGTTTGTCA TGTTAAACAAT 600
TTGGGGCTTT TCATTAACCA TTATCCTAAT GGGTTTGTCAT GTATTTG TGCTCGAATC 660
ATCCATGGGA ACCAGTTGC AACAAATGGT GTTTGTCCATG TCATTGACCG TGTGCTTACA 720
CAAATTGGTA CCTCAATTCA AGACTTCATT GAAGCAGAAG ATGACCTTTC ATCTTTTAGA 780
GCAGCTGCCA TCACATCGGA CATATTGGAG GCCCTTGGAA GAGACGGTCA CTTCCACACTC 840
GGAGCACACA TCACATCGGA CATATTGGAG GCCCTTGGAA GAGACGGTCA CTTCCACACTC 840
TTTGCTCCCA CCAATGAGGC TTTTTGAGAAA CTTCCACGAG GTGTCCTAGA AAGGTTCATG 900
GGAGCACAAA TGGGCTTCCGA AGCTCTTT GAGACCACA TCTTAAATAC TCTCCACTTT 900
GGAGCACAAAT ATTGGGAG AGCAGTCTTT GAGACCACA TCTTAAATAC TCTCCACTTT 900
GGATGTGACG GTGACAGTAT AACAGTAAT GGAATCAAAA TGGTGAACAA AAAGGATAT 1020
GGATGTGACG GTGACAGTAT AACAGTAAAT GGAATCAACA TCTTAAATAC TCTCCACTGTT 900
GTGACAAATA ATGGTGTGAT CCATTTGATT GATCAGCCC TAATTCCTG TTCTGTGGCAC TTGCACACT
CCAAGTTATTG AGCTAGGAGA ACACCCCTCA CGGACTTTT GGCCCCAATTA 1200
GGATTTTCTG ATGATACTC CAGCATGGT AAACACCAA CCCTCCA CGGACTTTT TGCCGCACC TTGAAATAT 1200
GCATTTTCTG ATGATACACT CAGCATGGTT AATCGTACAG CCTGTGAAAAAT 1200
GCATTTTCTG ATGATACACT CAGCATGGTT AACAGCACCTTCA CCGGCCTCC TTAAATTATT TCCCCCGAAACC 1380
ATCAAGCCAG C 50 55 60 65 70



Seq ID NO: 62 Protein sequence: Protein Accession #: NP\_006466

50

55

60

65

70

75

1 11 21 31 41 51
| MIPFLEMFSL LLLLIVNPIN ANNHYDKILA HSRIRGRDQG PNVCALQQIL GTKKKYFSTC 60
| KNWYKKSICG QKTTVLYECC PGYMRMEGMK GCPAVLPIDH VYGTLGIVGA TTTQRYSDAS 120
| KLREEIEGKG SFTYFAPSNE AWDNLDSDIR RGLESNVNVE LLNALHSHMI NKRMLTKDLK 180
| NGMIPSMYN NLGLFINHYP NGVVTVNCAR IHGNQIATN GVVHVIDRVL TQIGTSIQDF 240
| IEAEDDLSSF RAAAITSDIL EALGRDGHFT LFAPTNEAFE KLPRGVLERF MGDKVASEAL 300
| MKYHILNTLQ CSESIMGGAV FETLEGNTIE IGCDGDSITV NGIKMVNKKD IVTNNGVIHL 360
| IDQVLIPDSA KQVIELAGKQ QTTFTDLVAQ LGLASALRPD GEYTLLAPVN NAFSDDTLSM 420
| VQRLLKLILQ NHILKVKYGL NELYNGQILE TIGGKQLRVF VYRTAVCIEN SCMEKGSKQG 480
| RNGAIHIFRE IKPAEKSLH EKLKQDKRFS TFLSLLEAAD LKELLTQPGD WTLFVPTNDA 540
| FKGMTSEEKE ILRDKNALQ NIILYHLTPG VFIGKGFEPG VTNILKTTQG SKIFLKEVND 600
| TLLVNELKSK ESDIMTTNGV IHVVDKLLYP ADTPVGNDQL LEILNKLIKY IQIKFVRGST 660
| FKEIPVTVYT TKJITKVVEP KIKVJEGSLQ PIKKTEGPTL TKVKJEGEPE FRLIKEGETI 720
| TEVIHGEPI KKYTKIIDGV PVEITEKETR EERIITGPEI KYTRISTGGG ETEETLKKLL 780
| QEEVTKVTKF IEGGDGHLFE DEEIKRLLQG DTPVRKLQAN KKVQGSRRAL REGRSQ

Seq ID NO: 63 DNA sequence
Nucleic Acid Accession #: NM\_020974
Coding sequence: 81-3080 (underlined sequences correspond to start and stop codons)

WO 02/059377

GTCACTCTGG CATTCACCTC TCTTCAGATG TCACCACCAT CAGGACAAGT GTAACCTTTA 1560 GTCACTCTGG CATTCACCTC TCTTCAGATG TCACCACCAT CAGGACAAGT GTAACCTTTA 1560
AGCTAAATGA AGGCAAGTGT AGTTTGAAAA ATGCTGAGCT GTTTCCCGAG GGTCTGCGAC 1620
CAGCACTACC AGAGAAAGCAC AGCTCAGTAA AAGAGAGCTT CCGCTACGTA AACCTTACAT 1680
GCAGCTCTGG CAAGCAAGTC CCAGGAGCC CTGGCCGACC AAGCACCCCT AAGGAAATGT 1740
TTATCACTGT TGAGTTTGAG CTTGAAACTA ACCAAAAGGA GGTGACAGCT TCTTGTGACC 1880
TGAGCTGCAT CGTAAAAGCGA ACCGAGAAGC GGCTCCGTAA AGCCATCCGC ACGCTCAGAA 1860
AGGCCGTCCA CAGGAGACG TTTCACCTCC AGCTCTCAGG CATGAACCTC GACGTCAGAA 1890
AAAAGCCTCC CAGAACATCT GAACGCCAGG CAGAGTCCTG TGGAGTGGGC CAGGGTCATG 1980
CAGAAAACCA ATGTGTCAGT TGCAGGGCTG GGACCTATTA TGATGGAGCA CGAGAACGCT 2040
GCATTTTATG TCCAAATGGA ACCTTCCAAA ATGAGGAAGG ACAAATGACT TGTGAACCAT 2100
GCCCAAGACC AGGAAATTCT GGGGCCCCTGA AGACCCCAGA AGCTTGGAAT ATGTCTGAAT 2160 5 10 GCCCAAGACC AGGAAATTCT GGGGCCCTGA AGACCCCAGA AGCTTGGAAT ATGTCTGAAT 2160 GTGGAGGTCT GTGTCAACCT GGTGAATATT CTGCAGATGG CTTTGCACCT TGCCAGCTCT 2220 GTGCCCTGGG CACGTTCCAG CCTGAAGCTG GTCGAACTTC CTGCTTCCCC TGTGGAGGAG 2280 GTGCCTGGG CACGTTCCAG CCTGAAGCTG GTCGAACTTC CTGCTTCCCC TGTGGAGGAG 2280 GCCTTGCCAC CAAACATCAG GGAGCTACTT CCTTTCAGGA CTGTGAAACA AGAGTTCAAT 2340 GTTCACCTGG ACATTTCTAC AACACCACCA CTCACCGATG TATTCGTTGC CACGTGGGAA 2400 CATACCAGCC TGAATTTGGA AAAAATAATT GTGTTTCTTG CCCAGGAAAT ACTACGACTG 2460 ACTTTGATGG CTCCACAAAC ATAACCCAGT GTAAAAACAG AAGATGTGGA GGGGAGCTGG 2520 GAGATTTCAC TGGGTACATT GAATCCCCAA ACTACCCAGG CAATTACCCA GCCAACACCG 2580 AGTGTGACGTG GACCATCAAC CCACCCCCCA ACGCCCCAT CCTGATCGTG GCCCATCACGAG 2640 TCTTCCTGCC CATAGAGGAC GACTGTGGGG ACTATCTGGT GATGCGGAAA ACCTCTTCAT 2700 CCAATTCTGT GACAACATAT GAAACCTGCC AGACCTACGA ACGCCCCATC GCCTTCACCT 2760 CCAGGTCAA GAAGCTGTGG ATTCAGTTCA AGTCCAATGA AGGGAACAGC GCTAGAGGT 2820 TCCAGGTCCA ATACGTGAC ATAGTAGAGA ACTCACAGGA ACTCATTGAA GACATAGTTC 2880 GAGATGGCA GCTCTATGCA TCTGAGAAACATAT 2940 TCCAAGGCAG GCTCTTGATGCT CTGGCCCATC CCCAGAACTA AGAAACTTA 2940 TCCAAGGCTG GTTTGATGTC CTGGCCCATC CCCAGAACTA TTTCAAGTAC ACAGCCCAGG 3000 15 20 GAGATGGCAG GCTCTATGCA TCTGAGAACC ATCAGGAAAT ACTTAAGGAT AAGAAACTTA 2940
TCAAGGCTCT GTTTGATGTC CTGGCCCATC CCCAGAACTA TTTCAAGTAC ACAGCCCAGG 3000
AGTCCCGAGA GATGTTTCCA AGATCGTTCA TCCGATTGCT ACGTTCCAAA GTGTCCCAGGT 3060
TTTTGAGACC TTACAAATGA CTCAGCCCAC GTGCCACTCA ATACAAATGT TCTGCTATAG 3120
GGTTGGTGGG ACAGAGCTGT CTTCCTTCTG CATGTCAGCA CAGTCGGGTA TTGCTGCCTC 3180
CCGTATCAGT GACTCATTAG AGTTCAATTT TTATAGATAA TACAGATATT TTGGTAAATT 3240
GAACTTGGTT TTTCTTTCCC AGCATCGTGG ATGTAGACTG AGAATGGCTT TGAGTGGCAT 3300
CAGCTTCTCA CTGCTGTGGG CGGATGTCTT GGATAGATCA CGGGCTGGCT GAGCTGGACT 3360
TTGGTCAGCC TAGGTGAGAC TCACCTGTCC TTCTGGGGTC TTACTCCTC TCAAGGAGTC 3420
TGTAGTGGAA AGGAGGCCAC AGAATAAGCT GCTTATTCTG AAACTTCAGC TTCCTCTAGC 3480
CCGGCCCTCT CTAAGGGAGC CCTCTGCACT CGTGTGCAGG CTCTGACCAG GCAGAACAGG 3540
CAAGAGGGGA GGGAAGGAGA CCCCTGCAGG CTCCCTCCAC CCACCTTGAG ACCTGGGAGG 3600
ACTCAGTTTC TCCACAGCCT TCTCCAGCCT GTTGGATACA AGTTTGATCC CAGGAACTG 3660 25 30 35 ACTCAGTTTC TCCACAGCCT TCTCCAGCCT GTGTGATACA AGTTTGATCC CAGGAACTTG 3660
AGTTCTAAGC AGTGCTCGTG AAAAAAAAA GCAGAAAGAA TTAGAAATAA ATAAAAACTA 3720 AGCACTTCTG GAGACAT

Seq ID NO: 64 Protein sequence: Protein Accession #: NP\_066025.1 40

60

65

51 31 41

MGVAGRNRPG AAWAVLLLLL LLPPLLLLAG AVPPGRGRAA GPQEDVDECA QGLDDCHADA 60
LCQNTPTSYK CSCKPGYQGE GRQCEDIDEC GNELNGGCVH DCLNIPGNYR CTCFDGFMLA 120
HDGHNCLDVD ECLENNGGCQ HTCVNYMGSY ECCKEGFFL SDNQHTICHR SEEGLSCMNK 180
HDGCSHICKE APRGSVACEC RPGFELAKNQ RDCILTCNHG NGGCQHSCDD TADGPECSCH 240
PQYKMHTDGR SCLEREDTVL EVTESNTTSV VDGDKRVKRR LLMETCAVNN GGCDRTCKDT 360
STGVHCSCPV GFTLQLDGKT CKDIDECQTR NGGCDHFCKN IVGSFDCGCK KGFKLLTDEK 360
SCQDVDECSL DRTCDHSCIN HPGTFACACN RGYTLYGFTH CGDTNECSIN NGGCQQVCVN 420
TVGSYECQCH PGYKLHWNKK DCVEVKGLLP TSVSPRVSLH CGKSGGGDGC FLRCHSGIHL 480
SSDVTTIRTS VTFKLNEGKC SLKNAELFPE GLRFALPEKH SSVKESFRYV NLTCSSGKQV 540
PGAPGRPSTP KEMFITVEFE LETNOKEVTA SCDLSCIVKR TEKRLRKAIR TLRKAVHREQ 600
FHLQLSGMNL DVAKKPPRTS ERQAESCGVG QGHAENQCVS CRAGTYYDGA RERCILCPNG 660
TFQNEEGQMT CEPCPRPGNS GALKTPEAWN MSECGLLCQP GEYSADGFAP CQLCALGTTQ 720
PEAGRTSCFP CGGGLATKHQ GATSFQDCET RVQCSPGHFY NTTTHRCIRC PVGTYQPEEG 780
KNNCVSCPGN TTIDFDGSTN ITQCKNRRCG GELGDFTGYI ESPNYPGNYP ANTECTWTIN 840
PPPKRRILIV VPEIFLPIED DCGDYLVMRK TSSSNSVTTY ETCQTYERPI AFTSRSKKLW 900
IQFKSNEGNS ARGPQVPYVT YDEDYQELIE DIVRDGRLYA SENHQEILKD KKLIKALFDV 960
LAHPQNYFKY TAQESREMFP RSFIRLLRSK VSRFLRPYK MGVAGRNRPG AAWAVLLLLL LLPPLLLLAG AVPPGRGRAA GPQEDVDECA QGLDDCHADA 60 45 50 55

Seq ID NO: 65 DNA sequence NM 007210 Nucleic Acid Accession #: Coding sequence: 1-1869 (underlined sequences correspond to start and stop codons)

LAHPONYFKY TAQESREMFP RSFIRLLRSK VSRFLRPYK

51 ATGAGGCTCC TCCGCAGAGG CCACATGCCC CTGCGCCTGG CCATGGTGGG CTGCGCCTTT 60
ATGAGGCTCC TCCCCAGACG CCACATGCCC CTGCGCCTGG CCATGGTGGG CACAGAGAAG 120
CCGTGGCTGA AGTCCCTGGT GAGCCGGAAG GATCACGTCC TGGACCTCAT GCTGGAGGCC 180
ATGAACAACC TTAGAGATTC AATGCCCAAG CTCCAAATCA GGGCTCCAGA AGCCCAGCAG 240
ACTCTGTTCT CCATAAACCA GTCCTGCCTC CCTGGGTTCT ATACCCCAGC TGAACTGAAG 300
CCCTTCTGGG AACGGCCACC ACAGGACCCC AATGCCCCTG GGGCAGATGG AAAAGCATTT 360
CAGAAGAGCA AGTGGACCC CCTGGAGACC CAGGAAAAGG AAGAAGCATT 360
CAGAAGAGCA AGTGGACCC CCTGGAGACC CAGGAAAAGG AGAAAGGCTA TAAGAAGCAC 420
TGTTTCAATG CCTTTGCCAG CGACCGGATC TCCCTGCAGA GGTCCCTGGG GCCAGACACC 480
CGACCACCTG AGTGTGTGGA CCAGAAGTTC CGGCGCTGCC CCCCACTGGC CACCACCAGC 540 70 75

WO 02/059377

GTGATCATTG TGTTCCACAA CGAAGCCTGG TCCACACTGC TGCGAACAGT GTACAGCGTC 600 GTGATCATTG TGTTCCACAA CGAAGCCTGG TCCACACTGC TGCGAACAGT GTACAGCGTC 600
CTACACACCA CCCCTGCCAT CTTGGTCAAG GAGATCATAC TGGTGGAATA TGCCAGCACA 660
CTACACACAC ACCCCTGCCAT CTTGGTCAAG GAGATCATAC TGGTGGAATA TGCCAGCACA 660
GAGGAGCACC TAAAGGAGAA GCTGGAGCAG TACCTGAAGC AGCTGCAGGT GTGTGAGGGTG 720
GTGCGGCAGG AGGAGCGGAA GGGGTTGATC ACCGCCCGGC TGCTGGGGGC CAGCGTGGCA 780
CAGGCGGAGG TGCTCACGTT CCTGGATGCC CACTGTGAGT GCTTCCACAGC CTGGCTGGAG 840
CCCCTCCTGG CTCGAATCGC TGAGGACAAG ACAGTGGTGG TGAGCCCAGA CATCGTCACC 900
ATCGACCTTA ATACTTTTGA GTTCGCCAAG CCCGTCCAGA GGGGCAGAGT CCATAGCCGA 960
GGCAACTTTG ACTGGAGCCT GACCTTCGGC TGGGAAACAC TTCCTCCACA TGAGAAGCAG 1020
AGGCGCAAGG ATGAAACATA CCCCATCAAA TCCCCGACGT TTGCTGGTGG CTCTTTCTC 1080
ATCCCCAAGT CCTACTTTGA GCACATCACA TCCCGACGT TTGCTGGTGG ATCTTGGGGA 1140
GGGGAGAACG TGGAAATGTC CTTCCGGGTG TGGCAGTGTG GGGGCCAGCT GGAGATCATC 1200
CCTGCTCTG TCGTAGGCCA TGTGTTCCGG ACCAAGAGCC CCCACACCTT CCCCAAGGGC 1260
ACTAGTGTCA TTGCTCGCAA TCAAGTGCGC CTGGCAGAGGC 1260
ACTAGTGTCA TTGCTCGCAA TCAAGTGCCC CTCGCAGAGGC 1260
ACTAGTGTCA TTGCTCGCAA TCAAGTGCC CTGCCAGAGGC 1260
ACTAGTGTCA TTGCTCGCAA TCAAGTGCCC CTCGCAGAGGC 1260
ACTAGTGTCA TTGCTCGCAA TCAAGTGCCC CTCGCAGAGGC 1260
ACTAGTGTCA TTGCTCTCGCAA TCAAGTGCCC CTCACACAGAGGC 1260
ACTAGTGTCA TTGCTCCGCAA TCAAGTGCCC CTCGCAGAGGC 1260
ACTAGTGTCA TTGCTCCGCAA TCAAGTGCCC CTCACAGAGGC 1260 5 10 ACTAGIGTCA TIGCTCGCAA TCAAGIGCGC CTGGCAGAGG TCTGGATGGA CAGCTACAAG 1320 AAGATTITCT ATAGGAGAAA TCTGCAGGCA GCAAAGATGG CCCAAGAGAA ATCCTTCGGT 1380 GACATTITCGG AACGACTGCA GCTGAGGGAA CAACTGCACT GTCACAACTT TTCCTGGTAC 1440 15 CAGAGGACC TICGCCACAA CATCGCAAAG CAGCTGTGTC TACATGTCAG CAAGGGTGCT 1680
CTGGGCCTTG GGAGCTGTCA CTTCACTGGC AAGAATAGCC AGGTCCCCAA GGACGAGGAA 1740
TGGGAATTGG CCCAGGATCA GCTCATCAGG AACTCAGGAT CTGGTACCTG CCTGACATCC 1800 20 CAGGACAAAA AGCCAGCCAT GGCCCCCTGC AATCCCAGTG ACCCCCATCA GTTGTGGCTC 1860 TTTGTCTAGG ACCCAGATCA TCCCCAGAGA GAGCCCCCAC AAGCTCCTCA GGAAACAGGA 1920 TTGCTGATGT CTGGGAACCT GATCACCAGC TTCTCTGGAG GCCGTAAAGA TGGATTTCTA 1980 25 AACCCACTGG GTGGCAAGGC AGGACCTTCC TAATCCTTGC AACAACATTG GGCCCATTTT 2040 CTTTCCTTCA CACCGATGGA AGAGACCATT AGGACATATA TTTAGCCTAG CGTTTTCCTG 2100 TTCTTGAAAT AGAGGCTCCC AAAGTAGGGA AGGCAGCTGG GGGAGGGTTC AGGGCAGCAA 2160
TGCTGAGTTC AAGAAAAGTA CTTCAGGCTG GGCACAGTGG CTCATGCCTG AAATCCTAGC 2220
ACTTTGGGAA GACAATGTGG GAGAATGGCT TGAGCCCAGG AGTTCAAGAC CGGCCTGAGC 2280 30 AACATAGTGA GGATCCCATC TCTACGCCCA CCCTCCCCCC GGCAAAAAA AAAGCTGGGT 2340 ATGGTGGCTT ATGCCTGTAG TCGCAGCTAC TCAGAAGGCT GAGGTGGGAG GATTGCTTGT 2400 TCCCCGGAGG TTGAAGCTAC AGTGAGCCTT GATTGTTGCA CTGCACTCCA GCCTGGGCAA 2460 CAGGTAAGAC TCTGTCTCAA AAAAAAACA AAAAGAAGA AGAAAAGTAC TTCTACAGCC 2520 ATGTCCTATT CCTTGATCAT CCAAAGCACC TGCAGAGTCC AGTGAAATGA TATATTCTGG 2580 CTGGGCACAG TGGCTCACAC CTGTAATCCT AGCACTTTGG GAGGCCAAGG CAGGTGGATC 2640 35 ACCTGAGGTC AGAAGTTTGA AACCAGCCTG GACTACATGG TGAAACTCCA TCTCTACTAA 2700 AAGTACAAAA ATTAGCTGGG CATGATGGCA CGCACCTGCA GTCCCAGCTA CTTGGGAGGC 2760 TGAGGCAGGA GAATCACTCG AACCCAGGAG GCAGAGGTTG CAGTGAGCCA AGACAGCACC 2820 40

Seq ID NO: 66 <u>Protein sequence:</u>
Protein Accession #: NP\_009141

ODKKPAMAPC NPSDPHOLWL FV

45 21 31 41 MRLLRRRHMP LRLAMVGCAF VLFLFLLHRD VSSREEATEK PWLKSLVSRK DHVLDLMLEA 60 MNNLRDSMPK LQIRAPEAQQ TLFSINQSCL PGFYTPAELK PFWERPPQDP NAPGADGKAF 120 QKSKWTPLET QEKEEGYKKH CFNAFASDRI SLQRSLGPDT RPPECVDQKF RRCPPLATTS 180 50 VIIVFHNEAW STLLRTVYSV LHTTPAILLK EILVDDAST EEHLKEKLEQ YVKQLQVVRV 240 VRQEERKGLI TARLLGASVA QAEVLTFLDA HCECFHGWLE PLLARIAEDK TVVVSPDIVT 300 IDLNTFEFAK PVQRGRVHSR GNFDWSLTFG WETLPPHEKQ RRKDETYPIK SPTFAGGLFS 360 PKSYFEHIG TYDNOMEIWG GENVEMSFRV WQCGGQLEII PCSVVGHVFR TKSPHTFPKG 420 TSVIARNQVR LAEVWMDSYK KIFYRRNLQA AKMAQEKSFG DISERLQLRE QLHCHNFSWY 480 LHNVYPEMFV PDLTPTFYGA IKNLGTNQCL DVGENNRGGK PLIMYSCHGL GGNQYFEYTT 540 55

QRDLRHNIAK QLCLHVSKGA LGLGSCHFTG KNSQVPKDEE WELAQDQLIR NSGSGTCLTS 600

Seq ID NO: 67 DNA sequence 60 NM 014112 Nucleic Acid Accession #: Coding sequence: 600-4484 (underlined sequences correspond to start and stop codons)

31 TTCCTCCGCG AAGGCTCCTT TGATATTAAT AGTGTTGGTG TCTTGAAACT GACGTAATGC 60 GCGGAGACTG AGGTCCTGAC AAGCGATAAC ATTTCTGATA AAGACCCGAT CTTACTGCAA 120 65 TCTCTAGCGT CTCTTTTTT GGTGCTGCTG GTTTCTCCAG ACCTCGCGTC CTCTCGATTG 180
CTCTCTCGCC TTCCTATTTC TTTTTTTTTT TTTTAAACAA AAAACAACA CCCCTCCCCT 240
CTCCCACCCG GCACCGGGCA CATCCTTGCT CTATTTCCTT TCTCTTTCT TCTCTCTCTC 300 70 TCTCTTTTTT AATAAGGTG GGGGAGGGAA AGGGGGGGGA GGCAGGAAAG ACCTTTTTCT 360 CTCCCCCCCG CAATAATCCA AGATCAACTC TGCAAACAAC AGAAGACGGT TCATGGCTTT 420 GGCCGCCGCG CCACCATCTT TCGGGCTGCC GAGGGTGTTC TTGACGATTA ATCAACAGAT 480 GTACAGATCA GCTCTCAAAA TGTCTTCTGT GTCTTCTGAG CGTCTTCAA GACAATTGCA 540
TTAGCCTCCT GCTAGTTGAC TAATAGAATT AATAATTGTA AAAAGCACTC TAAAGCCACA 600
TGCCTTATGA AGTCAATGCT GGGTATGATT TTACAAATAT GGTCCGGAAA AAGAACCCCC 660
CTCTGAGAAA CGTTGCAAGT GAAGGCGAGG GCCAGATCCT GGAGCCTATA GGTACAGAAA 720
GCAAGGTATC TGGAAAGAAC AAAGAATTCT CTGCAGATCA GATGTCAGAA AATACGGATC 780 75

WO 02/059377

AGAGTGATGC TGCAGAACTA AATCATAAGG AGGAACATAG CTTGCATGTT CAAGATCCAT 840 AGAGTGATGC TGCAGAACTA AATCATAAGG AGGAACATAG CTTGCATGTT CAAGATCCAT 840
CTICTAGCAG TAAGAAGGAC TTGAAAAGCG CAGTTCTGAG TGAGAAGGCT GGCTTCAATT 900
ATGAAAGCCC CAGTAAGGGA GGAAACTTTC CCTCCTTTCC GCATGATGAG GTGACAGACA 960
GAAATATGTT GGCTTTCTCA TTTCCAGCTG CTGGGGGAGT CTGTGAGCCC TTGAAGTCTC 1020
CGCAAAGAGC AGAGGCAGAT GACCCTCAAG ATATGGCCTG CACCCCCTCA GGGGACTCAC 1080
TGGAGACAAA GGAAGATCAG AAGATTGTCAC CAAAGGCTAC AGAGGAAAACA GGGCAAGCAC 1140
AAGTGGCTTC AGATTGT CAAGGTTTGA GCCCAGTTTC AGTGGCCTCA AAAAACCCAC 1200
AAGTGCCTTC AGATGGGGT GTAAGACTGA ATAAATCCAA AACTGACTTA CTGGTGAATG 1260
ACAACCCAGA CCCGGCACCT CTGTCTCCAG AGCTTCAAGA CTTTAAATGC AATATCTGTG 1320
GATATGGTTA CTACGGCACA CACCCCACAG ATCTGATTAA GCACTTCCGA AAGTATCTCTG 1380
TAGGACTGCA TAACCGACC AGGCAAGATG CTGAGCTGGA ACACACT T140 5 10 TAGGACTGCA TAACCGCACC AGGCAAGATG CTGAGCTGGA CAGCAAAATC TTGGCCCTTC 1440
ATAACATGGT GCAGTTCAGC CATTCCAAAG ACTTCCAGAA GGTCAACCGT TCTGTGTTTT 1500
CTGGTGTGCT GCAGGACATC AATTCTTCAA GGCCTGTTTT ACTAAATGGG ACCTATGATG 1560 TGCAGGTGAC TTCAGGTGGA ACATTCATTG GCATTGGACG GAAAACACCA GATTGCCAAG 1620
GGAACACCAA GTATTTCCGC TGTAAATTCT GCAATTTCAC TTATATGGGC AACTCATCCA 1680
CCGAATTAGA ACAACATTTT CTTCAGACTC ACCCAAACAA AATAAAAGCT TCTCTCCCCT 1740 15 CCGAATTAGA ACAACATTIT CITICAGACIC ACCCAAACAA AAIAAAAGCI TCICICCCCI 1740
CCTCTGAGGT TGCAAAACCT TCAGAGAAAA A CTCTAAACAA GTCCATCCCT GCACTTCAAT 1800
CCAGTGATTC TGGAGACTTG GGAAAATGGC AGGACAAGAT AACAGTCAAA GCAGGAGATG 1860
ACACTCCTGT TGGGTACTCA GTGCCCATAA AGCCCTCGA TTCCTCTAGA CAAAATGGTA 1920
CAGAGGCCAC CAGTTACTAC TGGGTGTAAAATTTTGTGATTI CAGCTGTGAG TCATCTAGCT 1980
CACTTAAACT GCTAGAACAT TATGGCAAGC AGCACGGAGC AGTGCAGTCA GGCGGCCTTA 2040
ATCCAGAGTT AAATGATAAG CTTTCAGGGGGGCTTATAATCCAGAAT GATCTAGCCA 2100 20 AAAGTTCAGA AGGAGAGACA ATGACCAAGA CAGACAAGAG CTCGAGTGGG GCTAAAAAGA 2160 AGGACTTCTC CAGCAAGGG GCCGAGGATA ATATGGTAAC GAGCTATAAT TGTCAGTTCT 2220 AGGACTTCTC CAGCAAGGGA GCCGAGGATA ATATGGTAAC GAGCTATAAT TGTCAGTTCT 2220
GTGACTTCCG ATATTCCAAA AGCCATGGCC CTGATGTAAT TGTAGTGGGG CCACTTCTCC 2280
GTCATTATCA ACAGCTCCAT AACATTCACA AGTGTACCAT TAAACACTGT CCATTCTGTC 2340
CCAGAGGACT TTGCAGCCCA GAAAAAGCACC TTGGAGAAAT TACTTATCCG TTTGCTTGTA 2400
GAAAAGTAA TTGTTCCCAC TGTGCACTCT TGCTTCTGCA CTTGTCTCCT GGGGCGGCTG 2460
GAAGCTCGCG AGTCAAACAT CACTGCCATC AGTGTTCATT CACCACCCCT GACGTAGATG 2520
TACTCCTCTT TACACTATGAA AGTGTGTGCATG AGTCCCAAGC ATCGGATGTC AAACAAGAAG 2580 25 GAAGCTCGCG AGTCAAACAT CAGTGCCATC AGTGTTCATT CACCACCCCT GACGTAGATG 2520
TACTCCTCTT TCACTATGAA AGTGTGCATG AGTCCCAAGC ATCGGATGTC AAACAAGAAG 2580
CAAATCACCT GCAAGGATCG GATGGCAGC AGTCTCTAA GGAAAGCAAAA GAACACCCAT 2640
GTACCAAATG TGATTTTATT ACCCAAGTGG AAGAAGAAGTTCCAA GGAAAGCAAA GAACACCCAT 2640
GTACCAAATG TGATTTTATT ACCCAAGTGG AAGAAGAAGTTCCCACCAC TACAGGAGAG 2700
CACACAGCTG CTACAAATGC CGTCAGTGCA GTTTTACAGC TGCCGATACT CAGTCACTAC 2760
TGGAGCACTT CAACACTGTT CACTGCCAGG AACAGGACAT CACTACAGCC AACGGCGAAG 2820
AGGACGGTCA TGCCATATCC ACCATCAAAG AGGACCCAA AATTGACTTC AGGGCTACA 2880
ATCTGCTAAC TCCAGACTCT AAAATGGGGG AGCCAGTTTC TGAGAGTGTG GTGAAGAAGAA 2820
AGAAGCTGGA AGGAAAGGAC GGGCTCAAAG AGAAAGTTTG GACCGAGAGT TCCAGTGATG 3000
ACCTTCGCAA TGTGACTTGG AGAGGGGCAA ACATCCTGCG GGGGAGTCCG TCATACACCC 3060
AAGCAAGCCT GGGGCTGCTG ACGCCTGTGT CTGGCACCCA AGAGCAGAACA AAACACTCAAA
AGAAGCTGC CAATGTGGAG GCCGCCCATC TGGCCGACCCA AGAGCAGAACA AAGACTCAAA
AGAAGCTTCC CAATGTGGAG GCCGCCCATC TGGCCGACCCA AGAGCAGAACA AAGACTCAAA
AGCAGTATCC TGCATCGGGA GAAAACAAGT CCAAGGAC TATTTATGGC TTGGCTGTGG 3180
AAACCAAGGG ATTCCTGCAG GGGGCCCCAC TGGCCGACA TATTTATGGC TTGGCTGTGG 3180
AACCAAGGG ATTCCTGCAG GGGGCCCCAC TGGCCGACA AAGACCTCACCC 3240
AGCAGTATCC TGCATCGGGA GAAAACAAGT CCAAGGATGA ATCCCAGTCC CTGTTACGGA 3300
GGCGTAGAGG CTCCGGTGTT TTTTGTCCA ATTGCCTGAC CACAAAGACC TCTCTCTGGC 3360
GGAAAGAATGC AAATGGCGGA TATGTATGCA ACGCGTGTGG CCTCTACCAG AAGCTTCACT 3420
CGACTCCCCAG GCCTTTAAAC CCAGAGGCAC TTCAGCCTAACAAGACC TCTCTCTGGC 3360
GAAAGAAAGAA GCGCCTTAAAC CCAGAGGCAC TTCAGCCTTAGA CAGCACAAT ATTAGGAGGAGA 3480
GAACAGAAA GCGCCTTAAAC CCAGAGGCAC TTCAGCCTTAGA CAGCACAAAACACCG TGACCAAAAACAACGC TCTCTCTGGC 3360
GGGGCACAA TGAGGAGCAA GTCAATGGAA GCCCGTTTAGA GAGGAGTCA AAACAACAGCAG 3540
TAACTGAAAA GCGCCTTAAC CCAGAGGCAC TTCAGCCTAA CACAACAGCAGA 3780
TAACTGAAAA TGCTCTACC TTCTCTCACC AGCCCATACT AGAAAAACAACGCCAA TTTTTAGGAGAGA ATTCCTCAGAAAACACC CCAATTTTAAA AGCACATTC TAGCACTTC AGAAAAACAACTC TTCGCCTACCAGAATTATTC CAACCAAGACCACTATTTTAAAAACAACAGCAATTTTCAACCATTCCAGAAAAACTACTTTAAAAAAACAACGAGAAAATTAC CAAAACTACTTTACAAAAACAACCGCATTCTTT 30 35 40 45 50 55 CACCAAATGT AAAAAATGAA GGTCCCTTGA ATGTAGTAAA AACAGAGAAA GTTGATAGAA 4260 GTACTCAAGA TGAACTITCA ACAAAATGTG TGCACTGTGG CATTGTCTTT CTGGATGAAG 4320 TGATGTATGC TTTGCATATG AGTTGCCATG GTGACAGTGG ACCTTTCCAG TGCAGCATAT 4380 GCCAGCATCT TTGCACGGAC AAATATGACT TCACAACACA TATCCAGAGG GGCCTGCATA 4440 GGAACAATGC ACAAGTGGAA AAAAATGGAA AACCTAAAGA GTAAAACCTT AGCACTTAGC 4500 ACAATTAAAT AGAAATAGGT TTTCTTGATG GGAATTCAAT AGCTTGTAAT GTCTTATGAA 4560 GACCTATTAA AAAAATACTT CATAGAGCCT GCCTTATCCA ACATGAAATT CCCTTCTTTT 4620 GTTATTCTTTGATGA GTAGGTTACC AAGAATTAAAA AGTGAAATA 4TGGTCAATG 4680 AGAAAGAATG GAAGATGGTA AACAATCACT TTTTAAAAACC TGTTAAGTCA AAACCATCTT 4740 GGCTAATATG TACTGGGGAAA ATAATCACTATA AGAGATTACA CACAGACTAGA ATTAATATATA 4800 60 65 AGAAAGAATG GAAGATGGTA AACAATCACT TTTTAAAACC TGTTAAGTCA AAACCATCTT 4740
GGCTAATATG TACTGGGGAA ATAATCCATA AGAGATATCA CCAGACTAGA ATTAATATAT 4800
TTATAAAGAA AGAGACCAAA ACTGTCTAGA ATTTGAAAAGG GTTTACATAT TATTATACCTA 4800
AGCAGTACT GGACTGGCCA TTGGACCATT TGTTCCAAAA CCCATAAATT GTTGCCTAAA 4920
TTTATAATGA TCATGAAACC CTAGGCAGAG GAGGAGAAAT TGAAGGTCCA GGGCAATGAA 4980
AGAAAAATGG CGCCCTCTCA ATTTAGTCTT CTCTCATTGG CCATGTTTCA GATTTTGACC 5040
TAGAAATGGC AGCTGTGGTT AGGCTTGGTT AGAGTGCAGC AAGCAACATG ACAGATGGT 5100
GCACGCTGTT TTTACCCAGC CCTGCCTGTA CATACACATG CACACCCTCT CTGATATTTT 5120
TGTCCTTTAG ATGTTCAAAT ACTCAGTAGT CCTTTTGTT GCGGTTTAGA TTCATTTTT 5220
AGCCAGGTAT TTCTTCTTG TGTGTGATGA ACCAGTATG ATTTCATTTT 5280
AGCCAGGTAT TTCTTCTTG TGTGTGATGA ACCAGTATGG ATTCCCCTCA ATTCAAAAGC 5400
TGTTGGTTAC TAATCTCACT TGGCACATTA TAACTAAAAGG AATCCCCTCA ATTCAAAAGC 5400 70 75

WO 02/059377 PCT/US02/02242

CACAAGGTAA CCTGCTGTAT TTATTTATTT TCTTTTGGTT AAATATAATT TCCAAACTTT 5520 CACAGGINA CCIGCIGIAI HATTATTT TCTTTIGGTT AAATATAATI ICCAAACHT 5520
GTGGTCAGGC AGCGTCTAAG GTTACGTTAC CACAGACTGA CAGTTGGTAT ATGTACCAGC 5580
CAATCCCTTC ATTAAATGTA TACAGATTTA GTTAAGTAGC ATTAAATAGG ATTCTTAGAA 5640
GTATGTCCTC ATAGAACTTT TAATACTTAA GGCTTTGTAA AAACTATCCA TGAAGGGAAA 5700
GCTCCTCAGC ATAACTGCTC AGGGAAATAG GGCTAAATAA CTGAACATTA AATAATTGGT 5760
TAAAGGTGCT GTTAGTCGAG CCTCAATGCT TGCTACAAGG ATGTATGTAC AAGGACTGAC 5820
TTTAATAATT TGCATTATAT TGTCCCAACC AGTAGTTTAT TTTTTTCCCAC GGAGATGTAG 5880
AAGATATTAC AAGCTACTGG ATGCACTGTC AGATTAACTT ATTTCATTAA AGAAGTTTGG 5940
AGAACAAATA GGAAAAAAAA AACTTATTTT TCTAGTAAAAT ATTAATGTAT TACATTTTCAA 10 ATAATGGTGC CTGACATATT GAATAATTAT TITCTACAGT GTACGTATGC AACAAAGATA 6060 TTCCATCATG CATTAGAGTC AGITCTGGCT CTGCCTAGCT GTTTACATTT GCAAATGTAG 6120 CAAACAAGGT AATGAAGCAA CTATTTCTAT TGCAGTAGAT ATCCTTTTGT GTGTGTGTGT 6180 GTGCATTAAA GTTGTAAACG GTAACATGAA ACAAATGAAA GTTCTTGCTA TAATGGTATG 6240 GAAAACAAGA AGGAAATGAA AATATTTTTA TGCCTACTTA GGAAAAAAAG GGTAGCACTT 6300 ATTCATTCCA AGTACTTTTT TTTTTTTAAT TTTTAAGCTC TTAACTCACA TTGTTATGCT 6360 15 TAAGATGATA AACATATATC CTCTTTTAT TGCTTTGTCT ATGTTTCATA TGAAACATTT 6420 CAGAAATTAT TTTGATAAGT GTTGCTGGAA TCTGCAACGC TGATTTTTTT TTGCATTCTG 6480 TAGTCGCATT TGCACTCCAT TTTTACATTA ATTCGCAGTT GCTTTGTATC ATTGTTTTGT 6540 20 TTGGGTTTTG TTTCTTTTTC ACAGTGCCGG GTCTTCGTTT CTTAAAGTTG GATGGCAGGT 6600 AGAGTTCAAC CAGTTCGTGA CTGTTGTAGC GAATGAAGTT AAAAAAATGT CTTTCTGATG 6660 TTGTGTTGTC ATTTTCATTT TTGCATTTTT TTGTTTGCAT ATTAAAAAAA GAGAAAAGAG 6720 AAAGCAAGAG ACAGAAATCA GGACTAAGTC CTCTGCTTCA GTTTCATTGT TAACGGGCCT 6780
TATTCTGATC TCACCTGTCG CGTAGCTCTA ATATTCACAT AAACTGAAAT AAAGAAGTGG 6840 25 AATGAGGAGC TITGACATTC AAATTATGTG ATGTAATTTA TCTTCCTTAG GAATTTTGAT 6900 GGATGCATCT CAAAATGTAT AGCCAGACTT GAGAGGTGAC AATTAAAGAT CTAAAAAAGA 6960 GAGGAGATTC CCCCAAACAA CAATATITAA TTTTCTTAGT AAAAAGAATA ACAGAATGCA 7020 TCGTGGCAAT CCTTAAGCAA CATTATCTAT GTGGACTGCT TAAATCAGCA AAACACCAGA 7080 AGTTTGGTTA ACTTGGGCAA TATGACAAGT ATTACTTTTT GGGCAAAACT ACTCATTAAG 7140 CAATTTCTCT AGTGTGTCGG ACACAAATAG GTTCTTTATT TTTGGCATGT ATGCCTTTTT 7200 30 ATTITCATTC AATTITTTT TITTCTCAGA CAGACATAGT AGTATCAACT AGCATTGGAA 7260 CATTITITGC TITCATTATT ATACATATIT TGGTGGAGAA GAGGTTGGGC TTTTTTGAAA 7440 35 GAGACAAAAA TTTATTATAA CACTAAACAC TCCTTTTTTG ACATATTAAA GCCTTTATTC 7500 CATCTCTCAA GATATATTAT AAAATTTATT TTTTTAATTT AAGATTTCTG AATTATTTA 7560 TCTTAAATTG TGATTTTAAA CGAGCTATTA TGGTACGGAA CTTTTTTAA TGAGGAATTT 7620 CATGATGATT TAGGAATTTT CTCTCTTGGA AAAGGCTTCC CCTGTGATGA AAATGATGTG 7680 CCAGCTAAAA TTGTGTGCCA TTTAAAAACT GAAAATATTT TAAAAATTATT TGTCTATATT 7740 40 CTAAATTGAG CTTTGGATCA AACTTTAGGC CAGGACCAGC TCATGCGTTC TCATTCTTCC 7800 TTTTCTCACT CTTTCTCTCA TCACTCACCT CTGTATTCAT TCTGTTGTTT GGGATAGAAA 7860 AATCATAAAG AGCCAACCCA TCTCAGAACG TTGTGGATTG AGAGAGACAC TACATGACTC 7920 CAAGTATATO AGAAAAGGAC AGAGCTCTAA TTGATAACTC TGTAGTTCAA AAGGAAAAGA 7980 GTATGCCCAA TTCTCTCTAC ATGACATATT GAGATTTTTT TTAATCAACT TTTAAGATAG 8040 45 TGATGTTCTG TTCTAAACTG TTCTGTTTTA GTGAAGGTAG ATTTTTATAA AACAAGCATG 8100 GGGATTCTTT TCTAAGGTAA TATTAATGAG AAGGGAAAAA AGTATCTTTA ACAGCTCTTT 8160 GTTGAAGCCT GTGGTAGCAC ATTATGTTTA TAATTGCACA TGTGCACATA ATCTATTATG 8220 ATCCAATGCA AATACAGCTC CAAAAATATT AAATGTATAT ATATTTTAAA ATGCCTGAGG 8280 AAATACATTT TTCTTAATAA ACTGAAGAGT CTCAGTATGG CTATTAAAAT AATTATTAGC 8340 CTCCTGTTGT GTGGCTGCAA AACATCACAA AGTGACCGGT CTTGAGACCT GTGAACTGCT 8400 50 GCCCTGTTTA GTAAATAAAA TTAATGCATT TCTAGAGGGG GAATATCTGC CATCCAGTGG 8460 TGGAAATGTG GAGTAAAGAA GCTGGTGGTC TGCTTCTGTG CTGTATGCCA GCCTTTTGCC 8520 TTAAGTTGAG AGGAGGTCAA CTTTAGCTAC TGTCTTTGGT TTGAGAGCCA TGGCAAAAAA 8580 THANTISTA AGGAGA AAAAAGATCA AGTCGTCTTT GGTGAGCCAG TAAGGTGAAAA GCTTGCTGAC 8640
TGTCCAAGGC ACAAGAGAAA ATTGAGGAAT TGAAATGCAA CCTGAGTATC AAACTAAATA 8700
TTCTAATCAA AGGTAGGTAC TGTTAGGTGG AATTCTATCA GCAGGCAACT GCAAATTAAGAG 8700
AGAAGATAGA AGGACGCCG TCGGGACTTT GGAGGCATT GTTATTTTCC CAAAGAAAGA 8820
CGGCCAAGGG CAGAGGCATG GATTCTTTGC AGAGCACTT CTTTTTGGTTT TTCAGTACTG 8880
TTTCATAGAC AGTGGGCTCA CATGTTCCTG ATAGTGCTGC AGTTGCTTAG AAAGCAATCCC 8940 55 60 AGITAATTGC AGTAATTAGA ACTTCTGGAA TATGCTAGGG CAGAAGTATG TCAAGTATGT 9000 CACATGAAGA AAATGTGAAA TTCAAGAGTA ATCCACACGT GAGAAACTAG ACAATGTACA 9060 TTCATGTGTT CTCTTGAAAG GAAAGGGAGA GCTGTAAGCT TCACTCTGTC CTACACCGGA 9120 GAAAAGCAGG AATAACTTTA CCGTGGAAAT AATGTTTAGC TTTTATCAGA GAAAATTGTC 9180 CTTCTAGAGC ATAGAGTCCC AAAACTCAAT TCTGGTTTTC CCCTGTTTTT TTTTTTTTT 9240 65 TTTTTCCCAA CATATGAACT GCAGCATATC ACTITTTCTT TITGTGCCTC AGGTTCCTCA 9300 70 AAAAGAATTC AATTTGTAGT CCTGATTTGA ATACTAGAAT GTTGGCTATA ATACTTCTGT 9840
TCTTACAACA CATGAAATTT TTTCGTTTTA TTTTATTTTG TTTTCATAGT GCATGTTCAT 9900
TTCTACTCAC AAACATGTTC TTGGTGTATT TCTTATGCAA ACAATCTTCA GGCAGCAAAG 9960 75 ATGTCTGTTA CATCTAAACT TGAATAATAA AGTTTTACCA CCAGTTACAC A

ATAGATGGAT ACAAATGTCA GACCGTGGGT TTAATTTGTT TAGAACACAT GGCATTTCTT \$460

WO 02/059377

Seq ID NO: 68 Protein sequence NP 054831 Protein Accession #: 5 31 41 MPYEVNAGYD FTNMVRKKNP PLRNVASEGE GQILEPIGTE SKVSGKNKEF SADQMSENTD 60
QSDAAELNHK EEHSLHVQDP SSSSKKDLKS AVLSEKAGFN YESPSKGGNF PSFPHDEVTD 120
RNMLAFSFPA AGGVCEPLKS PQRAEADDPQ DMACTPSGDS LETKEDQKMS PKATEETGQA 180
QSGQANCQGL SVSVASKNP QVPSDGGVRL NKSKTDLLVN DNPDPAPLSP ELQDFKCNIC 240
QSGQANCQGL SVSVASKNP QVPSDGGVRL NKSKTDLLVN DNPDPAPLSP ELQDFKCNIC 240
GYGYYGNDPT DLIKHFRKYH LGLHNRTRQD AELDSKILAL HNMVQFSHSK DFQKVNRSVF 300
SGVLQDINSS RPVLLNGTYD VQVTSGGTFI GIGRKTPDCQ GNTKYFRCKF CNFTYMGNSS 360
TELEQHFLQT HPNKIKASLP SSEVAKPSEK NSNKSIPALQ SSDSGDLGKW QDKITVKAGD 420
DTPVGYSYPI KPLDSSRQNG TEATSYYWCK FCSFSCESS SIKLLEHYGK QHGAVQSGGL 480
NPELNDKLSR GSVINQNDLA KSSEGETMTK TDKSSSGAKK KDFSSKGAED NMVTSYNCQF 540
CDFRYSKSHG PDVIVVGPLL RHYQQLHNIH KCTIKHCPFC PRGLCSPEKH LGEITYPFAC 600
RKSNCSHCAL LLLHLSPGAA GSSRVKHQCH QCSFTTPDDV VLLFHYESVH ESQADVKQE 660
ANHLQGSDGQ QSVKESKEHS CTKCDFITQV EEEISRHYRR AHSCYKCRQC SFTAADTQSL 720
LEHFNTVHCQ EQDITTANGE EDGHAISTIK EEPKIDFRVY NLLTPDSKMG EPVSESVVKR 780
EKLEEKDGLK EKVWTESSSD DLRNVTWRGA DILRGSPSYT QASLGLTTPV SGTQEQTKTL 840
RDSPRVEAAH LARPTYGLAV ETKGFLQGAP AGGEKSGALP QQYPASGENK SKDESQSLLR 900
RRRGSGVFCA NCLTTKTSLW RKNANGGYVC NACGLYQKLH STPRPLINIK QNNGEQUIRR 960
RTRKRLNPEA LQAEQLNKQQ RGSNEEQVNG SPLERRSEDH LTESHQREIP LPSLSKYEAQ 1020
GSLTKSHSAQ QPVLVSQTLD HKRMQPLHI QIKSPQESTG DPGNSSSVSE GKGSSERGSP 1080
IEKYMRPAKH PNYSPPGSPI EKYQYPLFGL PFVHNDFQSE ADWLRFWSKY KLSVPGNPHY 1140
LSHVPGLPNP CQNYVPYPTF NLPPHFSAVG SDDIPLDLA IKHSRPGPTA NGASKEKTKA 1200
PPNYKNEGPL NVYKTEKVDR STQDELSTKC VHCGIVFLDE VMYALHMSCH GDSGPFQCSI 1260
CQHLCTDKYD FTTHLQRGLH RNNAQVEKNG KPKE MPYEVNAGYD FTNMVRKKNP PLRNVASEGE GQILEPIGTE SKVSGKNKEF SADQMSENTD 60 10 15 20 25 30 Seq ID NO: 69 DNA sequence Nucleic Acid Accession #: XM\_073879 Coding sequence: 1-387(underlined sequences correspond to start and stop codons) 41 51 35 ATGGGTTTG GAGCCAGGG AACGGTGGAA GGGAGCCTAG GAACGTCGAA AAAACCACCT 60 GAAGTGAAAA TGTTTGGAGC CAGTCAAGGT TTGCTGACAA TGGAAACAAA CCAGTCCCTG 120 GCACAAGGCA CAGGCTGCTC AGTAGTAAAG GTAGACACTG TTCTCTTCGA GAGTTTATAC 180 CACTGCGGCT TTGAACACGG GAGCGTGATG CACTGCCTTG GGGATGATCA CCCCCAGGAA 240
GACAGGAAGG CTCACTTCTC TGCCCCAGTT GCAGCCATCG CCTCTCCAGC ACCGACTCCT 300
GTCTGTCCTG CACACCACTC AACACAGAGC ATCTGCCAGT TTCTACAGCA CTGCAGGCAG 360 40 AACACTCACT TGCAGGCTGC TAACTAA Seq ID NO: 70 Protein sequence:
Protein Accession #: XP\_073879 45 21 31 41 MGFGDQGTVE GSLGTSKKPP EVKMFGASQG LLTMETNQSL AQGTGCSVVK VDTVLFESLY 60 HCGFEHGSVM HCLGDDHPQE DRKAHFSAPV AAIASPAPTP VCPAHHSTQS ICQFLQHCRQ 120 50 NTHLQAAN Seq ID NO: 71 DNA sequence Nucleic Acid Accession #: AB033064 55 Coding sequence: 826-1986 (underlined sequences correspond to start and stop codons) 51 21 GGGGAACAGC AAATTCAGTC ACAGACAATC CTCCACTCGG TCAAGAGCCA CTTTTCTCTT 60
CCTGCCTTGC CCCCCGCAG GGGGTAAGGA ACTGAGCGTT TAATCTTTAG CCGGTTGGCT 120
ACCAGCTAAA ATTCTACTTA TCTTAGTTTC TAGTGGATAG CTTTCTTATT TTGCCCATTG 180
TTTCTTAGAA TCCCTGTTTA ATATACTTTT GTCAGTAGTA GTATCTAGGA GTAGCAGGGA 240
GAGTGACAAT AAATTAGCCC CTTCTTTTTT CCCTTGTCAT TCAGGCCCCT TTTCCTCTCC 300
AGAGGGAAAT TACCAGTAAA CTCTTCTAAA TCTTCCACCC CTTCTCAGTC ATACTGTGAA 360
GAAACACACT AAAGTGGACA TTATTTGACC AGTGAACACG AACCCAGCTT CAGGCATTGG 420
ATTTGTTGTGG CACATGGAGA AACATCTCTT TTAAAATATC TCCCAATTAC CCTTTTCACA 480
ATTTGTATCC ACCTAGGATT TGCTGCTGGG GTAAGTCACT AGATTTATTT CTCAAAGCTC 540
CCCTCTCTAT GAGCTGAAAG ACTGACCAAC CATGAACACT AGATTTATTT CTCAAAGCTC 540
CCCTCTCTAT GAGCTGAAAG ACTGACCAAC CATGAACACT AGATTTATTT ATCATCTCC 660
TCTGGGGAGC AGCCAGTTGT TCCACACTTT GGGAAGCAGG AGTAGCTTTT ATCATCTCTA 720
ACCCACGAAC AACATGTGAA GAGGAGAAAC CAAACATAAA GTAAGGAGGG AGACTTCTAT 720
ACCCACGAAC AACATGTGAA GAGGAAGAAC CAAACATAAA GTAAGGAGGG TAGACGTTAC 780
ATCCAAGAGG AAATAATCCA GGCAAGGAAG CACAAGCTGA TCAAGAGTGT TAGTTCTTGTG 840
GCTGCCAAGT TGTGGTTTTT GACAGATCGT CGCATCAGGG AAGACTATCC TCAAAAAGAG 900
ATTTTACAGG CATTGAAGGC CAAATGTTGT GAGGAGGAAC TCAAACTTTAG GGCTTGTGGTG 960
ATGGATGAGG TGGTCTGAC AATCGAGCAA GGAAACCTGGGTCTGTCGCGGAT CAAAAAGAG 900
ATTTTACAGG CATTGAAGGC CAAATGTTGT GAGGAGGAAC TGAACTTTAG GGCTTGTGGTG 960
ATGGATGAGG TGGTCGCCAA ATCGAGCAA GGAAACCTGGGTCTGCGGAT CAATGGAAGA 1020
CTAATCCATG CCTACCCACA AGTGGTGGTA GTCAGAGTAC CAACCCCTTG GGTGCAAAACT AATGAACAGT 1080
GATAGTGACA TCACTGTTTT GCCCACTCTA GAGAAGATCG GATCTCCGCGAT AATGAACACT GGGGAACAGC AAATTCAGTC ACAGACAATC CTCCACTCGG TCAAGAGCCA CTTTTCTCTT 60 60 65 70 75 GATAGTGACA TCACTGTTTT GCGCCATCTA GAGAAGATGG GATGTCGGTT AATGAACCGA 1140

```
CCTCAAGCCA TCCTGAACTG CGTTAATAAG TTCTGGACAT TTCAAGAGTT GGCTGGCCAT 1200
                    GGTGTTCCTC TGCCGGATAC TTTCTCTTAT GGTGGCCACG AAAATTTTGC TAAAATGATT 1260
                    GATGAGGCTG AAGTTCTGGA GTTCCCAATG GTAGTAAAGA ATACGCGGGG TCACAGAGGT 1320
                    AAAGCTGTTT TCTTGGCTCG AGATAAGCAC CATTTGGCTG ATCTAAGCCA TCTTATTCGC 1380
CATGAAGCGC CATACCTGTT CCAGAAGTAT GTTAAAGAGT CTCATGGACG GGATGTACGT 1440
                    GTCATTGTCG TGGGAGGCCG TGTGGTTGGC ACCATGTTAC GTTGTTCAAC AGATGGGAGA 1500
ATGCAAAGCA ACTGCTCATT AGGTGGTGTG GGGATGATGT GCTCATTGAG TGAACAAGGG 1560
AAGCAGCTAG CTATCCAGGT GTCTAATATC CTGGGGATGG ATGTGTGTGG CATTGACCTG 1620
                   AAGLACIAGO CIATCAAGAI GICIAATAI C. TIGAGGAICO A IGIUTU CATITUACLIG 1680
CTGATGAAAG ATGACGGCTC CTTCTGCGTC TGTGAGGCCA ATGCAAATGT AGGTTTCATC 1680
GCCTTTGATA AGGCTTGTAA TCTAGATGTA GCTGGTATCA TAGCAGACTA TGCCGCCTCC 1740
CTTCTACCCT CTGGCCGGCT CACCCGGCGT ATGTCCCTGC TCTCCGTGGT GTCCACTGCC 1800
AGTGAGACTA GTGAGCCGGA GCTGGGTCCC CCAGCCAGCA CTGCTGTGTA CAACATGAGT 1860
GCAAGTTCCA GCTCTGTTGA CAGCGACCCT GAAAGCACGG AGCGAGAGCT GCTCACCAAG 1920
CTCCCAGGGG GCCTGTTCAA CATGAAACCAG CTGCTAGCCA ATGAAATCAA ACTACTGGTG 1980
 10
15
                   GACTGACTCC ACTGGTAATT AACCAACAAA ACCCTTGTAA AACTTTCTTT CTTCTTTTCT 2040
ATTTTTAAAA CCAACTTGCA ATGCTGTTCA TGGAGGATGC TCAGGAAGAT GAGAGAAAAT 2100
TAGTAGGATT AGTTGGAGAG AGTGGGAGAT AGATGAGACC TCTGCTAGTA AGATGTTACT 2160
                   TTCATTTACA AATCCTACAA ATAGAGAGGC AGAATAGGTG GGGTATAGAA AAATGTCAGG 2220
CTCTCATAGT TACCCTTTTA AATTGCTAAA AAATGTGTAT GCTCATAGGC CATGAGGAAC 2280
AAATACTTTT TTTTTTCAT GGTCCCTTGC TTTTGTTTTT GTACAAAAAA AAATGGTTTT 2340
20
                    GCTACAAATA TCCAAGTAGC ATAACTTCAC ATTGTGTTGG AAGATTTGTC ATCAGTGAGG 2400
AAAACATCTG CTTAAATTAC AGGAATTTTT GTATTATACA GCTCTGAAAA TTCTGCCATT 2460
TCCTTATTAA CTAGCAGCTT TAGTTTGTAG TTTATGAAAT CTTGAGGGGC TCTTTTACTG 2520
                   GGATTICTTA TITTITIGIT TITTICCCGCT TAATTIGGIG GGAGGTCAAA TIGAATATAA 2580
CCCAATAAAG GCTTCTTAAT GACAAAATIG GCATGTTTGC ATGATGAAAT GGAAATGAAC 2640
AGTATIGCAA TGTCCGGTAT ACAAAATAAC ATTAATTCAA TGTAGATAAA ATTACACTAG 2700
25
                    TTTAAAATAT GTGCATTCAC TTGTATTTGT TAGTGTTTTA GTCTTTTTTG AAAGATGTGC 2760
TCTGTTAATG TTGCTTTTTT TTTTTTTTT TAATACATGC TAGTCTAACA TTTCCTGCTC 2820
                   TATGCCTGCA TCTTTAACAA TGGCCAAAGT GAAGAAAATG CTACCTTTTT TGTTAACAAG 2880
ACACTGACTT GAAACATGTA CATTTAAAGC CTTTTATTTT TTCCCTTTTT TGTTTGGTAG 2940
TTGGGCATTT AAATAAGGAC AAGGAAAAAT ATTTTTGGGG GCAAATCAAG AGCCTATGAG 3000
30
                   TTCTAAGTAT AAAGCTGAAG TGATTTCGAA TGCCAGCGTT ATATATTTGC ATTTTTCACA 3060
TTTTACGAGG GAGTATATGT GTATGTGTGT GCACGCATGC ATGTGTATGT GTTTTGCTTT 3120
TTGTTTCCAT CAACTAATCA AAAAGGATAA TTTAGAAAAT GGAGCATGAT GGGAAACAGA 3180
35
                    GTTTTTGACT TTAAAAAACA GATGAGTTGT TTTCATAAGT AGACTCCACT GGGGTAGAGG 3240
TATTCACCTT AAAACATAGG GTGAGTAGAT GCTTTTTTAG GCCTTTTTTG TATATGTAC 3300
                    GTTGTTTGTT TTTTTCCTTT TGTTTCTAGC CTGTTCAGTG TACAGTTTAT TCAAGGCTAC 3360
                   ATGCTTTCT TTAATGCTTC TGGCTATGCA TTTTCTCTTT TTACATATAG GATTTGGGAT 3420
TGGGGGTGGG TTGGATGTTT TTGTTTGGGG ACTTATTTAG TAGTATTGAG TCTCTTATAG 3480
CCCTACTCTT AAGCCTTCAA TACTGTCCAC TCTTTATATT CCTTTACTTG CAGAATTTAT 3540
AAAAGCCCCC AAACTGCATA TAATATGAGC CTTTAAAACA TGGGTAAAAC TAATCCCATT 3600
GATGGGTTTG GATGGTATGT TAAGAAATGG AGATGCTGCA GAGCCCAACG TAATTTTTTA 3660
40
                   AACAGCAAGT TITICCATCTC CCTACGAATC CTCTGAAGCT TITIACCCAAG CCCTTTCTTG 3720
CCTCTCCAGT GCTATTTTCC TTCAGATGGA CCTTAAACAT AATTTCTTGG ACACTACTAG 3780
AGAGACTTCG AGGCAATAAT AAAAGATCAG TATTAACCAG CTATAACAGA GGTTTGATCA 3840
45
                   TGCTTACTTG TACAGTTTTT CCCCCGTTTT AAAAAGGAAT GTAATAAAAT TTGTTTTTTC 3900
CATAGAATTA AATAATATTA AAATTGAGTG AAAGGTTGAT TGTTGATGAA TAGAATAGTA 3960
CCTCTCATCT GTGCAGTGTC TCATTTCACC TCAGAGAAAA GGATACATAA GAGGAGTTTG 4020
                  CCTCCATCT GTGCAGTGTC TCATTTCACC TCAGAGAAAA GGATACATAA GAGGAGTTTG 4020
TAATTTATCT TAGGATATTC TAATTGCATT TAAAAAGAACT TATCTTGCGC AGGGGTAAATG 4080
GGGGACTCAC ATACATATAT TAATACCTCT GACTCATTAA CAGAAAGAAA TACTTGGTAC 4140
TTCTTTCGCT GAATGACCAT ACTGTGGAGG ATGCATACTA TTTGGTATAG AGAAATAAAT 4200
GAGGAAGAAA GAACTGCTTA ATTAAATTAT CATTCATATG TTCATATAGA GACCATCTGG 4260
TTGCCATGTG TATTATGACA CATACACTTT GAATAGTTAC ATATCACAAG TATGTTC 4320
ATGTTTGTGT TGGTGGGGTA AGGCATCAGG AAAAATGTAG ATTACCAAG TATGTTC 4380
ACCAAATTAA CCAACTATAT TATAGGAAAT ATGTGAAATT AGTTCATTAG CTTTATTCAC 4440
TATTATGCAT TCACATGATA TTAAAACGTA CACTCACATG TTAGAATGAA AAGAGCAGTA 4500
GTTATCTTAG ATTTTAAAAAA CATGGATATCTTTGAATT CCTTCAAGAT TGAGGATAGAG 4560
AATAAGAGCA AATCATTCTG GAAGTACCTT AAGGAAACAA ACAGCAGCAG ATATTTAGGT 4620
.20
55
                   60
                   TAAAATTTTT AATAGTTTTT TTCTTTTTTG GTGCCTATAA TTGATTGGTC ATTTCTGCTG 4920
GCTTTTCTCC AATGAACATT GAAATCTTCC TGTATATGTT ACCAATAAGA AAACTACCCT 4980
GGAACAGTAG AAAAACCCAA CAAGAGACTT GGCATTCATC AAGCACATTA TCAGACTTTG 5040
65
                   AGAACATATT GAAGGCATTG ACTITIGAAAA TCATCTCTTT TTCTCAAGAA GAAAGCAATG 5100
GAGAAGCAAA TTTGTTTCAT TCAGTGAATC CCCAGTTTGG GGCTTGTGGG GCTTAGAGAC 5160
ATTGTGAAAT CAAATCTTGT GTTATACTTT TCTCCTGGCT CACTTTTTTT GAGAAGGTTT 5220
                   ATGGGCTATT TGGCTGGTGA GACACGATCC CCTCCTAAGA AAATGTAGGT GCTCAGACAG 5280
GTAACCACTG CTGCTACTGT TTTTATTTGT TTGTTTGTTC AATTTTATTT AAGATTTGTT 5340
TTTGTTGTAC TAGGATTTTA AAAAATGTAA TATATTGCAG GATTTATAAC CAG
70
```

Seq ID NO: 72 Protein sequence: Protein Accession #: BAA86552

75

21 31 1 1

WO 02/059377

5

55

MCSSVAAKLW FLTDRRIRED YPQKEILRAL KAKCCEEELD FRAVVMDEVV LTIEQGNLGL 60 MUSSVAAKLW FLIDKRIKED YPQKEILKAL KAKCCEEELD FRAVVMDEVV LIIEQGRUGI. 60
RINGELITAY PQVVVVRVPT PWVQSDSDIT VLRHLEKMGC RLMNRPQAIL NCVNKFWTFQ 120
ELAGHGVPLP DTFSYGGHEN FAKMIDEAEV LEFPMVVKNT RGHRGKAVFL ARDKHHLADL 180
SHLIRHEAPY LFQKYVKESH GRDVRVIVVG GRVVGTMLRC STDGRMQSNC SLGGVGMMCS 240
LSEQGKQLAI QVSNILGMDV CGIDLLMKDD GSFCVCEANA NVGFIAFDKA CNLDVAGIIA 300
DYAASLLPSG RTRRMSLLS VYSTASETSE PELGPPASTA VDNMSASSSS VDSDPESTER 360 ELLTKLPGGL FNMNQLLANE IKLLVD

Seg ID NO: 73 DNA sequence XM\_040080.2 10 Nucleic Acid Accession #: Coding sequence: 159-1104 (underlined sequences correspond to start and stop codons)

CTGAGTGGGG GCGGGGACTG CTGGGAGTTGC GGGGCCTGCC TGGGGTAGGG CGGGGCAGGA 60
CAGCTTGGAG ATAGGGCCCG GAATTGCGGG CGTCACCTG CTCCTGCGAC CTAGCCAGGC 120
GTGAGGGAG TAGGCACGC CATTCGCGGG ACGAGAGCGA TGAGTGAGAA CGCCGCACCA 180
GGTCTGATCT CAGAGCTGAA GCTGGCTGTG CCCTGGGGCC ACATCGCAGC CAAAGCCTGC 240
GGCTCCCTGC AGGGCCCTCC AGTTCTCTGC CTGCACGGCT GGCTGGACAA TGCCAGCTCC 300
TTCGACAGAC TCATCCCTCT TCTCCCCGCAA GACTTTTATT ACGTTGCCAT GGATTTCGGA 360
GGTCATGGGC TCTCGTCCCA TTACAGGCCA GGTGTCCCAT ATTACCTCCA GACTTTTGTG 420
AGTGAGATCC GAAGAGTTGT GGCAGCCTTG AAATGGAATC GATTCTCCAT TCTGGGCCAC 480
AGCTTCGGTG GCGTCCTGTGGC CGGAATGTTT TTCTGTACCT TCCCCGAGAT GGTGATAAA 540
CTTATCTTGC TGGACAGCC GCTCTTTCTC CTGGAATCAG ATGAAATGGA GAACTTGCTG 600
ACCTACAAGC GGAGGCCAT AGAGCACGTC CTGCAGGTAG AGGCCCTCCA GGAGCCTCG 660
ACCTACAAGC GGAGGCCAT AGAGCACGTC CTGCAGGTAG AGGCCCTCCA GGAGCCCTCG 660
ACCTACAAGC GGAGCCTTCT CCTGCAAAGA GGAACCACGA AGGTGGCCAC AGGTCTGGTT 780
CTGAACAGAG ACCACGAGGCT CCCTGGGCA GAGAACAGCA TGACTTCAT CAGCAGGGAG 840
CTGTGTGCGC ATTCCATCAG GAACTGCCAG GCCCATGTCC TGTTGATCAA AGCAGTCCAC 900
ACGATGAAAT CACCCTCAA AGAGCAGTCAG GCCCATGTCC TGTTGATCAA AGCAGTCCAC 900
ACGATGAAAT CACCCTCAA AGAGCAGTTC CAGTTTTGTGG AAGCACCCAGGAGGAGC
GCCATCTTTTTG ATTCAAGACA GAATTACTCT GAGAAGGAGT CCCTGTTGTT CATGATAGAC 960
ACGATGAAAT CACCCCTCAA AGAGCAGTTC CAGTTTTTTG AACACACTGTT 1020
GTCCACATGA GCGAACCCCA GACCTTGCGC AGTTCCATCAT CAGTCCAGC 1140
GACTCAACAC TGGGACTCTG AGTTCCTGAG CCCCCACAACA AGGCCAGGGA TGGTGGCAC 1140
GACTCAACAC TGGGACTCTG AGTTCCTGAG CCCCCACAACA AGGCCAGGGA TGGTGGGAC 1200
AGGCCTCACT AGTCTTGAGC CCCACCCTAG AACAGCTGT GGTTCCAGGAAGAGGAC CCCACCAACA AGGCCAAGGA TGGTGGGAC 1200
ACGCTCACTA AGTCTTGAGC CCCACCAACA AGGCCAGGGA CCCACCTAG 1120
CTGCCAATAA ATAAATATCC AGCCCACCTAG AGGAAGAGAAGGAAGGAAGGAAGGAAGGAAGCCCTAG CCCACCAACA AGGCCAGGGGA CCCACCCTAG 1130
CCTTTCCCCG CTGCCCAACCT GGATGGAAAA TAAAAAGGTTC TTGTATTCTC ACCCCCCAACACACCCTAG 1130
CCTTTCCCTG CTGCCCAACCT GGATGGAAAAAAAAGCCT AGTGCTCCCA 1140
CACTTGCTCCAACAC TGGACCCCACAACA ACAGCCCAGGAA TGCTGGGAC 1200
CCTTCCCCTG CTGCCTAACTGGACCCCACCAACA ACAGCCCAGGGA CCGAACTTCC 1220
CTG CTGAGTGGGG GCGGGGACTG CTGGAGTTGC GGGGCCTGCC TGGGGTAGGG CGGGGCAGGA 60 15 20 25 30 35

40 Seq ID NO: 74 Protein sequence:
Protein Accession #: XP\_040080.1 21


31

MSENAAPGLI SELKLAVPWG HIAAKAWGSL QGPPVLCLHG WLDNASSFDR LIPLLPQDFY 60
YVAMDFGGHG LSSHYSPGVP YYLQTFVSEI RRVVAALKWN RFSILGHSFG GVVGGMFFCT 120
FPEMYDKLIL LDTPLFLLES DEMENLLTYK RRAIEHVLQV EASQEPSHVF SLKQLLQRLL 180 45 KSNSHLSEEC GELLLQRGTT KVATGLVLNR DQRLAWAENS IDFISRELCA HSIRKLQAHV LLIKAVHGYF DSRQNYSEKE SLSFMIDTMK STLKEQFQFV EVPGNHCVHM SEPQHVASII 300 50 SSFLQCTHML PAQL

CCTTTCCCTG CTGCCCAACT GGATGGAAAA TAAAAGGTTC TTGTATTCTC A

Seq ID NO: 75 DNA sequence NM\_005794 Nucleic Acid Accession #: Coding sequence: 434-1276 (underlined sequences correspond to start and stop codons)





WO 02/059377


CAGTTCTTCA TTCCCTACAC CATAAAGAGT AAAGGTATAG CAGTAAGAGG AGAGCAAGGT 180 GTCCCTGGTA TGAATGGACA GAAAGGGGAA ATGGGATATG GTGCTCCTGG TCGTCCAGGT 600
GAGAGGGGTC TTCCAGGCCC TCAGGGTCCC ACAGGACCAT CTGGCCCTCC TGGAGTGGGA 660 AAAAGAGGTG AAAATGGGGT TCCAGGACAG CCAGGCATCA AAGGTGATAG AGGTTTTCCG 720
GGAGAAATGG GACCAATTGG CCCACCAGGT CCCCAAGGCC CTCCTGGGGA ACGAGGGCA 780
GAAGGCATTG GAAAGCCAGG AGCTGCTGGA GCCCCAGGCC AGCCAGGGAT TCCAGGAACA 840 10 AAAGGTCTCC CTGGGGCTCC AGGATAGCT GGGCCCCCAG GGCCTCCTGG CTTTGGGAAA 900
CCAGGCTTGC CAGGCCTGAA GGGAGAAAGA GGACCTGCTG GCCTTCCTGG GGGTCCAGGT 960
GCCAAAGGGG AACAAGGGCC AGCAGGTCTT CCTGGGAAGC CAGGTCTGAC TGGACCCCCT 1020 15 GGGAATATGG GACCCCAAGG ACCAAAAGGC ATCCCGGGTA GCCATGGTCT CCCAGGCCCT 1080
AAAGGTGAGA CAGGGCCAGC TGGGCCTGCA GGATACCCTG GGGCTAAGGG TGAAAGGGGT 1140
TCCCCTGGGT CAGATGGAAA ACCAGGGTAC CCAGGAAAAC CAGGTCTCGA TGGTCCTAAG 1200 TCCCCTGGGT CAGATGGAAA ACCAGGGTAC CCAGGAAAAC CAGGTCTCGA TGGTCCTAAG 1200
GGTAACCCAG GGTTACCAGG TCCAAAAGGT GATCCTGGAG TTGGAGGACC TCCTGGTCTC 1260
CCAGGCCCTG TGGGCCCAGC AGGAGCAAAG GGAATGCCCG GACACAATGG AGAGGCTGGC 1320
CCAAGAGGTG CCCCTGGAAT ACCAGGTACT AGAGGCCCTA TTGGGCCAC AGGCATTCCA 1380
GGATTCCCTG GGTCTAAAGG GGATCCAGGA AGTCCCGGTC CTCCTGGCC AGCTGGCATA 1440
GCAACTAAGG GCCTCAATGG ACCCACCGGG CCACAGGGC CTCCAGGTCC AAGAGCCCC 1500
TCTGGAGAGC CTGGTCTTCC AGGACCCCAA AGGCCTCCAG GCCCACCAGG TCAAGACAGTC 1560
ATGCCTGAGG CTTTTATAAA GGCAGCCCAA AGGCCCAGTC TTTCTGGGAC CCCTCTTGTT 1670 20 25 30 35 40 45 TCCTTATTTA CGACACAATA AAATAACATC AATAGATTTT TAGGCTGAAT TAATTTGAAA 3120 50 CATCAATAGA TTTTTAGG

Seq ID NO: 80 <u>Protein sequence:</u>
Protein Accession #: NP\_000484.1

1 11 21 31 41 51

Seq ID NO: 81 DNA sequence
Nucleic Acid Accession #: NM\_000786
Coding sequence: 332-1861 (underlined sequences correspond to start and stop codons)


11 21 31 41 51



MAAAAGMILL GLIQAGGSVL GQAMEKVTGG NILSMILIAC AFTLSLVYLI RLAAGHLVQL 60
PAGVKSPPYI FSPIPFLGHA IAFGKSPIEF LENAYEKYGP VFSFTMVGKT FTYLLGSDAA 120
ALLFNSKNED LNAEDVYSRI TTPVFGKGVA YDVPNPVFLE QKKMLKSGIN IAHFKQHVSI 180
EKETKEYFE SWGESGEKNV FFALSELIIL TASHCLHGKE IRSQLNEKVA QLYADDGGF 240
SHAAWLLPGW LPLPSFRRD RAHREIKDIF YKAIQKRRQS QEKIDDILQT LLDATYKDGR 300 65 70 PLTDDEVAGM LIGLLLAGQH TSSTTSAWMG FFLARDKTLQ KKCYLEQKTV CGENLPPLTY 360 DQLKDLNLLD RCIKETLRLR PPIMIMMRMA RTPQTVAGYT IPPGHQVCVS PTVNQRLKDS 420 WVERLDFNPD RYLQDNPASG EKFAYVPFGA GRHRCIGENF AYVQIKTIVS TMLRLYEFDL 480 IDGYFPTVNY TTMIHTPENP VIRYKRRSK

75 Seq ID NO: 83 DNA sequence NM 006551.2 Nucleic Acid Accession #: Coding sequence: 64-336 (underlined sequences correspond to start and stop codons)

WO 02/059377





|     | ATGCTGCTGG TCAGCAGCCT CTCTCCAGTC CAAGGTGTTC TGGAGGTCTA TTACACAAGC 180  |
|-----|--|
|     | TTGAGGTGTA GATGTGTCCA AGAGAGCTCA GTCTTTATCC CTAGACGCTT CATTGATCGA 240  |
| _   | ATTCAAATCT TGCCCCGTGG GAATGGTTGT CCAAGAAAAG AAATCATAGT CTGGAAGAAG 300  |
| 5   | AACAAGTCAA TTGTGTGTGT GGACCCTCAA GCTGAATGGA TACAAAGAAT GATGGAAGTA 36   |
|     | TTGAGAAAAA GAAGTTCTTC AACTCTACCA GTTCCAGTGT TTAAGAGAAA GATTCCCTGA 420  |
|     | TGCTGATATT TCCACTAAGA ACACCTGCAT TCTTCCCTTA TCCCTGCTCT GGATTTTAGT 480  |
|     | TTTGTGCTTA GTTAAATCTT TTCCAGGGAG AAAGAACTTC CCCATACAAA TAAGGCATGA 540<br>GGACTATGTG AAAAATAACC TTGCAGGAGC TGATGGGGCA AACTCAAGCT TCTTCACTCA 600   |
| 10  | CAGCACCCTA TATACACTTG GAGTTTGCAT TCTTATTCAT CAGGGAGGAA AGTTTCTTTG 660  |
| 10  | AAAATAGTTA TTCAGTTATA AGTAATACAG GATTATTTTG ATTATATACT TGTTGTTTAA 720  |
|     | TGTTTAAAAT TTCTTAGAAA ACAATGGAAT GAGAATTTAA GCCTCAAATT TGAACATGTG 780  |
|     | GCTTGAATTA AGAAGAAAAT TATGGCATAT ATTAAAAGCA GGCTTCTATG AAAGACTCAA 840  |
|     | AAAGCTGCCT GGGAGGCAGA TGGAACTTGA GCCTGTCAAG AGGCAAAGGA ATCCATGTAG 90   |
| 15  | TAGATATCCT CTGCTTAAAA ACTCACTACG GAGGAGAATT AAGTCCTACT TTTAAAGAAT 960  |
|     | TTCTTTATAA AATTTACTGT CTAAGATTAA TAGCATTCGA AGATCCCCAG ACTTCATAGA 1020   |
|     | ATACTCAGGG AAAGCATTTA AAGGGTGATG TACACATGTA TCCTTTCACA CATTTGCCTT 1080   |
|     | GACAAACTTC TTTCACTCAC ATCTTTTTCA CTGACTTTTT TTGTGGGGGC GGGGCCGGGG 1140 GGACTCTGGT ATCTAATTCT TTAATGATTC CTATAAATCT AATGACATTC AATAAAGTTG 1200  |
| 20  | AGCAAACATT TTACTT  |
|     | AUCAACATI IIACII   |
|     | Seq ID NO: 88 Protein sequence:  |
|     | Protein Accession #: NP_006410.1   |
| ^-  |  |
| 25  | 1 11 21 31 41 51   |
|     |  |
|     | MKFISTSLLL MLLVSSLSPV QGVLEVYYTS LRCRCVQESS VFIPRRFIDR IQILPRGNGC 60   |
|     | PRKEIIVWKK NKSIVCVDPQ AEWIQRMMEV LRKRSSSTLP VPVFKRKIP  |
| 30  | Seq ID NO: 89 DNA sequence   |
| 50  | Nucleic Acid Accession #: NM_002652  |
|     | Coding sequence: 37-477 (underlined sequences correspond to start and stop codons)   |
|     |  |
| 2 - | 1 11 21 31 41 51   |
| 35  | 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1  |
|     | CTTCTCTGGG ACACATTGCC TTCTGTTTTC TCCAGCATGC GCTTGCTCCA GCTCCTGTTC 60   |
|     | AGGGCCAGCC CTGCCACCCT GCTCCTGGTT CTCTGCCTGC AGTTGGGGGC CAACAAAGCT 120  |
|     | CAGGACAACA CTCGGAAGAT CATAATAAAG AATTTTGACA TTCCCAAGTC AGTACGTCCA 180 AATGACGAAG TCACTGCAGT GCTTGCAGTT CAAACAGAAT TGAAAGAATG CATGGTGGTT 240  |
| 40  | AAAACTTACC TCATTAGCAG CATCCCTCTA CAAGGTGCAT TTAACTATAA GTATACTGCC 300  |
|     | TGCCTATGTG ACGACAATCC AAAAACCTTC TACTGGGACT TTTACACCAA CAGAACTGTG 360  |
|     | CAAATTGCAG CCGTCGTTGA TGTTATTCGG GAATTAGGCA TCTGCCCTGA TGATGCTGCT 420  |
|     | GTAATCCCCA TCAAAAACAA CCGGTTTTAT ACTATTGAAA TCCTAAAGGT AGAA <u>TAA</u> TGG 480   |
|     | AAGCCCTGTC TGTTTGCCAC ACCCAGGTGA TTTCCTCTAA AGAAACTTGG CTGGAATTTC 340  |
| 45  | TGCTGTGGTC TATAAAATAA ACTTCTTAAC ATGCTT  |
|     |  |
|     | Seq ID NO: 90 Protein sequence:  |
|     | Protein Accession #: NP_002643.1   |
| 50  | 1 11 21 31 41 51   |
| 50  |  |
|     | MRLLQLLFRA SPATLLLVLC LQLGANKAQD NTRKIIIKNF DIPKSVRPND EVTAVLAVQT 60   |
|     | ELKECMVVKT YLISSIPLQG AFNYKYTACL CDDNPKTFYW DFYTNRTVQI AAVVDVIREL 120  |
|     | GICPDDAAVI PIKNNRFYTI EILKV  |
| 55  |  |
|     | Seq ID NO: 91 DNA sequence   |
|     | Nucleic Acid Accession #: AK000341   |
|     | Coding sequence: 85-975 (underlined sequences correspond to start and stop codons)   |
| 60  | 1 11 21 31 41 51   |
| UV  |  |
|     | GATAGCGCCG GGCAGAGGGA CCCGGCTACC CTGGACAGCG CATCGCCGCC CGCCCGGGTC 6  |
|     | GOOGGGCAC AGCCGCTGCG GATCATGGAA CATCTAAAGG CCTTTGATGA TGAAATCAAT 120   |
|     | GCTTTTTTGG ACAATATGTT TGGACCGCGA GATTCTCGAG TCAGAGGGTG GTTCACGTTG 180  |
| 65  | GACTETTACE TTECTACETT TTTTETTACT GTCATGTATE TGCTCTCAAT ATGGCTGGGT 240  |
|     | AACAAGTATA TGAAGAACAG ACCTGCTCTT TCTCTCAGGG GTATCCTCAC CTTGTATAAT 300  |
|     | CTTGGAATCA CACTTCTCTC CGCGTACATG CTGGCAGAGC TCATTCTCTC CACTTGGGAA 360  |
|     | GGAGGCTACA ACTTACAGTG TCAAGATCTT ACCAGCGCAG GGGAAGCTGA CATCCGGGTA 42   |
| 70  | GCCAAGGTGC TTTGGTGGTA CTATTTCTCC AAATCAGTAG AGTTCCTGGA CACAATTTTC 480  |
| 70  | TTCGTTTTGC GGAAAAAAC GAGTCAGATT ACTTTTCTTC ATGTATATCA TCATGCTTCT 540<br>ATGTTTAACA TCTGGTGGTG TGTCTTGAAC TGGATACCTT GTGGACAAAG TTTCTTTGGA 600  |
|     | CCAACACTGA ACAGTTTTGT CCACATTCTT ATGTACTCT ACTATGGACT TTCTGTGTTT 660   |
|     | CCAACACTGA ACAGTTTTGT CCACATTCTT ATGTACTCCT ACTATGGACT TTCTGTGTTT 800  CCATCTATGC ACAAGTATCT TTGGTGGAAG AAATATCTCA CACAGGCTCA GCTGGTGCAG 720   |
|     | TTCGTGCTCA CCATCACGCA CACCATGAGC GCCGTCGTGA AACCGTGTGG CTTCCCCTTC 780  |
| 75  | GGTTGTCTCA TCTTCCAGTC ATCTTATATG CTAACGTTAG TCATCCTCTT CTTAAATTTT 840  |
|     | TATGTTCAGA CATACCGAAA AAAGCCAATG AAGAAAGATA TGCAAGAGCC ACCTGCAGGG 9  |
|     | The second secon |

WO 02/059377

AAGAAAGCAC AA<u>TAA</u>AAATG AGTAACAGAA AAAGCACATA TACTAGCCTA ACAGATTGGC 1020 Seq 1D NO: 92 Protein sequence: Protein Accession #: BAA91 BAA91096.1 Seq ID NO: 93 DNA sequence

NM 000044 Nucleic Acid Accession #: NM\_000044
Coding sequence: 1115-3874 (underlined sequences correspond to start and stop codons)



AGCACTGGAC GAGGCAGCTG CGTACCAGAG TCGCGACTAC TACAACTTTC CACTGGCTCT 2220 GGCCGGACCG CCGCCCCTC CGCCGCCTCC CCATCCCCAC GCTCGCATCA AGCTGGAGAA 2280 CCCGCTGGAC TACGGCAGCG CCTGGGCGGC TGCGGCGGCG CAGTGCCGCT ATGGGGACCT 2340 GGCGAGCCTG CATGGCGCGG GTGCAGCGGG ACCCGGTTCT GGGTCACCCT CAGCCGCCGC 2400 TTCCTCATCC TGGCACACTC TCTTCACAGC CGAAGAAGGC CAGTTGTATG GACCGTGTGG 2460 10 TGACTATTAC TITCCACCCC AGAAGACCTG CCTGATCTGT GGAGATGAAG CTTCTGGGTG 2820
TCACTATGGA GCTCTCACAT GTGGAAGCTG CAAGGTCTTC TTCAAAAGAG CCGCTGAAGG 2880
GAAACAGAAG TACCTGTGCG CCAGCAGAAA TGATTGCACT ATTGATAAAT TCCGAAGGAA 2940 AAATTGTCCA TCTTGTCGTC TTCGGAAATG TTATGAAGCA GGGATGACTC TGGGAGCCCG 3000 GAAGCTGAAG AAACTTGGTA ATCTGAAACT ACAGGAGGAA GGAGAGGCTT CCAGCACCAC 3060 CAGCCCACT GAGGAGACAA CCCAGAAGCT GACAGTGTCA CACATTGAAG GCTATGAATG 3120 15 TCAGCCCATC TITCTGAATG TCCTGGAAGC CATTGAGCCA GGTGTAGTGT GTGCTGGACA 3180
CGACAACAAC CAGCCCGACT CCTTTGCAGC CTTGCTCTCT AGCCTCAATG AACTGGGAGA 3240
GAGACAGCTT GTACACGTGG TCAAGTGGGC CAAGGCCTTG CCTGGCTTCC GCAACTTACA 3300 GGTGGACGAC CAGATGGCTG TCATTCAGTA CTCCTGGATG GGGCTCATGG TGTTTGCCAT 3360
GGGCTGGCGA TCCTTCACCA ATGTCAACTC CAGGATGCTC TACTTGGCC CTGATCTGGT 3420
TTTCAATGAG TACCGCCATGC ACAAGTCCCG GATGTACAGC CAGTGTGTC GAATGAGGCA 3480
CCTCTCTCAA GAGTTTGGAT GGCTCCAAAT CACCCCCAG GAATTCCTGT GCATGAAAGC 3540
ACTGCTACTC TTCAGCATTA TTCCAGTGGA TGGGCTGAAA AATCAAAAAT TCTTTGATGA 3600 20 25 ACTTCGAATG AACTACATCA AGGAACTCGA TCGTATCATT GCATGCAAAA GAAAAAATCC 3660 CACATCCTGC TCAAGACGCT TCTACCAGCT CACCAAGCTC CTGGACTCCG TGCAGCCTAT 3720 TGCGAGAGAG CTGCATCAGT TCACTTTTGA CCTGCTAATC AAGTCACACA TGGTGAGCGT 3780 GGACTITICOG GAAATGATGG CAGAGATCAT CTCTGTGCAA GTGCCCAAGA TCCTTTCTGG 3840
GAAAGTCAAG CCCATCTATT TCCACACCCA GTGAAGCATT GGAAACCCTA TTTCCCCACC 3900
CCAGCTCATG CCCCCTTTCA GATGTCTTCT GCCTGTTATA ACTCTGCACT ACTCCTCTGC 3960 30 35

Seq ID NO: 94 Protein sequence:
NP\_000035.1 40

MEVQLGLGRV YPRPPSKTYR GAFQNLFQSV REVIQNPGPR HPEAASAAPP GASLLLLQQQ 45 QQQQQQQQQ QQQQQQQET SPRQQQQQQ EDGSPQAHRR GPTGYLVLDE EQQPSQPQSA LECHPERGCV PEPGAAVAAS KGLPQQLPAP PDEDDSAAPS TLSLLGPTFP GLSSCSADLK 180 DILSEASTMQ LLQQQQQEAV SEGSSSGRAR EASGAPTSSK DNYLGGTSTI SDNAKELCKA 240 50

DILSEASTMQ LLQQQQEAV SEGSSSGRAR EASGAPTSSK DNYLGGTSTI SDNAKELCKA 240
VSVSMGLGVE ALEHLSPGEQ LRGDCMYAPL LGVPPAVRPT PCAPLAECKG SLLDDSAGKS 300
TEDTAEYSPF KGGYTKGLEG ESLGCSGSAA AGSSGTLELP STLSLYKSGA LDEAAAYQSR 360
DYYNFPLALA GPPPPPPPP PHARIKLENP LDYGSAWAAA AAQCRYGDLA SLHGAGAAGP 420
GSGSPSAAAS SSWHTLTTAE EGQLYGPCGG GGGGGGGGG GGGGGGGGGGGGGGGAGAVAPY 480
GYTRPPQGLA GQESDFTAPD VWYPGGMVSR VPYPSPTCVK SEMGPWMDSY SGPYGDMRLE 540
TARDHVLPID YYPPPQKTCL ICGDEASGCH YGALTCGSCK VFFKRAAEGK QKYLCASRND 600
CTIDKFRRKN CPSCRLRKCY EAGMTLGARK LKKLGNLKLQ EEGEASSTTS PTEETTQKLT 660
VSHIEGYECQ PIFLNVLEAI EPGVVCAGHD NNQPDSFAAL LSSLNELGER QLVHVVKWAK 720
ALPGFRNLHV DDQMAVIQYS WMGLMVFAMG WRSSTNVNSR MLYFAPDLVF NEYRMHKSRM 780
YSQCVRMRHL SQEFGWLQIT PQEFLCMKAL LLFSIIPVDG LKNQKFFDEL RMNYIKELDR 840
LIACKKKNPT SCSRRFYQLT KLLDSVQPIA RELHQFTFDL LIKSHMVSVD FFEMMAEIIS 900
VOVPKII SGK VKPIYFHTO

VQVPKILSGK VKPIYFHTQ

60 Sea ID NO: 95 DNA sequence

55

Nucleic Acid Accession # NM\_002497 Coding sequence: 135-1472 (underlined sequences correspond to start and stop codons)

65 41 GGCACGAGTA GGGGTGGCGG GTCAGTGCTG CTCGGGGGCT TCTCCATCCA GGTCCCTGGA GGCACGAGTA GGGGTGGCGG GTCAGTGCTG CTCGGGGGCT TCTCCATCCA GGTCCCTGGA 60
GTTCCTGGTC CCTGGAGCTC CGCACTTGGC GCGCAACCTG CGTGAGGCAG CGCGACTCTG 120
GCGACTGGCC GGCCATGCCT TCCCGGGCTG AGGACTATGA AGTGTTGTAC ACCATTGGCA 180
CAGGCTCCTA CGGCCGCTGC CAGAAGATCC GGAGGAAGAG TGATGGCAAG ATATTAGTTT 240
GGAAAGAACT TGACTATGGC TCCATGACAG AAACTGAGAA ACAGATGCTT GTTTCTGAAG 300
TGAATTTGCT TCGTGAACTG AAACATCCAA ACATCGTTCG TTACTATGAT CGGAATTATTG 360
ACCGGACCAA TACAACACTG TACATTGTAA TGGAAATATTG TGAAGGAGGG GATCTGGCTA 420
GTGTAATTAC AAAGGGGAACC AAGGAAAGGC AATACTTAGA TGAAGAGGTT GTTCTTCGAG 480
TGATGACTCA GTTGACTCTG GCCCTGAAGG AATGCCCACAG ACGAAGTGTA GGTGGTCATA 460 70 75 CCGTATTGCA TCGGGATCTT AAACCAGCCA ATGTTTTCCT GGATGGCAAG CAAAACGTCA 660 AGCTTGGAGA CTTTGGGCTA GCTAGAATAT TAAACCATGA CACGAGTTTT GCAAAAACAT 660

WO 02/059377

TAAAAGAATT CTTCAGTTA Seq ID NO: 96 <u>Protein sequence:</u> Protein Accession #: NP\_002488 GIREFNPNIM ANEVERINMI TOSISGENEA RELATEDKIN ASEHOMOSAP IENSMPSRAE 60 GIREFNPNIM ANEVERINMI TOSISGENEA RELATEDKIN ASEHOMOSAP IENSMPSRAE 60
DYEVLYTIGT GSYGRCQKIR RKSDGKILVW KELDYGSMTE AEKQMLVSEV NLLRELKHEN 120
IVRYYDRIID RINITLYIVM EYCEGGDLAS VITKGTKERQ YLDEEFVLRV MTQLTLALKE 180
CHRRSDGGHT VLHRDLKPAN VFLDGKQNVK LGDFGLARIL NHDTSFAKTF VGTPYYMSPE 240
QMNRMSYNEK SDIWSLGCLL YELCALMPFF TAFSQKELAG KIREGKFRRI PYRYSDELNE 300
ITTRMLNIKD YHRPSVEEIL ENPLIADLVA DEQRRNLERR GRQLGEPEKS QDSSPVLSEL 360
KLKEIQLQER ERALKAREER LEQKEQELCV RERLAEDKLA RAENLLKNYS LLKERKFLSL 420
ASNPELLNLP SSVIKKKVIIF SGESKENIMR SENSESQLTS KSKCKDLKKR LHAAQLRAQA 480 LSDIEKNYQL KSRQILGMR Seq ID NO: 97 DNA sequence NM 007050.2 Nucleic Acid Accession #: Coding sequence: 185-4576 (underlined sequences correspond to start and stop codons) 

WO 02/059377

GGGGAAAGTG TTCAAGCTCC GGAATGAAAC CCACCACCTC TTTGTGGGTC TGTACCCAGG 1860 GACCACCTAT TCCTTCACCA TCAAGGCCAG CACAGCAAAG GGCTTTGGGC CCCCTGTCAC 1920 CACTCGGATT GCCACCAAAA TTTCAGCTCC ATCCATGCCT GAGTACGACA CAGACACCCC 1980 ATTGAATGAG ACAGACACGA CCATCACAGT GATGCTGAAA CCCGCTCAGT CCCGGGGAGC 2040 TCCTGTCAGT GTTTATCAGC TGGTTGTCAA GGAGGAGCGA CTTCAGAAGT CACGGAGGGC 2100 AGCTGACATT ATTGAGTGCT TTTCGGTGCC CGTGAGCTAT CGGAATGCCT CCAGCCTCGA 2160 5 TICTICTACAC TACTITIGCTG CTGAGTTGAA GCCTGCCAAC CTGCCTGTCA CCCAGCCATT 2220
TACAGTGGGT GACAATAAGA CATACAATGG CTACTGGAAC CCTCCTCTCT CTCCCCTGAA 2280
AAGCTACAGC ATCTACTTCC AGGCACTCAG CAAAGCCCAAT GGAGGACCA AAATCAACTG
TGTTCGTCTG GCTACAAAAG CACCAATGGG CAGCGCCCAG GTGACCCCGG GGACTCCACCT 2400
CTGCCTCCTC ACCACAGGTG CCTCCACCCA GAATTCTAAC ACTGTGGAGC CAGAGAAGCA 2460 10 GGTGGACAAC ACCGTGAAGA TGGCTGGCCT GATCGCTGGC CTCCTCATGT TCATCATCAT 2520
TCTCCTGGGC GTGATGCTCA CCATCAAAAG GAGAAGAAAT GCTTATTCCT ACTCCTATTA 2580
CTTGTCCCAA AGGAAGCTGG CCAAGAAGCA GAAGGAGACC CAGAGTGGAG CCCAGAGGGA 2640 GATGGGGCCT GTGGCCTCTG CCGACAAACC CACCACCAAG CTCAGCGCCA GCCGCAATGA 2700
TGAAGGCTTC TCTTCTAGTT CTCAGGACGT CAACGGATTC ACAGATGGCA GCCGCGGGGA 2760
GCTTTCCCAG CCCACCCTCA CGATCCAGAC TCATCCCTAC CGCACCTGTG ACCCTGTGGA 2820 15 GATGAGCTAC CCCCGGGACC AGTTCCAACT CGCCATCCGG GTGGCTGACT TGCTGCAGCA 2880 CATCACGCAG ATGAAGAGAG GCCAGGGCTA CGGGTTCAAG GAGGAATACG AGGCCTTACC 2940 AGAGGGGCAG ACAGCTTCGT GGGACACAGC CAAGGAGGAT GAAAACCGCA ATAAGAATCG 3000 20 ATATGGGAAC ATCATATCCT ACGACCATTC CCGGGTGAGG CTGCTGGTGC TGGATGGAGA 3060 CCCGCACTCT GACTACATCA ATGCCAACTA CATTGACGGA TACCATCGAC CTCGGCACTA 3120 CATTGCGACT CAAGGTCCGA TGCAGGAGAC TGTAAAGGAC TTTTGGAGAA TGATCTGGCA 3180 GGAGAACTCC GCCAGCATCG TCATGGTCAC AAACCTGGTG GAAGTGGGCA GGGTGAAATO 3240 TGTGCGATAC TGGCCAGATG ACACGGAGGT CTACGGAGAC ATTAAAGTCA CCCTGATTGA 3300 25 AACAGAGCCC CTGGCAGAAT ACGTCATACG CACCTTCACA GTCCAGAAGA AAGGCTACCA 3360
TGAGATCCGG GAGCTCCGCC TCTTCCACTT CACCAGCTGG CCTGACCACG GCGTTCCCTG 3420
CTATGCCACT GGCCTTCTGG GCTTCGTCCG CCAGGTCAAG TTCCTCAACC CCCCGGAAGC 3480 TGGGCCCATA GTGGTCCACT GCAGTGCTGG GGCTGGGCGG ACTGGCTGCT TCATTGCCAT 3540
TGACACCATG CTTGACATGG CCGAGAATGA AGGGGTGGTG GACATCTTCA ACTGCGTGCG 3600
TGAGCTCCGG GCCCAAAGGG TCAACCTGGT ACAGACAGAG GAGCAATATG TGTTTGTGCA 3660 30 CGATGCCATC CTGGAAGCGT GCCTCTGTGG CAACACTGCC ATCCCTGTGT GTGAGTTCCG 3720
TTCTCTCTAC TACAATATCA GCAGGCTGGA CCCCCAGACA AACTCCAGCC AAATCAAAGA 3780
TGAATTTCAG ACCCTCAACA TTGTGACACC CCGTGTGCGG CCCGAGGACT GCAGCATTGG 3840 GCTCCTGCCC CGGAACCATG ATAAGAATCG AAGTATGGAC GTGCTGCCTC TGGACCGCTG 3900 CCTGCCCTTC CTTATCTCAG TGGACGGAGA ATCCAGCAAT TACATCAACG CAGCACTGAT 3960 GGATAGCCAC AAGCAGCCTG CCGCCTTCGT GGTCACCCAG CACCCCTCTAC CCAACACCGT 4020 35 GGCAGACTTC TGGAGGCTGG TGTTCGATTA CAACTGCTCC TCTGTGGTGA TGCTGAATGA 4080
GATGGACACT GCCCAGTTCT GTATGCAGTA CTGGCCTGAG AAGACCTCCG GGTGCTATGG 4140
GCCCATCCAG GTGGAGTTCG TCTCCGCAGA CATCGACGAG GACATCATCC ACAGAATATT 4200 40 CCGCATCTGT AACATGGCCC GGCCACAGGA TGGTTATCGT ATAGTCCAGC ACCTCCAGTA 4260 CATTGGCTGG CCTGCCTACC GGGACACGCC CCCCTCCAAG CGCTCTCTGC TCAAAGTGGT 4320 CCGACGACTG GAGAGTGGC AGGAGCAGTA TGACGGGAGG GAGGGACGTA CTGTGGTCCA 4380 CTGCCTAAAT GGGGGAGGCC GTAGTGGAAC CTTCTGTGCC ATCTGCAGTG TGTGTGAGAT 4440 GATCCAGCAG CAAAACATCA TTGACGTGTT CCACATCGTG AAAACACTGC GTAACAACAA 4500 45 ATCCAACATG GTGGAGACCC TGGAACAGTA TAAATTTGTA TACGAGGTGG CACTGGAATA 4560
TTTAAGCTCC TTTTAGCTCA ATGGGATGGG GAACTGCCGG AGTCCAGAGG CTGCTGTGAC 4620
CAAGCCCCCT TTTGTGTGAA TGGCAGTAAC TGGGCTCAGG AGCTCTGAGG TGGCACCCTG 4680 CCTGACTCCA AGGAGAAGAC TGGTGGCCCT GTGTTCCACG GGGGGCTCTG CACCTTCTGA 4740
GGGGTCTCCT GTTGCCGTGG GAGATGCTGC TCCAAAAGGC CCAGGCTTCC TTTTCAACCT 4800
AACCAGCCAC AGCCAAGGGC CCAAGCAGAA GTACACCCAC AAGCAAGGCC TTGGATTTCT 4860
GGCTCCCAGA CCACCTGCTT TTGTTCTGAG TTTGTGGATC TCTTGGCAAG CCAACTGTGC 4920
AGGTGCTGGG GAGTGGGAGG CTCCCCTGCC CTCCTTCTCC TTAGGAGTGG AGGAGATGTG 4980
TGTTCTGCTC CTCTACGTCA TGGAAAAGAT TGAGGCTCTT GGGGGTCACT GCTCTGCTGC 5040 50 CCCCTGCAAC CTCCTTCAGG GGCCTCTGGC ACCAGACATT TGCAGTCTG ACCAGTGTGA \$100
CCTTACGATG TTCCCTAGG GGCCTCTGGC ACCAGACATT TGCAGTCTGG ACCAGTGTGA \$100
CCTTACGATG TTCCCTAGGC CACAAGAGAG GCCCCCCATC CTCACACCTA ACCTGCATGG \$160
GGCTTCGCCC ACAACCATTC TGTACCCCTT CCCCAGCCTG GGCCTTGACC GTCCAGCATT \$220
CACTGGCCGG CCAGCTGTGT CCACAGCAGT TTTTGATAAA GGTGTTCTTT GCTTTTTTTG \$280
GTGGTCAGTG GGAGGGGGTG GAACTGCAGG GAACTTCTCT GCTCCTCTT GTCTTTTGTA \$340 55 AAAGGGACCA CCTCCCTGGG GCAGGGCTTG GGCTGACCTG TAGGATGTAA CCCCTGTGTT 5400
TCTTTGGTGG TAGCTTTCTT TGGAAGAGAC AAACAAGATA AGATTTGATT ATTTTCCAAA 5460
GTGTATGTGA AAAGAAACTT TCTTTTGGAG GGTGTAAAAT CTTAGTCTCT TATGTCAAAA 5520 60 AGAAGGGGGC GGGGGACTTT GACTATGTAC CTCTAAGACA AATCTCTCGG GCCTTTTATT 5580
TTTTCCTGGC AATGTCCTTA AAAGCTCCCA CCCTGGGACA GCATGCCACT GAGCAAGGAG 5640
AGATGGGTGA GCCTGAAGAT GGTCCCTTTG GTTTCTGGGG CAAATAGAGC ACCAGCTTTG 5700 65 AGATGGTGA GCCTGAAGAT GGTCCCTTIG GTTTCTGGGG CAAATAGAGC ACCAGCTTTG 5700
TGCATAATTT GGATGTCCAA ATTTGAACTC CTTCCTAAAG AAACCCAGCA GCCACCTTGA 5760
AAAAGGCCAT TGTGGAGCCC ATTATACTTT GATTTAAAAT AGGCCAAGAG AATCAGGCCT 5820
GGAGATCTAG GGTCTTGTCC AAAGTGTGAG TGAGTCAATG AGAGGGAACC AACATTTGCT 5880
AAGTCTCTAC TGTATGCCAG GGATCATGCT TGGCACTTTC CATAGGACAT TTCACCACGT 5940
CCTTAGAACC CCCAGGAGAG AGCTACTGAC TTGTATCAT CTCCATTTGA TCATCTCCTC 6000
CAATGAGGAA ACCCACGCAC CTTCCTTAGT AATGAAATCC TGGGTTCCAA AGGGGCAGGT 6060
AATGGCAATG AGACTTCTCC GTGCTGTTTT CTTCATCTTC TCTAAGCCAA GCAATTATTT 6120
TATGGAGGGA AAATAAGGCC AGAAACTTCT GAGCAGATAA CTCCACAAAT GGAAATTTAG 6180
TACTTTCTTC CTGATGCCAG TTCTTCTGGG AAGCGCAGAA TTTCAGCTAT ATTTTAGTAA 6240
CACATTCCCA GCTCCCCAGG AAAGCCAGTC TCATCTAATT TCTTAGTCAG TAAAAACAAT 6300
TCCCTGTTCC TTCAGGCTAT GAATGGACCA GCCAGGGAAA CTTCTCACCT TGATCTCTAG 6160
TCCCTGTTCC TTCAGGCTAT GAATGGACCA GCCAGGGAAA CTCTCACACT TTGATCTCTAG 6160
TCCCTGTTCC TTCAGGCTAT GAATGGACCA GCCAGGGAAA CTCTCCACCT TGATCTCTAG 6160
TCCAGTGCTTA GGCCCAATAT CTGACAGCCT CAGGTGGGCT GGGACCTAGG AAGCTCCATC 6420 70 75 CCAGTGCTTA GGCCCAATAT CTGACAGCCT CAGGTGGGCT GGGACCTAGG AAGCTCCATC 6420

WO 02/059377

TTAATGTAGT TCATGGTTCC TTAGTGAGCA GGACTCTTGG ATGTGGAGGA GAAAGGGTCA 11100 TAGGAAGTAA ACCACCAAAA TTACAAAATT GAGTCTCTGT ACAATTACTT CAGTGCCTTT 11160 GGGCTTATGA ATACAAATCA GTGGGCCTTC TCTATGATGG TCCAACAAAC TCTCAGTGTC 11220 CACCCTGTCC CTGTATCTCC CATGGAAGAT GAATAATGTC AGGTGTTCTT TGGGTCAAAG 11280 GCCCCAGGGC AGTCTGGAGG CTTAGAGGGC AGAGTGGTGT CATTCCATGT AAAGTTAGGC 11340 TTCTGAGGGG TCAGGCAGAA TATGGTGTCC ATATCTTCCA TAGCTCTGCA GATTCTTGGA 11400 5 10 15 CCCACTGACC AACAGGGCCA TGAGTGACAG CCAGAACCAG TGAAGGTCCA AGTAGGACAC 11940
AGAGCAGGGC TITTCTTACC ATACACATTA TCTCCAGAGG TTATTTTAC CCCACTCCCT 12000
ATTCAAGGCC TGTTGGAGCA CACTGCAAAA GCAAAAGCAC AGTAACTCAA TTTACACATG 12060
ATTATAATCA TTTCCAGTGC ACACATTTCA TCACCAGGTG GATCCTGAGC TAGCCCATGT 12120
AAATCCGGGT TAACCCATAT TGGTAATCAT ACTCAAAAGC ACTTTTCACC CTACATTCTA 12180
CTAGCCAATC AAAGACAAAG AGTTGTGGCC TCTACCATTG CCTTGGCTTC TGGACACCCT 12240
CACAAGCTAT CCCAAGGTTC CCGCTCAACT CCAGGGAGGC TGACATCTT ACATCCACTG 12300
GGCATATAAT ATTGCATGAG ACCAAAGTCT CCACACTCTT TGCAGCCTC TCCATGAATC 12360
CCAATGGCCT GCACTTGTAC AGTTTTGGATGATTTTGATAGAAT AAAGCACGTA TGAGAAGGAG 12420
AAACAA AATA AATCAACTTT TTAAAAA AGC CAGCACTGTG CTGTCAATGT TTTTTTTTTC 12480 20 AAACAAAATA AATCAACTTT TTAAAAAAGC CAGCACTGTG CTGTCAATGT TTTTTTTTT 12480
TTTTCAATTC TAGCTCAGAA AAGCAGAAGG TAAATAATGT CAGGTCAATG AATATCAGAT 12540
ATATTTTTTG ACTGTACATT ACAGTGAAGT GTAATCTTTT TACACCTGCA AGTCCATCTT 12600 25 ATTTATTCTT GTAAATGTTC CCTGACAATG TTTGTAATAT GGCTGTGTTA AAAAATCTAT 12660 ACAATAAAGC TGTGACCCTG

Seq ID NO: 98 <u>Protein sequence:</u>
Protein Accession #: NP\_008981.1 30

ETLEQYKFVY EVALEYLSSF

60


65

35 GIREFNPPRO TEINTYROSI NEPHOSPHAT ASERECEPTO RTYPETHOMO SAPIENSMAS 60 LAALALSLLL RLOLPPLPGA RAOSAPGGCS FDEHYSNGGY SVALGTNGFT WEQINTTEKP 120 MLDQAVPTGS FMMVNSSGRA SGQKAHLLLP TLKENDTHCI DFHYYFSSRD RSSPGALNVY 180 VKVNGGPQGN PVWNVSGVVT EGWVKAELAI STFWPHFYQV IFESVSLKGH PGYIAVDEVR 240
VLAHPCRKAP HFLRLQNVEV NVGQNATFQC IAGGKWSQHD KLWLQQWNGR DTALMVTRVV
NHRRFSATVS VADTAQRSVS KYRCVIRSDG GSGVSNYAEL IVKEPPTPIA PPELLAVGAT 360 40 NHRRFSATVS VADTAQRSVS KYRCVIRSDG GSGVSNYAEL IVKEPPTPIA PPELLAVGAT 360
YLWIKPNANS IIGDGPIILK EVEYRTITOT WAETHIVDSP NYKLWHLDPD VEYERVLLT 420
RPGEGGTGPP GAPLITRTKC ADPVHGPONV EIVDIRARQL TLQWEPFGYA VTRCHSYNLT 480
VQYQYVFNQQ QYEAEEVIQT SSHYTLRGLR PFMTIRLRLL LSNPEGRMES EELVVQTEED 540
VPGAVPLESI QGGPFEEKIY IQWKPPNETN GVITLYEINY KAVGSLDPSA DLSSQRGKVF 600
KLRNETHILF VGLYPGTTYS FTIKASTAKG FGPPVTTRIA TKISAPSMPE YDTDTPLNET 660
DTTITVMLKP AQSRGAPVSV YQLVVKEERL QKSRRAADII ECFSVPVSYR NASSLDSLHY 720
FAAELKPANL PVTQPFTVGD NXTYNGYWNP PLSPLKSYSI YPQALSKANG ETKINCVRLA 780
KKAPMGSAQV TPGTPLCLLT TGASTQNSNT VEPEKQVDNT VKMAGVIAGL LMFIILLGV 840
MLTIKRRRNA YSYSYYLSQR KLAKKQKETQ SGAQREMGPV ASADKPTTKL SASRNDEGFS 900
SSSQDVNGFT DGSRGELSQP TLTIQTHPYR TCDPVEMSYP RDQFQLAIRV ADLLQHITQM 960
KRGQGYGFKE EYEALPEGQT ASWDTAKEDE NRNKNRYGNI ISYDHSRVRL LVLDGPPHSD 1020
YNANYIDGY HRPRITYIATQ GPMQETVKDF WRMIWQENSA SIVMYTNLVE VGRVKCVRYW 1080
PDDTEVYGDI KVTLIETEPL AEYVIRTFTV QKKGYHEIRE LRLFHFTSWP DHGYPCYATG 1140
LLGFVRQVKF LNPPEAGPIV VHCSAGAGRT GCFIAIDTML DMAENEGVVD IFNCVRELRA 1200
QRVNLVQTEE QYVFVHDAIL EACLCGNTAI PVCEFRSLYY NISRLDPQTN SSQIKDEFQT 1260 45 50 LLGYRQVAF, ENPEADPI VIICSAUAGRI GCFIADIML DIMENSOV DIREVALERA 1200
QRVNLVQTEE QYVFVHDAIL EACLCGNTAI PYCEFRSLYY NISRLDPQTN SSQIKDEFQT 1260
LNIVTRVRP EDCSIGLLPR NHDKNRSMDV LPLDRCLPFL ISVDGESSNY INAALMDSHK 1320
QPAAFVVTQH PLPNTVADFW RLVFDYNCSS VVMLNEMDTA QFCMQYWPEK TSGCYGPIQV 1380
EFVSADIDED IIHRIFRICN MARPQDGYRI VQHLQYIGWP AYRDTPPSKR SLLKVVRRLE 1440
KWQEQYDGRE GRTVVHCLNG GGRSGTFCAI CSVCEMIQQQ NIIDVFHIVK TLRNNKSNMV 1500 55

Seq ID NO: 99 DNA sequence NM\_002988.1 Nucleic Acid Accession #: Coding sequence: 71-340 (underlined sequences correspond to start and stop codons)

31 41 CCGGCACGAG AGGAGTTGTG AGTTTCCAAG CCCCAGCTCA CTCTGACCAC TTCTCTGCCT 60 CCGGCACGATG AGGAGTTG AGTTICAAG CUCCAGCICA CICTACCA TICTICCC 120
GCCCAGCATC ATGAAGGCC TTGCAGCTGC CCTCCTTGTC CTCGTCTGCA CCATGGCCCT 120
CTGCTCCTGT GCACAAGTTG GTACCAACAA AGAGCTCTGC TGCCTCGTCT ATACCTCCTG 180
GCAGATTCCA CAAAAGTTCA TAGTTGACTA TTCTGAAACC AGCCCCCAGT GCCCCAAGCC 240
AGGTGTCATC CTCCTAACCA AGAGAGGCCG GCAGATCTGT GCTGAACCCA ATAAGAAGTG 300
GGTCCAGAAA TACATCAGCG ACCTGAAGCT GAATGCCTGA GGGCCTGGA AGCTGCAGGC
GCCCAGTGAA CTTGGTGGGC CCAGGAGGGA ACAGGAGCCT GAGCCAGGGC AATAAGAAGTA 400 70 CCACCCTGGA GGCCACCTCT TCTAAGAGTC CCATCTGCTA TGCCCAGCCA CATTAACTAA 480
CTTTAATCTT AGTTTATGCA TCATATTTCA TTTTGAAATT GATTTCTATT GTTGAGCTGC 540
A1TATGAAAT TAGTATTTTC TCTGACATCT CATGACATTG TCTTTATCAT CCTTTCCCCT 600 75

WO 02/059377



Seq ID NO: 103 DNA sequence


NM\_001565.1 Nucleic Acid Accession #: Coding sequence: 67-363 (underlined sequences correspond to start and stop codons) 31 5 GAGACATTCC TCAATTGCTT AGACATATTC TGAGCCTACA GCAGAGGAAC CTCCAGTCTC 60 AGCACCATGA ATCAAACTGC GATTCTGATT TGCTGCCTTA TCTTTCTGAC TCTAAGTGGC 120
ATTCAAGGAG TACCTCTCT TAGAACCGTA CGCTGTACCT GCATCAGCAT TAGTAATCAA 180 CCTGTTAATC CAAGGTCTTT AGAAAAACTT GAAATTATTC CTGCAAGCCA ATTTTGTCCA 240 CGTGTTGAGA TCATTGCTAC AATGAAAAAG AAGGGTGAGA AGAGATGTCT GAATCCAGAA 300 TCGAAGGCCA TCAAGAATTT ACTGAAAGCA GTTAGCAAGG AAATGTCTAA AAGATCTCCT 360 10 TAAAACCAGA GGGGAGCAAA ATCGATGCAG TGCTTCCAAG GATGGACCAC ACAGAGGCTG 420 CCTCTCCCAT CACTTCCCTA CATGGAGTAT ATGTCAAGCC ATAATTGTTC TTAGTTTGCA 480 GTTACACTAA AAGGTGACCA ATGATGGTCA CCAAATCAGC TGCTACTACT CCTGTAGGAA 540 GGTTAATGTT CATCATCCTA AGCTATTCAG TAATAACTCT ACCCTGGCAC TATAATGTAA 600
GCTCTACTGA GGTGCTATGT TCTTAGTGGA TGTTCTGACC CTGCTTCAAA TATTTCCCTC 660
ACCTTTCCCA TCTTCCAAGG GTACTAAGGA ATCTTTCTGC TTTGGGGTTT ATCAGAATTC 720 15 TCAGAATCTC AAATAACTAA AAGGTATGCA ATCAAATCTG CTTTTTAAAG AATGCTCTTT 780
ACTTCATGGA CTTCCACTGC CATCCTCCCA AGGGGCCCAA ATTCTTTCAG TGGCTACCTA 840
CATACAATTC CAAACACATA CAGGAAGGTA GAAATATCTG AAAATGTATG TGTAAGTATT 900 20 CTTATTTAAT GAAAGACTGT ACAAAGTATA AGTCTTAGAT GTATATATTT CCTATATTGT 960
TTTCAGTGTA CATGGAATAA CATGTAATTA AGTACTATGT ATCAATGAGT AACAGGAAAA 1020
TTTTAAAAAT ACAGATAGAT ATATGCTCTG CATGTTACAT AAGATAAATG TGCTGAATGG 1080 TTTTCAAATA AAAATGAGGT ACTCTCCTGG AAATATTAAG 25 Seq ID NO: 104 Protein sequence:
Protein Accession #: NP\_001556.1 31 41 30 MNOTAILICC LIFLTLSGIQ GVPLSRTVRC TCISISNQPV NPRSLEKLEI IPASQFCPRV 60 EIIATMKKKG EKRCLNPESK AIKNLLKAVS KEMSKRSP Seg ID NO: 105 DNA sequence 35 Nucleic Acid Accession #: NM 015068.1 Coding sequence: 1170-2243 (underlined sequences correspond to start and stop codons) 41 51 31 40 GTAACAACCG TCACCCTGGG TCCCGACTGC CCACCTCCTC CTCCTCCCCC TCCCCCCAAC 60 ACCAACAAC ACAACAACTC CAAGCACACC GGCCATAAGA GTGCGTGTGT CCCCAACATG 120
ACCAACAAC ACAACAACTC CAAGCACACC GGCCATAAGA GTGCGTGTGT CCCCAACATG 120
ACCGAACGAA GAAGGGACGA GCTCTCTGAA GAGATCAACA ACTTAAGAGA GAAGGTCATG 180 AAGCACTCGG AGGAGAACAA CAACCTGCAG AGCCAGGTGC AGAAGCTCAC AGAGGAGAAC 240
ACCACCCTTC GAGAGCAAGT GGAACCCACC CCTGAGGATG AGGATGATGA CATCGAGCTC 300
CGCGGTGCTG CAGCAGCTGC TGCCCCACCC CCTCCAATAG AGGAAGAGTG CCCAGAAGAC 360 45 CTCCCAGAGA AGTTCGATGG CAACCCAGAC ATGCTGGCTC CTTTCATGGC CCAGTGCCAG 420 ATCTTCATGG AAAAGAGCAC CAGGGATTTC TCAGTTGATC GTGTCCGTGT CTGCTTCGTG 480 ACAAGCATGA TGACCGGCCG TGCTGCCCGT TGGGCCTCAG CAAAGCTGGA GCGCTCCAC 540
TACCTGATGC ACAACTACCC AGCTTTCATG ATGGAAATGA AGCATGTCTT TGAAGACCCT 600
CAGAGGCGAG AGGTTGCCAA ACGCAAGATC AGACGCCTGC GCCAAGGCAT GGGGTCTGTC 660 CAGAGGCGAG AGGTTGCCAA ACGCAAGATC AGACCCTGC GCCAAGGCAT GGGGTCTGTC 660
ATCGACTACT CCAATGCTTT CCAGATGATT GCCCAGGACC TGGATTGGAA CGAGCCTGCG 720
CTGATTGACC AGTACCACGA GGGCCTCAGC GACCACATTC AGGAGGACT CTCCACCTC 780
GAGGTCGCCA AGTCGCTGTC TGCTCTGATT GGCCAGTCA TTCACATTGA GAGAAGGCTG 840
GCCAGGGCTG CTGCAGCTCG CAAGCCACGC TCGCACCCC GGGCGCTGGT GTTGCCTCAC 900
ATTGCAAGCC ACCACCAGGT AGATCCAACC GAGCCGTGG GAGGTGCCCG CATGCCCCTG 960
ACGCAGGAGA AAAAAGAAAG ACGCAGAAAG CTGAACCTGT GCCTCTACTG TGGAACAGGA 1020
GGTCACTACG CTGACAATTG TCCTGCCAAG GCCTCAAAGT CTTCGCCGGC GGGAAACTCC 1080
CCGGCCCCGC TGTAGAGGGA CCTTCAGCGA CCGGCCCAGA AATAATAAAGG TCCCCACAAG 1140
ATGATGCCTC ATCTCCACAC TTGCAAGTGA TGCTCCAGAT TCATCTTCCG GGCAGACACA 1200
CCCTGTTCGT CCGAGCCATG ATCGATTCTG GTGCTTCTGG CAACTTCATT GATCACGAAT 1260
ATGATTGCTCA AAATGGAATT CCTCTAAGAA TCAAGGACTG GCCAATACTT GTGGAAGCAA 1220
TTGATGGGGC CCCCATAGCA TCGGGCCCCAG TTGTCACGAA CCTCACTACTT TGGAAGCAA 1220
ACCTGGGGGG CCCCATAGCA TCGGGCCCGAG TTGTCACGAA ACTCACACA CTGATAGTTG 1380
ACCTGGGAGA TCACCGAGAG GTGCTGTAT TTGATGTGAC TCAGTCCCA TTCTTCCCTG 1440
TCGTCCTAGG GGTTCCGTGG CTGAGCACAC ATGATCCCAA TATCACATGA AGCACTCGAT 1500
CTATCGTCTT TGATTCTGAA TACTGCCGCT ACCACTGCCGC GATTATTCT CCAATACTCG T550
CATCGCTCCC ACCACCAGCA CACAACCGC CACTCTATTA TCCAATAGAT GGATACAGAG 1620 50 55 60

CATCGCTCC ACCACCAGCA CCACAACGC CACTCTATTA TCCAGTAGAT GGATACAGAG 1620
TTTACCAACC AGTGAGGTAT TACTATGTCC AGAATGTGTA CACTCCAGTA GATGAGCACG 1680
TCTACCCAGA TCACCGCCTG GTTGACCCTC ACATAGAAAT GATACCTGGA GCACACAGTA 1740
TTCCCAGTGG ACATGTGTAT TCACTGTCCG AACCTGAAAT GGAGCTCTT CGAGATTTTG 1800
TGGCAAGAAA TGTAAAAGAT GGGCTAATTA CTCCAACGAT TGCACCTAAT GGAGCCCAG 1860

65

70

WO 02/059377



70 Protein Accession #: NP\_055883.1

LARAAAARKP RSPPRALVLP HIASHHQVDP TEPVGGARMR LTQEEKERRR KLNLCLYCGT 300 GGHYADNCPA KASKSSPAGN SPAPL

5 Seq ID NO: 107 DNA sequence
Nucleic Acid Accession #: NM\_003679.1
Coding sequence: 47-1507(underlined sequences correspond to start and stop codons)

21 31 41 51

10 GGCACGAGCA GAAGCAACAA TAATTGTGAA AAATACTTCA GCAGTT<u>ATG</u>G ACTCATCTGT CATTCAAAGG AAAAAAGTAG CTGTCATTGG TGGTGGCTTG GTTGGCTCAT TACAAGCATG 120 CTTTCTTGCA AAGAGGAATT TCCAGATTGA TGTATATGAA GCTAGGGAAG ATACTCGAGT 180 GGCTACCTTC ACACGTGGAA GAAGCATTAA CTTAGCCCTT TCTCATAGAG GACGACAAGC 240 CTTGAAAGCT GTTGGCCTGG AAGATCAGAT TGTATCCCAA GGTATTCCCA TGAGAGCAAG 300 AATGATCCAC TCTCTTTCAG GAAAAAAGTC TGCAATTCCC TATGGGACAA AGTCTCAGTA 360 15 TATTCTTCT GTAAGCAGAG AAAATCTAAA CAAGGATCTA TIGGGTGCTG CTGAGAAATA 420
CCCCAATGTG AAAATGCACAT TTAACCACAG GCTGTTGAAA TGCACGAGAAATA 480
GATCACAGTG CTTGGATCTG ACAAAGATTCC CAAAGATGTC ACTTGTGACC TCATTGTAGG 540
ATGTGATGGA GCCTATTCAA CTGTCAGATC TCACCTGATG AAGAAACCTC GCTTTGATTA 600
CAGTCAGCAG TACATTCCTC ATGGGTACAT GGAGTTGACT ATTCCACCTA AGAACGGAGA 660 20 25 GGTATTTGAT GAGTTAATGG ATAAATTCAG TAACGACCTT AGTTTGTGTC TTCCTGTGTT 1080 CTCAAGATTG AGAATCCCAG ATGATCACGC GATTTCAGAC CTATCCATGT ACAATTACAT 1140 AGAGATGCGA GCACATGTCA ACTCAAGCTG GTTCATTTTT CAGAAGAACA TGGAGAGATT 1200 30 TCTTCATGCG ATTATGCCAT CGACCTTTAT CCCTCTCTAT ACAATGGTCA CTTTTTCCAG 1260
AATAAGATAC CATGAGGCTG TGCAGCGTTG GCATTGGCAA AAAAAGGTGA TAAACAAAGG 1320
ACTCTTTTTC TTGGGATCAC TGATAGCCAT CAGCAGTACC TACCTACTTA TACACTACAT 1380 GTCACCACGA TCTTTCCTCT GCTTGAGAAG ACCATGGAAC TAGGATAGCTC ACTTCCGGAA 1440
TACAACATGT TTCCCCGCAA AGGCCGTGGA CTCCCTAGAA CAAATTTCCA ATCTCATTAG 1500
CAGGTGATAG AAAGGTTTTG TGGTAGCAAA TGCATGATT CTCTGTGACC AAAATTAAGC 1560
ATGAAAAAAA TGTTTTCCATT GCCATATTTG ATTCACTAGT GGAAGATAGT GTTCTGCTTA 1620
TAATTAAACT GAATGTAGAG TATCTCTGTA TGTTAATTGC AATTACTGGT TGGGGGGTGC 1680 35 ATTITAAAAG ATGAAACATG CAGCTITCCCT ACATTACACA CACTCAGGTT TGAGOTTOCT 1740
AACTATAAAA GTGCAATGAC TAAGATCCTT CACTTACACA CACTCAGGTT GAGTCATTCT 1740
AACTATAAAA GTGCAATGAC TAAGATCCTT CACTTCTCTG AAAGTAAGGC CCTAGATGCC 1800
TCAGGGAAGA CACTAATCAT GCCTTTTCTT TAAAAAGACAC AATAGGACTC GCAACAGCAT 1860
TGACTCAACA CCTAGGACTA AAAATCACAA CTTAACTAGC ATGTTAACTG CACTTTTCAT 1920
TACGTGAATG GAACTTACCT AACCACAGGG CTCAGACTTA CTTAGATAAAA CCAGAAATGG 1980
AAATAAGGAA TTCAGGGGAG TTCCAGAGAC TTACAAAATG AACTCATTTT ATTTTCCCAC 2040 40 45 GGTGAGATCT GGGTTCACTG CAACCTCTGC CTCCTGGGCT CAAGCAATCC TCCCACTTCA 2280 GCCTCCCAAA TAGCTGGGGC TACCATGGTA TTTTTCAGTA GAGACCGGGT CTTGCCATGC 2340 TGCCCAGGCC AGTCTCAAAC TCCTGGCCTC ATGTGATCTG CCCACCTCAG CCTCCCAAAG 2400 50 TACAGGGATT AGAGTTGTGA GCCACCGCTG CCAGCCCAGA GTTACCCTCT AAAGATAAGA 2460 AAAAGGCTAT TAATATCATA CTAAGTGAAG GACAGGAAAG GGTTTTATTC ATAAATTAAA 2520 TGTCTACATG TGCCAGAATG GAAAGGAAAC AAGGGGAGAC AACTTTTATA GAAATACAAA 2580 GCCATTACTT TATTCAATTT CAGACCCTCA GAAGCAATTT ACTAATTTAT TCTTCGACTA 2640 CATACTGCAG CAGAACCAGC AATACACTTG ATTTTTAAAA GCACATTTAG TGAAATGTTT 2700 TCTTTGGTTC ATCCTTCTTT AACAGGCTGC TGAGTCACTC AGAAATCCTT CAAACATGAT 2760 55 TCGGTTGTA GUGAAAGAA AAATAATTT ICT CTACCCCCTTTAUGT ICCTTGGCIG 2940
GGGCCCCTAT AACAAAGAC AGATTGACAA GAGAAAAACA AACATAAATT TATTAGCGGG 3000
TATATGTAAT ATATATGTGG GAAATACAGG GGAATGAGCA AATCTCAAAA GACTGGCGCTC 3060
TTAGAACTCC CTGGCTTATA TAGCATCGAC AAAGAACAGT AAATTTTTAG AGAAACAACA 3120
AAACAAAGAA AAAGAGCTTT GAGTCTGTAG GGGCAGCAAT TTGGGGGAAG CAAAATAATG 3180
GGAGTTTGCC TTGTAGAATTC CTCTGGTGGT GGTCTCCAGG CTGACAAGGA TTCAAAGTTG 3240
TCTCTGAAAC TCCTCTTTGT CATACTGCAC ATATAAAACG TCTTTTGTTT CCAACAAGAG 3300
GATTTCTTTT TCATTCTAGA ATTATCTCCT TGATAACTTG ATCAGATATA GGACATGACA 3360
CTGAATAGAG TCCAACAGTA CAAAAAAAAT TCAGTATGTT CTAGCTACTT CACACATGTG 3420
TACGCGACAG TTATTTTTAC AGTAAGGTGAT TTTCGAGAAAA AATGCATTAC GTGTTTTGTGA 3480 60 65 TACGGGACAG TTATTTTTAC AGTAAGGTAT THTGGAGAAA AATGCATTAC GTGTTTTGGA 3480
AAATAGAGTA ATTTAAAAAA TATATTTGAA ATGAAAATCT CCAACACATT AGAAGATGAT 3540
GATGTTAGAT GCCCATCGTG TGCCACACAGT GGTTTTTTCA TTATGTAAAG CACCCGTTGA 3600
ATTAAAAGAA TTTGTTTTTG TTCAACCTCT TCCTGAGGCC CAAGAGCATA TGGGCAATTC 3660
GGATTTCCTG CTGGACCACA AGGTTCTGTT GATATTACAT AGAAACGGGT ATTCCAGACA 3720
CTTCTTATGA TGAAAGTCCA AAAGTGGCAT CCAATTTAAG GCCCCATCTT TCGTTGCCAT 3780 70 TCTTCATTCC TACAAAGGAC GAACTTGGAT TACATCAACT TTGGTACCAT 3780
GCTGTCGTCA ACTGACAGTG ATTCACCACT GGTGATGATA AAAATGATGG AAGAAGAGTT 3900
GAAAGTCACT TITTTCTTTG GCCTGTCCCC ATCTTTCTGT GACATCACAA TGGGTCTGAT 3900
GAAAGTCACT TITTTCTTTG GCCTGTCCCC ATCTTTCTGT GACACTCACAA TGGGTCTGAT 3900
CTGCATTTCA CTTCCAGCAGTG CTGGTAGGTC TTTAGCAGGC CTCTGGCACC TCAGCAGTCG 4020
GAGGCACAGA AGCTGCAAAA GGGATCTTCG AAACTGGGCA GAGAAAAAAT AAAGTGGAAT 4080 75


WO 02/059377

ATTAAGTAAA AGTTGGGCAC TAATCTGGAT TAACATTCGA GGAAATCAGT TGAGCTGATT 4140
TAAGTTGTTT TTTGTTTGTT AGCAGGTGTG GATGTGGGGT TATGTGGTCA TGCTCAGATC 4200
TACCTAAATC ACCCCAGAGC TTTATGTCTT TTATTCATTC TAAATCTTAT TAACCGGAAT 4260
ATGTAGGACC ATTTCAATAC CTTGTAATCC TCCAAGCTTC AATCTGCACA CACTTTCTAT 4320
GAGGGCAGGT ACAACTATTA AGAGATTTTG AACATTAAGT TAGTCCACAA ATATTCAGTG 4380
GGCATCTACT AGGTGACAGC CACTGTGCTA TAATTAGAGA CTTTTTACTA TAAGCATCAA 4440
AAACAGATAA GGCTCTTCCT GGCAGAGGTTT ACAGCCTGGT GTACTTGCTA ATGTCTCTTT 4500
AATTAGGTGA AGAATTTTTT TTTTCTATCG AAATTACTAA TCAGTTGGGA AAAAAAATAC 4560
TATAGCAGAC AGCACTAATG TCATCAACAA ACATTGTTCT TCTCCGTGTC CTGGGTACAA 4620
CATCGAAATAA TATTTCTTGG CCTCCTTTCC GCTTCTCCTC TCTGCTGTTC CTCTCACAA 4680
GAACCTGGGA GGCCAACGCC TAAAGATCAT AATATCACAA TGGAAGGAAC CTAGATTCCT 4740
AAATGACTGC ATAGGACAGA TCCCATCTCC TCCACCCAAT ACATTATTAG ACTGAACTGT 4800
GACCTGAAAT GAGCAATAAA CTCTGTATTA ATTCACTGAA ATGTTAGTGT TCTTGTTTAT 4860
AGTAGTCGGT CCATCATGAC CAGTAAAAAC TAAATCAAAA GTTAATGTAA TTGTTTATCC 4920
ATTATTTAGA GCGAAATAAA TGTTGAATAT ATGGACTTIC TCAGGATTAGG AAATAACCAAT 4980
TAAAAAATATA ATAAATAGCT TAAAAATATA ATAAATAGCT Seq ID NO: 108 <u>Protein sequence:</u>
Protein Accession #: NP\_003670.1 Seq ID NO: 109 DNA sequence NM\_006115.1 Nucleic Acid Accession Coding sequence: 236-1765 (underlined sequences correspond to start and stop codons) 

TGTTGAAAAT AAAGAGAAGC AATGTGAAGC AAAAAAAAA AAAAAAAA

WO 02/059377

11 21 31 41



WO 02/059377

15

AQLVTGTSFS GPTVGMAIQN SICSPDFSGG VNMDHSTSIL GVASSIAHEL GHSLGLDHDL 360 AQLVTGTSFS GPTVGMAIQN SICSPDFSGG VNMDHSTSIL GVASSIAHEL GHSLGLDHDL 360
PGNSCPCPGP APAKTCIMEA STDFLPGLNF SNCSRRALEK ALLDGMGSCL FERLPSLPPM 420
AAFCGNMFVE PGEQCDCGFL DDCVDPCCDS LTCQLRPGAQ CASDGPCCQN CQLRPSGWQC 480
RPTRGDCDLP EFCPGDSSQC PPDVSLGDGE PCAGGQAVCM HGRCASYAQQ CQSLWGPGAQ 540
PAAPLCLQTA NTRGNAFGSC GRNPSGSYVS CTPRDAICGQ LQCQTGRTQP LLGSIRDLLW 600
PAAPLCLQTA NTRGNAFGSC GRNPSGSYVS CTPRDAICGQ LQCQTGRTQP LLGSIRDLLW 600
ETIDVNGTEL NCSWVHLDLG SDVAQPLLTL PGTACGPGLV CIDHRCQRVD LLGAQECRSK 660
ETIDVNGTEL NCSWVHLDLG SDVAQPLLTL PGTACGPGLV CIDHRCQRVD LLGAQECRSK 660
CHGHGVCDSN RHCYCEEGWA PPDCTTQLKA TSSLTTGLLL SLLVLLVLVM LGAGYWYRAR 720
LHQRLCQLKG PTCQYRAAQS GPSERPGPPQ RALLARGTKS QGPAKPPPPR KPLPADPQGR 780 5 CPSGDLPGPG AGIPPLVVPS RPAPPPPTVS SLYL 10 Seq ID NO: 113 DNA sequence NM 002416 Nucleic Acid Accession

Coding sequence: 40-417 (underlined sequences correspond to start and stop codons)

41 31

Seq ID NO: 114 Protein sequence:
Protein Accession #: NP\_002407

60

TATCAATAAA TAGACCATTA ATCAG

31 41 51 65

70 Seq ID NO: 115 DNA sequence NM\_003238.1 Nucleic Acid Accession #: Coding sequence: 182-1426 (underlined sequences correspond to start and stop codons)

75 CAAGCAGGAT ACGITITICT GITGGGCATT GACTAGATTG TITGCAAAAG TITCGCATCA 60 AAAACAAACA ACAACAACAA AAAACCAAAC AACTCTCCTT GATCTATACT TTGAGAATTG 120

PCT/US02/02242 WO 02/059377

TTGATTTCTT TTTTTTTATT CTGACTTTTA AAAACAACTT TTTTTTCCAC TTTTTTAAAA 180 AATGCACTAC TGTGTGCTGA GCGCTTTTCT GATCCTGCAT CTGGTCACGG TCGCGCTCAG 240
CCTGTCTACC TGCAGCACAC TCGATATGGA CCAGTTCATG CGCAAGAGGA TCGAGGCGAT 300 CCGCGGGCAG ATCCTGAGCA AGCTGAAGCT CACCAGTCCC CCAGAAGACT ATCCTGAGCC 360
CGAGGAAGTC CCCCCGGAGG TGATTTCCAT CTACAACAGC ACCAGGGACT ATCCTCAGGA 420
GAAGGCGAGC CGGAGGGCGG CCGCCTGCGA GCGCGAGAGG AGCGACGAAG AGTACTACGC 480 5 CAAGGAGGTT TACAAAATAG ACATGCCGCC CTTCTTCCCC TCCGAAAATG CCATCCCGCC 540 CACTITICTAC AGACCCTACT TCAGAATTGT TCGATTTGAC GTCTCAGCAA TGGAGAAGAA
TGCTTCCAAT TTGGTGAAAG CAGAGTTCAG AGTCTTTCGT TTGCAGAACC CAAAAGCCAG 10 AGTGCCTGAA CAACGGATTG AGCTATATCA GATTCTCAAG TCCAAAGATT TAACATCTCC 720 AACCCAGCGC TACATCGACA GCAAAGTTGT GAAAACAAGA GCAGAAGGCG AATGGCTCTC 780
CTTCGATGTA ACTGATGCTG TTCATGAATG GCTTCACCAT AAAGACAGGA ACCTGGGATT 840
TAAAATAAGC TTACACTGTC CCTGCTGCAC TTTTGTACCA TCTAATAATT ACATCATCCC 900 AAATAAAAGT GAAGAACTAG AAGCAAGATT TGCAGGTATT GATGGCACCT CCACATATAC 960 CAGTGGTGAT CAGAAAACTA TAAAGTCCAC TAGGAAAAAA AACAGTGGGA AGACCCCACA 1020 TCTCCTGCTA ATGTTATTGC CCTCCTACAG ACTTGAGTCA CAACAGACCA ACCGGCGGAA 1080 15 GAAGCGTGCT TTGGATGCGG CCTATTGCTT TAGAAATGTG CAGGATAATT GCTGCCTACG 1140
TCCACTTAC ATTGATTCA AGAGGGATCT AGGGTGGAAA TGGATACACG AACCCAAAGG 1200 GTACAATGCC AACTTCTGTG CTGGAGCATG CCCGTATTTA TGGAGTTCAG ACACTCAGCA 1260 20 CAGCAGGGTC CTGAGCTTAT ATAATACCAT AAATCCAGAA GCATCTGCTT CTCCTTGCTG 1320 CGTGTCCCAA GATTTAGAAC CTCTAACCAT TCTCTACTAC ATTGGCAAAA CACCCAAGAT 1380 TGAACAGCTT TCTAATATGA TTGTAAAGTC TTGCAAATGC AGCTAAAATT CTTGGAAAAG 1440 TGGCAAGACC AAAATGACAA TGATGATGAT AATGATGATG ACGACGACAA CGATGATGCT 1500 TGTAACAAGA AAACATAAGA GAGCCTTGGT TCATCAGTGT TAAAAAAATTT TTGAAAAGGC 1560 25 GGTACTAGTT CAGACACTTT GGAAGTTTGT GTTCTGTTTG TTAAAACTGG CATCTGACAC 1620 AAAAAAAGTT GAAGGCCTTA TTCTACATTT CACCTACTTT GTAAGTGAGA GAGACAAGAA 1680 GCAAATTTTT TTAAA Seq ID NO: 116 Protein sequence:
Profein Accession #: NP\_003229.1 30 21 31 41 51 MHYCVLSAFL ILHLVTVALS LSTCSTLDMD QFMRKRIBAI RGQILSKLKL TSPPEDYPEP 60 EEVPPEVISI YNSTRDLLQE KASRRAAACE RERSDEBYYA KEVYKIDMPP FFPSENAPP 120 35 TFYRPYFRIV RFDVSAMEKN ASNIVAKAER VFELQNFKAR VPEQRIELYQ ILKSKDLTSP 180
TQRYIDSKVV KTRAEGEWLS FDVTDAVHEW LIHIKDRNLGF KISLHCPCCT FVPSNNYIIP 240
NKSEELEARF AGIDGTSTYT SGDQKTIKST RKKNSGKTPH LLLMLLPSYR LESQQTNRRK 300
KRALDAAYCF RNVQDNCCLR PLYIDFKRDL GWKWIHEPKG YNANFCAGAC PYLWSSDTQH 360
SRVLSLYNTI NPEASASPCC VSQDLEPLTI LYYIGKTPKI EQLSNMIVKS CKCS 40 Seq ID NO: 117 DNA sequence NM 000095.1 Nucleic Acid Accession #: Coding sequence: 26-2299 (underlined sequences correspond to start and stop codons) 45 31 CAGCACCCAG CTCCCCGCCA CCGCCATGGT CCCCGACACC GCCTGCGTTC TTCTGCTCAC 60 CCTGGCTGCC CTCGGCGCGT CCGGACAGGG CCAGAGCCCG TTGGGCTCAG ACCTGGGCCC 120 50 GCAGATGCTT CGGGAACTGC AGGAAACCAA CGCGGCGCTG CAGGACGTGC GGGACTGGCT 180 GCAGAIGCTI CAGGAACCIA COCAGACCA COCAGCATO CAGGACTAC GAGACTAC CAGGACTAC CAGACTAC CAGA 55 GGCTTGCCCG CCGGGGTACA GCGGCCCCAC CCACCAGGGC GTGGGGCTGG CTTTCCCCAA \$40 GGCCAACAAG CAGGTTTGCA CGGACATCAA CGAGTGTGAG ACCGGGCAAC ATAACTGCGT 600 CCCCAACTCC GTGTGCATCA ACACCCGGGG CTCCTTCCAG TGCGGCCCGT GCCAGCCCGG 660 CTTCGTGGGC GACCAGGCGT CCGGCTGCCA GCGCGCGCA CAGCCCTTCT GCCCCGACGG 720 CTCGCCCAGC GAGTGCCACG AGCATGCAGA CTGCGTCCTA GAGCGCGATG GCTCGCGGTC 780 GTGCGTGTGT CGCGTTGGCT GGGCCGGCAA CGGGATCCTC TGTGGTCGCG ACACTGACCT 840 60 AGACGGCTTC CCGGACGAGA AGCTGCGCTG CCCGGAGCCG CAGTGCCGTA AGGACAACTG 900 CGTGACTGTG CCCAACTCAG GGCAGGAGGA TGTGGACCGC GATGGCATCG GAGACGCCTG 960 CGATCCGGAT GCCGACGGGG ACGGGGTCCC CAATGAAAAG GACAACTGCC CGCTGGTGCG 1020 CGATCCGGAT GCCGACGGGG ACGGGGTCCC CAATGAAAAG GACAACTGCC CGCTGGTGCG 1020
GAACCCAGAC CAGCGCAACA CGGACGAGGA CAAGTGGGGC GATGCGTGCG 1080
GTCCCAGAAG AACGACGACC AAAAGGACAC AGGACCAGGAC GGCCGGGGCG ATGCGTGCGA 1140
CGACGACATC GACGGCGACC GGATCCGCAA CCAGGCCGAC AACTGCCCTA GGGTACCCAA 1200
CTCAGACCAC AAGGACAGTG ATGGCGATGG TATAGGGGAT GCCTGTGACA ACTGTCCCCA 1260
GAAGAGCAAC CCGGATCAGG CGGATGTGGA CCACGACTTT GTGGGAGATG CTTGTGACAG 1320
CGATCAAGAC CAGGATGGAG ACGGACATCA GGACTCTCGG GACAACTGC CCACGGTGCC 1380
TAACAGTGCC CAGGAGGACT CAGACCACGA TGGCCAGGTG GATGCCTGCG ACGACGACGA
CGACCAATGAC GGACTCCCTG ACAGTCCGGA CAACTGCCCCC CTGGTGCCTA ACCCCCGGCCA 1560
CGACGAAGCGC GAAAGGACCA GGGTGGCGACACTGTGCCCAG GACGACCACAA 1560 65

70

WO 02/059377

GGATGACGAC TATGCGGGCT TCATCTTTGG CTACCAGGAC AGCTCCAGCT TCTACGTGGT 1860 CATGTGGAAG CAGATGGAGC AAACGTATTG GCAGGCGAAC CCCTTCCGTG CTGTGGCCGA 1920 GCCTGGCATC CAACTCAAGG CTGTGAAGTC TTCCACAGGC CCCGGGGAAC AGCTGCGGAA 1980 CGCTCTGTGG CATACAGGAG ACACAGAGTC CCAGGTGCGG CTGCTGTGA AGGACCCGCG 2040 AAACGTGGGT TGGAAGGACA AGAAGTCCTA TCGTTGGTTC CTGCAGCACC GGCCCCAAGT 2100 GGGCTACATC AGGGTGCGAT TCTATGAGGG CCCTGAGCTG GTGGCCGACA GCAACGTGGT 2160 CTTGGACACA ACCATGCGGG GTGGCCGGCC TGGGGTTTCT TCCTTCTCCC AGGAGAACAT 2220 CATCTGGGCC AACCTGCGTT ACCGCTGCAA TGACACCATC CCAGAGGACT ATGAGACCCA 2280 TCAGCTGCGG CAAGCCTAGG GACCAGGGTG AGGACCCGCC GGATGACAGC CACCTCACC 2340 GCCGCTGGAT GGGGGCCTCTG CACCCAGCCC AAGGGGTGGC CGTCCTGAGG GGGAAGTGAG 2400 AAGGGCTCAG AGAGGACAAA ATAAAGTGTG TGTGCAGGG 

Seq ID NO: 118 Protein sequence:
NP\_000086.1

Seq ID NO: 119 DNA sequence NM 014211 Nucleic Acid Accession # Coding sequence: 157-1479 (underlined sequences correspond to start and stop codons)

WO 02/059377

AAAGTACTGG GTTGACTCAG AGAGTCGCTG TCATTCTGTC ATTGCTGCTA CTCTAACACT 2460 GAGCAACACT CTCCCAGTGG CAGATCCCCT GTATCATTCC AAGAGGAGCA TTCATCCCTT 2520 TGCTCTAATG ATCAGGAATG ATGCTTATTA GAAAACAAAC TGCTTGACCC AGGAACAAGT 2580 GGCTTAGCTT AAGTAAACTT GGCTTTGCTC AGATCCCTGA TCCTTCCAGC TGGTCTGCTC 2640
TGAGTGGCTT ATCCCGCATG AGCAGGAGCG TGCTGGCCCT GAGTACTGAA CTTTCTGAGT 2700
AACAATGAGA CACGTTACAG AACCTATGTT CAGGTTGCGG GTGAGCTGCC CTCTCCAAAT 2760 5 CCAGCCAGAG ATGCACATTC CTCGGCCAGT CTCAGCCAAC AGTACCAAAA GTGATTTTTG 2820
AGTGTGCCAG GGTAAAGGCT TCCAGTTCAG CCTCAGTTAT TTTAGACAAT CTCGCCATCT 2880
TTAATTTCTT AGCTTCCTGT TCTAATAAAT GCACGGCTTT ACCTTTCCTG TCAGAAATAA 2940 ACCAAGGCTC TAAAAGATGA TTTCCCTTCT GTAACTCCCT AGAGCCACAG GTTCTCATTC 3000 CITTTCCCAT TATACTTCTC ACAATTCAGT TTCTATGAGT TTGATCACCT GATTTTTTTA 3060 10 ACAAAATATT TCTAACGGGA ATGGGTGGGA GTGCTGGTGA AAAGAGATGA AATGTGGTTG 3120 -TATGAGCCAA TCATATTTGT GATTTTTTAA AAAAAGTTTA AAAGGAAATA TCTGTTCTGA 3180 AACCCCACTT AAGCATTGTT TTTATATAAA AACAATGATA AAGATGTGAA CTGTGAAATA 3240 AATATACCAT ATTAGCTACC CACC

Seq ID NO: 120 <u>Protein sequence:</u>
Protein Accession #: NP\_055026.1

LFPLIFMLAN VFYWAYYMYF

30

20 21 31 41 MNYSLHLAFV CLSLFTERMC IQGSQFNVEV GRSDKLSLFG FENLTAGYNK FLRPNFGGEP 60 VQIALTLDIA SISSISESNM DYTATIYLRQ RWMDQRLVFE GNKSFTLDAR LVEFLWVPDT 120 YIVESKKSFL HEVTVGNRLI RLFSNGTVLY ALRITTTVAC NMDLSKYPMD TQTCKLQLES 180 WGYDGNDVEF TWLRGNDSVR GLEHLRLAQY TIERYFTLVT RSQQETGNYT RLVLQFELRR 240 NVLYFILETY VPSTFLVVLS WVSFWISLDS VPARTCIGVT TVLSMTTLMI GSRTSLENTN 300 25 CFIKADVYL GICFSFVFGA LLEYAVAHYS SLQQMAAKDR GTTKEVEEVS ITNIINSSIS 360 SFKRKISFAS IEISSDNVDY SDLTMKTSDK FKFVFREKMG RIVDYFTIQN PSNVDHYSKL 420

Sea ID NO: 121 DNA sequence NM\_001854 Nucleic Acid Accession #: Coding sequence: 163-5582 (underlined sequences correspond to start and stop codons)

41

35 ု AACCATCAAA TTTAGAAGAA AAAGCCCTTT GACTTTTTCC CCCTCTCCCT CCCCAATGGC 60 40 CTAAAGGCTC AGATACTGCT TACAGAGTTT CAAAGCAAGC ACAACICAGT GCCCCAACAA 480
AACAGTTATT TCCAGGTGGA ACTTTCCCAG AAGACTTTC AATACTATT ACAGTAAAAC 480
CAAAAAAAGG AATTCAGTCT TTCCTTTTAT CTATATATAA TGAGCATGGT ATTCAGCAAA 540
TTGGTGTTGA GGTTGGGAGA TCACCTGTTT TTCTGTTTGA AGACCACCT GGAAACCTG 600
CCCCAGAAGA CTATCCCCTC TTCAGAACTG TTAACATCGC TGACGGGAAG TGGCATCGGG 660
TAGCAATCAG CGTGGAGAAG AAAACTGTGA CAATGATTGT TGATTGTAAG AAGAAAACCA 720
CGAAACCACT TGATAGAAGT GAGAGAGCAA TTGTTGATAC CAATGAATC ACGGTTTTTG 780
GAACAAGGAT TTTGGATGAA GAAGTTTTTG AGGGGGACAT TCAGCAGTTT TTGATCACAG 840
CTGATCCCAA GGCATCATAT GACTACTGTG AGCATTATAG TCCAGCACTGT GACTCTTCAG 900
CACCCAAGGC TGCTCAAGCT CAAGGAACCTC AGGATATGATGA GATATGATCAC AGGGATATTAA 960 45 50 CACCCAAGGC TOCTCAAGCT CAGGAACCTC AGATAGATGA GTATGCACCA GAGGATATAA 960
TCGAATATGA CTATGAGTAT GGGGAAGCAG AGTATAAAGA GCCTGAAAGT GTAACAGAGG 1020
GACCCACTGT AACTGAGGAG ACAATAGCAC AGACGGAGGC AAACATCGTT GATGATTTTC 1080 AAGAATACAA CTATGGAACA ATGGAAAGTT ACCAGACAGA AGCTCCTAGG CATGTTTCTG 1140 GGACAAATGA GCCAAATCCA GTTGAAGAAA TATTTACTGA AGAATATCTA ACGGGAGAGG 1200 ATTATGATTC CCAGAGGAAA AATTCTGAGG ATACACTATA TGAAAACAAA GAAATAGACG 1260 55 ATTATGATTC CCAGAGGAAA AATTCTGAGG ATACACTATA TGAAAACAAA GAAATAGACG 1260
GCAGGGATTC TGATCTTCTG GTAGATGGAG ATTTAGGCGA ATATGATTTT TATGAATATA 1320
AAGAATATGA AGATAAACCA ACAAGCCCC CTAATGAAGA ATATTGATCTCA GGTGTACCAG 1380
CAGAAACTGA TATTACAGAA ACAAGCCATAA ATGGCCATGG TGCATATGGA GAGAAAGGAC 1440
AGAAAGGAGA ACCAGCAGTG GTTGAGCCTG GTATGCTTGT CGAAGGACCA CCAGGACCAG 1590
CAGGACCTGC AGGTATTATG GGTCCTCCAG GTCTACAAGG CCCACTGGA CCCCTGGTG 1560
ACCCTGGCGA TAGGAGGCCC CCAGGACGTC CTGGCTTACC AGGGGCTGAT GGTCTACCTG 1620
GTCCTCCTGG TACTATGTTG ATGTTACCGT TCCGTTATGG TGGTGATGGT TCCAAAGGAC 1680
CAACCATCTC TGCTCAGGAA GCTCAGGCTC AAGCTATTCT TCAGCAGGCT CGGATTGCTC 1740
TGAGAGGCCC ACCTGGCCCA ATGGGTCTAA CTGGAAGACC AGGTCCTCTTG GGGGGGCCTG 1800
GTTCATCTGG GGCCAAAGGT GAGAGTGGTG ATCCAGGTCC TCAGGGCCCC CAGGGCCTCC 1860
AGGGTCCCCC TGGTCCAACG GGAAAACCTG GAAAAAGGGG TCCTCAGGT CAGAGTGCAG 1920
AAGAGGAAT GCC-AGGAGAA CCTGGGGCCA AGGGAGATCG AGGGTTTGAT GGACTCTCGTG 1920 60 65 GAAGAGGAAT GCCAGGAGAA CCTGGGGCAA AGGGAGATCG AGGGTTTGAT GGACTTCCGG 1980 GTCTGCCAGG TGACAAAGGT CACAGGGGTG AACGAGGTCC TCAAGGTCCT CCAGGTCCTC 2040 CTGGTGATGA TGGAATGAGG GGAGAAGATG GAGAAATTGG ACCAAGAGGT CTTCCAGGTG 2100 70 CTGGTGATGA TGGAATGAGG GGAGAAGATG GAGAAATTGG ACCAAGAGG CTCAAGGG 2160
AAGCTGGCCC ACCAAGGTTTG CTGGGTCCAA GGGGAACTCC AGGAGACTCC AGGAGCTCCA GGGCAGCCTC 2160
GTATGGCAGG TGTAGATGGC CCCCCAGGAC CAAAAGGGAA CATGGGTCCC CAAGGGGAGC 2220
CTGGGCCTCC AGGTCAACAA GGGAATCCAG GACCTCAGGG TCTTCCTTGGT CCACAAAGGTC 2280
CAATTGGTCC TCCTGGTGAA AAAGGACCAC AAGGAAAACC AGGACTTGCT GGACTTCCTG 2340
GTGCTGATGG GCCTCCTGGT CATCCTGGGA AAGAAGGCCA GTCTGGAGAA AAGGGGGCTC 2400
TGGGTCCCCC TGGTCACAA GGTCCTATTG GATNNCCGGG CCCCCGGGGA GTAAAGGGAC 2460 75

PCT/US02/02242 WO 02/059377

CAGATGGTGT CAGAGGTCTC AAGGGATCTA AAGGTGAAAA GGGTGAAGAT GGTTTTCCAG 2520
GATTCAAAGG TGACATGGGT CTAAAAGGTG ACAGAGGAGA AGTTGGTCCAA ATTGGCCCAA 2580
GAGGGNAAGA TGGCCCTGAA GGACCCAAAG GTCGAGCAGA GGTTGAGA ATTGGCCCAA 2580
CTTCAGGTCA AGCAGGAGAA AAGGGAAAAAC GTCGAGCAGGCC CCAACTGGA GACCCAGGTC 2640
CTTCAGGTCA AGCAGGAGAAA AAGGGAAAACATGGAGTTCC AGGATTACCA GGATATCCAG 2700
GAAGACAAGG TCCAAAGGGT TCCACTGGAT TCCCTGGGTT TCCAGGTGCC AATGGAGAGA 2760
AAGGTCCAC GGGAGTTAGCT GGCAAACCAG GCCCTCGGGG TCAGCGTGGT CCAACGGGTC 2820
CTCGAGGTTC AAGAGTGCCA AGAGGTCCCA CTGGGAAACC TCGGCCAAAG GGCACTTCAG 2880
GTGGCGATGG CCCTCCTGGC CCTCCAGGTG AAAGAGGTCC TCAAGGACCT CAGGGTCCAG 2940
TTGGATTCCC TGGACCAAAA GGCCTCCTG GACCACCAGG AAGGATGGCC TCCCAGGAC 3000
ACCCTGGGCA ACGTGGGGAGA ACTGGATTTC AAGGCAAGAC CGGCCCTCCT GGGCCAGGGG 3060
GACTGGTTGG ACCACAGGGA CCAACCGGTG AGACTGGTCC AATAGGGGAA CGTGGGTATC 3120
CTGGTCCTCC TGGCCCTCCT GGTGAGCAAG GTCTTCCTTGG TGCTGCAGGA AAGAAGGTG 3180
CCAAAGGGTGA TCCAAGGTCTC CAAGGTATCT CAGGGAAAGA TGGACCAGCA GGATTACGTG 3240
GTTTCCCAGG GGAAAGAGGT CTTCCTTGGAG CTCACGAGG AAAGAAGGTG 3240
AAGGTCCCCA GGCCCACCA GGTCCACTTG GTCCACGTA GAAAGAAGGTG 3360
CAGCTGGCCC AATTGGTTTA CGAGGGGCC CGGGAACCTCA GGGTCCTCCT GGTCCAGCTG 3420
CAGCTGGCCC AATTGGTTTA CGAGGGGCC CGGGACCTCA GGGTCCTCCT GGTCCAGCTG 3420
CAGCTGGCCC AATTGGTTTA CGAGGGCCC CGGGACCTCA GGGTCCTCCT GGTCCAGCTG 3420
CAGCTGGCCC AATTGGTTTA CGAGGCCCCCCCTCGG GCCCCCCCTGGG GAAGAGAGTTC 3480
AAGGTCCTGT TGGTCTCCCA GGCCCACTG GTCCCCCTGGG GAAGAGAGGTTC 3480
AAGGTCCTGT TGGTCTCCCA GGCCCACTG GTCCCCCTGGG GAAGAGAGGGG 3540
ACAACGCTCA TTGGTCTCCCA GGCCCCACTGCACGCA GGCCCCCCCCGGGACCTCA GGGCCCCCCCTGGG GAAAAAAAGGTCCCCAGGCCC ATTGGTCTCCCAGCGGAAAAAAAAGGTCCCCAGGCCC CACGGGACCTCA GGGCCCCCCCCGGGACCTCA GGGCCCCACGGGGACCTCA GGGCCCCACGGGATTC 3480
ACAACGCCCAATTGGTTAACACAAAAAAAAGGTCCCCCAAGGCCC AGGGACCTCA GGGCCCCAGGGACCTCA GGGCCCCACGGGACCCCACGGGACCCCAAGGG CAGCIGGCCC AATTGGTTTA CGAGGGGGCC CGAAGGGCC TGCAGGGAGA GATGGAGTTC 3480
GAGGAAAAGG TGCTCCTGGA GAAAAAAGGTC CCCAAGGGCC TGCAGGGAGA GATGGAGTTC 3480
AAGGTCCTGT TGGTCTCCCA GGGCCAGCTG GTCCTGCCGG CTCCCCTGGG GAAGACGGAG 3540
ACAAGGGTGA AATTGGTGAG CCGGGACAAA AAGGCAGCAA GGGTGGCAAG GGAGAAAATG 3600
GCCCTCCCGG TCCCCCAGGT CTTCAAGGAC CAGTTGGTGC CCCTGGAATT GCTGGAGGTG 3660
ATGGTGAAAC AGGTCCTAGA GGACAGCAGG GGATGTTTGG GCAAAAAAGGT GATGAGGGTG 3720
ACAGAGGCTT CCCTGGACCT CCTGGTCCAA TAGGTCTTCA GGGTCTCCCA GGCCCACCTG 3780
CCAGAGGCCTCA AGGTCCCAAT GGAGCTGTTGC CATGGGGGCC ACCTGGTCCT CCAGGCCCAA 3840
GAGGCCCTCA AGGTCCCAAT GGAGCTGATG GACCACAAGG ACCCCCAGGT TCTGTTGGTT 3900
CAGTTGGTGG TGTTGGAGAA AAGGGTGAAC CTGGAGAACC AGGAAAACCA GGGCCTCCT 3960
GGGAAGCAGG TGTAGGCGGT CCCAAAGGAG AAAAGGAGA GAAAGGGAA GCTGGTCCAC 4020
CTGGAGCTCC TGGAGATA CAGGTGCCAAGG GCCCCCCGG TGATGATGGC CCTAAGGGTA 4080
ACCCGGGTCC TGTTGGTTTT CCTGGAGATC CTGGTGCTCC TGGGGAACTT GGCCCTGCAG 4140
ACCCGGGTCC TGTTGGTTTT CCTGGAAGTC CTGGTGAGA ACCGAGGACACGAGGTCCTC 4200
CTGGCCCATC TGTTGGTTGT GACAAAGGGTG AAGATGGAGA TCCTGGTCAA CCGGGTCCTC 4200
CTGGCCCATC TGGTGAGGCT GACCACACAG GTCCTCCTGG AAAACGAAGT CCTCGTGAG 4260
CTGCAGGTGC AGAGGGAAGA CAAGGTGAAA AAGGTGAAA AACGAAGT CCTCCTGGAA 4260
CTGCAGGTGC AGAGGGAAAAACCAGC CCCACAG GTCCTCCTGG AAAACCAAGGT CCTCCTGGAA 4260
ACCCCGGTTCC AGAGGAAAACCAGC CCCACAGTGGTCA AAGGTGCAAAAGCAAGGT CCTCCTGGAAAACCAGGC C44AAGGTGCTAA CGGGGAAACAAGGT CCTCCTGGAAAACCAGCC 4480
AAGGTCTTCTGG AAAAACCGGC CCAGTCGGTC CTCAGGGAACCTGCAGAAAG CCTGCAGCCC 4480
AAGGTCTTCTGG AAAAACCGGC CCAGTCGGTC CTCAGGGAACCTGCAGAAAG CCTGCAGGCC 4480
AAGGTCTTCTGG AAAAACCGGC CCAGTCGGTC CTCAGGGAACCAAGGTCCTCCAGGAACCCTGCAGCCAAGAACAAGGTCCTCCTGGAAGAACAAGGTCCTCCTGGAACCCTGCAGCCCAGCCCACAAGGTGCCACAAGGTCCTCCTGGAACAAGGTCCTCCTGGAACCCTGCAGCCCACAGCCCACAAGGTGCCACAAGGTCCTCCTGGAACAAGGTCCTCCTGGAAACAAGATCCCTCTGGAAACACAGGTCCTCCTGGAAACAAGGTCCTCCTGGAACCCTGCAGAAACACGCCCTGCAGCCCACAGAACAAGGTCCTCCCTGGAACAAGGTCCCTGAAGAACAAGGTCCTCCTGGAACCCTGCAGAAACAGATCCCTCCTGGAACCCTGCAGAAACACAGGTCCCTGAAGAACAAGGTCCTCCAAGGAACAAGGTCCTCCCTGGAACACCTCCTGAGCCTCCTCAACCCTTCAAACCCTCCTTGGA TTTCTTTGGT TAATGATGAA ATTCCTTTGT GTGTGTTT

Seq ID NO: 122 Protein sequence:
Protein Accession #: NP 001845 Protein Accession #:


MEPWSSRWKT KRWLWDFTVT TLALTFLFQA REVRGAAPVD VLKALDFHNS PEGISKTTGF 60
MEPWSSRWKT KRWLWDFTVT TLALTFLFQA REVRGAAPVD VLKALDFHNS PEGISKTTGF 60
CTNRKNSKGS DTAYRVSKQA QLSAPTKQLF PGGTFPEDFS ILFTVKPKKG IQSFLLSIYN 120
EHGIQQIGVE VGRSPYFLFE DHTGKPAFED YPLFRTVNIA DGKWHRVAIS VEKKTVTMIV 180
DCKKKTTKPL DRSERAIVDT NGITVFGTRI LDEEVFEGDI QOFLITGDPK AAYDVCEHYS 240
PDCDSSAPKA AQAQEPQIDE YAPEDIIEYD YEYGEAEVKE AESVTEGFTV TEETIAQTEA 300
NIVDDFQEYN YGTMESYQTE APRIVSGTNE PNPVEEIFTE EYLTGEDYDS QRKNSEDTLY 360
NIVDDFQEYN YGTMESYQTE APRIVSGTNE PNPVEEIFTE EYLTGEDYDS QRKNSEDTLY 360
ENKEIDGRDS DLLVDGDLGE YDFYEYKEYE DKPTSPPNEE FGPGVPAETD ITETSINGHG 420
AYGEKGQKGE PAVVEPGMLV EGPPGPAGPA GIMGPPGLQG PTGPPGDPGD RGPPGRPGLP 480 

WO 02/059377


GADGLPGPPG TMLMLPFRYG GDGSKGPTIS AQEAQAQAIL QQARIALRGP PGPMGLTGRP 540 GPVGGPGSSG AKGESGDPGP GGPRGVGGPP GPTGKPGKRG RPGADGRGM PGEPGAKGDR 600
GPDGLPGLPG DKGHRGERGP QGPRGVQGPP GPTGKPGKRG RPGADGRGM PGEPGAKGDR 600
GFDGLPGLPG DKGHRGERGP QGPPGPPGDD GMRGEDGEIG PRGLPGEAGP RGLLGPRGTP 660
GAPGQPGMAG VDGPPGPKGN MGPQGEPGPP GQQGNPGPQG LPGPQGPIGP PGEKGPQGKP 720
GLAGLPGADG PPGHPGKEGQ SGEKGALGPP GPQGPIGKPG PKGKADGV RGLKGSKGEK 780
GEDGPPGFKG DMGLKGDRGE VGQIGPRGXD GPEGFKGRAG PTGDPGPSGQ AGEKGKLGVP 840
GLPGYPGRQG PKGSTGFPGF PGANGEKGAR GVAGKPGPRG ORGPTGPRGS RGARGFTGKP 900 GPKGTSGGDG PPGPPGERGP QGPQGPVGFP GPKGPPGPPG RMGCPGHPGQ RGETGFQGKT 960 GPPGPGGVVG PQGPTGETGP IGERGYPGPP GPPGEQGLPG AAGKEGAKGD PGPQGISGKD 1020 GPAGLRGFPG ERGLPGAQGA PGLKGGEGPQ GPPGPVGSPG ERGSAGTAGP IGLRGRPGPQ 1080 10 GPPGPAGEKG APGEKGPQGP AGRDGVQGPV GLPGPAGPAG SPGEDGDKGE IGEFGQKGSK 1140
GGKGENGPPG PPGLQGPVGA PGIAGGDGEF GPRGQQGMFG QKGDEGAKGF PGPPGPIGLQ 1200
GLPGPPGEKG ENGDVGPWGP FGPPGPRGPQ GPNGADGPQG PPGSVGSVG VGEKGEPGEA 1260
GNPGPPGEAG VGGPKGERGE KGEAGPPGAA GPPGAKGPPG DDGPKGNPGP VGFPGDPGPF 1320
GELGPAGQDG VGGDKGEDGD PGQPFGPPS GEAGPPGAA EGRAGPFGAAGA EGRQGEKGAK 1340 15 GEAGAEGPPG KTGPVGPQGP AGKPGPEGLR GPVGPVGEQG LPGAAGQDGP PGPMGPPGLP 1440 GLKGDPGSKG EKGHPGLIGL IGPPGEQGEK GDRGLPGTQG SPGAKGDGGI PGPAGPLGPP 1500 GPPGLPGPQG PKGNKGSTGP AGQKGDSGLP GPPGPPGPPG EVIQPLPILS SKKTRRHTEG 1560 MQADADDNIL DYSDGMEEIF GSLNSLKQDI EHMKFPMGTQ TNPARTCKDL QLSHFRDFPDG 1620
EYWIDPNQGC SGDSFKVYCN FTSGGETCTY PDKKSEGVRI SSWPKEKPGS WFSEFKRGKL 1680
LSYLDVEGNS INMVQMTFLK LLTASARQNF TYHCHQSAAW YDVSSGSYDK ALRFLGSNDE 1740
EMSYDNNPFI KTLYDGCTSR KGYEKTVIEI NTPKIDQVPI VDVMISDFGD QNQKFGFEVG 1800 20 **PVCFLG** 25 Seq ID NO: 123 DNA sequence NM 015886 Nucleic Acid Accession # Coding sequence: 485-1261 (underlined sequences correspond to start and stop codons) 30 GANTICCCCC CCCCCCCC TCACTIGGTG TGTCTATATG TCTGGCAGAC ATTATCAGCA 60
CATTCTCTGT TGTTACCTGT GATTCATTTT TTCTTCACTC TCCAGGGTGAA TTTCAATTGC 120
TGAAAATTTC CCACTGAAAA TATGCAGTAA TATATTTTGT GGTTCAGACA TTTGGGGCAA 180
ATGGTTCACA TTCATTTTAG GGTTAGTGGT CATGCTGTTT ATTTTTCTCT GCTATACAAA 240
GTTCCTCTTA GGGGTCTGCC TCATGACACT AAAAAATGAA TAGAGATTCT ACTGTAGGTT 300 35 ATCTCCTAGG CTTGAGTTCA ACATTTGTTT GGATTTTTGA AGAAAGTCAA ATCAAGCAAT 360 GCTCCCAAAT GATGTCTTTG TAAATTCATA CCCTCTGGCC CTATTTTTTT TCATAGACCC 420 TAACTCTACC TTTCTGCTTT AAAGCAAAGT AAACTCGGTG GCCTCTTCTT CTCCACCCCT 480 CAAAATGATA GCAATCTCTG CCGTCAGCAG TGCACTCCTG TTCTCCCTTC TCTGTGAAGC 540
AAGTACCGTC GTCCTACTCA ATTCCACTGA CTCATCCCCG CCAACCAATA ATTTCACTGA 600
TATTGAAGCA GCTCTGAAAG CACAATTAGA TTCAGCGGAT ATCCCCAAAG CCAGGCGGAA 660
GCGCTACATT TCGCAGAATG ACATGATCGC CATTCTTGAT TATCATAATC AAGTTCGGGG 720
CAAAGTGTTC CCACCGGCAG CAAATATGGA ATATATGGTT TGGGATGAAA ATCTTTGCAAA 78 40 ATCGCAGAG GCTTGGCCG CTACTTGCAT TTGGGACCAT GGACCTTCTT ACTTACTGAG 840
ATTTTTGGGC CAAAATCTAT CTGTACGCAC TGGAAGATAT CGCTCTATTC TCCAGTTGGT 900
CAAGCCATGG TATGATGAAG TGAAAGATTA TGCTTTTCCA TATCCCCAGG ATTGCAACCC 960 AGAAGCACCA TATAAAGTAG GGGTACCATG TTCATCTTGT CCTCCAAGTT ATGGGGGATC 1200
TTGTACTGAC AATCTGTGTT TTCCAGGAGT TACGTCAAAC TACCTGTACT GGTTTAAAAA 1260
AGTTTACCTT TTCCTCCAGG AAATATAATG ATTTCTGGGA ACATGGGCAT GTATATATAT 1320
ATATGGAGAG AGAATTTTGC ACATATTATA CATATTTTGT GCTAATCTTG TTTTCCTCTT 1380
AGTATTCCTT TGTATAAAATT AGTGTTTGTC TAGCATGTTT GTTTAATCT TTGGGAATTC 50 55 Seq ID NO: 124 Protein sequence: Protein Accession #: NP\_056970.1 31 60 MIAISAVSSA LLFSLLCEAS TVVLLNSTDS SPPTNNFTDI EAALKAQLDS ADIPKARRKR 60 YISQNDMIAI LDYHNQVRGK VFPPAANMEY MVWDENLAKS AEAWAATCIW DHGPSYLLFF 120 LGQNLSVRTG RYRSILQLVK PWYDEVKDYA FPYPQDCNPR CPMRCFGPMC THYTQMVWAT 180 SNRIGCAIHA COMMNVWGSV WRRAVYLVCN YAPKGNWIGE APYKVGVPCS SCPPSYGGSC 240 65 TONLCFPGVT SNYLYWFK Seq ID NO: 125 DNA sequence Nucleic Acid Accession # NM\_001793 70 Coding sequence: 54-2543 (underlined sequences correspond to start and stop codons)

GCGGAACÁCC GGCCCGCCCT CGCGGCAGCT GCTTCACCCC TCTCTCTGCA GCCATGGGGC 60
TCCCTCGTGG ACCTCTCGCG TCTCTCCTCC TTCTCCAGGT TTGCTGGCTG CAGTGCGCGG 120
CCTCCGAGCC GTGCCGGGCG GTCTTCAGGG AGGCTGAAGT GACCTTGGAG GCGGGAGGCG 180

CGGAGCAGGA GCCCGGCCAG GCGCTGGGGA AAGTATTCAT GGGCTGCCCT GGGCAAGAGC 240



WO 02/059377



WO 02/059377

5

50

MEYNKSHIQG AVHINCADKI SRRRLQQGKI TVLDLISCRE GKDSFKRIFS KEIIVYDENT 240
NEPSRVMPSQ PLHIVLESLK REGKEPLVLK GGLSSFKQNH ENLCDNSLQL QECREVGGGA 300
SAASSLLPQP IPTTPDIENA ELTPILPFLF LGNEQDAQDL DTMQRLNIGY VINVTTHLPL 360
YHYEKGLFNY KRLPATDSNK QNLRQYFEEA FEFIEEAHQC GKGLLIHCQA GVSRSATIVI 420
AYLMKHTRMT MTDAYKFVKG KRPIISPNLN FMGQLLEFEE DLNNGVTPRI LTPKLMGVET 480

Seq ID NO: 131 DNA sequence NM\_005409.3 Nucleic Acid Accession #: Coding sequence: 94-378 (underlined sequences correspond to start and stop codons) 10

31 11 21 TTCCTTTCAT GTTCAGCATT TCTACTCCTT CCAAGAAGAG CAGCAAAGCT GAAGTAGCAG 60 CAACAGCACC AGCAGCAACA GCAAAAAACA AACATGAGTG TGAAGGGCAT GGCTATAGCC 120
TTGGCTGTGA TATTGTGTGC TACAGTTGTT CAAGGCTTCC CCATGTTCAA AAGAGGACGC 180 15 20 25 30 35


40 Sea ID NO: 132 Protein sequence NP\_005400.1 Protein Accession #:

MSVKGMAIAL AVILCATVVQ GFPMFKRGRC LCIGPGVKAV KVADIEKASI MYPSNNCDKI 60 45 EVIITLKENK GQRCLNPKSK QARLIIKKVE RKNF

Seq ID NO: 133 DNA sequence NM\_012342 Nucleic Acid Accession #: Coding sequence: 373-1155 (underlined sequences correspond to start and stop codons)

TAAACAAAAA TGTGCCCTAT GTAAGCTTCT ACATCTTGAT TTATTGTAAA GATTTAAAAG 1500 AAATATATAT ATTTTGTCTG A

Seq ID NO: 134 Protein sequence:
Protein Accession #: NP\_036474.1



VTLTCTÁENQ LERTVNSLNV SAISIPEHDE ADEISDENRE KVNDQAKLIV GIVVGLLLAA 540 LVAGVVYWLY MKKSKTASKH VNKDLGNMEE NKKLEENNHK TEA

| 5  | Seq ID NO: 137 DNA sequence Nucleic Acid Accession #: XM_030559 Coding sequence: 1-119 (underlined sequences correspond to start and stop codons)  |
|----|--|
| 0  | 1 11 21 31 41 51 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1   |
| 15 | AGCAAGITIT ATGGATTACT ACAACATOTT CATAAGATCC CCAATGTTGA CGTTTTGGTA 180 GAGGAGTTTT ATGGATTACT ACAACATOTT CATAAGATCC CCAATGTTGA CGTTTTGGTA 180 GGCTATGCAG ACATCCATGG AGACTTACTA CCTATAAATA ATGATGATAA TTATCACAAA 244 GCTGTTTCAA CGGCCAATCC ACTGCTTAGG ATATTTATAC AAAAGAAGGA AGAAGCAGAC 30 TACAGTGCCT TTGGTACAGA CACGCTAATA AAGAAGAAGA ATGTTTAAAC CAACGTATTG 36 CGTCCTGACA ACCATAGAAA AAAGCCACAT ATAGTCATTA GTATGCCCCA AGACTTTAGA 42 CCTGTGTCTT CTATTATAGA CGTGGATATT CTCCCAGAAA CGCATCGTAG GGTACGTCTT 480   |
| 20 | TACAAATACG GCACGGAGAA ACCCCTAGGA TTCTACATCC GGGATGGCTC CAGTGTCAGGA GCACACACAC ATGGCTTAGA AAAGGTTCCA GGGATCTTTA TATCCAGGCT TGTCCCAGGA 600 GGTCTGGCTC AAAGTACAGG ACTATTAGCT GTTAATGATG AAGTTTTAGA AGTTAATGGC 660 GGTCTGGCTC AAAGTACAGG ACTTGATGATGATGATGATGATGATGCCGT 77   |
| 25 | ACCTCATCA TAACAGTGAG ACCGGCAAAC CAGAGGAATA ATGTTUTAG GAACAGATT 840 ACTTCTGGCA GTTCCGGTCA GTCTACTGAT AACAGCCTTC TTGGCTACCC ACAGCAGATT 840 GAACCAAGCT TTGAGCCAGA GGATGAAGAC AGCGAAGAAG ATGACATTAT CATTGAAGAC S AATGGAGTGC CACAGCAGAT TCCAAAAAGCT GTTCCTAATA CTGAGAGCCT GGAGTCATTA 96 ACACAGATAG AGCTTAAGCAAG CAGCTCCAAAC ACGGAATTTG AAACACATGC TCCAGATCAA ACCTTAAGCAG CCATAAGCAAG CAGCTCCAAAC ACGGAATTTG AAACACATGC TCCAGATCAA   |
| 30 | AAACTCTTAG AAGAAGATGG AACAATCATA ACATTA <u>TGA</u> Seq ID NO: 138 <u>Protein sequence:</u> Protein Accession #: XP_030559  |
| 35 | 1 11 21 31 41 51   |
| 40 | GYADIHGDLE PINNDDH IR NYSTRALEEM THE |

It is understood that the examples described above in no way serve to limit the true scope of this invention, but rather are presented for illustrative purposes. All publications, sequences of accession numbers, and patent applications cited in this specification are herein incorporated by reference as if each individual publication or patent application were specifically and individually indicated to be incorporated by reference.

## WHAT IS CLAIMED IS:

| l | 1. A method of detecting a breast cancer-associated transcript in a cell                      |  |  |  |  |
|---|---|--|--|--|--|
| 2 | from a patient, the method comprising contacting a biological sample from the patient with a  |  |  |  |  |
| 3 | polynucleotide that selectively hybridizes to a sequence at least 80% identical to a sequence |  |  |  |  |
| 4 | as shown in Tables 1-25.  |  |  |  |  |
| • |   |  |  |  |  |
| 1 | 2. The method of claim 1, wherein the biological sample comprises                             |  |  |  |  |
| 2 | isolated nucleic acids.   |  |  |  |  |
| 1 | 3. The method of claim 2, wherein the nucleic acids are mRNA.                                 |  |  |  |  |
| 1 | 4. The method of claim 2, further comprising the step of amplifying                           |  |  |  |  |
| 2 | nucleic acids before the step of contacting the biological sample with the polynucleotide.    |  |  |  |  |
|   |   |  |  |  |  |
| 1 | 5. The method of claim 1, wherein the polynucleotide comprises a                              |  |  |  |  |
| 2 | sequence as shown in Tables 1-25.   |  |  |  |  |
| 1 | 6. The method of claim 1, wherein the polynucleotide is immobilized on                        |  |  |  |  |
| 2 | a solid surface.  |  |  |  |  |
| 1 | 7. The method of claim 1, wherein the patient is undergoing a therapeutic                     |  |  |  |  |
| 2 | regimen to treat breast cancer.   |  |  |  |  |
| 1 | 8. The method of claim 1, wherein the patient is suspected of having                          |  |  |  |  |
| 2 | breast cancer.  |  |  |  |  |
| 1 | 9. An isolated nucleic acid molecule consisting of a polynucleotide                           |  |  |  |  |
| 2 | sequence as shown in Tables 1-25.   |  |  |  |  |
| _ |   |  |  |  |  |
| 1 | 10. The nucleic acid molecule of claim 9, which is labeled.                                   |  |  |  |  |
| 1 | 11. An expression vector comprising the nucleic acid of claim 9.                              |  |  |  |  |
| 1 | 12. A host cell comprising the expression vector of claim 11.                                 |  |  |  |  |

WO 02/059377

|  | PCT/US02/02242             |
|--|----------------------------|
|  | ·                          |
| an isolated polypeptide which is encoded b | by a nucleic acid molecule |

| 1 | 1:   | 3.         | An isolated polypeptide which is encoded by a nucleic acid molecule    |  |  |  |
|---|--|------------|--|--|--|--|
| 2 | having polynucleotide sequence as shown in Tables 1-25.                                    |            |  |  |  |  |
| 1 | 1  | 4.         | An antibody that specifically binds a polypeptide of claim 13.         |  |  |  |
| 1 | 1  | 5.         | The antibody of claim 14, further conjugated to an effector component. |  |  |  |
| 1 |  |            | The antibody of claim 15, wherein the effector component is a          |  |  |  |
| 2 | fluorescent label  | <b>I</b> . |  |  |  |  |
| 1 |  |            | The antibody of claim 15, wherein the effector component is a          |  |  |  |
| 2 | radioisotope or a cytotoxic chemical.  |            |  |  |  |  |
| 1 | 1  | 8.         | The antibody of claim 15, which is an antibody fragment.               |  |  |  |
| 1 | 1  | 9.         | The antibody of claim 15, which is a humanized antibody                |  |  |  |
| 1 |  |            | A method of detecting a breast cancer cell in a biological sample from |  |  |  |
| 2 | a patient, the me  | ethod o    | comprising contacting the biological sample with an antibody of claim  |  |  |  |
| 3 | 14.  |            |  |  |  |  |
| 1 | 2  | 1.         | The method of claim 20, wherein the antibody is further conjugated to  |  |  |  |
| 2 | an effector component.   |            |  |  |  |  |
| 1 | 2  | 2.         | The method of claim 21, wherein the effector component is a            |  |  |  |
| 2 | fluorescent label  | 1.         |  |  |  |  |
| 1 | 2  | 3.         | A method for identifying a compound that modulates a breast cancer-    |  |  |  |
| 2 | associated polyp   | eptide     | e, the method comprising the steps of:                                 |  |  |  |
| 3 | <b>(</b> i   | i) cont    | acting the compound with a breast cancer-associated polypeptide, the   |  |  |  |
| 4 | polypeptide encoded by a polynucleotide that selectively hybridizes to a sequence at least |            |  |  |  |  |
| 5 | 80% identical to a sequence as shown in Tables 1-25; and                                   |            |  |  |  |  |
| 6 | (1   | ii) dete   | ermining the functional effect of the compound upon the polypeptide.   |  |  |  |
| 1 | 2  | и          | A drug screening assay comprising the steps of                         |  |  |  |



WO 02/059377



| 2 | (i) administering a test compound to a mammal having breast cancer or a cell                |
|---|---|
| 3 | isolated therefrom;   |
| 4 | (ii) comparing the level of gene expression of a polynucleotide that selectively            |
| 5 | hybridizes to a sequence at least 80% identical to a sequence as shown in Tables 1-25 in a  |
| 6 | treated cell or mammal with the level of gene expression of the polynucleotide in a control |
| 7 | cell or mammal, wherein a test compound that modulates the level of expression of the       |
| 8 | polynucleotide is a candidate for the treatment of breast cancer.                           |